

**Table 2.38A Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2020**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+</b>	<b>Aged 12-17</b>	<b>Aged 18+</b>	<b>Aged 18-25</b>	<b>Aged 26+</b>
<b>TOTAL</b>	17,908	2,367	15,541	6,047	9,494
<b>GEOGRAPHIC REGION</b>					
Northeast	2,665	374	2,291	1,046	1,245
Midwest	4,157	614	3,543	1,521	2,022
South	7,126	883	6,244	2,289	3,955
West	3,959	496	3,464	1,191	2,273
<b>COUNTY TYPE</b>					
Large Metro	8,742	1,277	7,465	2,836	4,629
Small Metro	6,198	628	5,570	2,152	3,418
Nonmetro	2,968	462	2,506	1,059	1,447
Urbanized	1,375	174	1,201	574	626
Less Urbanized	1,427	263	1,164	431	733
Completely Rural	166	*	141	54	87
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	2,731	279	2,452	1,193	1,259
100-199%	3,670	427	3,243	1,380	1,864
200% or More	11,384	1,661	9,723	3,352	6,371
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	11,001	1,628	9,373	4,212	5,161
Medicaid/CHIP	3,358	671	2,688	802	1,886
Other <sup>3</sup>	2,031	117	1,914	461	1,454
No Coverage	2,581	89	2,492	780	1,712

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

**Table 2.38B Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2020**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+</b>	<b>Aged 12-17</b>	<b>Aged 18+</b>	<b>Aged 18-25</b>	<b>Aged 26+</b>
<b>TOTAL</b>	6.5	9.5	6.2	18.1	4.3
<b>GEOGRAPHIC REGION</b>					
Northeast	5.6	9.5	5.2	18.5	3.3
Midwest	7.2	11.7	6.8	21.4	4.5
South	6.7	9.0	6.5	18.0	4.7
West	6.0	8.2	5.8	14.8	4.4
<b>COUNTY TYPE</b>					
Large Metro	5.8	9.1	5.5	16.0	3.9
Small Metro	7.3	8.2	7.2	19.6	5.2
Nonmetro	7.2	14.4	6.6	22.2	4.3
Urbanized	8.3	13.1	7.9	26.1	4.8
Less Urbanized	7.2	16.3	6.4	19.4	4.6
Completely Rural	3.3	*	2.9	15.4	2.0
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	6.5	6.1	6.6	14.7	4.3
100-199%	7.3	9.5	7.1	17.9	4.9
200% or More	6.2	10.5	5.8	19.4	4.2
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	6.3	10.9	5.9	21.5	3.7
Medicaid/CHIP	6.9	8.0	6.7	10.3	5.8
Other <sup>3</sup>	2.7	7.1	2.6	19.0	2.0
No Coverage	9.1	6.1	9.2	14.8	7.9

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

**Table 2.39A Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2020**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+</b>	<b>Aged 12-17</b>	<b>Aged 18+</b>	<b>Aged 18-25</b>	<b>Aged 26+</b>
<b>TOTAL</b>	10,442	1,277	9,165	3,923	5,243
<b>GEOGRAPHIC REGION</b>					
Northeast	1,558	189	1,369	713	656
Midwest	2,558	366	2,191	973	1,219
South	4,173	466	3,708	1,536	2,172
West	2,152	255	1,897	701	1,196
<b>COUNTY TYPE</b>					
Large Metro	4,947	583	4,364	1,857	2,507
Small Metro	3,602	366	3,235	1,393	1,842
Nonmetro	1,893	327	1,566	673	894
Urbanized	889	141	748	362	386
Less Urbanized	907	165	742	280	462
Completely Rural	97	*	76	31	46
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	1,663	170	1,493	738	755
100-199%	2,073	250	1,823	868	955
200% or More	6,630	856	5,773	2,240	3,533
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	6,506	840	5,666	2,756	2,910
Medicaid/CHIP	1,943	394	1,548	436	1,112
Other <sup>3</sup>	1,089	55	1,035	269	766
No Coverage	1,426	51	1,375	541	833

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.

**Table 2.39B Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2020**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 12+</b>	<b>Aged 12-17</b>	<b>Aged 18+</b>	<b>Aged 18-25</b>	<b>Aged 26+</b>
<b>TOTAL</b>	3.8	5.1	3.6	11.7	2.4
<b>GEOGRAPHIC REGION</b>					
Northeast	3.3	4.8	3.1	12.6	1.7
Midwest	4.5	7.0	4.2	13.7	2.7
South	3.9	4.8	3.9	12.1	2.6
West	3.3	4.2	3.2	8.7	2.3
<b>COUNTY TYPE</b>					
Large Metro	3.3	4.1	3.2	10.5	2.1
Small Metro	4.3	4.8	4.2	12.7	2.8
Nonmetro	4.6	10.2	4.1	14.1	2.7
Urbanized	5.4	10.6	4.9	16.4	3.0
Less Urbanized	4.6	10.2	4.1	12.6	2.9
Completely Rural	1.9	*	1.6	8.7	1.0
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	4.0	3.7	4.0	9.1	2.6
100-199%	4.1	5.5	4.0	11.3	2.5
200% or More	3.6	5.4	3.4	13.0	2.3
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	3.7	5.6	3.6	14.1	2.1
Medicaid/CHIP	4.0	4.7	3.8	5.6	3.4
Other <sup>3</sup>	1.4	3.3	1.4	11.1	1.1
No Coverage	5.0	3.5	5.1	10.3	3.8

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, Quarters 1 and 4, 2020.