

Table 2.44A Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Demographic Characteristics, Numbers in Thousands, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	15,099	<i>12,966</i>	12,765	<i>11,114</i>	7,046	<i>6,033</i>	4,222	<i>3,433</i>	825	<i>669</i>
GENDER										
Male	7,395	<i>6,280</i>	6,074	<i>5,352</i>	3,344	<i>2,991</i>	2,026	<i>1,689</i>	403	<i>386</i>
Female	7,704	<i>6,687</i>	6,691	<i>5,762</i>	3,702	<i>3,042</i>	2,195	<i>1,744</i>	423	<i>282</i>
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	11,408	<i>9,691</i>	9,756	<i>8,312</i>	5,459	<i>4,688</i>	3,344	<i>2,698</i>	667	<i>493</i>
White	8,689	<i>7,195</i>	7,572	<i>6,310</i>	4,362	<i>3,677</i>	2,739	<i>2,202</i>	598	<i>443</i>
Black or African American	1,578	<i>1,238</i>	1,228	<i>1,005</i>	602	<i>597</i>	301	<i>263</i>	16	<i>5</i>
AIAN	99	*	73	*	38	*	29	*	13	*
NHOPI	*	*	*	*	10	*	*	*	2	*
Asian	478	<i>654</i>	408	<i>540</i>	234	<i>187</i>	144	<i>118</i>	16	<i>11</i>
Two or More Races	505	<i>459</i>	429	<i>353</i>	213	<i>159</i>	124	<i>85</i>	22	<i>23</i>
Hispanic or Latino	3,691	<i>3,275</i>	3,010	<i>2,802</i>	1,588	<i>1,345</i>	877	<i>735</i>	158	<i>176</i>
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	4,239	<i>3,539</i>	3,624	<i>3,104</i>	2,096	<i>1,846</i>	1,325	<i>1,095</i>	313	<i>252</i>
Female, White, Not Hispanic	4,450	<i>3,656</i>	3,947	<i>3,206</i>	2,266	<i>1,830</i>	1,414	<i>1,107</i>	285	<i>191</i>
Male, Black, Not Hispanic	723	<i>516</i>	515	<i>405</i>	249	<i>234</i>	129	<i>109</i>	7	<i>5</i>
Female, Black, Not Hispanic	854	<i>721</i>	713	<i>600</i>	353	<i>362</i>	172	<i>154</i>	9	<i>*</i>
Male, Hispanic	1,850	<i>1,682</i>	1,466	<i>1,393</i>	763	<i>741</i>	406	<i>413</i>	51	<i>103</i>
Female, Hispanic	1,841	<i>1,593</i>	1,544	<i>1,409</i>	825	<i>604</i>	472	<i>322</i>	107	<i>73</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 2.44B Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Demographic Characteristics, Percentages, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	39.7	34.6	33.5	29.7	18.5	16.1	11.1	9.2	2.2	1.8
GENDER										
Male	38.1	32.7	31.3	27.9	17.2	15.6	10.4	8.8	2.1	2.0
Female	41.3	36.7	35.9	31.6	19.9	16.7	11.8	9.6	2.3	1.5
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	39.8	34.5	34.0	29.6	19.0	16.7	11.7	9.6	2.3	1.8
White	44.1	38.6	38.4	33.8	22.1	19.7	13.9	11.8	3.0	2.4
Black or African American	30.3	24.5	23.6	19.9	11.6	11.8	5.8	5.2	0.3	0.1
AIAN	39.8	*	29.4	*	15.2	*	11.8	*	5.0	*
NHOPI	*	*	*	*	5.4	*	*	*	1.3	*
Asian	23.6	22.5	20.1	18.6	11.5	6.4	7.1	4.0	0.8	0.4
Two or More Races	38.4	41.7	32.6	32.1	16.1	14.4	9.4	7.7	1.7	2.1
Hispanic or Latino	39.3	35.1	32.1	30.0	16.9	14.4	9.4	7.9	1.7	1.9
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	42.1	36.8	36.0	32.3	20.8	19.2	13.2	11.4	3.1	2.6
Female, White, Not Hispanic	46.2	40.5	40.9	35.5	23.5	20.3	14.7	12.3	3.0	2.1
Male, Black, Not Hispanic	27.7	19.0	19.7	14.9	9.5	8.6	4.9	4.0	0.3	0.2
Female, Black, Not Hispanic	32.9	30.9	27.4	25.7	13.6	15.5	6.6	6.6	0.4	*
Male, Hispanic	38.3	35.1	30.3	29.1	15.8	15.5	8.4	8.6	1.1	2.2
Female, Hispanic	40.5	35.0	33.9	31.0	18.1	13.3	10.4	7.1	2.4	1.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 2.45A Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Demographic Characteristics, Numbers in Thousands, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	205,859	<i>207,264</i>	166,379	<i>166,604</i>	132,681	<i>132,489</i>	61,623	<i>58,136</i>	15,218	<i>17,063</i>
GENDER										
Male	102,652	<i>102,125</i>	83,380	<i>82,765</i>	69,116	<i>67,734</i>	34,406	<i>31,804</i>	9,725	<i>10,757</i>
Female	103,207	<i>105,139</i>	82,998	<i>83,838</i>	63,565	<i>64,754</i>	27,218	<i>26,332</i>	5,494	<i>6,306</i>
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	175,208	<i>175,918</i>	141,564	<i>141,149</i>	113,994	<i>113,209</i>	50,997	<i>47,419</i>	13,287	<i>14,615</i>
White	138,583	<i>139,003</i>	112,303	<i>111,232</i>	91,305	<i>90,663</i>	39,963	<i>37,307</i>	11,177	<i>11,968</i>
Black or African American	22,139	<i>22,545</i>	17,490	<i>18,265</i>	13,628	<i>14,454</i>	7,245	<i>6,720</i>	1,186	<i>1,815</i>
AIAN	*	<i>1,172</i>	703	<i>842</i>	464	*	298	*	72	*
NHOPI	640	*	511	*	444	*	253	*	43	<i>24</i>
Asian	9,209	<i>8,662</i>	7,627	<i>7,324</i>	5,731	<i>5,225</i>	1,989	<i>1,849</i>	358	<i>344</i>
Two or More Races	3,623	<i>3,851</i>	2,929	<i>2,998</i>	2,421	<i>2,069</i>	1,249	<i>1,008</i>	451	<i>343</i>
Hispanic or Latino	30,650	<i>31,346</i>	24,814	<i>25,455</i>	18,687	<i>19,280</i>	10,627	<i>10,717</i>	1,931	<i>2,449</i>
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	68,399	<i>67,820</i>	55,691	<i>54,558</i>	47,179	<i>45,734</i>	22,445	<i>20,674</i>	7,251	<i>7,667</i>
Female, White, Not Hispanic	70,184	<i>71,183</i>	56,612	<i>56,675</i>	44,126	<i>44,930</i>	17,517	<i>16,633</i>	3,926	<i>4,301</i>
Male, Black, Not Hispanic	10,420	<i>10,073</i>	8,170	<i>8,175</i>	6,591	<i>6,714</i>	3,677	<i>2,974</i>	665	<i>887</i>
Female, Black, Not Hispanic	11,720	<i>12,472</i>	9,320	<i>10,091</i>	7,037	<i>7,741</i>	3,568	<i>3,745</i>	521	<i>928</i>
Male, Hispanic	16,244	<i>16,748</i>	13,398	<i>13,899</i>	10,587	<i>10,836</i>	6,184	<i>6,365</i>	1,239	<i>1,779</i>
Female, Hispanic	14,407	<i>14,597</i>	11,416	<i>11,556</i>	8,100	<i>8,443</i>	4,442	<i>4,351</i>	692	<i>670</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 2.45B Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Demographic Characteristics, Percentages, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	86.8	86.5	70.2	69.6	55.9	55.3	26.0	24.3	6.4	7.1
GENDER										
Male	90.0	88.7	73.1	71.9	60.6	58.8	30.2	27.6	8.5	9.3
Female	83.9	84.6	67.5	67.4	51.7	52.1	22.1	21.2	4.5	5.1
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	88.0	87.8	71.1	70.4	57.3	56.5	25.6	23.7	6.7	7.3
White	91.8	91.4	74.4	73.1	60.5	59.6	26.5	24.5	7.4	7.9
Black or African American	78.9	78.9	62.4	63.9	48.6	50.6	25.8	23.5	4.2	6.4
AIAN	*	86.8	53.5	62.4	35.3	*	22.7	*	5.5	*
NHOPI	70.2	*	56.1	*	48.7	*	27.7	*	4.7	2.6
Asian	66.5	65.1	55.1	55.1	41.4	39.3	14.4	13.9	2.6	2.6
Two or More Races	90.5	91.5	73.2	71.3	60.5	49.2	31.2	24.0	11.3	8.2
Hispanic or Latino	80.5	80.3	65.2	65.2	49.1	49.4	27.9	27.4	5.1	6.3
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	93.4	92.0	76.1	74.0	64.4	62.0	30.7	28.0	9.9	10.4
Female, White, Not Hispanic	90.3	90.9	72.9	72.3	56.8	57.3	22.5	21.2	5.1	5.5
Male, Black, Not Hispanic	82.3	79.4	64.6	64.4	52.1	52.9	29.1	23.4	5.3	7.0
Female, Black, Not Hispanic	76.2	78.6	60.6	63.6	45.7	48.8	23.2	23.6	3.4	5.8
Male, Hispanic	86.2	86.6	71.1	71.9	56.2	56.1	32.8	32.9	6.6	9.2
Female, Hispanic	74.9	74.1	59.3	58.6	42.1	42.8	23.1	22.1	3.6	3.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.