

Table 2.44C Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Demographic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	317	429	295	398	219	300	162	232	56	93
GENDER										
Male	181	276	167	251	127	192	96	143	38	76
Female	199	285	190	273	139	198	103	158	38	52
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	270	351	252	325	185	252	136	200	52	80
White	235	285	221	269	166	218	127	178	50	75
Black or African American	78	132	70	117	43	91	28	66	5	5
AIAN	14	*	11	*	8	*	7	*	6	*
NHOPI	*	*	*	*	5	*	*	*	2	*
Asian	47	104	44	94	33	48	26	36	7	11
Two or More Races	35	71	33	63	22	39	17	25	6	9
Hispanic or Latino	140	220	124	208	95	143	66	97	25	48
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	137	186	129	172	98	143	76	113	35	62
Female, White, Not Hispanic	144	188	139	181	105	135	80	113	33	40
Male, Black, Not Hispanic	46	73	40	66	25	50	18	38	3	5
Female, Black, Not Hispanic	56	99	51	89	33	75	21	53	4	*
Male, Hispanic	91	160	80	145	60	106	42	69	14	35
Female, Hispanic	88	149	83	144	61	92	45	66	21	32

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 2.44D Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	0.53	<i>0.92</i>	0.53	<i>0.90</i>	0.45	<i>0.72</i>	0.36	<i>0.59</i>	0.14	<i>0.25</i>
GENDER										
Male	0.64	<i>1.20</i>	0.64	<i>1.14</i>	0.54	<i>0.91</i>	0.43	<i>0.71</i>	0.19	<i>0.39</i>
Female	0.72	<i>1.29</i>	0.72	<i>1.28</i>	0.61	<i>0.99</i>	0.49	<i>0.82</i>	0.20	<i>0.29</i>
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.60	<i>1.03</i>	0.59	<i>0.98</i>	0.50	<i>0.81</i>	0.40	<i>0.67</i>	0.17	<i>0.28</i>
White	0.72	<i>1.20</i>	0.71	<i>1.17</i>	0.63	<i>1.03</i>	0.53	<i>0.88</i>	0.24	<i>0.39</i>
Black or African American	1.08	<i>2.33</i>	1.07	<i>2.12</i>	0.75	<i>1.70</i>	0.51	<i>1.26</i>	0.10	<i>0.10</i>
AIAN	5.36	*	4.83	*	3.33	*	2.99	*	2.34	*
NHOPI	*	*	*	*	2.49	*	*	*	0.99	*
Asian	1.96	<i>3.11</i>	1.86	<i>2.84</i>	1.49	<i>1.56</i>	1.19	<i>1.21</i>	0.37	<i>0.37</i>
Two or More Races	1.95	<i>4.20</i>	1.89	<i>4.31</i>	1.49	<i>3.16</i>	1.19	<i>2.22</i>	0.43	<i>0.80</i>
Hispanic or Latino	1.02	<i>1.90</i>	0.97	<i>1.89</i>	0.84	<i>1.38</i>	0.65	<i>0.99</i>	0.26	<i>0.51</i>
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	0.91	<i>1.61</i>	0.91	<i>1.56</i>	0.78	<i>1.33</i>	0.65	<i>1.09</i>	0.33	<i>0.63</i>
Female, White, Not Hispanic	0.96	<i>1.61</i>	0.96	<i>1.62</i>	0.87	<i>1.33</i>	0.71	<i>1.16</i>	0.33	<i>0.43</i>
Male, Black, Not Hispanic	1.39	<i>2.59</i>	1.34	<i>2.34</i>	0.89	<i>1.76</i>	0.67	<i>1.37</i>	0.13	<i>0.18</i>
Female, Black, Not Hispanic	1.58	<i>3.46</i>	1.52	<i>3.27</i>	1.11	<i>2.95</i>	0.79	<i>2.21</i>	0.15	*
Male, Hispanic	1.40	<i>2.65</i>	1.32	<i>2.58</i>	1.07	<i>2.05</i>	0.82	<i>1.38</i>	0.28	<i>0.73</i>
Female, Hispanic	1.30	<i>2.62</i>	1.33	<i>2.62</i>	1.14	<i>1.82</i>	0.92	<i>1.37</i>	0.45	<i>0.71</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 2.45C Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Demographic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	1,901	2,716	1,662	2,397	1,464	2,118	844	1,259	408	659
GENDER										
Male	1,141	1,841	1,006	1,620	913	1,434	590	926	311	546
Female	1,211	1,767	1,072	1,504	932	1,351	513	812	228	371
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	1,781	2,479	1,566	2,161	1,390	1,928	782	1,074	372	562
White	1,669	2,246	1,458	1,957	1,299	1,764	700	954	346	531
Black or African American	649	1,022	536	863	457	752	296	463	104	221
AIAN	*	180	65	148	47	*	36	*	20	*
NHOPI	79	*	71	*	67	*	49	*	13	10
Asian	441	598	376	547	312	423	147	234	61	98
Two or More Races	179	312	158	271	145	214	103	163	68	88
Hispanic or Latino	763	1,207	643	1,015	497	859	342	636	149	330
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	996	1,457	866	1,281	796	1,161	476	720	269	431
Female, White, Not Hispanic	1,044	1,470	926	1,213	810	1,097	419	578	185	297
Male, Black, Not Hispanic	372	608	305	532	266	492	193	278	75	128
Female, Black, Not Hispanic	398	693	339	585	291	508	180	360	66	186
Male, Hispanic	534	894	462	776	377	658	263	512	112	301
Female, Hispanic	429	695	369	574	289	498	208	351	95	126

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 2.45D Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020

Demographic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
TOTAL	0.27	<i>0.44</i>	0.35	<i>0.57</i>	0.38	<i>0.58</i>	0.30	<i>0.46</i>	0.16	<i>0.27</i>
GENDER										
Male	0.33	<i>0.56</i>	0.46	<i>0.76</i>	0.50	<i>0.78</i>	0.44	<i>0.68</i>	0.26	<i>0.46</i>
Female	0.41	<i>0.65</i>	0.48	<i>0.75</i>	0.50	<i>0.77</i>	0.37	<i>0.59</i>	0.18	<i>0.29</i>
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.29	<i>0.46</i>	0.38	<i>0.60</i>	0.41	<i>0.63</i>	0.33	<i>0.49</i>	0.18	<i>0.28</i>
White	0.25	<i>0.37</i>	0.42	<i>0.63</i>	0.47	<i>0.69</i>	0.39	<i>0.53</i>	0.22	<i>0.34</i>
Black or African American	0.80	<i>1.51</i>	0.98	<i>1.75</i>	0.99	<i>1.70</i>	0.79	<i>1.37</i>	0.36	<i>0.74</i>
AIAN	*	<i>3.30</i>	4.53	<i>5.74</i>	3.63	*	2.80	*	1.50	*
NHOPI	5.42	*	4.88	*	4.90	*	4.25	*	1.47	<i>1.15</i>
Asian	1.66	<i>2.99</i>	1.67	<i>2.79</i>	1.65	<i>2.70</i>	0.97	<i>1.67</i>	0.44	<i>0.73</i>
Two or More Races	1.49	<i>2.03</i>	2.05	<i>3.39</i>	2.19	<i>3.73</i>	2.10	<i>3.36</i>	1.60	<i>2.01</i>
Hispanic or Latino	0.75	<i>1.25</i>	0.87	<i>1.46</i>	0.88	<i>1.49</i>	0.74	<i>1.27</i>	0.38	<i>0.80</i>
GENDER/RACE/HISPANIC ORIGIN										
Male, White, Not Hispanic	0.32	<i>0.50</i>	0.55	<i>0.86</i>	0.61	<i>0.92</i>	0.55	<i>0.82</i>	0.35	<i>0.56</i>
Female, White, Not Hispanic	0.36	<i>0.50</i>	0.57	<i>0.82</i>	0.63	<i>0.91</i>	0.47	<i>0.67</i>	0.23	<i>0.37</i>
Male, Black, Not Hispanic	1.09	<i>2.06</i>	1.36	<i>2.60</i>	1.40	<i>2.60</i>	1.24	<i>2.03</i>	0.58	<i>1.01</i>
Female, Black, Not Hispanic	1.17	<i>2.08</i>	1.34	<i>2.27</i>	1.34	<i>2.20</i>	0.98	<i>1.90</i>	0.43	<i>1.11</i>
Male, Hispanic	1.01	<i>1.43</i>	1.26	<i>1.95</i>	1.27	<i>2.14</i>	1.17	<i>2.02</i>	0.57	<i>1.46</i>
Female, Hispanic	1.12	<i>1.97</i>	1.22	<i>2.10</i>	1.18	<i>1.98</i>	0.98	<i>1.53</i>	0.48	<i>0.62</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.