

**Table 2.46C Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
<b>TOTAL</b>	317	429	295	398	219	300	162	232	56	93
<b>GEOGRAPHIC REGION</b>										
Northeast	109	158	101	149	81	100	67	83	28	38
Midwest	120	170	116	160	84	120	65	87	25	44
South	240	273	222	254	163	192	117	135	34	49
West	136	223	123	208	87	147	64	119	26	54
<b>COUNTY TYPE</b>										
Large Metro	237	323	215	302	155	226	117	177	36	73
Small Metro	209	244	194	221	147	163	107	122	41	40
Nonmetro	99	157	86	138	54	109	40	74	18	38
Urbanized	69	96	61	73	38	58	27	44	12	28
Less Urbanized	67	123	56	116	36	89	27	58	12	23
Completely Rural	30	*	27	*	15	*	12	*	4	*
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	144	210	133	195	99	152	84	121	29	63
100-199%	99	178	88	167	65	109	48	74	14	40
200% or More	184	293	172	278	126	195	89	144	36	52
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	257	323	243	307	190	233	143	179	51	74
Medicaid/CHIP	120	220	105	196	72	122	57	78	24	22
Other <sup>3</sup>	71	103	67	94	42	74	31	59	11	22
No Coverage	73	117	65	109	48	84	36	64	12	32

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 2.46D Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
<b>TOTAL</b>	0.53	0.92	0.53	0.90	0.45	0.72	0.36	0.59	0.14	0.25
<b>GEOGRAPHIC REGION</b>										
Northeast	1.26	2.01	1.23	1.97	1.08	1.49	0.97	1.27	0.45	0.62
Midwest	0.98	1.68	1.04	1.66	0.85	1.32	0.70	0.98	0.30	0.54
South	0.98	1.54	0.97	1.47	0.83	1.16	0.66	0.87	0.22	0.34
West	1.07	1.88	0.99	1.86	0.79	1.48	0.63	1.26	0.29	0.59
<b>COUNTY TYPE</b>										
Large Metro	0.74	1.23	0.70	1.22	0.58	0.98	0.48	0.80	0.17	0.35
Small Metro	1.03	1.62	1.05	1.55	0.94	1.25	0.75	1.00	0.31	0.34
Nonmetro	1.09	2.15	1.05	1.91	0.79	1.74	0.62	1.21	0.32	0.73
Urbanized	1.68	3.43	1.72	2.64	1.28	2.29	1.00	1.81	0.53	1.33
Less Urbanized	1.60	2.74	1.46	2.73	1.12	2.62	0.85	1.76	0.47	0.88
Completely Rural	3.11	*	3.21	*	2.04	*	1.87	*	0.60	*
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	1.17	2.07	1.17	1.98	0.96	1.71	0.86	1.40	0.32	0.77
100-199%	0.90	1.88	0.87	1.87	0.72	1.38	0.56	1.00	0.17	0.55
200% or More	0.61	1.11	0.59	1.10	0.49	0.80	0.38	0.62	0.17	0.24
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.71	1.19	0.70	1.17	0.65	0.96	0.54	0.77	0.22	0.33
Medicaid/CHIP	0.72	1.48	0.68	1.39	0.50	0.93	0.41	0.63	0.19	0.18
Other <sup>3</sup>	2.11	3.18	2.10	3.07	1.55	2.63	1.27	2.19	0.48	0.86
No Coverage	1.59	2.88	1.53	2.98	1.39	2.47	1.11	1.97	0.42	1.04

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 2.47C Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Geographic and Socioeconomic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Lifetime Alcohol Use (2019)</b>	<b>Lifetime Alcohol Use (2020)</b>	<b>Past Year Alcohol Use (2019)</b>	<b>Past Year Alcohol Use (2020)</b>	<b>Past Month Alcohol Use (2019)</b>	<b>Past Month Alcohol Use (2020)</b>	<b>Past Month Binge Alcohol Use (2019)</b>	<b>Past Month Binge Alcohol Use (2020)</b>	<b>Past Month Heavy Alcohol Use (2019)</b>	<b>Past Month Heavy Alcohol Use (2020)</b>
<b>TOTAL</b>	1,901	2,716	1,662	2,397	1,464	2,118	844	1,259	408	659
<b>GEOGRAPHIC REGION</b>										
Northeast	779	1,127	716	961	631	825	352	498	159	250
Midwest	722	984	656	845	567	761	381	564	173	331
South	1,241	1,822	1,037	1,589	918	1,377	554	765	267	381
West	997	1,431	899	1,304	793	1,189	421	693	199	384
<b>COUNTY TYPE</b>										
Large Metro	1,657	2,261	1,438	2,048	1,226	1,778	694	1,021	306	529
Small Metro	1,311	1,561	1,102	1,340	962	1,148	530	686	229	378
Nonmetro	840	1,346	683	996	580	800	305	460	132	219
Urbanized	613	953	507	719	438	568	230	296	96	119
Less Urbanized	639	981	491	752	405	602	213	347	85	164
Completely Rural	334	581	260	334	207	271	101	150	38	93
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	510	1,033	413	839	345	698	260	521	120	243
100-199%	686	1,101	563	874	460	776	329	494	162	254
200% or More	1,713	2,380	1,544	2,111	1,393	1,902	754	1,047	352	588
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	1,612	2,145	1,444	1,954	1,293	1,779	723	981	341	531
Medicaid/CHIP	536	972	436	815	357	680	272	532	130	235
Other <sup>3</sup>	1,042	1,639	849	1,289	730	1,128	362	609	170	294
No Coverage	497	762	432	698	362	625	274	489	126	299

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 2.47D Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Geographic and Socioeconomic Characteristics, Standard Errors of Percentages, 2019 and 2020**

Geographic/Socioeconomic Characteristic	Lifetime Alcohol Use (2019)	Lifetime Alcohol Use (2020)	Past Year Alcohol Use (2019)	Past Year Alcohol Use (2020)	Past Month Alcohol Use (2019)	Past Month Alcohol Use (2020)	Past Month Binge Alcohol Use (2019)	Past Month Binge Alcohol Use (2020)	Past Month Heavy Alcohol Use (2019)	Past Month Heavy Alcohol Use (2020)
<b>TOTAL</b>	0.27	0.44	0.35	0.57	0.38	0.58	0.30	0.46	0.16	0.27
<b>GEOGRAPHIC REGION</b>										
Northeast	0.62	1.02	0.83	1.21	0.94	1.27	0.71	1.02	0.36	0.57
Midwest	0.45	0.71	0.67	1.08	0.74	1.15	0.65	1.01	0.34	0.64
South	0.44	0.74	0.56	1.01	0.62	0.98	0.50	0.74	0.28	0.41
West	0.63	0.99	0.84	1.24	0.83	1.35	0.61	1.01	0.34	0.65
<b>COUNTY TYPE</b>										
Large Metro	0.39	0.64	0.48	0.79	0.53	0.82	0.43	0.67	0.22	0.39
Small Metro	0.41	0.69	0.61	0.93	0.68	0.98	0.52	0.76	0.28	0.50
Nonmetro	0.67	0.93	0.93	1.47	0.97	1.40	0.72	1.04	0.38	0.57
Urbanized	1.09	1.40	1.36	2.19	1.52	2.14	1.06	1.55	0.62	0.74
Less Urbanized	0.88	1.39	1.32	1.80	1.27	2.03	0.99	1.57	0.49	0.91
Completely Rural	2.20	2.36	2.66	5.42	2.70	4.62	2.03	2.89	1.09	1.92
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.82	1.31	0.94	1.61	0.90	1.50	0.78	1.25	0.40	0.69
100-199%	0.72	1.11	0.82	1.29	0.76	1.30	0.62	1.00	0.35	0.57
200% or More	0.28	0.44	0.40	0.61	0.46	0.68	0.39	0.58	0.20	0.35
<b>HEALTH INSURANCE<sup>2</sup></b>										
Private	0.28	0.47	0.39	0.65	0.45	0.68	0.39	0.56	0.20	0.34
Medicaid/CHIP	0.80	1.23	0.96	1.45	0.90	1.40	0.75	1.21	0.39	0.62
Other <sup>3</sup>	0.62	0.90	0.79	1.11	0.78	1.08	0.50	0.77	0.25	0.39
No Coverage	0.86	1.34	1.00	1.63	1.02	1.68	0.91	1.51	0.48	1.10

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.