

**Table 3.9A Participated in a Prevention Program or Group in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Numbers in Thousands, 2019 and 2020**

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP					
	Problem-Solving, Communication Skills, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2019	2020	2019	2020	2019	2020
<b>TOTAL</b>	6,671	6,216	2,862	2,171	1,502	1,272
<b>AGE GROUP</b>						
12-13	2,391	2,418	1,317	990	411	430
14-15	2,315	2,104	951	688	614	426
16-17	1,965	1,693	594	494	477	415
<b>GENDER</b>						
Male	3,355	3,073	1,540	1,150	800	784
Female	3,317	3,143	1,322	1,021	702	488
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	5,237	4,699	2,203	1,634	1,129	944
White	3,470	3,111	1,260	1,011	658	597
Black or African American	1,020	897	632	433	306	203
AIAN	40	*	25	*	16	*
NHOPI	*	*	*	*	*	*
Asian	406	452	138	108	74	106
Two or More Races	263	197	138	68	73	35
Hispanic or Latino	1,434	1,517	659	537	373	328
<b>COUNTY TYPE</b>						
Large Metro	3,708	3,325	1,565	1,145	800	767
Small Metro	2,018	2,090	891	728	468	329
Nonmetro	946	801	406	299	234	175
Urbanized	400	350	155	133	85	80
Less Urbanized	424	417	207	153	118	93
Completely Rural	122	*	44	13	31	2

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Prevention Program or Group Participation data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 3.9B Participated in a Prevention Program or Group in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Percentages, 2019 and 2020**

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP					
	Problem-Solving, Communication Skills, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2019	2020	2019	2020	2019	2020
<b>TOTAL</b>	27.7	25.7	11.7	8.8	6.1	5.1
<b>AGE GROUP</b>						
12-13	31.1	30.3	16.6	12.1	5.1	5.2
14-15	28.1	24.8	11.4	8.0	7.4	5.0
16-17	24.2	22.0	7.3	6.3	5.8	5.3
<b>GENDER</b>						
Male	27.5	25.1	12.4	9.2	6.4	6.2
Female	28.0	26.4	11.0	8.4	5.8	4.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	29.0	26.0	12.0	8.9	6.1	5.1
White	27.9	25.0	10.0	8.0	5.2	4.7
Black or African American	31.5	29.5	19.3	14.1	9.3	6.6
AIAN	25.1	*	15.1	*	9.9	*
NHOPI	*	*	*	*	*	*
Asian	32.8	25.2	10.9	5.9	5.7	5.7
Two or More Races	29.1	33.6	14.9	11.1	7.9	5.8
Hispanic or Latino	24.0	25.1	10.8	8.7	6.1	5.3
<b>COUNTY TYPE</b>						
Large Metro	28.3	24.5	11.7	8.3	6.0	5.5
Small Metro	27.1	27.8	11.7	9.6	6.1	4.3
Nonmetro	27.1	25.9	11.5	9.4	6.6	5.5
Urbanized	27.1	27.7	10.3	10.2	5.6	6.1
Less Urbanized	26.3	26.4	12.6	9.5	7.2	5.8
Completely Rural	30.6	*	10.9	5.3	7.8	0.7

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Prevention Program or Group Participation data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 3.10A Participated in a Substance Use Program or Exposed to Substance Use Prevention Message in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Numbers in Thousands, 2019 and 2020**

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program or Meeting to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2019	2020	2019	2020	2019	2020	2019	2020
<b>TOTAL</b>	2,580	2,288	809	789	17,189	17,939	14,211	14,589
<b>AGE GROUP</b>								
12-13	944	799	286	346	5,115	5,557	4,457	4,746
14-15	874	879	278	251	6,105	6,485	5,026	5,251
16-17	762	609	245	191	5,970	5,898	4,728	4,593
<b>GENDER</b>								
Male	1,411	1,245	444	429	8,564	8,849	6,940	7,299
Female	1,169	1,043	365	359	8,624	9,090	7,271	7,291
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2,001	1,700	641	638	12,969	13,554	10,839	10,774
White	1,216	1,149	389	442	9,081	9,534	7,960	8,029
Black or African American	474	330	190	122	2,065	1,998	1,544	1,325
AIAN	29	*	10	*	108	*	89	*
NHOPI	*	*	*	*	*	*	*	*
Asian	145	148	26	42	991	1,446	682	972
Two or More Races	130	58	25	17	653	447	518	338
Hispanic or Latino	580	587	167	151	4,220	4,386	3,372	3,815
<b>COUNTY TYPE</b>								
Large Metro	1,374	1,189	391	468	9,502	10,114	7,833	8,266
Small Metro	793	807	269	224	5,312	5,462	4,385	4,458
Nonmetro	413	292	149	96	2,374	2,364	1,993	1,865
Urbanized	163	96	62	53	1,042	993	856	829
Less Urbanized	193	178	67	41	1,064	1,184	898	918
Completely Rural	56	17	20	3	268	*	239	*

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Substance Use Program Participation or Prevention Message Exposure data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 3.10B Participated in a Substance Use Program or Exposed to Substance Use Prevention Message in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Percentages, 2019 and 2020**

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program or Meeting to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2019	2020	2019	2020	2019	2020	2019	2020
<b>TOTAL</b>	10.5	9.3	3.3	3.2	70.6	73.1	58.4	59.6
<b>AGE GROUP</b>								
12-13	11.8	9.7	3.6	4.2	65.0	67.2	56.5	58.2
14-15	10.5	10.3	3.3	2.9	73.6	76.1	60.7	61.6
16-17	9.3	7.8	3.0	2.4	73.0	75.9	58.0	59.0
<b>GENDER</b>								
Male	11.4	9.9	3.6	3.4	69.3	70.9	56.1	58.6
Female	9.7	8.6	3.0	3.0	72.1	75.3	60.8	60.7
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	10.9	9.2	3.5	3.5	70.9	73.9	59.3	58.8
White	9.6	9.1	3.1	3.5	72.3	75.5	63.2	63.8
Black or African American	14.4	10.6	5.8	4.0	63.4	64.8	47.6	43.7
AIAN	17.0	*	5.8	*	65.0	*	52.9	*
NHOPI	*	*	*	*	*	*	*	*
Asian	11.2	8.0	2.0	2.3	77.5	80.3	53.7	52.7
Two or More Races	14.1	9.5	2.7	2.8	71.1	75.2	56.8	55.9
Hispanic or Latino	9.5	9.5	2.8	2.4	69.8	70.7	55.8	62.1
<b>COUNTY TYPE</b>								
Large Metro	10.3	8.5	2.9	3.4	71.6	73.0	59.0	60.0
Small Metro	10.4	10.6	3.6	3.0	70.5	72.4	58.2	59.3
Nonmetro	11.6	9.3	4.2	3.0	67.5	74.8	56.5	58.8
Urbanized	10.9	7.4	4.1	4.1	69.5	77.2	56.9	63.8
Less Urbanized	11.8	11.2	4.1	2.6	65.5	73.4	55.3	57.1
Completely Rural	13.9	6.8	5.0	1.0	68.1	*	60.1	*

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Substance Use Program Participation or Prevention Message Exposure data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.