

Table 3.9C Participated in a Prevention Program or Group in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP					
	Problem-Solving, Communication Skills, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2019	2020	2019	2020	2019	2020
TOTAL	111	<i>231</i>	78	<i>152</i>	59	<i>119</i>
AGE GROUP						
12-13	77	<i>175</i>	60	<i>98</i>	31	<i>67</i>
14-15	78	<i>136</i>	48	<i>82</i>	37	<i>56</i>
16-17	71	<i>143</i>	35	<i>92</i>	34	<i>88</i>
GENDER						
Male	77	<i>167</i>	56	<i>103</i>	42	<i>103</i>
Female	79	<i>163</i>	55	<i>107</i>	41	<i>63</i>
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	94	<i>191</i>	67	<i>122</i>	50	<i>91</i>
White	101	<i>179</i>	56	<i>109</i>	39	<i>68</i>
Black or African American	55	<i>107</i>	39	<i>71</i>	25	<i>47</i>
AIAN	8	*	7	*	6	*
NHOPI	*	*	*	*	*	*
Asian	37	<i>68</i>	20	<i>28</i>	16	<i>41</i>
Two or More Races	22	<i>29</i>	17	<i>17</i>	12	<i>10</i>
Hispanic or Latino	61	<i>136</i>	37	<i>89</i>	32	<i>78</i>
COUNTY TYPE						
Large Metro	113	<i>207</i>	64	<i>113</i>	46	<i>110</i>
Small Metro	87	<i>172</i>	51	<i>102</i>	32	<i>48</i>
Nonmetro	49	<i>75</i>	31	<i>48</i>	21	<i>39</i>
Urbanized	35	<i>53</i>	22	<i>36</i>	14	<i>29</i>
Less Urbanized	32	<i>53</i>	22	<i>32</i>	15	<i>26</i>
Completely Rural	18	*	9	<i>5</i>	8	<i>1</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Prevention Program or Group Participation data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 3.9D Participated in a Prevention Program or Group in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Standard Errors of Percentages, 2019 and 2020

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP					
	Problem-Solving, Communication Skills, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2019	2020	2019	2020	2019	2020
TOTAL	0.46	<i>0.95</i>	0.32	<i>0.62</i>	0.24	<i>0.48</i>
AGE GROUP						
12-13	0.82	<i>1.80</i>	0.68	<i>1.13</i>	0.38	<i>0.77</i>
14-15	0.79	<i>1.40</i>	0.52	<i>0.92</i>	0.43	<i>0.65</i>
16-17	0.75	<i>1.60</i>	0.41	<i>1.13</i>	0.40	<i>1.08</i>
GENDER						
Male	0.63	<i>1.37</i>	0.45	<i>0.83</i>	0.33	<i>0.82</i>
Female	0.66	<i>1.37</i>	0.46	<i>0.88</i>	0.34	<i>0.52</i>
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.52	<i>1.06</i>	0.37	<i>0.66</i>	0.27	<i>0.49</i>
White	0.64	<i>1.21</i>	0.41	<i>0.81</i>	0.30	<i>0.53</i>
Black or African American	1.25	<i>2.86</i>	1.02	<i>1.99</i>	0.72	<i>1.45</i>
AIAN	4.67	*	3.03	*	2.75	*
NHOPI	*	*	*	*	*	*
Asian	2.31	<i>3.30</i>	1.47	<i>1.46</i>	1.18	<i>2.14</i>
Two or More Races	2.10	<i>4.30</i>	1.64	<i>2.67</i>	1.28	<i>1.71</i>
Hispanic or Latino	1.03	<i>2.25</i>	0.61	<i>1.44</i>	0.52	<i>1.25</i>
COUNTY TYPE						
Large Metro	0.67	<i>1.29</i>	0.44	<i>0.77</i>	0.33	<i>0.75</i>
Small Metro	0.85	<i>1.85</i>	0.57	<i>1.28</i>	0.40	<i>0.62</i>
Nonmetro	1.00	<i>2.08</i>	0.79	<i>1.45</i>	0.56	<i>1.18</i>
Urbanized	1.55	<i>3.53</i>	1.33	<i>2.55</i>	0.85	<i>2.15</i>
Less Urbanized	1.46	<i>2.86</i>	1.08	<i>1.84</i>	0.84	<i>1.56</i>
Completely Rural	2.70	*	1.89	<i>2.27</i>	1.67	<i>0.50</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Prevention Program or Group Participation data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 3.10C Participated in a Substance Use Program or Exposed to Substance Use Prevention Message in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program or Meeting to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2019	2020	2019	2020	2019	2020	2019	2020
TOTAL	75	<i>138</i>	41	<i>86</i>	115	<i>231</i>	122	<i>260</i>
AGE GROUP								
12-13	49	<i>83</i>	24	<i>61</i>	120	<i>260</i>	110	<i>225</i>
14-15	46	<i>88</i>	25	<i>45</i>	137	<i>269</i>	119	<i>235</i>
16-17	46	<i>78</i>	24	<i>39</i>	143	<i>271</i>	118	<i>220</i>
GENDER								
Male	56	<i>103</i>	30	<i>70</i>	81	<i>171</i>	90	<i>189</i>
Female	50	<i>92</i>	29	<i>47</i>	78	<i>155</i>	87	<i>171</i>
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	63	<i>112</i>	37	<i>79</i>	94	<i>194</i>	101	<i>207</i>
White	53	<i>95</i>	29	<i>69</i>	198	<i>334</i>	173	<i>291</i>
Black or African American	32	<i>56</i>	21	<i>29</i>	83	<i>174</i>	68	<i>135</i>
AIAN	8	*	4	*	19	*	15	*
NHOPI	*	*	*	*	*	*	*	*
Asian	21	<i>41</i>	9	<i>24</i>	76	<i>157</i>	59	<i>125</i>
Two or More Races	18	<i>14</i>	8	<i>6</i>	37	<i>55</i>	34	<i>48</i>
Hispanic or Latino	38	<i>80</i>	19	<i>34</i>	62	<i>121</i>	71	<i>139</i>
COUNTY TYPE								
Large Metro	65	<i>111</i>	33	<i>73</i>	223	<i>415</i>	189	<i>352</i>
Small Metro	46	<i>89</i>	24	<i>38</i>	161	<i>269</i>	133	<i>243</i>
Nonmetro	28	<i>41</i>	16	<i>26</i>	104	<i>170</i>	85	<i>140</i>
Urbanized	20	<i>20</i>	11	<i>23</i>	78	<i>110</i>	59	<i>94</i>
Less Urbanized	20	<i>36</i>	10	<i>12</i>	67	<i>124</i>	57	<i>100</i>
Completely Rural	11	<i>8</i>	6	<i>1</i>	32	*	31	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Substance Use Program Participation or Prevention Message Exposure data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 3.10D Participated in a Substance Use Program or Exposed to Substance Use Prevention Message in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics, Standard Errors of Percentages, 2019 and 2020

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program or Meeting to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2019	2020	2019	2020	2019	2020	2019	2020
TOTAL	0.31	<i>0.56</i>	0.17	<i>0.35</i>	0.47	<i>0.94</i>	0.50	<i>1.06</i>
AGE GROUP								
12-13	0.58	<i>0.96</i>	0.30	<i>0.73</i>	0.84	<i>1.82</i>	0.88	<i>1.94</i>
14-15	0.51	<i>0.99</i>	0.29	<i>0.51</i>	0.73	<i>1.51</i>	0.89	<i>1.68</i>
16-17	0.50	<i>0.96</i>	0.29	<i>0.49</i>	0.78	<i>1.56</i>	0.84	<i>1.82</i>
GENDER								
Male	0.45	<i>0.82</i>	0.24	<i>0.56</i>	0.65	<i>1.37</i>	0.73	<i>1.52</i>
Female	0.42	<i>0.76</i>	0.24	<i>0.39</i>	0.65	<i>1.28</i>	0.73	<i>1.42</i>
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.34	<i>0.61</i>	0.20	<i>0.43</i>	0.51	<i>1.06</i>	0.55	<i>1.13</i>
White	0.37	<i>0.73</i>	0.22	<i>0.54</i>	0.61	<i>1.18</i>	0.64	<i>1.25</i>
Black or African American	0.85	<i>1.67</i>	0.62	<i>0.92</i>	1.34	<i>2.85</i>	1.21	<i>3.01</i>
AIAN	3.29	*	1.80	*	4.34	*	4.84	*
NHOPI	*	*	*	*	*	*	*	*
Asian	1.57	<i>2.25</i>	0.67	<i>1.31</i>	2.28	<i>3.09</i>	2.84	<i>4.30</i>
Two or More Races	1.79	<i>2.18</i>	0.83	<i>0.97</i>	1.98	<i>4.18</i>	2.31	<i>4.86</i>
Hispanic or Latino	0.63	<i>1.30</i>	0.31	<i>0.55</i>	1.03	<i>1.95</i>	1.18	<i>2.26</i>
COUNTY TYPE								
Large Metro	0.43	<i>0.74</i>	0.24	<i>0.52</i>	0.65	<i>1.37</i>	0.71	<i>1.46</i>
Small Metro	0.50	<i>1.05</i>	0.30	<i>0.47</i>	0.79	<i>1.55</i>	0.84	<i>1.82</i>
Nonmetro	0.70	<i>1.24</i>	0.43	<i>0.82</i>	1.15	<i>2.07</i>	1.22	<i>2.37</i>
Urbanized	1.08	<i>1.56</i>	0.67	<i>1.74</i>	1.82	<i>2.88</i>	1.98	<i>3.44</i>
Less Urbanized	1.16	<i>1.97</i>	0.60	<i>0.73</i>	1.60	<i>3.01</i>	1.82	<i>3.15</i>
Completely Rural	1.97	<i>3.01</i>	1.47	<i>0.56</i>	3.09	*	3.03	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown Substance Use Program Participation or Prevention Message Exposure data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.