

Table 5.1A Substance Use Disorder for Specific Substances in Past Year: Among People Aged 12 or Older; by Age Group, Numbers in Thousands, 2019 and 2020

Substance Use Disorder	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
ILLCIT DRUGS	nc	18,394	nc	1,213	nc	17,181	nc	4,878	nc	12,304
Marijuana	nc	14,207	nc	1,016	nc	13,190	nc	4,534	nc	8,656
Cocaine	nc	1,284	nc	28	nc	1,256	nc	234	nc	1,022
Heroin	nc	691	nc	*	nc	691	nc	40	nc	652
Hallucinogens	nc	372	nc	67	nc	305	nc	133	nc	172
Inhalants	nc	215	nc	81	nc	134	nc	46	nc	88
Methamphetamine	nc	1,524	nc	21	nc	1,502	nc	95	nc	1,408
Misuse of Prescription Psychotherapeutics	nc	3,554	nc	155	nc	3,398	nc	522	nc	2,877
Pain Relievers	nc	2,333	nc	80	nc	2,253	nc	269	nc	1,984
Stimulants	nc	758	nc	43	nc	715	nc	141	nc	574
Tranquilizers or Sedatives	nc	1,153	nc	73	nc	1,080	nc	235	nc	845
Tranquilizers	nc	938	nc	66	nc	872	nc	197	nc	675
Sedatives	nc	334	nc	7	nc	327	nc	47	nc	280
Benzodiazepines	--	--	--	--	--	--	--	--	--	--
Opioids	nc	2,702	nc	80	nc	2,622	nc	286	nc	2,336
Central Nervous System Stimulants	nc	3,180	nc	88	nc	3,092	nc	423	nc	2,669
Illicit Drugs Other Than Marijuana ¹	nc	6,139	nc	284	nc	5,855	nc	832	nc	5,023
ALCOHOL	nc	28,320	nc	712	nc	27,608	nc	5,215	nc	22,393
BOTH ILLICIT DRUGS AND ALCOHOL	nc	6,451	nc	340	nc	6,111	nc	1,921	nc	4,189
ILLCIT DRUGS OR ALCOHOL	nc	40,263	nc	1,584	nc	38,679	nc	8,171	nc	30,508
ILLCIT DRUGS ONLY	nc	11,943	nc	873	nc	11,071	nc	2,957	nc	8,114
ALCOHOL ONLY	nc	21,869	nc	372	nc	21,497	nc	3,293	nc	18,204

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.1B Substance Use Disorder for Specific Substances in Past Year: Among People Aged 12 or Older; by Age Group, Percentages, 2019 and 2020

Substance Use Disorder	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
ILLCIT DRUGS	nc	6.6	nc	4.9	nc	6.8	nc	14.6	nc	5.6
Marijuana	nc	5.1	nc	4.1	nc	5.2	nc	13.5	nc	4.0
Cocaine	nc	0.5	nc	0.1	nc	0.5	nc	0.7	nc	0.5
Heroin	nc	0.2	nc	*	nc	0.3	nc	0.1	nc	0.3
Hallucinogens	nc	0.1	nc	0.3	nc	0.1	nc	0.4	nc	0.1
Inhalants	nc	0.1	nc	0.3	nc	0.1	nc	0.1	nc	0.0
Methamphetamine	nc	0.6	nc	0.1	nc	0.6	nc	0.3	nc	0.6
Misuse of Prescription Psychotherapeutics	nc	1.3	nc	0.6	nc	1.3	nc	1.6	nc	1.3
Pain Relievers	nc	0.8	nc	0.3	nc	0.9	nc	0.8	nc	0.9
Stimulants	nc	0.3	nc	0.2	nc	0.3	nc	0.4	nc	0.3
Tranquilizers or Sedatives	nc	0.4	nc	0.3	nc	0.4	nc	0.7	nc	0.4
Tranquilizers	nc	0.3	nc	0.3	nc	0.3	nc	0.6	nc	0.3
Sedatives	nc	0.1	nc	0.0	nc	0.1	nc	0.1	nc	0.1
Benzodiazepines	--	--	--	--	--	--	--	--	--	--
Opioids	nc	1.0	nc	0.3	nc	1.0	nc	0.9	nc	1.1
Central Nervous System Stimulants	nc	1.1	nc	0.4	nc	1.2	nc	1.3	nc	1.2
Illicit Drugs Other Than Marijuana ¹	nc	2.2	nc	1.1	nc	2.3	nc	2.5	nc	2.3
ALCOHOL	nc	10.2	nc	2.8	nc	11.0	nc	15.6	nc	10.3
BOTH ILLICIT DRUGS AND ALCOHOL	nc	2.3	nc	1.4	nc	2.4	nc	5.7	nc	1.9
ILLCIT DRUGS OR ALCOHOL	nc	14.5	nc	6.3	nc	15.4	nc	24.4	nc	14.0
ILLCIT DRUGS ONLY	nc	4.3	nc	3.5	nc	4.4	nc	8.8	nc	3.7
ALCOHOL ONLY	nc	7.9	nc	1.5	nc	8.5	nc	9.8	nc	8.3

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.