

Table 5.6A Illicit Drug Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	nc	18,394	nc	1,213	nc	17,181	nc	4,878	nc	12,304
GEOGRAPHIC REGION										
Northeast	nc	3,192	nc	212	nc	2,980	nc	801	nc	2,179
Midwest	nc	3,814	nc	249	nc	3,565	nc	1,055	nc	2,510
South	nc	6,350	nc	415	nc	5,935	nc	1,710	nc	4,224
West	nc	5,038	nc	337	nc	4,701	nc	1,311	nc	3,390
COUNTY TYPE										
Large Metro	nc	9,693	nc	625	nc	9,069	nc	2,724	nc	6,345
Small Metro	nc	6,027	nc	355	nc	5,672	nc	1,551	nc	4,121
Nonmetro	nc	2,674	nc	234	nc	2,440	nc	602	nc	1,838
Urbanized	nc	1,207	nc	76	nc	1,131	nc	289	nc	841
Less Urbanized	nc	1,379	nc	150	nc	1,229	nc	281	nc	948
Completely Rural	nc	88	nc	*	nc	81	nc	32	nc	49
POVERTY LEVEL¹										
Less Than 100%	nc	4,218	nc	254	nc	3,964	nc	1,234	nc	2,731
100-199%	nc	4,207	nc	238	nc	3,969	nc	1,245	nc	2,724
200% or More	nc	9,913	nc	721	nc	9,192	nc	2,343	nc	6,849
HEALTH INSURANCE²										
Private	nc	9,295	nc	666	nc	8,629	nc	2,890	nc	5,739
Medicaid/CHIP	nc	5,770	nc	478	nc	5,292	nc	1,118	nc	4,173
Other ³	nc	2,750	nc	60	nc	2,690	nc	402	nc	2,289
No Coverage	nc	2,832	nc	66	nc	2,765	nc	720	nc	2,046

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit drug use disorder (IDUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). IDUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.6B Illicit Drug Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	nc	6.6	nc	4.9	nc	6.8	nc	14.6	nc	5.6
GEOGRAPHIC REGION										
Northeast	nc	6.7	nc	5.4	nc	6.8	nc	14.1	nc	5.7
Midwest	nc	6.6	nc	4.7	nc	6.8	nc	14.9	nc	5.6
South	nc	6.0	nc	4.3	nc	6.2	nc	13.5	nc	5.1
West	nc	7.6	nc	5.6	nc	7.8	nc	16.3	nc	6.5
COUNTY TYPE										
Large Metro	nc	6.4	nc	4.4	nc	6.6	nc	15.4	nc	5.3
Small Metro	nc	7.1	nc	4.6	nc	7.4	nc	14.1	nc	6.2
Nonmetro	nc	6.5	nc	7.3	nc	6.4	nc	12.6	nc	5.5
Urbanized	nc	7.3	nc	5.7	nc	7.4	nc	13.1	nc	6.5
Less Urbanized	nc	7.0	nc	9.3	nc	6.8	nc	12.7	nc	6.0
Completely Rural	nc	1.7	nc	*	nc	1.7	nc	9.1	nc	1.1
POVERTY LEVEL¹										
Less Than 100%	nc	10.1	nc	5.5	nc	10.6	nc	15.2	nc	9.4
100-199%	nc	8.3	nc	5.3	nc	8.6	nc	16.2	nc	7.1
200% or More	nc	5.4	nc	4.5	nc	5.5	nc	13.6	nc	4.5
HEALTH INSURANCE²										
Private	nc	5.3	nc	4.4	nc	5.4	nc	14.8	nc	4.1
Medicaid/CHIP	nc	11.8	nc	5.7	nc	13.1	nc	14.4	nc	12.8
Other ³	nc	3.6	nc	3.6	nc	3.6	nc	16.5	nc	3.2
No Coverage	nc	10.0	nc	4.5	nc	10.2	nc	13.7	nc	9.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit drug use disorder (IDUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). IDUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.7A Alcohol Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)	Aged 12-20 (2019)	Aged 12-20 (2020)	Aged 21+ (2019)	Aged 21+ (2020)
TOTAL	nc	28,320	nc	712	nc	27,608	nc	5,215	nc	22,393	nc	1,826	nc	26,494
GEOGRAPHIC REGION														
Northeast	nc	4,914	nc	141	nc	4,773	nc	973	nc	3,801	nc	344	nc	4,570
Midwest	nc	6,701	nc	145	nc	6,556	nc	1,257	nc	5,300	nc	490	nc	6,211
South	nc	8,792	nc	201	nc	8,592	nc	1,832	nc	6,760	nc	507	nc	8,285
West	nc	7,913	nc	225	nc	7,687	nc	1,154	nc	6,533	nc	485	nc	7,428
COUNTY TYPE														
Large Metro	nc	15,983	nc	418	nc	15,565	nc	2,648	nc	12,918	nc	953	nc	15,030
Small Metro	nc	8,847	nc	215	nc	8,632	nc	1,938	nc	6,694	nc	653	nc	8,194
Nonmetro	nc	3,490	nc	79	nc	3,411	nc	629	nc	2,782	nc	220	nc	3,270
Urbanized	nc	1,549	nc	38	nc	1,511	nc	264	nc	1,247	nc	86	nc	1,463
Less Urbanized	nc	1,664	nc	38	nc	1,626	nc	335	nc	1,290	nc	125	nc	1,539
Completely Rural	nc	277	nc	3	nc	274	nc	30	nc	244	nc	9	nc	268
POVERTY LEVEL¹														
Less Than 100%	nc	4,017	nc	131	nc	3,886	nc	1,213	nc	2,673	nc	502	nc	3,515
100-199%	nc	5,055	nc	94	nc	4,962	nc	1,198	nc	3,763	nc	271	nc	4,785
200% or More	nc	19,162	nc	487	nc	18,675	nc	2,718	nc	15,957	nc	984	nc	18,178
HEALTH INSURANCE²														
Private	nc	18,110	nc	449	nc	17,662	nc	3,620	nc	14,042	nc	1,205	nc	16,905
Medicaid/CHIP	nc	4,751	nc	184	nc	4,567	nc	776	nc	3,791	nc	363	nc	4,388
Other ³	nc	5,304	nc	39	nc	5,265	nc	329	nc	4,935	nc	148	nc	5,155
No Coverage	nc	3,674	nc	*	nc	3,608	nc	715	nc	2,893	nc	193	nc	3,481

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Alcohol use disorder (AUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). AUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.7B Alcohol Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)	Aged 12-20 (2019)	Aged 12-20 (2020)	Aged 21+ (2019)	Aged 21+ (2020)
TOTAL	nc	10.2	nc	2.8	nc	11.0	nc	15.6	nc	10.3	nc	4.9	nc	11.1
GEOGRAPHIC REGION														
Northeast	nc	10.3	nc	3.6	nc	10.9	nc	17.2	nc	10.0	nc	5.8	nc	11.0
Midwest	nc	11.7	nc	2.8	nc	12.6	nc	17.7	nc	11.8	nc	6.2	nc	12.6
South	nc	8.3	nc	2.1	nc	9.0	nc	14.4	nc	8.1	nc	3.5	nc	9.1
West	nc	12.0	nc	3.7	nc	12.8	nc	14.4	nc	12.6	nc	5.4	nc	13.0
COUNTY TYPE														
Large Metro	nc	10.6	nc	3.0	nc	11.4	nc	14.9	nc	10.8	nc	4.6	nc	11.5
Small Metro	nc	10.4	nc	2.8	nc	11.2	nc	17.6	nc	10.1	nc	5.6	nc	11.2
Nonmetro	nc	8.5	nc	2.5	nc	9.0	nc	13.2	nc	8.3	nc	4.4	nc	9.0
Urbanized	nc	9.4	nc	2.8	nc	10.0	nc	12.0	nc	9.6	nc	4.2	nc	10.1
Less Urbanized	nc	8.4	nc	2.4	nc	9.0	nc	15.1	nc	8.1	nc	4.8	nc	9.0
Completely Rural	nc	5.5	nc	1.2	nc	5.7	nc	8.5	nc	5.5	nc	2.3	nc	5.7
POVERTY LEVEL¹														
Less Than 100%	nc	9.6	nc	2.8	nc	10.4	nc	14.9	nc	9.2	nc	6.3	nc	10.4
100-199%	nc	10.0	nc	2.1	nc	10.8	nc	15.6	nc	9.8	nc	3.8	nc	11.0
200% or More	nc	10.4	nc	3.1	nc	11.1	nc	15.7	nc	10.6	nc	4.5	nc	11.2
HEALTH INSURANCE²														
Private	nc	10.4	nc	3.0	nc	11.1	nc	18.5	nc	10.1	nc	5.5	nc	11.1
Medicaid/CHIP	nc	9.8	nc	2.2	nc	11.3	nc	10.0	nc	11.7	nc	3.0	nc	12.0
Other ³	nc	6.9	nc	2.4	nc	7.0	nc	13.6	nc	6.8	nc	5.8	nc	7.0
No Coverage	nc	12.9	nc	*	nc	13.4	nc	13.6	nc	13.3	nc	6.3	nc	13.7

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Alcohol use disorder (AUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). AUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.8A Substance Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	nc	40,263	nc	1,584	nc	38,679	nc	8,171	nc	30,508
GEOGRAPHIC REGION										
Northeast	nc	7,102	nc	273	nc	6,829	nc	1,453	nc	5,377
Midwest	nc	9,074	nc	322	nc	8,752	nc	1,890	nc	6,861
South	nc	12,985	nc	547	nc	12,438	nc	2,857	nc	9,581
West	nc	11,102	nc	443	nc	10,660	nc	1,972	nc	8,688
COUNTY TYPE										
Large Metro	nc	22,238	nc	845	nc	21,393	nc	4,315	nc	17,078
Small Metro	nc	12,791	nc	475	nc	12,317	nc	2,811	nc	9,506
Nonmetro	nc	5,234	nc	265	nc	4,969	nc	1,046	nc	3,923
Urbanized	nc	2,318	nc	93	nc	2,225	nc	471	nc	1,754
Less Urbanized	nc	2,572	nc	162	nc	2,410	nc	517	nc	1,892
Completely Rural	nc	344	nc	10	nc	334	nc	58	nc	276
POVERTY LEVEL¹										
Less Than 100%	nc	6,850	nc	328	nc	6,522	nc	1,972	nc	4,550
100-199%	nc	7,741	nc	280	nc	7,461	nc	1,913	nc	5,547
200% or More	nc	25,579	nc	976	nc	24,604	nc	4,194	nc	20,410
HEALTH INSURANCE²										
Private	nc	24,048	nc	890	nc	23,158	nc	5,300	nc	17,858
Medicaid/CHIP	nc	8,721	nc	544	nc	8,177	nc	1,546	nc	6,630
Other ³	nc	7,382	nc	90	nc	7,292	nc	571	nc	6,721
No Coverage	nc	5,425	nc	125	nc	5,300	nc	1,140	nc	4,160

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 5.8B Substance Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2019 and 2020

Geographic/Socioeconomic Characteristic	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
TOTAL	nc	14.5	nc	6.3	nc	15.4	nc	24.4	nc	14.0
GEOGRAPHIC REGION										
Northeast	nc	14.9	nc	6.9	nc	15.6	nc	25.6	nc	14.1
Midwest	nc	15.8	nc	6.1	nc	16.8	nc	26.7	nc	15.2
South	nc	12.3	nc	5.6	nc	13.0	nc	22.5	nc	11.5
West	nc	16.8	nc	7.3	nc	17.8	nc	24.6	nc	16.7
COUNTY TYPE										
Large Metro	nc	14.7	nc	6.0	nc	15.6	nc	24.3	nc	14.3
Small Metro	nc	15.1	nc	6.2	nc	16.0	nc	25.5	nc	14.4
Nonmetro	nc	12.7	nc	8.3	nc	13.0	nc	21.9	nc	11.8
Urbanized	nc	14.0	nc	7.0	nc	14.7	nc	21.4	nc	13.5
Less Urbanized	nc	13.0	nc	10.0	nc	13.3	nc	23.3	nc	11.9
Completely Rural	nc	6.8	nc	3.8	nc	6.9	nc	16.3	nc	6.2
POVERTY LEVEL¹										
Less Than 100%	nc	16.3	nc	7.1	nc	17.5	nc	24.2	nc	15.6
100-199%	nc	15.3	nc	6.2	nc	16.2	nc	24.8	nc	14.5
200% or More	nc	13.9	nc	6.1	nc	14.6	nc	24.3	nc	13.5
HEALTH INSURANCE²										
Private	nc	13.8	nc	5.9	nc	14.6	nc	27.1	nc	12.8
Medicaid/CHIP	nc	17.9	nc	6.5	nc	20.3	nc	19.8	nc	20.4
Other ³	nc	9.7	nc	5.4	nc	9.8	nc	23.5	nc	9.3
No Coverage	nc	19.1	nc	8.5	nc	19.6	nc	21.7	nc	19.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.