

**Table 6.17A Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Lifetime: Among People Aged 12 or Older; by Age Group, Numbers in Thousands, 2019 and 2020**

Substance	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>GENERAL SUBSTANCES</b>										
Illicit Drugs, Tobacco Products, or Alcohol	233,013	<i>231,538</i>	9,284	<i>8,054</i>	223,729	<i>223,484</i>	28,259	<i>26,936</i>	195,470	<i>196,548</i>
Illicit Drugs or Alcohol	226,914	<i>225,990</i>	8,891	<i>7,715</i>	218,022	<i>218,274</i>	27,563	<i>26,348</i>	190,459	<i>191,926</i>
Tobacco Products or Alcohol	229,306	<i>227,681</i>	7,375	<i>6,274</i>	221,931	<i>221,407</i>	27,626	<i>26,164</i>	194,306	<i>195,242</i>
<b>ILLICIT DRUGS</b>	138,027	<i>138,543</i>	6,090	<i>5,229</i>	131,937	<i>133,314</i>	18,832	<i>17,879</i>	113,104	<i>115,435</i>
<b>TOBACCO PRODUCTS OR NICOTINE VAPING</b>										
Tobacco Products	167,786	<i>160,117</i>	3,177	<i>2,312</i>	164,609	<i>157,805</i>	17,776	<i>15,413</i>	146,833	<i>142,392</i>
Nicotine Vaping	--	<i>34,498</i>	--	<i>3,156</i>	--	<i>31,342</i>	--	<i>8,965</i>	--	<i>22,377</i>
<b>ALCOHOL</b>	220,958	<i>220,231</i>	6,641	<i>5,702</i>	214,317	<i>214,528</i>	26,622	<i>25,246</i>	187,695	<i>189,283</i>
<b>OTHER SUBSTANCES</b>										
GHB	1,326	<i>1,325</i>	12	<i>10</i>	1,314	<i>1,315</i>	113	<i>100</i>	1,201	<i>1,216</i>
Nonprescription Cough or Cold Medicine	11,344	<i>10,883</i>	608	<i>509</i>	10,736	<i>10,374</i>	1,780	<i>1,445</i>	8,955	<i>8,929</i>
Kratom <sup>1</sup>	3,935	<i>4,879</i>	101	<i>79</i>	3,834	<i>4,800</i>	855	<i>808</i>	2,980	<i>3,992</i>
Synthetic Marijuana (Fake Weed, K2, Spice)	--	<i>7,163</i>	--	<i>304</i>	--	<i>6,858</i>	--	<i>1,263</i>	--	<i>5,595</i>
Synthetic Stimulants ("Bath Salts," Flakka)	--	<i>811</i>	--	<i>13</i>	--	<i>798</i>	--	<i>78</i>	--	<i>720</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Some 2019 kratom estimates may differ from previously published estimates due to updates. See Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 6.17B Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Lifetime: Among People Aged 12 or Older; by Age Group, Percentages, 2019 and 2020**

Substance	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>GENERAL SUBSTANCES</b>										
Illicit Drugs, Tobacco Products, or Alcohol	84.7	83.6	37.3	32.2	89.4	88.7	83.8	80.4	90.3	90.0
Illicit Drugs or Alcohol	82.4	81.6	35.7	30.9	87.1	86.6	81.7	78.7	87.9	87.9
Tobacco Products or Alcohol	83.3	82.2	29.6	25.1	88.7	87.9	81.9	78.1	89.7	89.4
<b>ILLICIT DRUGS</b>	50.2	50.0	24.5	20.9	52.7	52.9	55.8	53.4	52.2	52.8
<b>TOBACCO PRODUCTS OR NICOTINE VAPING</b>										
Tobacco Products	61.0	57.8	12.8	9.3	65.8	62.6	52.7	46.0	67.8	65.2
Nicotine Vaping	--	12.5	--	12.6	--	12.4	--	26.8	--	10.2
<b>ALCOHOL</b>	80.3	79.5	26.7	22.8	85.6	85.2	78.9	75.4	86.7	86.7
<b>OTHER SUBSTANCES</b>										
GHB	0.5	0.5	0.0	0.0	0.5	0.5	0.3	0.3	0.6	0.6
Nonprescription Cough or Cold Medicine	4.1	3.9	2.4	2.0	4.3	4.1	5.3	4.3	4.1	4.1
Kratom <sup>1</sup>	1.4	1.8	0.4	0.3	1.5	1.9	2.5	2.4	1.4	1.8
Synthetic Marijuana (Fake Weed, K2, Spice)	--	2.6	--	1.2	--	2.7	--	3.8	--	2.6
Synthetic Stimulants ("Bath Salts," Flakka)	--	0.3	--	0.1	--	0.3	--	0.2	--	0.3

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Some 2019 kratom estimates may differ from previously published estimates due to updates. See Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 6.18A Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Past Year: Among People Aged 12 or Older; by Age Group, Numbers in Thousands, 2019 and 2020**

Substance	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>GENERAL SUBSTANCES</b>										
Illicit Drugs, Tobacco Products, or Alcohol <sup>1</sup>	197,541	<i>194,674</i>	7,119	<i>5,908</i>	190,422	<i>188,766</i>	26,287	<i>24,790</i>	164,135	<i>163,976</i>
Illicit Drugs or Alcohol	187,022	<i>185,922</i>	6,826	<i>5,726</i>	180,196	<i>180,196</i>	25,368	<i>24,203</i>	154,828	<i>155,993</i>
Tobacco Products or Alcohol <sup>1</sup>	193,278	<i>189,929</i>	5,832	<i>4,935</i>	187,446	<i>184,994</i>	25,614	<i>24,195</i>	161,832	<i>160,799</i>
<b>ILLCIT DRUGS</b>	57,203	<i>59,277</i>	4,279	<i>3,436</i>	52,924	<i>55,841</i>	13,193	<i>12,398</i>	39,731	<i>43,443</i>
<b>TOBACCO PRODUCTS OR NICOTINE VAPING<sup>1</sup></b>										
Tobacco Products <sup>1</sup>	--	<i>70,779</i>	--	<i>3,002</i>	--	<i>67,777</i>	--	<i>11,764</i>	--	<i>56,013</i>
Nicotine Vaping	71,977	<i>64,415</i>	2,072	<i>1,406</i>	69,905	<i>63,009</i>	11,874	<i>9,638</i>	58,032	<i>53,371</i>
<b>ALCOHOL</b>	--	<i>17,908</i>	--	<i>2,367</i>	--	<i>15,541</i>	--	<i>6,047</i>	--	<i>9,494</i>
<b>OTHER SUBSTANCES</b>	179,144	<i>177,718</i>	5,274	<i>4,633</i>	173,870	<i>173,084</i>	24,279	<i>23,286</i>	149,591	<i>149,799</i>
GHB	185	<i>183</i>	5	<i>*</i>	180	<i>182</i>	40	<i>24</i>	139	<i>158</i>
Nonprescription Cough or Cold Medicine	2,042	<i>2,368</i>	231	<i>223</i>	1,812	<i>2,145</i>	350	<i>389</i>	1,461	<i>1,757</i>
Kratom <sup>2</sup>	1,997	<i>2,101</i>	59	<i>48</i>	1,938	<i>2,052</i>	447	<i>286</i>	1,491	<i>1,766</i>
Synthetic Marijuana (Fake Weed, K2, Spice)	--	<i>1,066</i>	--	<i>207</i>	--	<i>859</i>	--	<i>313</i>	--	<i>546</i>
Synthetic Stimulants ("Bath Salts," Flakka)	--	<i>118</i>	--	<i>10</i>	--	<i>108</i>	--	<i>33</i>	--	<i>75</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use (as well as the estimate for tobacco product use or nicotine vaping) in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>2</sup> Some 2019 kratom estimates may differ from previously published estimates due to updates. See Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 6.18B Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Past Year: Among People Aged 12 or Older; by Age Group, Percentages, 2019 and 2020**

Substance	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>GENERAL SUBSTANCES</b>										
Illicit Drugs, Tobacco Products, or Alcohol <sup>1</sup>	71.8	<i>70.3</i>	28.6	<i>23.6</i>	76.1	<i>74.9</i>	77.9	<i>74.0</i>	75.8	<i>75.1</i>
Illicit Drugs or Alcohol	68.0	<i>67.1</i>	27.4	<i>22.9</i>	72.0	<i>71.5</i>	75.2	<i>72.3</i>	71.5	<i>71.4</i>
Tobacco Products or Alcohol <sup>1</sup>	70.2	<i>68.6</i>	23.4	<i>19.8</i>	74.9	<i>73.4</i>	75.9	<i>72.2</i>	74.7	<i>73.6</i>
<b>ILLICIT DRUGS</b>	20.8	<i>21.4</i>	17.2	<i>13.8</i>	21.1	<i>22.2</i>	39.1	<i>37.0</i>	18.3	<i>19.9</i>
<b>TOBACCO PRODUCTS OR NICOTINE VAPING<sup>1</sup></b>										
Tobacco Products <sup>1</sup>	--	<i>25.6</i>	--	<i>12.0</i>	--	<i>26.9</i>	--	<i>35.1</i>	--	<i>25.6</i>
Nicotine Vaping	--	<i>6.5</i>	--	<i>9.5</i>	--	<i>6.2</i>	--	<i>18.1</i>	--	<i>4.3</i>
<b>ALCOHOL</b>	65.1	<i>64.2</i>	21.2	<i>18.5</i>	69.5	<i>68.7</i>	72.0	<i>69.5</i>	69.1	<i>68.6</i>
<b>OTHER SUBSTANCES</b>										
GHB	0.1	<i>0.1</i>	0.0	<i>*</i>	0.1	<i>0.1</i>	0.1	<i>0.1</i>	0.1	<i>0.1</i>
Nonprescription Cough or Cold Medicine	0.7	<i>0.9</i>	0.9	<i>0.9</i>	0.7	<i>0.9</i>	1.0	<i>1.2</i>	0.7	<i>0.8</i>
Kratom <sup>2</sup>	0.7	<i>0.8</i>	0.2	<i>0.2</i>	0.8	<i>0.8</i>	1.3	<i>0.9</i>	0.7	<i>0.8</i>
Synthetic Marijuana (Fake Weed, K2, Spice)	--	<i>0.4</i>	--	<i>0.8</i>	--	<i>0.3</i>	--	<i>0.9</i>	--	<i>0.3</i>
Synthetic Stimulants ("Bath Salts," Flakka)	--	<i>0.0</i>	--	<i>0.0</i>	--	<i>0.0</i>	--	<i>0.1</i>	--	<i>0.0</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Information about past year use of pipe tobacco was not collected. The estimate for tobacco product use (as well as the estimate for tobacco product use or nicotine vaping) in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>2</sup> Some 2019 kratom estimates may differ from previously published estimates due to updates. See Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 6.19A Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Past Month: Among People Aged 12 or Older; by Age Group, Numbers in Thousands, 2019 and 2020**

Substance	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>GENERAL SUBSTANCES</b>										
Illicit Drugs, Tobacco Products, or Alcohol	165,344	<i>162,517</i>	3,739	<i>3,053</i>	161,605	<i>159,464</i>	21,593	<i>20,003</i>	140,012	<i>139,461</i>
Illicit Drugs or Alcohol	149,061	<i>148,467</i>	3,502	<i>2,874</i>	145,559	<i>145,593</i>	20,169	<i>19,047</i>	125,391	<i>126,546</i>
Tobacco Products or Alcohol	160,450	<i>157,681</i>	2,794	<i>2,351</i>	157,655	<i>155,330</i>	20,505	<i>18,958</i>	137,151	<i>136,372</i>
<b>ILLICIT DRUGS</b>	35,803	<i>37,309</i>	2,167	<i>1,679</i>	33,636	<i>35,630</i>	8,406	<i>8,016</i>	25,231	<i>27,614</i>
<b>TOBACCO PRODUCTS OR NICOTINE VAPING</b>										
Tobacco Products	58,074	<i>51,694</i>	947	<i>598</i>	57,127	<i>51,096</i>	8,203	<i>6,434</i>	48,924	<i>44,662</i>
Nicotine Vaping	--	<i>10,442</i>	--	<i>1,277</i>	--	<i>9,165</i>	--	<i>3,923</i>	--	<i>5,243</i>
<b>ALCOHOL</b>	139,727	<i>138,522</i>	2,346	<i>2,061</i>	137,381	<i>136,461</i>	18,323	<i>17,260</i>	119,058	<i>119,201</i>
<b>OTHER SUBSTANCES</b>										
GHB	73	<i>68</i>	4	<i>*</i>	69	<i>68</i>	16	<i>*</i>	53	<i>67</i>
Nonprescription Cough or Cold Medicine	778	<i>766</i>	44	<i>23</i>	734	<i>743</i>	134	<i>112</i>	600	<i>631</i>
Kratom <sup>1</sup>	869	<i>1,008</i>	26	<i>36</i>	843	<i>972</i>	171	<i>82</i>	672	<i>890</i>
Synthetic Marijuana (Fake Weed, K2, Spice)	--	<i>468</i>	--	<i>123</i>	--	<i>345</i>	--	<i>171</i>	--	<i>174</i>
Synthetic Stimulants ("Bath Salts," Flakka)	--	<i>51</i>	--	<i>8</i>	--	<i>43</i>	--	<i>11</i>	--	<i>31</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Some 2019 kratom estimates may differ from previously published estimates due to updates. See Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 6.19B Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Past Month: Among People Aged 12 or Older; by Age Group, Percentages, 2019 and 2020**

Substance	Aged 12+ (2019)	Aged 12+ (2020)	Aged 12-17 (2019)	Aged 12-17 (2020)	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)
<b>GENERAL SUBSTANCES</b>										
Illicit Drugs, Tobacco Products, or Alcohol	60.1	58.7	15.0	<i>12.2</i>	64.6	<i>63.3</i>	64.0	<i>59.7</i>	64.6	<i>63.8</i>
Illicit Drugs or Alcohol	54.2	<i>53.6</i>	14.1	<i>11.5</i>	58.2	<i>57.8</i>	59.8	<i>56.9</i>	57.9	<i>57.9</i>
Tobacco Products or Alcohol	58.3	<i>56.9</i>	11.2	<i>9.4</i>	63.0	<i>61.7</i>	60.8	<i>56.6</i>	63.3	<i>62.4</i>
<b>ILLICIT DRUGS</b>	13.0	<i>13.5</i>	8.7	<i>6.7</i>	13.4	<i>14.1</i>	24.9	<i>23.9</i>	11.6	<i>12.6</i>
<b>TOBACCO PRODUCTS OR NICOTINE VAPING</b>										
Tobacco Products	21.1	<i>18.7</i>	3.8	<i>2.4</i>	22.8	<i>20.3</i>	24.3	<i>19.2</i>	22.6	<i>20.4</i>
Nicotine Vaping	--	<i>3.8</i>	--	<i>5.1</i>	--	<i>3.6</i>	--	<i>11.7</i>	--	<i>2.4</i>
<b>ALCOHOL</b>	50.8	<i>50.0</i>	9.4	<i>8.2</i>	54.9	<i>54.2</i>	54.3	<i>51.5</i>	55.0	<i>54.6</i>
<b>OTHER SUBSTANCES</b>										
GHB	0.0	<i>0.0</i>	0.0	*	0.0	<i>0.0</i>	0.0	*	0.0	<i>0.0</i>
Nonprescription Cough or Cold Medicine	0.3	<i>0.3</i>	0.2	<i>0.1</i>	0.3	<i>0.3</i>	0.4	<i>0.3</i>	0.3	<i>0.3</i>
Kratom <sup>1</sup>	0.3	<i>0.4</i>	0.1	<i>0.1</i>	0.3	<i>0.4</i>	0.5	<i>0.2</i>	0.3	<i>0.4</i>
Synthetic Marijuana (Fake Weed, K2, Spice)	--	<i>0.2</i>	--	<i>0.5</i>	--	<i>0.1</i>	--	<i>0.5</i>	--	<i>0.1</i>
Synthetic Stimulants ("Bath Salts," Flakka)	--	<i>0.0</i>	--	<i>0.0</i>	--	<i>0.0</i>	--	<i>0.0</i>	--	<i>0.0</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Some 2019 kratom estimates may differ from previously published estimates due to updates. See Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.