

Table 7.19A Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	3,129	3,090	3,240	3,376	3,116	3,556	3,871	4,070	4,603	4,979	5,354	5,729	6,508	6,532	6,971	8,123	8,657	10,079	<i>11,192</i>
Cocaine	121	84	139	192	186	154	81	51	69	44	113	151	66	91	74	126	146	108	58
Crack	48	19	91	90	35	77	19	25	26	19	21	67	46	60	24	68	40	30	38
Heroin	60	30	55	20	151	40	71	48	62	101	150	92	131	110	186	158	132	150	<i>231</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	22	47	29	57	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	14	35	25	22	90
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	161	197	229	310	567
Alcohol	9,678	9,638	9,745	10,165	10,322	10,081	10,651	11,090	10,028	10,793	10,831	10,587	11,239	11,434	11,563	11,893	10,978	11,603	<i>12,793</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	3,129	3,090	3,240	3,376	3,116	3,556	3,871	4,070	4,603	4,979	5,354	5,729	6,508	6,532	6,971	8,123	8,657	10,079	<i>11,192</i>
Cocaine	121	84	139	192	186	154	81	51	69	44	113	151	66	91	74	126	146	108	58
Crack	48	19	91	90	35	77	19	25	*	*	21	*	46	60	24	*	40	30	*
Heroin	*	*	*	20	*	*	*	48	62	101	*	92	131	110	186	158	132	150	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	27	22	47	29	57	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	29	14	35	25	22	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	161	197	229	310	567
Alcohol	9,678	9,638	9,745	10,165	10,322	10,081	10,651	11,090	10,028	10,793	10,831	10,587	11,239	11,434	11,563	11,893	10,978	11,603	<i>12,793</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.19B Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																				
Marijuana	1.3	1.3	1.3	1.4	1.3	1.4	1.5	1.6	1.8	1.9	2.1	2.2	2.5	2.4	2.6	3.0	3.2	3.7	<i>4.0</i>	
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	<i>0.0</i>	
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>	
Heroin	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1	<i>0.1</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	<i>0.0</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	<i>0.0</i>	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1	<i>0.1</i>	
Alcohol	4.1	4.1	4.1	4.2	4.2	4.1	4.3	4.4	4.0	4.2	4.2	4.0	4.2	4.3	4.3	4.4	4.0	4.2	<i>4.6</i>	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																				
Marijuana	12.2	12.2	12.7	13.3	12.3	14.1	15.0	14.2	15.7	16.7	17.0	17.4	18.5	18.1	18.6	19.8	19.9	20.9	<i>22.5</i>	
Cocaine	2.0	1.4	2.5	3.5	3.1	2.7	1.5	1.1	1.5	1.1	2.4	3.6	1.5	1.9	1.5	2.1	2.6	2.0	<i>1.1</i>	
Crack	3.1	1.4	7.0	6.5	2.4	5.3	1.7	2.4	*	*	2.3	*	5.9	7.2	2.7	*	5.2	3.8	<i>*</i>	
Heroin	*	*	*	5.2	*	*	*	8.2	10.0	16.3	*	13.5	14.3	13.3	19.6	17.9	16.3	20.1	<i>*</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.5	0.9	0.5	0.9	<i>0.4</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.7	0.9	2.0	1.2	1.1	<i>*</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.9	11.6	12.1	12.3	15.5	<i>22.2</i>
Alcohol	6.2	6.2	6.2	6.3	6.4	6.2	6.5	6.6	6.0	6.3	6.2	6.1	6.4	6.5	6.6	6.7	6.1	6.5	<i>7.2</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.20A Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																				
Marijuana	358	282	342	268	288	260	276	291	337	301	277	299	257	258	253	250	244	283	<i>226</i>	
Cocaine	10	10	4	7	3	7	5	3	2	2	*	*	*	*	2	*	2	*	*	
Crack	4	*	*	3	*	4	*	*	*	2	*	*	*	*	*	*	*	*	*	
Heroin	2	2	3	*	*	*	1	3	*	*	*	*	3	*	2	*	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	3	*	3	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	11	19	5	5	<i>4</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	3	2	*	*	
Alcohol	102	89	91	76	87	84	61	52	50	60	44	43	61	58	36	47	24	29	<i>6</i>	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																				
Marijuana	358	282	342	268	288	260	276	291	337	301	277	299	257	258	253	250	244	283	<i>226</i>	
Cocaine	10	10	4	7	3	7	5	3	2	*	0	*	*	*	*	*	*	*	*	*
Crack	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1	3	0	3	1	<i>0</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	11	19	5	5	<i>4</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*	*
Alcohol	102	89	91	76	87	84	61	52	50	60	44	43	61	58	36	47	24	29	<i>6</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.20B Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	1.4	1.1	1.4	1.1	1.1	1.0	1.1	1.2	1.4	1.2	1.1	1.2	1.0	1.0	1.0	1.0	1.0	1.1	<i>0.9</i>
Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	0.0	*	0.0	*	*
Crack	0.0	*	*	0.0	*	0.0	*	*	*	0.0	*	*	*	*	*	*	*	*	*
Heroin	0.0	0.0	0.0	*	*	*	0.0	0.0	*	*	*	*	0.0	*	0.0	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	*	0.0	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.1	0.0	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	0.0	0.0	*	*
Alcohol	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	<i>0.0</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	9.2	7.5	9.4	7.9	8.6	8.2	8.5	8.7	9.9	8.5	8.2	8.9	7.9	8.2	8.5	8.1	7.8	8.6	<i>8.9</i>
Cocaine	1.9	2.2	1.1	1.6	0.8	1.8	1.5	1.1	0.7	*	0.1	*	*	*	*	*	*	*	*
Crack	4.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.6	0.1	0.8	0.1	<i>0.1</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	2.1	3.4	0.8	0.7	<i>0.6</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*
Alcohol	1.2	1.0	1.1	0.9	1.0	1.0	0.8	0.7	0.7	0.9	0.7	0.7	1.0	1.0	0.7	0.9	0.5	0.5	<i>0.1</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.21A Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	2,772	2,808	2,898	3,108	2,828	3,296	3,595	3,779	4,265	4,678	5,077	5,430	6,251	6,274	6,718	7,873	8,414	9,796	<i>10,966</i>
Cocaine	111	74	134	185	182	147	77	49	67	42	112	150	65	91	72	126	144	108	58
Crack	44	18	91	87	34	73	19	25	26	18	21	67	46	60	24	68	40	30	38
Heroin	58	28	53	19	151	40	69	44	62	101	150	91	127	110	183	158	132	150	<i>231</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	19	47	25	56	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	*	16	20	17	86
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	159	194	228	310	567
Alcohol	9,577	9,549	9,654	10,089	10,235	9,997	10,590	11,039	9,978	10,733	10,787	10,544	11,178	11,375	11,527	11,846	10,954	11,574	<i>12,787</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	2,772	2,808	2,898	3,108	2,828	3,296	3,595	3,779	4,265	4,678	5,077	5,430	6,251	6,274	6,718	7,873	8,414	9,796	<i>10,966</i>
Cocaine	111	74	134	185	182	147	77	49	67	42	112	150	65	91	72	126	144	108	58
Crack	44	18	91	87	34	73	19	25	*	*	21	*	46	60	24	*	40	30	*
Heroin	*	*	*	19	*	*	*	44	62	101	*	91	127	110	183	158	132	150	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	19	47	25	56	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	3	16	*	17	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	135	159	194	228	310	567
Alcohol	9,577	9,549	9,654	10,089	10,235	9,997	10,590	11,039	9,978	10,733	10,787	10,544	11,178	11,375	11,527	11,846	10,954	11,574	<i>12,787</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.21B Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	1.3	1.3	1.3	1.4	1.3	1.5	1.6	1.7	1.9	2.0	2.2	2.3	2.6	2.6	2.7	3.2	3.4	3.9	<i>4.4</i>
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	<i>0.0</i>
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>
Heroin	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	<i>0.1</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	<i>0.0</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	0.0	0.0	<i>0.0</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1	<i>0.2</i>
Alcohol	4.6	4.5	4.5	4.6	4.6	4.5	4.7	4.9	4.4	4.6	4.6	4.4	4.7	4.7	4.7	4.8	4.4	4.6	<i>5.1</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	12.7	13.1	13.3	14.1	12.8	15.0	15.9	14.9	16.5	17.9	18.0	18.3	19.6	19.1	19.4	20.8	20.8	21.8	<i>23.3</i>
Cocaine	2.1	1.4	2.6	3.6	3.2	2.7	1.5	1.1	1.6	1.2	2.5	3.7	1.5	2.0	1.5	2.2	2.7	2.0	<i>1.1</i>
Crack	3.0	1.4	7.4	6.5	2.4	5.3	1.7	2.5	*	*	2.4	*	6.1	7.3	2.7	*	5.3	3.9	<i>*</i>
Heroin	*	*	*	5.6	*	*	*	8.1	10.4	17.8	*	14.1	14.4	13.7	19.6	18.1	16.5	20.1	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.4	1.0	0.5	<i>1.0</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.3	1.3	*	<i>1.2</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.1	11.7	12.2	12.5	<i>15.8</i>
Alcohol	6.5	6.5	6.5	6.6	6.6	6.5	6.7	6.9	6.2	6.6	6.5	6.3	6.6	6.7	6.8	6.8	6.3	6.7	<i>7.4</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.22A Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	1,336	1,375	1,379	1,519	1,487	1,479	1,656	1,691	1,863	1,825	2,157	2,166	2,224	2,353	2,218	2,618	2,483	2,540	<i>2,623</i>
Cocaine	17	24	20	31	28	22	14	23	7	9	20	6	8	19	10	28	5	22	<i>20</i>
Crack	3	4	9	5	7	8	5	3	3	*	4	*	3	7	*	*	*	11	*
Heroin	6	8	8	11	8	16	24	17	33	28	43	25	17	29	38	41	24	26	<i>19</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	5	16	6	6	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	2	7	2	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	28	25	25	30	8
Alcohol	681	733	681	668	678	669	710	672	642	604	636	599	645	726	721	783	659	689	<i>396</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	1,336	1,375	1,379	1,519	1,487	1,479	1,656	1,691	1,863	1,825	2,157	2,166	2,224	2,353	2,218	2,618	2,483	2,540	<i>2,623</i>
Cocaine	17	24	20	31	28	22	14	23	7	9	20	6	8	19	10	28	5	22	*
Crack	3	4	9	5	7	8	5	3	3	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	11	*	*	24	*	33	28	*	25	17	*	38	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	14	5	16	6	6	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	0	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	15	28	25	25	*	*
Alcohol	681	733	681	668	678	669	710	672	642	604	636	599	645	726	721	783	659	689	<i>396</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.22B Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	4.3	4.3	4.3	4.7	4.5	4.5	5.0	5.0	5.5	5.3	6.2	6.2	6.4	6.7	6.4	7.6	7.3	7.5	<i>7.8</i>
Cocaine	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.1	<i>0.1</i>
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	*	0.0	0.0	*	*	*	0.0	*
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	<i>0.1</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	0.0	0.0	*	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.1	0.1	0.1	0.1	<i>0.0</i>
Alcohol	2.2	2.3	2.1	2.1	2.1	2.0	2.2	2.0	1.9	1.8	1.8	1.7	1.8	2.1	2.1	2.3	1.9	2.0	<i>1.2</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	14.5	15.2	15.4	16.7	16.2	16.4	18.1	16.3	18.2	17.3	19.8	19.7	19.9	20.9	19.5	21.9	21.0	21.3	<i>22.7</i>
Cocaine	0.8	1.1	0.9	1.4	1.2	1.0	0.8	1.3	0.4	0.6	1.3	0.4	0.5	1.0	0.5	1.3	0.3	1.2	*
Crack	1.2	1.4	3.3	1.5	2.5	3.4	2.3	1.6	1.4	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	6.9	*	*	16.2	*	15.6	12.2	*	10.3	6.4	*	16.8	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6	0.2	0.7	0.3	0.3	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	0.1	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.5	10.7	6.7	9.2	*	*
Alcohol	2.8	3.0	2.7	2.6	2.6	2.6	2.8	2.5	2.4	2.3	2.4	2.2	2.4	2.8	2.8	3.1	2.6	2.8	<i>1.7</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.23A Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	1,435	1,433	1,519	1,589	1,341	1,817	1,939	2,088	2,402	2,853	2,920	3,264	4,027	3,921	4,500	5,255	5,930	7,256	<i>8,343</i>
Cocaine	94	51	115	154	154	125	62	26	60	33	92	145	57	72	62	98	138	86	<i>38</i>
Crack	40	14	83	82	27	65	14	22	24	16	17	66	43	53	24	68	39	19	<i>38</i>
Heroin	52	20	45	*	143	24	45	27	29	73	107	66	110	81	145	117	107	123	<i>212</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	14	31	19	50	<i>25</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	*	*	18	17	<i>86</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	130	169	202	280	<i>559</i>
Alcohol	8,896	8,816	8,973	9,421	9,557	9,328	9,880	10,367	9,336	10,129	10,150	9,945	10,533	10,649	10,806	11,064	10,295	10,885	<i>12,391</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	1,435	1,433	1,519	1,589	1,341	1,817	1,939	2,088	2,402	2,853	2,920	3,264	4,027	3,921	4,500	5,255	5,930	7,256	<i>8,343</i>
Cocaine	94	51	115	154	154	125	62	26	60	33	92	145	57	72	62	98	138	86	<i>38</i>
Crack	40	14	83	82	27	65	14	*	*	*	*	*	43	*	24	*	39	19	<i>*</i>
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	110	81	145	117	107	*	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	14	31	19	50	<i>25</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	*	*	*	<i>*</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	120	130	169	202	280	<i>559</i>
Alcohol	8,896	8,816	8,973	9,421	9,557	9,328	9,880	10,367	9,336	10,129	10,150	9,945	10,533	10,649	10,806	11,064	10,295	10,885	<i>12,391</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.23B Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	0.8	0.8	0.8	0.9	0.7	1.0	1.0	1.1	1.2	1.4	1.5	1.6	2.0	1.9	2.1	2.5	2.8	3.4	<i>3.8</i>
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	<i>0.0</i>
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>
Heroin	0.0	0.0	0.0	*	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	<i>0.1</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	*	0.0	0.0	<i>0.0</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1	0.1	<i>0.3</i>
Alcohol	5.0	4.9	4.9	5.1	5.1	4.9	5.1	5.4	4.8	5.1	5.1	4.9	5.1	5.1	5.1	5.2	4.8	5.0	<i>5.7</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	11.4	11.5	11.8	12.3	10.4	14.0	14.4	13.9	15.3	18.3	16.9	17.5	19.4	18.1	19.4	20.3	20.8	22.0	<i>23.5</i>
Cocaine	2.8	1.5	3.7	5.4	4.5	3.8	2.0	0.9	2.2	1.6	3.2	5.8	2.1	2.6	2.0	2.6	4.0	2.4	<i>1.0</i>
Crack	3.4	1.4	8.5	8.2	2.4	5.7	1.6	*	*	*	*	*	6.9	*	3.0	*	5.9	2.7	<i>*</i>
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	17.8	13.7	20.5	17.8	16.8	*	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.7	1.4	0.7	1.6	<i>0.6</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.2	*	*	*	<i>*</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	8.9	11.9	13.9	13.1	16.7	<i>23.7</i>
Alcohol	7.2	7.3	7.3	7.4	7.5	7.2	7.5	7.7	6.9	7.4	7.2	7.0	7.3	7.4	7.5	7.5	6.9	7.3	<i>8.3</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.24A Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																				
Marijuana	976	900	886	971	949	858	1,052	1,011	1,036	1,050	1,161	1,108	1,077	1,100	964	1,131	1,078	1,059	<i>920</i>	
Cocaine	19	20	10	14	14	14	9	13	4	11	15	3	4	10	8	8	3	6	<i>20</i>	
Crack	5	4	2	4	2	4	3	*	3	3	3	*	*	4	*	*	*	4	*	
Heroin	3	9	3	6	*	5	6	4	16	12	13	4	13	8	5	4	5	4	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	3	3	5	*	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	13	26	5	5	<i>4</i>	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10	8	13	7	7	*	
Alcohol	298	318	231	234	244	267	242	207	215	193	143	173	185	226	126	191	162	128	<i>57</i>	
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																				
Marijuana	976	900	886	971	949	858	1,052	1,011	1,036	1,050	1,161	1,108	1,077	1,100	964	1,131	1,078	1,059	<i>920</i>	
Cocaine	19	20	10	14	14	14	9	13	4	11	15	3	4	10	8	8	3	6	*	
Crack	5	*	*	*	2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	3	3	5	1	<i>0</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	5	13	26	5	5	<i>4</i>	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*	
Alcohol	298	318	231	234	244	267	242	207	215	193	143	173	185	226	126	191	162	128	<i>57</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.24B Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	2.6	2.4	2.3	2.5	2.5	2.2	2.8	2.6	2.7	2.7	3.0	2.9	2.8	2.9	2.6	3.0	2.8	2.8	2.5
Cocaine	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	*	*	0.0	*	*	*	0.0	*
Heroin	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.1	0.0	0.0	0.0
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	*
Alcohol	0.8	0.8	0.6	0.6	0.6	0.7	0.6	0.5	0.6	0.5	0.4	0.5	0.5	0.6	0.3	0.5	0.4	0.3	0.2
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	12.1	11.4	11.5	13.0	12.8	12.0	14.3	12.8	13.1	12.7	14.4	14.1	13.9	14.6	13.0	15.1	14.0	13.8	14.5
Cocaine	1.4	1.6	0.8	1.1	1.0	1.2	0.9	1.5	0.5	1.3	1.9	0.6	0.7	1.3	1.0	1.1	0.4	1.1	*
Crack	2.7	*	*	*	0.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	2.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.3	0.2	0.3	0.4	0.1	0.0
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.5	1.7	3.4	0.6	0.5	0.5
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*
Alcohol	1.7	1.8	1.3	1.3	1.4	1.5	1.4	1.2	1.3	1.2	0.9	1.2	1.3	1.7	1.0	1.5	1.3	1.0	0.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.25A Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	2,153	2,191	2,354	2,405	2,168	2,698	2,819	3,059	3,566	3,929	4,193	4,621	5,431	5,431	6,008	6,991	7,579	9,020	<i>10,272</i>
Cocaine	102	64	129	178	171	139	72	38	64	33	98	148	62	82	67	118	143	103	38
Crack	42	15	89	86	33	73	17	24	24	16	19	67	45	56	24	68	40	26	38
Heroin	57	22	53	14	149	35	65	43	46	89	138	89	117	103	181	154	127	146	231
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23	19	44	23	56	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	25	*	*	20	17	86
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124	152	184	222	303	567
Alcohol	9,380	9,320	9,514	9,932	10,078	9,814	10,409	10,883	9,813	10,600	10,687	10,414	11,054	11,208	11,437	11,702	10,816	11,475	<i>12,736</i>
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	2,153	2,191	2,354	2,405	2,168	2,698	2,819	3,059	3,566	3,929	4,193	4,621	5,431	5,431	6,008	6,991	7,579	9,020	<i>10,272</i>
Cocaine	102	64	129	178	171	139	72	38	64	33	98	148	62	82	67	118	143	103	38
Crack	42	15	89	86	33	73	17	24	*	*	*	*	45	56	24	*	40	26	*
Heroin	*	*	*	14	*	*	*	*	46	*	*	89	117	103	181	154	127	146	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	23	19	44	23	56	25
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1	9	*	17	*
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	124	152	184	222	303	567
Alcohol	9,380	9,320	9,514	9,932	10,078	9,814	10,409	10,883	9,813	10,600	10,687	10,414	11,054	11,208	11,437	11,702	10,816	11,475	<i>12,736</i>

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.25B Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG TOTAL POPULATION																			
Marijuana	1.1	1.1	1.2	1.2	1.0	1.3	1.3	1.4	1.7	1.8	1.9	2.1	2.4	2.4	2.6	3.0	3.2	3.8	<i>4.3</i>
Cocaine	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	<i>0.0</i>
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>
Heroin	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	<i>0.1</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	*	0.0	0.0	<i>0.0</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1	0.1	0.1	0.1	0.1	<i>0.2</i>
Alcohol	4.7	4.7	4.7	4.8	4.8	4.7	4.9	5.1	4.6	4.8	4.8	4.6	4.9	4.9	4.9	5.0	4.6	4.8	5.3
DAILY/ALMOST DAILY USE IN PAST YEAR AMONG PAST YEAR USERS																			
Marijuana	12.2	12.6	13.3	13.5	12.0	15.0	15.2	14.7	16.7	18.3	17.9	18.4	19.8	19.0	19.9	20.9	21.2	22.2	<i>23.7</i>
Cocaine	2.2	1.4	2.9	4.2	3.7	3.1	1.7	1.0	1.7	1.1	2.5	4.1	1.6	2.0	1.5	2.3	3.0	2.1	<i>0.8</i>
Crack	3.1	1.3	7.9	7.3	2.6	5.7	1.7	2.6	*	*	*	*	6.3	7.0	2.8	*	5.5	3.5	<i>*</i>
Heroin	*	*	*	5.2	*	*	*	*	9.3	*	*	14.9	14.4	13.6	20.5	18.4	16.7	20.0	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7	0.6	1.2	0.5	1.2	<i>0.4</i>
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.1	0.9	*	1.5	<i>*</i>
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.9	12.0	12.4	12.9	16.1	<i>22.8</i>
Alcohol	6.8	6.8	6.8	6.9	7.0	6.7	7.0	7.2	6.5	6.9	6.8	6.5	6.8	6.9	7.1	7.1	6.5	6.9	7.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.26A Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	4,756	4,894	4,880	5,089	5,104	5,099	5,454	6,181	6,935	7,074	7,601	8,144	9,240	9,240	9,995	10,829	11,966	13,830	<i>15,058</i>	
Cocaine	113	133	263	209	343	176	168	157	178	69	129	185	116	113	187	137	125	175	<i>81</i>	
Crack	42	76	118	75	121	99	66	90	55	20	73	95	58	52	96	59	53	95	<i>52</i>	
Heroin	98	57	78	46	188	81	93	48	79	183	180	145	178	141	220	203	132	181	<i>268</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	32	15	32	48	15	<i>69</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	31	34	42	52	<i>147</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246	249	308	398	439	<i>892</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	431	348	362	369	346	<i>332</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	89	91	122	76	104	<i>101</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	114	120	91	104	127	<i>108</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	29	39	39	*	26	<i>66</i>	
Cigarettes (Daily Only) ²	38,738	37,989	37,343	38,131	38,331	36,901	36,788	35,834	34,718	34,488	34,936	33,247	32,471	30,190	29,701	27,787	27,328	26,796	<i>24,874</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,399	5,336	5,149	4,890	4,975	<i>3,865</i>	
Cigars	1,339	1,732	1,648	1,623	1,868	1,699	1,874	1,972	2,147	1,811	2,153	1,898	1,725	2,259	2,401	2,337	2,410	2,288	<i>2,700</i>	
Alcohol	19,745	19,053	19,487	20,200	19,893	20,051	21,173	21,896	20,357	20,632	21,544	21,262	22,593	21,422	20,962	21,852	21,678	21,376	<i>23,356</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,856	2,666	2,918	2,911	2,662	<i>4,011</i>	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	4,756	4,894	4,880	5,089	5,104	5,099	5,454	6,181	6,935	7,074	7,601	8,144	9,240	9,240	9,995	10,829	11,966	13,830	<i>15,058</i>	
Cocaine	113	133	263	209	343	176	168	157	178	69	129	185	116	113	187	137	125	175	<i>81</i>	
Crack	42	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	<i>*</i>
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	178	*	*	203	*	*	*	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	32	15	32	48	15	<i>69</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	26	31	34	42	52	<i>*</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246	249	308	398	439	<i>892</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	431	348	362	369	346	<i>332</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	89	91	122	76	104	<i>101</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	114	120	91	104	127	<i>108</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	<i>*</i>	
Cigarettes (Daily Only) ²	38,738	37,989	37,343	38,131	38,331	36,901	36,788	35,834	34,718	34,488	34,936	33,247	32,471	30,190	29,701	27,787	27,328	26,796	<i>24,874</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,399	5,336	5,149	4,890	4,975	<i>3,865</i>	
Cigars	1,339	1,732	1,648	1,623	1,868	1,699	1,874	1,972	2,147	1,811	2,153	1,898	1,725	2,259	2,401	2,337	2,410	2,288	<i>2,700</i>	
Alcohol	19,745	19,053	19,487	20,200	19,893	20,051	21,173	21,896	20,357	20,632	21,544	21,262	22,593	21,422	20,962	21,852	21,678	21,376	<i>23,356</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,856	2,666	2,918	2,911	2,662	<i>4,011</i>	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	20,520	20,284	20,160	19,573	19,394	18,752	18,066	16,433	15,619	15,093	14,650	13,721	13,058	12,380	12,184	11,414	10,799	10,849	<i>9,366</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.26B Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	2.0	2.1	2.0	2.1	2.1	2.1	2.2	2.5	2.7	2.7	2.9	3.1	3.5	3.5	3.7	4.0	4.4	5.0	<i>5.4</i>	
Cocaine	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	<i>0.0</i>	
Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>	
Heroin	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	<i>0.1</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	<i>0.1</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.1	0.2	<i>0.3</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.1	0.1	<i>0.1</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*	0.0	<i>0.0</i>	
Cigarettes (Daily Only) ²	16.5	16.0	15.5	15.7	15.6	14.9	14.7	14.2	13.7	13.4	13.4	12.7	12.2	11.3	11.0	10.2	10.0	9.7	<i>9.0</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.0	2.0	1.9	1.8	1.8	<i>1.4</i>	
Cigars	0.6	0.7	0.7	0.7	0.8	0.7	0.7	0.8	0.8	0.7	0.8	0.7	0.7	0.8	0.9	0.9	0.9	0.8	<i>1.0</i>	
Alcohol	8.4	8.0	8.1	8.3	8.1	8.1	8.5	8.7	8.0	8.0	8.3	8.1	8.5	8.0	7.8	8.0	7.9	7.8	<i>8.4</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.1	1.0	1.1	1.1	1.0	<i>1.4</i>	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	32.6	33.4	33.5	34.8	34.4	35.2	35.7	36.7	39.8	39.1	40.3	41.1	41.6	41.6	41.7	41.7	43.3	43.8	<i>45.9</i>	
Cocaine	5.6	5.8	13.0	8.7	14.2	8.5	9.0	9.6	12.1	5.1	7.8	11.9	7.6	6.0	10.0	6.3	6.4	8.8	<i>4.4</i>	
Crack	7.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	<i>*</i>
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	40.9	*	*	41.1	*	*	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.6	1.1	2.2	3.0	0.8	<i>3.9</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.9	5.2	6.1	6.9	6.4	<i>*</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	27.4	37.3	39.7	39.8	37.4	<i>51.8</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	11.4	10.4	11.2	12.9	12.3	<i>13.1</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5.4	5.2	6.6	4.5	6.7	<i>6.8</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.1	6.2	5.3	6.4	7.1	<i>5.7</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	<i>*</i>	
Cigarettes (Daily Only) ²	63.4	62.9	62.3	63.0	62.3	61.3	61.5	61.0	59.5	60.7	60.7	59.6	58.8	58.1	57.9	57.1	58.2	58.4	<i>60.1</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	60.0	60.9	60.0	61.3	58.4	<i>55.0</i>	
Cigars	10.5	13.5	12.0	11.9	13.6	12.8	14.2	14.8	16.2	14.1	16.0	15.3	14.4	18.1	19.6	18.6	19.7	19.6	<i>25.5</i>	
Alcohol	16.5	16.0	16.1	16.0	15.9	15.8	16.4	16.8	15.5	15.5	15.9	15.5	16.2	15.5	15.3	15.5	15.5	15.3	<i>16.9</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.3	4.1	4.4	4.3	4.0	<i>6.5</i>	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																				
	53.1	53.5	54.0	51.4	50.6	50.9	49.2	45.9	45.1	43.8	42.0	41.3	40.3	41.1	41.1	41.2	39.6	40.5	<i>37.8</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.27A Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																			
Marijuana	603	482	536	400	434	427	421	452	439	466	425	451	400	421	367	405	367	447	<i>406</i>
Cocaine	7	8	11	10	*	10	11	6	2	*	2	*	8	2	3	*	2	*	*
Crack	6	6	3	*	*	4	*	2	*	*	*	*	*	*	*	*	*	*	*
Heroin	4	3	6	*	*	*	2	2	*	12	*	*	5	*	*	*	4	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2	3	2	3	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	12	10	4	22	<i>6</i>
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	2	5	4	2	<i>6</i>
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	7	8	10	*	3	*
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5	8	6	*	9	<i>4</i>
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	12	6	7	10	2	*
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Cigarettes (Daily Only) ²	1,021	904	828	704	701	659	510	511	459	440	360	271	292	208	129	96	99	75	25
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	114	112	86	79	66	29
Cigars	78	59	76	57	58	44	52	62	48	45	31	27	36	32	49	36	35	47	22
Alcohol	165	137	163	136	104	121	83	108	87	77	69	55	55	55	34	37	27	48	11
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12	5	14	12	16	*
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																			
Marijuana	603	482	536	400	434	427	421	452	439	466	425	451	400	421	367	405	367	447	<i>406</i>
Cocaine	7	8	*	10	1	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	4	22	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	7	8	10	1	*	*
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Cigarettes (Daily Only) ²	1,021	904	828	704	701	659	510	511	459	440	360	271	292	208	129	96	99	75	*
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	114	112	86	79	66	*
Cigars	78	59	76	57	58	44	52	62	48	45	31	27	36	32	49	36	35	47	*
Alcohol	165	137	163	136	104	121	83	108	87	77	69	55	55	55	34	37	27	48	11
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	12	5	14	12	16	*
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																			
	221	199	160	142	125	123	93	91	76	65	38	32	35	16	*	*	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.27B Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																			
Marijuana	2.4	1.9	2.1	1.6	1.7	1.7	1.7	1.8	1.8	1.9	1.7	1.8	1.6	1.7	1.5	1.6	1.5	1.8	<i>1.6</i>
Cocaine	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	*	0.0	*	0.0	0.0	0.0	*	0.0	*	*
Crack	0.0	0.0	0.0	*	*	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*	*
Heroin	0.0	0.0	0.0	*	*	*	0.0	0.0	*	0.0	*	*	0.0	*	*	*	0.0	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.1	<i>0.0</i>
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.0	0.0	0.0	0.0	<i>0.0</i>
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*	0.0	*
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*	0.0	<i>0.0</i>
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	*
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Cigarettes (Daily Only) ²	4.1	3.6	3.3	2.8	2.8	2.6	2.0	2.1	1.9	1.8	1.4	1.1	1.2	0.8	0.5	0.4	0.4	0.3	<i>0.1</i>
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.5	0.5	0.3	0.3	0.3	<i>0.1</i>
Cigars	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	<i>0.1</i>
Alcohol	0.7	0.5	0.6	0.5	0.4	0.5	0.3	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	<i>0.0</i>
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.1	0.0	0.1	*
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																			
Marijuana	29.8	24.4	28.1	23.1	25.6	25.2	25.3	24.9	24.4	23.7	23.6	25.6	21.8	24.0	22.8	25.1	22.1	24.3	<i>27.6</i>
Cocaine	4.6	5.3	*	6.9	0.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	2.3	9.9	*
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	2.7	3.2	4.4	0.6	*	*
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*
Cigarettes (Daily Only) ²	31.8	29.7	27.6	25.8	26.5	26.4	22.3	23.0	22.5	22.7	22.0	19.4	24.1	20.0	15.0	12.2	14.7	13.2	*
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	31.0	31.8	25.6	28.4	26.5	*
Cigars	7.0	5.3	6.3	5.4	5.6	4.1	5.5	6.3	6.1	5.3	4.8	4.8	6.9	6.3	10.9	7.5	8.5	13.5	*
Alcohol	3.8	3.1	3.7	3.3	2.5	3.0	2.3	3.0	2.6	2.3	2.2	1.9	1.9	2.3	1.5	1.5	1.2	2.0	<i>0.5</i>
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.4	1.1	1.0	1.4	*
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																			
	21.8	22.0	19.4	20.1	17.9	18.7	18.4	17.9	16.7	14.8	10.8	11.9	11.9	7.8	*	*	*	*	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.28A Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	4,153	4,412	4,344	4,689	4,670	4,672	5,033	5,729	6,496	6,608	7,176	7,693	8,840	8,820	9,628	10,424	11,599	13,383	<i>14,652</i>	
Cocaine	106	124	251	200	342	166	157	151	176	69	127	184	108	111	184	137	123	175	<i>81</i>	
Crack	36	70	114	75	120	95	66	88	55	20	73	94	57	52	96	59	53	95	<i>52</i>	
Heroin	94	54	72	46	187	80	91	46	79	172	180	144	173	141	219	203	128	181	<i>268</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	*	30	45	15	<i>69</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20	20	23	38	30	<i>140</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246	247	302	394	437	<i>886</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	423	341	352	368	343	<i>332</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	84	83	116	75	95	<i>98</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	102	114	85	94	125	<i>108</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	29	39	39	*	26	<i>66</i>	
Cigarettes (Daily Only) ²	37,717	37,085	36,516	37,428	37,631	36,242	36,278	35,323	34,259	34,049	34,577	32,976	32,179	29,982	29,573	27,691	27,229	26,721	<i>24,849</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,285	5,224	5,063	4,811	4,910	<i>3,836</i>	
Cigars	1,260	1,672	1,572	1,566	1,810	1,655	1,821	1,910	2,098	1,765	2,121	1,870	1,689	2,226	2,352	2,301	2,376	2,241	<i>2,678</i>	
Alcohol	19,580	18,916	19,324	20,063	19,789	19,930	21,089	21,788	20,270	20,555	21,475	21,207	22,538	21,367	20,927	21,815	21,651	21,329	<i>23,345</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,844	2,662	2,904	2,899	2,645	<i>4,011</i>	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	4,153	4,412	4,344	4,689	4,670	4,672	5,033	5,729	6,496	6,608	7,176	7,693	8,840	8,820	9,628	10,424	11,599	13,383	<i>14,652</i>	
Cocaine	106	124	251	200	342	166	157	151	176	69	127	184	108	111	184	137	123	175	<i>81</i>	
Crack	36	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	<i>*</i>
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	203	*	*	*	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	30	12	30	45	15	<i>69</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	20	23	*	30	<i>*</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	246	*	302	394	437	<i>886</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	423	341	352	368	343	<i>332</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	84	83	116	75	95	<i>98</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	102	114	85	94	125	<i>108</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	<i>*</i>	
Cigarettes (Daily Only) ²	37,717	37,085	36,516	37,428	37,631	36,242	36,278	35,323	34,259	34,049	34,577	32,976	32,179	29,982	29,573	27,691	27,229	26,721	<i>24,849</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	5,285	5,224	5,063	4,811	4,910	<i>3,836</i>	
Cigars	1,260	1,672	1,572	1,566	1,810	1,655	1,821	1,910	2,098	1,765	2,121	1,870	1,689	2,226	2,352	2,301	2,376	2,241	<i>2,678</i>	
Alcohol	19,580	18,916	19,324	20,063	19,789	19,930	21,089	21,788	20,270	20,555	21,475	21,207	22,538	21,367	20,927	21,815	21,651	21,329	<i>23,345</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,844	2,662	2,904	2,899	2,645	<i>4,011</i>	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	20,299	20,085	20,000	19,431	19,269	18,630	17,973	16,342	15,543	15,029	14,612	13,689	13,024	12,364	12,171	11,402	10,790	10,840	<i>9,366</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.28B Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	2.0	2.1	2.0	2.2	2.1	2.1	2.2	2.5	2.8	2.8	3.1	3.2	3.7	3.6	3.9	4.2	4.7	5.3	5.8	
Cocaine	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.0	
Crack	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Heroin	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	0.0	0.0	0.0	0.0	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	0.1	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.2	0.2	0.4	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.1	0.1	0.1	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	0.0	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	0.0	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*	0.0	0.0	
Cigarettes (Daily Only) ²	17.9	17.4	17.0	17.2	17.1	16.3	16.1	15.5	14.9	14.6	14.7	13.9	13.4	12.3	12.1	11.2	10.9	10.7	9.9	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.2	2.1	2.0	1.9	2.0	1.5	
Cigars	0.6	0.8	0.7	0.7	0.8	0.7	0.8	0.8	0.9	0.8	0.9	0.8	0.7	0.9	1.0	0.9	1.0	0.9	1.1	
Alcohol	9.3	8.9	9.0	9.2	9.0	9.0	9.4	9.6	8.8	8.8	9.1	8.9	9.4	8.8	8.6	8.8	8.7	8.5	9.3	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.2	1.1	1.2	1.2	1.1	1.6	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	33.1	34.8	34.3	36.4	35.5	36.6	37.0	38.2	41.6	41.0	42.1	42.6	43.4	43.1	43.0	42.7	44.6	45.0	46.8	
Cocaine	5.7	5.9	13.3	8.8	14.8	8.4	8.9	9.6	12.5	5.3	7.8	12.2	7.3	6.1	10.0	6.4	6.4	8.9	4.5	
Crack	6.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	41.3	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	0.9	2.3	3.0	0.9	4.1	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	4.4	5.8	*	5.2	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	27.8	*	39.9	40.1	37.6	51.7	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	12.1	11.0	11.6	13.7	12.9	13.6	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	5.5	5.1	6.8	4.9	6.6	6.9	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.0	6.2	5.3	6.0	7.5	5.8	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	65.1	64.6	64.2	64.8	63.9	62.8	63.0	62.5	60.9	62.0	61.9	60.6	59.6	58.9	58.6	57.8	58.8	59.0	60.5	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	61.3	62.1	61.4	62.5	59.4	55.8	
Cigars	10.8	14.3	12.6	12.4	14.3	13.5	14.8	15.5	16.8	14.7	16.6	15.8	14.8	18.6	19.9	19.1	20.1	19.8	25.8	
Alcohol	17.0	16.5	16.6	16.5	16.3	16.2	16.8	17.2	15.8	15.8	16.2	15.8	16.5	15.7	15.6	15.8	15.7	15.5	17.1	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.4	4.2	4.4	4.4	4.1	6.6	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	54.0	54.3	54.8	52.0	51.2	51.5	49.6	46.4	45.4	44.1	42.3	41.5	40.6	41.3	41.2	41.3	39.7	40.6	37.8	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.29A Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	1,997	2,079	1,995	2,096	2,133	2,071	2,178	2,476	2,658	2,676	2,882	2,817	3,020	3,076	3,056	3,367	3,190	3,334	3,385	
Cocaine	23	29	49	25	44	23	26	30	15	10	20	8	8	19	16	16	14	29	*	
Crack	5	4	11	*	13	16	5	20	8	*	4	*	3	4	*	6	3	4	*	
Heroin	10	9	8	26	9	18	24	14	29	54	52	48	33	41	40	55	25	25	19	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	3	9	7	9	6	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	6	13	7	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	34	20	38	34	46	28	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	67	34	66	36	28	6	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	23	11	24	12	17	*	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	30	20	22	19	24	20	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	5	*	2	*	*	
Cigarettes (Daily Only) ²	6,549	6,726	6,574	6,349	6,149	5,829	5,623	5,458	5,358	5,207	4,967	4,591	4,263	3,923	3,237	2,939	2,438	2,097	1,542	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	923	883	761	673	695	451	
Cigars	280	320	355	363	371	371	360	379	423	391	389	341	352	417	392	463	430	435	406	
Alcohol	1,741	1,820	1,881	1,923	1,941	1,890	1,923	1,847	1,798	1,645	1,717	1,660	1,649	1,532	1,447	1,425	1,389	1,314	1,305	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	294	249	226	237	232	264	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	1,997	2,079	1,995	2,096	2,133	2,071	2,178	2,476	2,658	2,676	2,882	2,817	3,020	3,076	3,056	3,367	3,190	3,334	3,385	
Cocaine	23	29	49	25	44	23	26	30	15	10	20	8	8	19	16	16	14	29	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	13	3	9	7	9	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	67	34	66	36	28	*	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	23	11	24	12	17	*	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	30	20	22	19	24	*	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	6,549	6,726	6,574	6,349	6,149	5,829	5,623	5,458	5,358	5,207	4,967	4,591	4,263	3,923	3,237	2,939	2,438	2,097	1,542	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	923	883	761	673	695	451	
Cigars	280	320	355	363	371	371	360	379	423	391	389	341	352	417	392	463	430	435	406	
Alcohol	1,741	1,820	1,881	1,923	1,941	1,890	1,923	1,847	1,798	1,645	1,717	1,660	1,649	1,532	1,447	1,425	1,389	1,314	1,305	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	294	249	226	237	232	264	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	2,556	2,494	2,296	2,342	2,116	1,915	1,774	1,609	1,461	1,361	1,247	1,021	959	880	848	736	569	524	320	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.29B Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	6.4	6.6	6.2	6.5	6.5	6.3	6.6	7.4	7.8	7.8	8.3	8.1	8.6	8.8	8.8	9.8	9.4	9.9	<i>10.1</i>	
Cocaine	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	*	
Crack	0.0	0.0	0.0	*	0.0	0.0	0.0	0.1	0.0	*	0.0	*	0.0	0.0	*	0.0	0.0	0.0	*	
Heroin	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	<i>0.1</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	<i>0.0</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	0.0	0.0	0.0	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.1	0.1	<i>0.1</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.2	0.1	0.1	<i>0.0</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.0	0.1	0.0	0.1	*	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.1	0.1	<i>0.1</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	0.0	*	0.0	*	*	
Cigarettes (Daily Only) ²	21.1	21.2	20.4	19.5	18.8	17.8	17.1	16.3	15.7	15.2	14.4	13.2	12.2	11.2	9.4	8.6	7.2	6.2	<i>4.6</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.6	2.6	2.2	2.0	2.1	<i>1.3</i>	
Cigars	0.9	1.0	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.0	1.0	1.2	1.1	1.4	1.3	1.3	<i>1.2</i>	
Alcohol	5.6	5.7	5.8	5.9	5.9	5.8	5.8	5.5	5.3	4.8	5.0	4.8	4.7	4.4	4.2	4.2	4.1	3.9	<i>3.9</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8	0.7	0.7	0.7	0.7	<i>0.8</i>	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	37.2	38.5	38.4	38.9	40.0	38.4	39.9	40.4	42.1	41.0	44.4	42.5	44.2	44.4	42.5	44.3	42.4	43.0	<i>43.8</i>	
Cocaine	3.6	4.1	7.0	3.0	6.0	4.0	5.1	6.4	3.1	2.0	5.0	2.1	1.7	3.2	3.0	2.4	2.6	5.4	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.1	0.4	1.6	1.2	1.5	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	8.1	5.4	10.4	7.5	6.6	*	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	3.0	1.5	3.3	2.1	2.9	*	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	5.2	3.7	4.0	4.9	7.1	*	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	51.8	52.7	51.6	50.1	48.8	49.2	47.8	45.3	45.8	45.3	45.1	43.1	43.0	42.0	39.9	38.4	37.4	35.4	<i>33.1</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	48.7	48.9	46.7	45.0	41.9	<i>34.4</i>	
Cigars	8.2	8.8	8.7	9.3	9.3	9.5	9.6	9.8	11.0	10.5	10.5	9.8	10.4	13.4	12.8	14.8	14.7	16.7	<i>20.6</i>	
Alcohol	9.3	9.4	9.7	9.7	9.6	9.4	9.6	8.9	8.6	7.9	8.2	8.0	7.9	7.5	7.3	7.4	7.4	7.2	<i>7.6</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.2	1.9	1.8	2.0	2.0	<i>2.5</i>	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																				
	39.1	37.1	34.9	36.9	34.4	32.9	31.6	29.5	27.3	26.1	25.1	22.3	22.5	22.5	26.2	25.0	23.4	25.0	<i>20.8</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.30A Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	2,156	2,332	2,349	2,593	2,537	2,601	2,855	3,253	3,838	3,931	4,293	4,875	5,820	5,744	6,573	7,057	8,409	10,049	<i>11,267</i>	
Cocaine	83	96	203	174	299	144	130	121	161	59	107	175	100	92	167	121	110	146	<i>81</i>	
Crack	31	66	103	74	107	79	61	68	47	19	69	93	55	48	95	54	50	91	<i>52</i>	
Heroin	84	45	64	20	178	61	67	32	49	118	128	96	140	100	179	149	103	156	<i>249</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	17	*	21	38	*	<i>63</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	18	14	11	30	30	<i>140</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	212	227	264	360	391	<i>858</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	356	307	286	332	315	<i>326</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	61	72	93	63	78	<i>98</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	72	95	63	75	101	<i>88</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	28	34	39	*	26	<i>66</i>	
Cigarettes (Daily Only) ²	31,168	30,359	29,942	31,079	31,481	30,414	30,655	29,865	28,901	28,841	29,610	28,385	27,916	26,059	26,336	24,751	24,792	24,624	<i>23,307</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,363	4,340	4,302	4,138	4,215	<i>3,385</i>	
Cigars	980	1,353	1,217	1,203	1,439	1,284	1,461	1,531	1,676	1,374	1,733	1,530	1,337	1,809	1,960	1,838	1,945	1,806	<i>2,272</i>	
Alcohol	17,839	17,095	17,443	18,140	17,848	18,041	19,167	19,941	18,472	18,911	19,757	19,547	20,889	19,835	19,481	20,389	20,262	20,015	<i>22,040</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,550	2,413	2,678	2,663	2,413	<i>3,746</i>	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	2,156	2,332	2,349	2,593	2,537	2,601	2,855	3,253	3,838	3,931	4,293	4,875	5,820	5,744	6,573	7,057	8,409	10,049	<i>11,267</i>	
Cocaine	83	96	203	174	299	144	130	121	161	59	107	*	100	92	167	121	110	146	<i>81</i>	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	<i>*</i>
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	9	21	38	6	<i>63</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	<i>*</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	212	*	264	360	391	<i>*</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	356	307	286	332	315	<i>326</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	61	72	93	63	78	<i>*</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	72	95	63	75	101	<i>88</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	<i>*</i>	
Cigarettes (Daily Only) ²	31,168	30,359	29,942	31,079	31,481	30,414	30,655	29,865	28,901	28,841	29,610	28,385	27,916	26,059	26,336	24,751	24,792	24,624	<i>23,307</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,363	4,340	4,302	4,138	4,215	<i>3,385</i>	
Cigars	980	1,353	1,217	1,203	1,439	1,284	1,461	1,531	1,676	1,374	1,733	1,530	1,337	1,809	1,960	1,838	1,945	1,806	<i>2,272</i>	
Alcohol	17,839	17,095	17,443	18,140	17,848	18,041	19,167	19,941	18,472	18,911	19,757	19,547	20,889	19,835	19,481	20,389	20,262	20,015	<i>22,040</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,550	2,413	2,678	2,663	2,413	<i>3,746</i>	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	17,743	17,591	17,704	17,089	17,153	16,715	16,199	14,733	14,082	13,668	13,365	12,667	12,065	11,484	11,324	10,666	10,221	10,315	<i>9,047</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.30B Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	1.2	1.3	1.3	1.4	1.4	1.4	1.5	1.7	2.0	2.0	2.1	2.4	2.8	2.8	3.1	3.3	3.9	4.6	5.2	
Cocaine	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.0	
Crack	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Heroin	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.1	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	*	0.0	0.0	*	0.0	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	0.1	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.2	0.2	0.4	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.2	0.1	0.1	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	0.0	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	0.0	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*	0.0	0.0	
Cigarettes (Daily Only) ²	17.4	16.8	16.4	16.8	16.8	16.0	16.0	15.4	14.8	14.5	14.8	14.0	13.6	12.5	12.5	11.6	11.5	11.4	10.7	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.1	2.1	2.0	1.9	1.9	1.5	
Cigars	0.5	0.7	0.7	0.6	0.8	0.7	0.8	0.8	0.9	0.7	0.9	0.8	0.7	0.9	0.9	0.9	0.9	0.8	1.0	
Alcohol	9.9	9.4	9.5	9.8	9.5	9.5	10.0	10.3	9.5	9.5	9.9	9.6	10.2	9.5	9.3	9.6	9.4	9.2	10.1	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.2	1.1	1.3	1.2	1.1	1.7	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	30.0	32.1	31.4	34.5	32.5	35.2	35.1	36.6	41.3	41.0	40.6	42.7	43.0	42.4	43.3	42.0	45.5	45.6	47.8	
Cocaine	6.7	6.7	16.8	12.2	18.8	10.3	10.4	10.9	17.7	7.1	8.8	*	9.8	7.4	12.9	8.2	7.8	10.2	5.8	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	1.6	3.0	4.2	0.5	6.1	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	28.0	*	43.5	40.3	37.2	*	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	13.3	12.4	12.0	15.0	14.1	15.1	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	7.9	8.2	9.3	6.5	9.1	*	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.3	7.3	6.0	6.4	7.6	5.8	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	68.8	68.0	67.8	68.9	67.9	66.3	67.0	67.2	64.8	66.5	66.0	64.9	63.3	62.7	62.2	61.5	62.3	62.5	64.1	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	64.8	65.7	65.1	66.7	63.8	60.9	
Cigars	11.9	16.7	14.4	13.9	16.6	15.4	17.2	18.0	19.4	16.6	19.1	18.2	16.6	20.4	22.4	20.6	21.9	20.7	27.0	
Alcohol	18.4	18.0	18.0	17.8	17.7	17.6	18.2	18.8	17.2	17.3	17.7	17.3	18.0	17.2	17.0	17.2	17.0	16.8	18.5	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.9	4.7	5.1	4.9	4.5	7.5	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																				
	57.1	58.0	59.2	55.1	54.5	55.1	53.0	49.4	48.8	47.4	45.2	44.7	43.3	44.1	43.1	43.2	41.4	42.0	38.9	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.31A Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	1,530	1,450	1,323	1,333	1,435	1,278	1,433	1,522	1,488	1,578	1,652	1,536	1,524	1,485	1,434	1,565	1,469	1,547	<i>1,366</i>	
Cocaine	17	21	31	20	12	18	23	18	12	7	8	5	12	11	11	4	4	7	*	
Crack	7	8	5	*	*	8	*	8	8	*	3	*	*	4	*	4	*	4	*	
Heroin	7	9	6	8	4	7	9	5	8	33	17	11	18	7	4	*	7	4	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10	3	5	6	3	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	14	19	4	22	<i>6</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	19	*	23	15	9	<i>16</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	15	18	25	11	5	*	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	14	11	19	3	12	<i>4</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	18	17	10	23	6	<i>20</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	3,374	3,209	3,028	2,819	2,769	2,550	2,430	2,330	2,221	2,146	1,756	1,559	1,511	1,190	900	771	663	535	<i>379</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	426	404	306	293	234	<i>176</i>	
Cigars	207	205	220	232	199	190	194	237	219	217	169	163	159	195	191	219	195	208	<i>161</i>	
Alcohol	632	624	647	625	587	553	533	549	467	386	354	328	337	278	233	274	230	189	<i>126</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	69	43	66	51	38	<i>30</i>	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	1,530	1,450	1,323	1,333	1,435	1,278	1,433	1,522	1,488	1,578	1,652	1,536	1,524	1,485	1,434	1,565	1,469	1,547	<i>1,366</i>	
Cocaine	17	21	31	20	12	18	23	18	12	7	8	*	*	11	*	4	*	*	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	10	*	5	6	3	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	6	14	19	4	22	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	15	18	25	11	5	*	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	14	11	19	*	12	*	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	18	17	10	23	6	*	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	3,374	3,209	3,028	2,819	2,769	2,550	2,430	2,330	2,221	2,146	1,756	1,559	1,511	1,190	900	771	663	535	<i>379</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	426	404	306	293	234	*	
Cigars	207	205	220	232	199	190	194	237	219	217	169	163	159	195	191	219	195	208	*	
Alcohol	632	624	647	625	587	553	533	549	467	386	354	328	337	278	233	274	230	189	<i>126</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	69	43	66	51	38	<i>30</i>	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																				
	1,013	925	834	856	734	621	604	547	467	464	313	280	273	165	221	174	131	85	*	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.31B Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	4.1	3.9	3.5	3.5	3.8	3.3	3.8	4.0	3.9	4.1	4.3	4.0	4.0	3.9	3.8	4.1	3.9	4.1	3.7	
Cocaine	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	
Crack	0.0	0.0	0.0	*	*	0.0	*	0.0	0.0	*	0.0	*	*	0.0	*	0.0	*	0.0	*	
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.1	0.0	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	*	0.1	0.0	0.0	0.0	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.1	0.0	0.0	*	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.1	0.0	0.0	0.0	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.1	0.0	0.1	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	9.1	8.6	8.0	7.4	7.3	6.6	6.4	6.1	5.8	5.6	4.6	4.1	4.0	3.1	2.4	2.0	1.7	1.4	1.0	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	1.1	1.1	0.8	0.8	0.6	0.5	
Cigars	0.6	0.5	0.6	0.6	0.5	0.5	0.5	0.6	0.6	0.6	0.4	0.4	0.4	0.5	0.5	0.6	0.5	0.5	0.4	
Alcohol	1.7	1.7	1.7	1.6	1.5	1.4	1.4	1.4	1.2	1.0	0.9	0.9	0.9	0.7	0.6	0.7	0.6	0.5	0.3	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.2	0.1	0.2	0.1	0.1	0.1	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	34.3	32.5	31.6	31.8	35.2	31.0	34.5	34.0	32.5	32.2	35.6	34.5	33.4	33.6	32.8	35.5	32.1	33.4	34.6	
Cocaine	4.2	5.0	8.1	4.5	2.6	5.2	7.3	8.2	5.3	2.6	4.5	*	*	5.0	*	2.1	*	*	*	
Crack	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	*	1.3	1.8	0.7	*	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.7	6.7	8.6	1.8	8.3	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	2.8	4.1	6.3	3.4	1.6	*	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	3.4	2.6	5.3	*	4.0	*	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	4.8	5.3	3.2	9.6	2.8	*	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	42.1	41.1	39.5	38.3	38.4	37.4	36.2	34.6	34.6	34.5	32.6	31.4	34.7	30.9	27.8	25.6	25.6	23.4	24.9	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	40.3	41.3	34.1	35.2	29.4	*	
Cigars	7.5	7.4	7.1	7.9	7.0	6.4	7.1	8.5	8.6	8.5	7.6	8.0	8.4	11.0	11.5	13.1	12.7	16.5	*	
Alcohol	5.9	5.7	6.0	5.8	5.4	5.1	5.3	5.3	4.7	4.0	3.8	3.8	3.9	3.6	3.2	3.7	3.2	2.7	2.1	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.4	0.9	1.5	1.2	0.9	0.9	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																				
	30.1	28.9	27.6	30.4	26.5	24.4	24.9	23.5	21.1	21.6	17.9	18.0	18.1	14.0	24.6	22.6	19.8	16.0	*	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.32A Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older; Numbers in Thousands, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	3,226	3,444	3,557	3,756	3,669	3,820	4,022	4,659	5,448	5,496	5,949	6,608	7,715	7,756	8,561	9,264	10,497	12,283	<i>13,691</i>	
Cocaine	96	111	232	189	332	159	145	139	166	62	122	180	105	102	176	133	121	168	<i>81</i>	
Crack	35	67	112	75	119	91	64	82	47	19	70	94	57	48	96	55	53	91	<i>52</i>	
Heroin	90	48	72	38	184	73	84	43	71	151	163	134	160	134	216	203	125	177	<i>268</i>	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22	12	27	42	13	<i>69</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	20	18	15	38	30	<i>140</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	227	247	284	384	429	<i>876</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	416	330	336	358	341	<i>331</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	75	80	103	73	92	<i>98</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	96	103	81	81	121	<i>88</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	28	39	39	*	26	<i>66</i>	
Cigarettes (Daily Only) ²	35,364	34,781	34,315	35,312	35,562	34,351	34,358	33,504	32,497	32,343	33,180	31,689	30,961	29,000	28,801	27,016	26,665	26,262	<i>24,495</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,974	4,932	4,843	4,597	4,741	<i>3,688</i>	
Cigars	1,132	1,526	1,428	1,391	1,669	1,509	1,679	1,734	1,927	1,594	1,984	1,735	1,566	2,063	2,210	2,118	2,216	2,080	<i>2,539</i>	
Alcohol	19,113	18,429	18,841	19,575	19,306	19,498	20,639	21,346	19,890	20,247	21,190	20,934	22,256	21,143	20,729	21,577	21,448	21,187	<i>23,230</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,787	2,623	2,852	2,860	2,623	<i>3,980</i>	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	3,226	3,444	3,557	3,756	3,669	3,820	4,022	4,659	5,448	5,496	5,949	6,608	7,715	7,756	8,561	9,264	10,497	12,283	<i>13,691</i>	
Cocaine	96	111	232	189	332	159	145	139	166	62	122	180	105	102	176	133	121	168	<i>81</i>	
Crack	35	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	<i>*</i>
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	203	*	*	*	<i>*</i>
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	22	12	27	42	13	<i>69</i>	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	<i>*</i>	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	227	*	284	384	429	<i>*</i>	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	416	330	336	358	341	<i>331</i>	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	75	80	103	73	92	<i>98</i>	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	96	103	81	81	121	<i>88</i>	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	<i>*</i>	
Cigarettes (Daily Only) ²	35,364	34,781	34,315	35,312	35,562	34,351	34,358	33,504	32,497	32,343	33,180	31,689	30,961	29,000	28,801	27,016	26,665	26,262	<i>24,495</i>	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	4,974	4,932	4,843	4,597	4,741	<i>3,688</i>	
Cigars	1,132	1,526	1,428	1,391	1,669	1,509	1,679	1,734	1,927	1,594	1,984	1,735	1,566	2,063	2,210	2,118	2,216	2,080	<i>2,539</i>	
Alcohol	19,113	18,429	18,841	19,575	19,306	19,498	20,639	21,346	19,890	20,247	21,190	20,934	22,256	21,143	20,729	21,577	21,448	21,187	<i>23,230</i>	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2,787	2,623	2,852	2,860	2,623	<i>3,980</i>	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴	19,507	19,359	19,326	18,717	18,660	18,131	17,462	15,886	15,152	14,629	14,337	13,441	12,786	12,215	11,963	11,239	10,668	10,763	<i>9,316</i>	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.

Table 7.32B Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older; Percentages, 2002-2020

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG TOTAL POPULATION																				
Marijuana	1.6	1.7	1.8	1.8	1.8	1.8	1.9	2.2	2.5	2.5	2.7	2.9	3.4	3.4	3.7	4.0	4.5	5.2	5.7	
Cocaine	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.0	
Crack	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Heroin	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	0.0	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0	0.0	0.0	0.0	0.0	0.1	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1	0.1	0.1	0.2	0.2	0.4	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.2	0.1	0.1	0.2	0.1	0.1	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.0	0.0	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	0.0	0.1	0.0	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0	0.0	0.0	*	0.0	0.0	
Cigarettes (Daily Only) ²	17.9	17.4	16.9	17.2	17.1	16.4	16.2	15.7	15.1	14.8	15.0	14.1	13.6	12.6	12.4	11.5	11.3	11.1	10.2	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	2.2	2.1	2.1	1.9	2.0	1.5	
Cigars	0.6	0.8	0.7	0.7	0.8	0.7	0.8	0.8	0.9	0.7	0.9	0.8	0.7	0.9	1.0	0.9	0.9	0.9	1.1	
Alcohol	9.7	9.2	9.3	9.6	9.3	9.3	9.7	10.0	9.2	9.2	9.6	9.3	9.8	9.2	8.9	9.2	9.1	8.9	9.7	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.2	1.1	1.2	1.2	1.1	1.7	
DAILY/ALMOST DAILY USE IN PAST MONTH AMONG PAST MONTH USERS																				
Marijuana	31.9	33.8	34.2	36.0	34.1	36.9	36.2	37.7	42.5	41.7	41.9	43.0	43.8	43.5	43.7	42.9	45.5	45.5	47.5	
Cocaine	5.9	6.0	14.2	9.7	16.7	9.1	9.4	9.8	13.3	5.7	8.2	13.0	7.8	6.2	10.4	6.8	6.8	9.2	4.7	
Crack	6.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heroin	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	41.7	*	*	*	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	2.5	1.2	2.6	3.3	0.8	4.9	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	*	*	*	*	*	*	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	26.9	*	40.3	40.1	37.7	*	
Misuse of Prescription Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	12.8	11.4	11.9	14.2	13.6	14.0	
Misuse of Prescription Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	6.0	6.0	7.0	5.2	7.3	7.2	
Misuse of Prescription Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	6.4	6.3	5.7	5.8	7.7	4.9	
Misuse of Prescription Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	*	*	*	*	*	*	
Cigarettes (Daily Only) ²	66.6	66.1	65.7	66.4	65.4	64.4	64.7	64.4	62.6	63.9	63.6	62.4	60.8	60.3	59.9	59.1	60.1	60.2	61.4	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	62.7	63.3	63.1	64.4	61.4	57.4	
Cigars	11.3	15.2	13.4	13.0	15.4	14.6	16.0	16.4	18.0	15.4	17.7	16.7	15.6	19.2	20.8	19.5	20.8	19.9	26.2	
Alcohol	17.5	17.0	17.1	17.0	16.9	16.8	17.4	17.8	16.4	16.4	16.8	16.3	17.0	16.2	16.0	16.2	16.2	16.0	17.5	
Binge Alcohol ³	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	4.5	4.3	4.6	4.6	4.3	6.8	
SMOKED 1+ PACKS OF CIGARETTES PER DAY AMONG DAILY CIGARETTE USERS⁴																				
	55.3	55.7	56.4	53.1	52.5	52.9	50.9	47.5	46.7	45.2	43.3	42.5	41.4	42.2	41.6	41.7	40.1	41.0	38.1	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Chapter 3 of the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Includes only respondents who smoked cigarettes on each of the past 30 days.

³ Estimates of binge alcohol use include use by those who were heavy alcohol users.

⁴ Respondents with missing data for number of cigarettes smoked per day were excluded from the analysis.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2019, and Quarters 1 and 4, 2020.