

**Table 7.33C Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 12 or Older; Standard Errors of Numbers in Thousands, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	704	734	734	738	784	<i>1,222</i>
Marijuana						
Smoke Once a Month	850	776	832	832	828	<i>1,220</i>
Smoke Once or Twice a Week	862	832	867	839	866	<i>1,339</i>
Cocaine						
Use Once a Month	712	708	784	779	783	<i>1,215</i>
Use Once or Twice a Week	502	512	559	570	599	<i>955</i>
Heroin						
Try Once or Twice	527	543	541	525	535	<i>954</i>
Use Once or Twice a Week	346	368	359	356	388	<i>695</i>
LSD						
Try Once or Twice	739	742	815	821	832	<i>1,311</i>
Use Once or Twice a Week	533	531	598	615	661	<i>1,115</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	799	834	841	818	861	<i>1,355</i>
Have Four or Five Drinks Nearly Every Day	726	771	763	767	764	<i>1,247</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	896	867	911	872	888	<i>1,275</i>
Cocaine	657	678	700	702	693	<i>1,085</i>
Crack	644	675	650	678	678	<i>1,059</i>
Heroin	559	619	622	624	628	<i>961</i>
LSD	516	566	555	541	571	<i>843</i>
Approached in the Past Month by Someone Selling Drugs	321	322	332	342	346	<i>477</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.33D Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 12 or Older; Standard Errors of Percentages, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	0.27	0.27	0.27	0.27	0.29	<i>0.45</i>
Marijuana						
Smoke Once a Month	0.32	0.29	0.31	0.31	0.31	<i>0.45</i>
Smoke Once or Twice a Week	0.33	0.31	0.32	0.31	0.32	<i>0.49</i>
Cocaine						
Use Once a Month	0.27	0.27	0.29	0.29	0.29	<i>0.45</i>
Use Once or Twice a Week	0.19	0.19	0.21	0.21	0.22	<i>0.35</i>
Heroin						
Try Once or Twice	0.20	0.21	0.20	0.20	0.20	<i>0.35</i>
Use Once or Twice a Week	0.13	0.14	0.13	0.13	0.14	<i>0.26</i>
LSD						
Try Once or Twice	0.28	0.28	0.31	0.31	0.31	<i>0.49</i>
Use Once or Twice a Week	0.20	0.20	0.23	0.23	0.25	<i>0.41</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	0.30	0.31	0.31	0.30	0.32	<i>0.50</i>
Have Four or Five Drinks Nearly Every Day	0.27	0.29	0.28	0.28	0.28	<i>0.46</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	0.35	0.33	0.35	0.33	0.34	<i>0.48</i>
Cocaine	0.26	0.27	0.27	0.27	0.27	<i>0.41</i>
Crack	0.26	0.27	0.25	0.26	0.26	<i>0.40</i>
Heroin	0.22	0.24	0.24	0.24	0.24	<i>0.36</i>
LSD	0.21	0.22	0.22	0.21	0.22	<i>0.32</i>
Approached in the Past Month by Someone Selling Drugs	0.12	0.12	0.12	0.13	0.13	<i>0.17</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.34C Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 12 to 17; Standard Errors of Numbers in Thousands, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	112	114	122	121	129	<i>241</i>
Marijuana						
Smoke Once a Month	108	114	106	99	105	<i>231</i>
Smoke Once or Twice a Week	128	129	129	120	122	<i>249</i>
Cocaine						
Use Once a Month	121	123	119	127	121	<i>261</i>
Use Once or Twice a Week	97	95	101	105	107	<i>203</i>
Heroin						
Try Once or Twice	122	114	113	126	119	<i>260</i>
Use Once or Twice a Week	91	92	94	95	99	<i>201</i>
LSD						
Try Once or Twice	126	115	126	126	121	<i>259</i>
Use Once or Twice a Week	108	111	113	118	113	<i>247</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	122	122	123	123	116	<i>266</i>
Have Four or Five Drinks Nearly Every Day	123	114	116	123	127	<i>249</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	123	125	116	124	132	<i>250</i>
Cocaine	78	80	78	78	84	<i>145</i>
Crack	73	74	77	76	77	<i>150</i>
Heroin	63	65	65	65	62	<i>120</i>
LSD	77	80	80	87	82	<i>146</i>
Approached in the Past Month by Someone Selling Drugs	79	76	76	83	72	<i>105</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.34D Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 12 to 17; Standard Errors of Percentages, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	0.46	0.47	0.49	0.50	0.53	<i>0.98</i>
Marijuana						
Smoke Once a Month	0.44	0.47	0.43	0.41	0.43	<i>0.94</i>
Smoke Once or Twice a Week	0.52	0.53	0.53	0.49	0.50	<i>1.02</i>
Cocaine						
Use Once a Month	0.50	0.51	0.49	0.53	0.50	<i>1.07</i>
Use Once or Twice a Week	0.40	0.39	0.42	0.44	0.44	<i>0.83</i>
Heroin						
Try Once or Twice	0.51	0.47	0.47	0.52	0.50	<i>1.07</i>
Use Once or Twice a Week	0.38	0.38	0.39	0.39	0.41	<i>0.83</i>
LSD						
Try Once or Twice	0.54	0.49	0.54	0.54	0.52	<i>1.09</i>
Use Once or Twice a Week	0.46	0.47	0.48	0.51	0.48	<i>1.04</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	0.50	0.50	0.50	0.50	0.48	<i>1.08</i>
Have Four or Five Drinks Nearly Every Day	0.50	0.47	0.47	0.51	0.52	<i>1.01</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	0.51	0.52	0.48	0.51	0.55	<i>1.03</i>
Cocaine	0.33	0.34	0.33	0.33	0.35	<i>0.60</i>
Crack	0.31	0.31	0.32	0.32	0.33	<i>0.63</i>
Heroin	0.27	0.27	0.28	0.27	0.26	<i>0.50</i>
LSD	0.33	0.34	0.34	0.37	0.35	<i>0.62</i>
Approached in the Past Month by Someone Selling Drugs	0.32	0.31	0.31	0.34	0.29	<i>0.42</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.35C Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 18 or Older; Standard Errors of Numbers in Thousands, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	699	727	723	722	762	<i>1,197</i>
Marijuana						
Smoke Once a Month	835	759	818	821	815	<i>1,212</i>
Smoke Once or Twice a Week	843	814	844	826	846	<i>1,302</i>
Cocaine						
Use Once a Month	695	688	761	769	769	<i>1,175</i>
Use Once or Twice a Week	494	499	540	562	585	<i>928</i>
Heroin						
Try Once or Twice	504	516	511	501	511	<i>898</i>
Use Once or Twice a Week	334	343	336	337	369	<i>659</i>
LSD						
Try Once or Twice	727	717	785	805	824	<i>1,276</i>
Use Once or Twice a Week	521	516	573	596	654	<i>1,071</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	793	819	831	811	849	<i>1,317</i>
Have Four or Five Drinks Nearly Every Day	712	757	747	748	748	<i>1,203</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	884	850	892	856	869	<i>1,252</i>
Cocaine	651	666	695	694	692	<i>1,060</i>
Crack	641	668	646	668	680	<i>1,034</i>
Heroin	556	610	621	615	627	<i>944</i>
LSD	512	555	547	535	566	<i>833</i>
Approached in the Past Month by Someone Selling Drugs	311	314	321	328	336	<i>457</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.35D Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 18 or Older; Standard Errors of Percentages, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	0.29	0.30	0.29	0.29	0.31	<i>0.48</i>
Marijuana						
Smoke Once a Month	0.35	0.32	0.34	0.33	0.33	<i>0.49</i>
Smoke Once or Twice a Week	0.35	0.34	0.35	0.34	0.34	<i>0.53</i>
Cocaine						
Use Once a Month	0.29	0.29	0.31	0.31	0.31	<i>0.48</i>
Use Once or Twice a Week	0.21	0.21	0.22	0.23	0.24	<i>0.38</i>
Heroin						
Try Once or Twice	0.21	0.21	0.21	0.20	0.21	<i>0.36</i>
Use Once or Twice a Week	0.14	0.14	0.14	0.14	0.15	<i>0.27</i>
LSD						
Try Once or Twice	0.31	0.30	0.33	0.33	0.34	<i>0.52</i>
Use Once or Twice a Week	0.22	0.22	0.24	0.25	0.27	<i>0.44</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	0.33	0.34	0.34	0.33	0.34	<i>0.53</i>
Have Four or Five Drinks Nearly Every Day	0.30	0.31	0.30	0.30	0.30	<i>0.48</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	0.38	0.36	0.38	0.36	0.36	<i>0.51</i>
Cocaine	0.28	0.29	0.30	0.30	0.29	<i>0.44</i>
Crack	0.28	0.29	0.28	0.29	0.29	<i>0.43</i>
Heroin	0.24	0.27	0.27	0.26	0.27	<i>0.39</i>
LSD	0.22	0.24	0.24	0.23	0.24	<i>0.35</i>
Approached in the Past Month by Someone Selling Drugs	0.13	0.13	0.13	0.13	0.13	<i>0.18</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.36C Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 18 to 25; Standard Errors of Numbers in Thousands, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	151	156	171	157	159	<i>280</i>
Marijuana						
Smoke Once a Month	121	120	122	116	119	<i>198</i>
Smoke Once or Twice a Week	137	133	136	127	134	<i>218</i>
Cocaine						
Use Once a Month	177	175	180	187	174	<i>290</i>
Use Once or Twice a Week	125	130	126	131	132	<i>229</i>
Heroin						
Try Once or Twice	130	134	134	122	130	<i>250</i>
Use Once or Twice a Week	83	87	83	88	83	<i>171</i>
LSD						
Try Once or Twice	178	198	181	189	172	<i>306</i>
Use Once or Twice a Week	145	156	158	156	169	<i>289</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	173	171	177	167	169	<i>302</i>
Have Four or Five Drinks Nearly Every Day	164	160	172	166	172	<i>286</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	162	164	175	156	161	<i>278</i>
Cocaine	160	164	163	165	155	<i>275</i>
Crack	131	126	120	115	122	<i>225</i>
Heroin	122	122	126	112	116	<i>205</i>
LSD	128	134	145	137	142	<i>241</i>
Approached in the Past Month by Someone Selling Drugs	120	113	127	114	114	<i>176</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.36D Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 18 to 25; Standard Errors of Percentages, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	0.43	0.46	0.50	0.46	0.48	<i>0.85</i>
Marijuana						
Smoke Once a Month	0.35	0.35	0.36	0.34	0.36	<i>0.60</i>
Smoke Once or Twice a Week	0.40	0.39	0.40	0.38	0.40	<i>0.66</i>
Cocaine						
Use Once a Month	0.51	0.51	0.53	0.56	0.52	<i>0.88</i>
Use Once or Twice a Week	0.36	0.38	0.37	0.39	0.40	<i>0.70</i>
Heroin						
Try Once or Twice	0.38	0.39	0.39	0.36	0.39	<i>0.76</i>
Use Once or Twice a Week	0.24	0.25	0.25	0.26	0.25	<i>0.52</i>
LSD						
Try Once or Twice	0.52	0.59	0.54	0.57	0.52	<i>0.94</i>
Use Once or Twice a Week	0.42	0.46	0.47	0.47	0.51	<i>0.89</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	0.50	0.50	0.52	0.49	0.51	<i>0.92</i>
Have Four or Five Drinks Nearly Every Day	0.47	0.46	0.50	0.49	0.51	<i>0.87</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	0.47	0.48	0.52	0.46	0.49	<i>0.85</i>
Cocaine	0.47	0.49	0.49	0.50	0.47	<i>0.85</i>
Crack	0.39	0.38	0.36	0.35	0.38	<i>0.70</i>
Heroin	0.36	0.37	0.38	0.34	0.36	<i>0.64</i>
LSD	0.38	0.40	0.44	0.42	0.44	<i>0.75</i>
Approached in the Past Month by Someone Selling Drugs	0.34	0.33	0.37	0.34	0.34	<i>0.53</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.



**Table 7.37C Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 26 or Older; Standard Errors of Numbers in Thousands, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	668	690	700	708	745	<i>1,165</i>
Marijuana						
Smoke Once a Month	821	740	788	796	794	<i>1,188</i>
Smoke Once or Twice a Week	817	781	805	800	827	<i>1,275</i>
Cocaine						
Use Once a Month	663	658	730	731	736	<i>1,128</i>
Use Once or Twice a Week	473	488	519	538	562	<i>891</i>
Heroin						
Try Once or Twice	490	496	497	485	489	<i>824</i>
Use Once or Twice a Week	328	337	327	323	358	<i>630</i>
LSD						
Try Once or Twice	690	676	748	753	782	<i>1,216</i>
Use Once or Twice a Week	493	476	547	568	621	<i>994</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	763	794	804	780	821	<i>1,271</i>
Have Four or Five Drinks Nearly Every Day	692	736	732	725	715	<i>1,178</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	847	814	855	818	839	<i>1,222</i>
Cocaine	621	637	668	665	669	<i>1,022</i>
Crack	619	657	636	655	660	<i>1,020</i>
Heroin	541	595	600	601	605	<i>924</i>
LSD	498	531	526	519	539	<i>803</i>
Approached in the Past Month by Someone Selling Drugs	276	278	278	297	304	<i>427</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.

**Table 7.37D Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 26 or Older; Standard Errors of Percentages, 2015-2020**

Specific Substance Risk/Availability	2015	2016	2017	2018	2019	2020
<b>PERCEPTIONS OF GREAT RISK<sup>1</sup></b>						
Cigarettes						
Smoke One or More Packs Per Day	0.32	0.33	0.33	0.33	0.35	<i>0.54</i>
Marijuana						
Smoke Once a Month	0.40	0.36	0.38	0.38	0.37	<i>0.55</i>
Smoke Once or Twice a Week	0.40	0.38	0.39	0.38	0.39	<i>0.60</i>
Cocaine						
Use Once a Month	0.33	0.32	0.35	0.35	0.35	<i>0.53</i>
Use Once or Twice a Week	0.23	0.24	0.25	0.25	0.26	<i>0.42</i>
Heroin						
Try Once or Twice	0.24	0.24	0.24	0.23	0.23	<i>0.38</i>
Use Once or Twice a Week	0.16	0.16	0.16	0.15	0.17	<i>0.29</i>
LSD						
Try Once or Twice	0.34	0.33	0.36	0.36	0.37	<i>0.57</i>
Use Once or Twice a Week	0.24	0.23	0.26	0.27	0.29	<i>0.47</i>
Alcohol						
Have Five or More Drinks Once or Twice a Week	0.37	0.38	0.38	0.37	0.38	<i>0.59</i>
Have Four or Five Drinks Nearly Every Day	0.34	0.35	0.35	0.34	0.33	<i>0.55</i>
<b>PERCEIVED AVAILABILITY<sup>2</sup></b>						
Fairly or Very Easy to Obtain						
Marijuana	0.43	0.41	0.42	0.40	0.40	<i>0.58</i>
Cocaine	0.32	0.32	0.33	0.33	0.33	<i>0.49</i>
Crack	0.32	0.33	0.32	0.33	0.33	<i>0.49</i>
Heroin	0.28	0.30	0.30	0.30	0.30	<i>0.45</i>
LSD	0.26	0.27	0.27	0.26	0.27	<i>0.39</i>
Approached in the Past Month by Someone Selling Drugs	0.13	0.13	0.13	0.14	0.14	<i>0.20</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

<sup>1</sup> Respondents with unknown Perception of Risk data were excluded from the respective analyses.

<sup>2</sup> Respondents with unknown Perceived Availability data were excluded from the respective analyses.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2019, and Quarters 1 and 4, 2020.