

Table 8.22C Received Substance Use Treatment at a Specialty Facility and/or Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Co-Occurring Substance Use Disorder and Level of Mental Illness and Age Group, Standard Errors of Numbers in Thousands, 2019 and 2020

Co-Occurring Substance Use Disorder (SUD) and Level of Mental Illness/Age Group	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2019)	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2020)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2019)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2020)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2019)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2020)	Received SU Tx at a Specialty Facility AND MH Services (2019)	Received SU Tx at a Specialty Facility AND MH Services (2020)	Received NEITHER SU Tx at a Specialty Facility NOR MH Services (2019)	Received NEITHER SU Tx at a Specialty Facility NOR MH Services (2020)
SUD and Any Mental Illness	nc	445	nc	122	nc	388	nc	149	nc	448
18-25	nc	130	nc	45	nc	119	nc	34	nc	170
26 or Older	nc	416	nc	113	nc	367	nc	145	nc	411
26-49	nc	264	nc	61	nc	236	nc	106	nc	306
50 or Older	nc	311	nc	*	nc	277	nc	99	nc	271
SUD and Serious Mental Illness	nc	272	nc	36	nc	244	nc	116	nc	172
18-25	nc	94	nc	3	nc	89	nc	28	nc	74
26 or Older	nc	255	nc	36	nc	227	nc	113	nc	157
26-49	nc	170	nc	36	nc	148	nc	79	nc	150
50 or Older	nc	*	nc	*	nc	*	nc	*	nc	*
SUD and Any Mental Illness Excluding Serious Mental Illness	nc	353	nc	117	nc	303	nc	111	nc	391
18-25	nc	98	nc	*	nc	84	nc	20	nc	151
26 or Older	nc	340	nc	108	nc	293	nc	109	nc	356
26-49	nc	200	nc	49	nc	182	nc	71	nc	249
50 or Older	nc	*	nc	*	nc	*	nc	*	nc	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Specialty facilities for substance use treatment include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

NOTE: Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.22D Received Substance Use Treatment at a Specialty Facility and/or Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Co-Occurring Substance Use Disorder and Level of Mental Illness and Age Group, Standard Errors of Percentages, 2019 and 2020

Co-Occurring Substance Use Disorder (SUD) and Level of Mental Illness/Age Group	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2019)	Received Substance Use Treatment (SU Tx) at a Specialty Facility OR Mental Health (MH) Services (2020)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2019)	Received SU Tx at a Specialty Facility BUT NOT MH Services (2020)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2019)	Received MH Services BUT NOT SU Tx at a Specialty Facility (2020)	Received SU Tx at a Specialty Facility AND MH Services (2019)	Received SU Tx at a Specialty Facility AND MH Services (2020)	Received NEITHER SU Tx at a Specialty Facility NOR MH Services (2019)	Received NEITHER SU Tx at a Specialty Facility NOR MH Services (2020)
SUD and Any Mental Illness	nc	1.91	nc	0.70	nc	1.85	nc	0.84	nc	1.91
18-25	nc	2.47	nc	1.10	nc	2.34	nc	0.83	nc	2.47
26 or Older	nc	2.32	nc	0.86	nc	2.28	nc	1.07	nc	2.32
26-49	nc	2.17	nc	0.65	nc	2.09	nc	1.10	nc	2.17
50 or Older	nc	5.75	nc	*	nc	5.88	nc	2.66	nc	5.75
SUD and Serious Mental Illness	nc	2.60	nc	0.64	nc	2.86	nc	1.92	nc	2.60
18-25	nc	3.81	nc	0.18	nc	3.88	nc	1.75	nc	3.81
26 or Older	nc	3.25	nc	0.87	nc	3.60	nc	2.57	nc	3.25
26-49	nc	3.54	nc	1.12	nc	3.62	nc	2.33	nc	3.54
50 or Older	nc	*	nc	*	nc	*	nc	*	nc	*
SUD and Any Mental Illness Excluding Serious Mental Illness	nc	2.37	nc	1.00	nc	2.23	nc	0.94	nc	2.37
18-25	nc	3.32	nc	*	nc	2.98	nc	0.77	nc	3.32
26 or Older	nc	2.85	nc	1.19	nc	2.71	nc	1.19	nc	2.85
26-49	nc	2.53	nc	0.79	nc	2.45	nc	1.13	nc	2.53
50 or Older	nc	*	nc	*	nc	*	nc	*	nc	*

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder (SUD) estimates in 2020 are based on criteria from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). SUD and related estimates are not comparable between 2020 and prior years of NSDUH, because prior years' estimates were based on DSM-IV criteria. The 2020 estimates reflect additional methodological changes for the 2020 NSDUH. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Specialty facilities for substance use treatment include hospitals (inpatient only), rehabilitation facilities (inpatient or outpatient), or mental health centers.

NOTE: Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.