

**Table 8.54C Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

<b>Demographic Characteristic</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18+ (2020)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 18-25 (2020)</b>	<b>Aged 26+ (2019)</b>	<b>Aged 26+ (2020)</b>	<b>Aged 26-49 (2019)</b>	<b>Aged 26-49 (2020)</b>	<b>Aged 50+ (2019)</b>	<b>Aged 50+ (2020)</b>
<b>TOTAL</b>	300	499	102	185	278	450	182	282	210	331
<b>GENDER</b>										
Male	202	318	67	120	191	301	126	207	145	214
Female	213	354	75	133	195	318	137	201	142	245
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	273	460	89	163	251	413	157	258	193	316
White	249	430	87	142	229	389	140	221	182	300
Black or African American	88	152	38	59	77	142	60	111	50	86
AIAN	22	35	7	*	21	*	7	*	*	*
NHOPI	8	10	*	*	4	*	3	*	*	*
Asian	70	71	27	46	63	54	48	48	41	24
Two or More Races	34	93	18	57	29	74	24	63	*	39
Hispanic or Latino	135	195	52	79	124	178	98	129	79	120
<b>EMPLOYMENT STATUS</b>										
Full-Time	187	278	72	118	169	243	144	203	99	122
Part-Time	124	187	65	103	106	155	67	91	79	125
Unemployed	82	151	34	75	72	131	56	107	44	*
Other <sup>1</sup>	193	344	50	96	187	327	84	156	169	278

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 8.54D Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020**

Demographic Characteristic	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)	Aged 26-49 (2019)	Aged 26-49 (2020)	Aged 50+ (2019)	Aged 50+ (2020)
<b>TOTAL</b>	0.12	<i>0.20</i>	0.31	<i>0.56</i>	0.13	<i>0.21</i>	0.18	<i>0.28</i>	0.18	<i>0.28</i>
<b>GENDER</b>										
Male	0.17	<i>0.26</i>	0.40	<i>0.72</i>	0.18	<i>0.29</i>	0.25	<i>0.41</i>	0.27	<i>0.39</i>
Female	0.17	<i>0.27</i>	0.45	<i>0.80</i>	0.17	<i>0.28</i>	0.27	<i>0.39</i>	0.23	<i>0.40</i>
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.13	<i>0.22</i>	0.34	<i>0.64</i>	0.14	<i>0.22</i>	0.20	<i>0.31</i>	0.19	<i>0.30</i>
White	0.15	<i>0.27</i>	0.44	<i>0.71</i>	0.16	<i>0.27</i>	0.23	<i>0.38</i>	0.22	<i>0.36</i>
Black or African American	0.29	<i>0.49</i>	0.77	<i>1.23</i>	0.31	<i>0.54</i>	0.45	<i>0.82</i>	0.41	<i>0.68</i>
AIAN	1.59	<i>2.47</i>	3.03	*	1.78	*	1.31	*	*	*
NHOPI	0.78	<i>1.15</i>	*	*	0.49	*	0.53	*	*	*
Asian	0.49	<i>0.49</i>	1.26	<i>2.25</i>	0.52	<i>0.43</i>	0.67	<i>0.69</i>	0.79	<i>0.43</i>
Two or More Races	0.80	<i>1.89</i>	1.87	<i>4.66</i>	0.86	<i>1.99</i>	1.22	<i>3.02</i>	*	<i>2.34</i>
Hispanic or Latino	0.33	<i>0.47</i>	0.69	<i>1.03</i>	0.37	<i>0.52</i>	0.48	<i>0.61</i>	0.62	<i>0.90</i>
<b>EMPLOYMENT STATUS</b>										
Full-Time	0.15	<i>0.24</i>	0.46	<i>0.88</i>	0.15	<i>0.23</i>	0.20	<i>0.31</i>	0.24	<i>0.32</i>
Part-Time	0.37	<i>0.59</i>	0.71	<i>1.13</i>	0.44	<i>0.67</i>	0.63	<i>0.85</i>	0.57	<i>0.99</i>
Unemployed	0.80	<i>1.13</i>	0.97	<i>1.97</i>	1.07	<i>1.33</i>	1.25	<i>1.70</i>	1.80	*
Other <sup>1</sup>	0.23	<i>0.37</i>	0.62	<i>1.01</i>	0.25	<i>0.39</i>	0.46	<i>0.78</i>	0.29	<i>0.44</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown suicide information were excluded.

<sup>1</sup> Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 8.55C Made Any Suicide Plans in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

<b>Demographic Characteristic</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18+ (2020)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 18-25 (2020)</b>	<b>Aged 26+ (2019)</b>	<b>Aged 26+ (2020)</b>	<b>Aged 26-49 (2019)</b>	<b>Aged 26-49 (2020)</b>	<b>Aged 50+ (2019)</b>	<b>Aged 50+ (2020)</b>
<b>TOTAL</b>	152	238	62	<i>107</i>	142	<i>203</i>	91	<i>162</i>	107	<i>115</i>
<b>GENDER</b>										
Male	92	<i>160</i>	38	<i>65</i>	84	<i>145</i>	61	<i>125</i>	60	<i>71</i>
Female	121	<i>163</i>	48	<i>85</i>	113	<i>134</i>	73	<i>98</i>	84	<i>91</i>
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	129	<i>216</i>	55	<i>97</i>	118	<i>183</i>	79	<i>141</i>	90	<i>116</i>
White	113	<i>193</i>	47	<i>89</i>	105	<i>165</i>	69	<i>122</i>	83	<i>111</i>
Black or African American	45	<i>82</i>	23	<i>35</i>	37	<i>74</i>	28	<i>59</i>	24	<i>46</i>
AIAN	4	<i>12</i>	3	*	3	<i>6</i>	2	<i>6</i>	1	*
NHOPI	5	<i>5</i>	*	*	4	*	3	*	*	*
Asian	35	<i>17</i>	19	<i>17</i>	32	<i>4</i>	24	<i>4</i>	*	*
Two or More Races	18	<i>48</i>	11	<i>31</i>	14	<i>37</i>	14	<i>37</i>	2	<i>2</i>
Hispanic or Latino	77	<i>95</i>	30	<i>48</i>	73	<i>81</i>	46	<i>82</i>	58	*
<b>EMPLOYMENT STATUS</b>										
Full-Time	84	<i>114</i>	40	<i>61</i>	74	<i>96</i>	66	<i>84</i>	35	<i>48</i>
Part-Time	68	<i>90</i>	38	<i>54</i>	60	<i>70</i>	33	<i>48</i>	47	<i>50</i>
Unemployed	50	<i>95</i>	20	<i>49</i>	45	<i>81</i>	32	<i>81</i>	32	<i>3</i>
Other <sup>1</sup>	100	<i>146</i>	27	<i>63</i>	97	<i>132</i>	45	<i>92</i>	85	<i>89</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents who had no suicide thoughts were categorized as not making any suicide plans in the past 12 months. Respondents with unknown suicide information were excluded.

<sup>1</sup> Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 8.55D Made Any Suicide Plans in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020**

<b>Demographic Characteristic</b>	<b>Aged 18+ (2019)</b>	<b>Aged 18+ (2020)</b>	<b>Aged 18-25 (2019)</b>	<b>Aged 18-25 (2020)</b>	<b>Aged 26+ (2019)</b>	<b>Aged 26+ (2020)</b>	<b>Aged 26-49 (2019)</b>	<b>Aged 26-49 (2020)</b>	<b>Aged 50+ (2019)</b>	<b>Aged 50+ (2020)</b>
<b>TOTAL</b>	0.06	<i>0.09</i>	0.19	<i>0.32</i>	0.07	<i>0.09</i>	0.09	<i>0.16</i>	0.09	<i>0.10</i>
<b>GENDER</b>										
Male	0.08	<i>0.13</i>	0.23	<i>0.39</i>	0.08	<i>0.14</i>	0.12	<i>0.25</i>	0.11	<i>0.13</i>
Female	0.09	<i>0.13</i>	0.29	<i>0.51</i>	0.10	<i>0.12</i>	0.14	<i>0.19</i>	0.14	<i>0.15</i>
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.06	<i>0.10</i>	0.21	<i>0.38</i>	0.06	<i>0.10</i>	0.10	<i>0.17</i>	0.09	<i>0.11</i>
White	0.07	<i>0.12</i>	0.26	<i>0.48</i>	0.08	<i>0.12</i>	0.12	<i>0.21</i>	0.10	<i>0.13</i>
Black or African American	0.15	<i>0.27</i>	0.49	<i>0.76</i>	0.15	<i>0.29</i>	0.22	<i>0.44</i>	0.20	<i>0.36</i>
AIAN	0.30	<i>0.86</i>	1.43	*	0.22	<i>0.46</i>	0.49	<i>0.82</i>	0.13	*
NHOPI	0.50	<i>0.54</i>	*	*	0.48	*	0.50	*	*	*
Asian	0.24	<i>0.12</i>	0.91	<i>0.84</i>	0.26	<i>0.03</i>	0.33	<i>0.06</i>	*	*
Two or More Races	0.42	<i>1.01</i>	1.18	<i>2.74</i>	0.41	<i>1.00</i>	0.70	<i>1.83</i>	0.14	<i>0.11</i>
Hispanic or Latino	0.19	<i>0.23</i>	0.39	<i>0.63</i>	0.22	<i>0.24</i>	0.23	<i>0.39</i>	0.45	*
<b>EMPLOYMENT STATUS</b>										
Full-Time	0.07	<i>0.10</i>	0.27	<i>0.47</i>	0.07	<i>0.09</i>	0.10	<i>0.13</i>	0.09	<i>0.13</i>
Part-Time	0.21	<i>0.28</i>	0.44	<i>0.61</i>	0.25	<i>0.30</i>	0.31	<i>0.45</i>	0.35	<i>0.41</i>
Unemployed	0.50	<i>0.73</i>	0.61	<i>1.36</i>	0.68	<i>0.85</i>	0.74	<i>1.32</i>	1.32	<i>0.09</i>
Other <sup>1</sup>	0.12	<i>0.16</i>	0.35	<i>0.70</i>	0.13	<i>0.16</i>	0.26	<i>0.47</i>	0.15	<i>0.14</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents who had no suicide thoughts were categorized as not making any suicide plans in the past 12 months. Respondents with unknown suicide information were excluded.

<sup>1</sup> Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 8.56C Attempted Suicide in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

Demographic Characteristic	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)	Aged 26-49 (2019)	Aged 26-49 (2020)	Aged 50+ (2019)	Aged 50+ (2020)
<b>TOTAL</b>	93	<i>131</i>	45	<i>77</i>	83	<i>105</i>	58	<i>89</i>	56	<i>52</i>
<b>GENDER</b>										
Male	53	<i>78</i>	24	<i>50</i>	46	<i>60</i>	40	<i>51</i>	23	<i>32</i>
Female	74	<i>101</i>	36	<i>59</i>	66	<i>81</i>	40	<i>69</i>	52	<i>42</i>
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	81	<i>113</i>	41	<i>70</i>	70	<i>89</i>	49	<i>70</i>	49	<i>52</i>
White	70	<i>100</i>	32	<i>62</i>	61	<i>80</i>	37	<i>61</i>	48	<i>52</i>
Black or African American	33	<i>31</i>	18	<i>18</i>	28	<i>26</i>	27	<i>26</i>	10	<i>3</i>
AIAN	2	*	2	*	2	*	2	*	*	*
NHOPI	3	<i>6</i>	*	*	3	*	0	*	*	*
Asian	17	<i>11</i>	14	<i>11</i>	11	*	11	*	*	*
Two or More Races	14	<i>26</i>	10	<i>26</i>	10	<i>5</i>	10	<i>5</i>	2	*
Hispanic or Latino	44	<i>66</i>	19	<i>36</i>	41	<i>55</i>	31	<i>55</i>	27	*
<b>EMPLOYMENT STATUS</b>										
Full-Time	43	<i>71</i>	25	<i>30</i>	37	<i>64</i>	36	<i>58</i>	8	<i>27</i>
Part-Time	41	<i>50</i>	23	<i>40</i>	37	<i>31</i>	17	<i>26</i>	32	<i>16</i>
Unemployed	38	<i>58</i>	18	<i>44</i>	33	<i>37</i>	26	<i>37</i>	21	<i>5</i>
Other <sup>1</sup>	54	<i>76</i>	20	<i>44</i>	50	<i>61</i>	30	<i>45</i>	41	<i>41</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents who had no suicide thoughts were categorized as not attempting suicide in the past 12 months. Respondents with unknown suicide information were excluded.

<sup>1</sup> Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 8.56D Attempted Suicide in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics, Standard Errors of Percentages, 2019 and 2020**

Demographic Characteristic	Aged 18+ (2019)	Aged 18+ (2020)	Aged 18-25 (2019)	Aged 18-25 (2020)	Aged 26+ (2019)	Aged 26+ (2020)	Aged 26-49 (2019)	Aged 26-49 (2020)	Aged 50+ (2019)	Aged 50+ (2020)
<b>TOTAL</b>	0.04	<i>0.05</i>	0.14	<i>0.23</i>	0.04	<i>0.05</i>	0.06	<i>0.09</i>	0.05	<i>0.04</i>
<b>GENDER</b>										
Male	0.04	<i>0.06</i>	0.14	<i>0.30</i>	0.04	<i>0.06</i>	0.08	<i>0.10</i>	0.04	<i>0.06</i>
Female	0.06	<i>0.08</i>	0.22	<i>0.36</i>	0.06	<i>0.07</i>	0.08	<i>0.13</i>	0.08	<i>0.07</i>
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.04	<i>0.05</i>	0.16	<i>0.27</i>	0.04	<i>0.05</i>	0.06	<i>0.09</i>	0.05	<i>0.05</i>
White	0.04	<i>0.06</i>	0.18	<i>0.34</i>	0.04	<i>0.06</i>	0.06	<i>0.11</i>	0.06	<i>0.06</i>
Black or African American	0.11	<i>0.10</i>	0.39	<i>0.39</i>	0.11	<i>0.10</i>	0.21	<i>0.19</i>	0.08	<i>0.03</i>
AIAN	0.17	*	0.79	*	0.14	*	0.33	*	*	*
NHOPI	0.31	<i>0.62</i>	*	*	0.36	*	0.08	*	*	*
Asian	0.12	<i>0.08</i>	0.67	<i>0.55</i>	0.09	*	0.15	*	*	*
Two or More Races	0.32	<i>0.57</i>	1.08	<i>2.42</i>	0.28	<i>0.13</i>	0.48	<i>0.24</i>	0.14	*
Hispanic or Latino	0.11	<i>0.16</i>	0.25	<i>0.47</i>	0.12	<i>0.16</i>	0.15	<i>0.26</i>	0.21	*
<b>EMPLOYMENT STATUS</b>										
Full-Time	0.04	<i>0.06</i>	0.17	<i>0.24</i>	0.03	<i>0.06</i>	0.05	<i>0.09</i>	0.02	<i>0.07</i>
Part-Time	0.13	<i>0.16</i>	0.27	<i>0.46</i>	0.15	<i>0.13</i>	0.16	<i>0.25</i>	0.24	<i>0.13</i>
Unemployed	0.39	<i>0.44</i>	0.54	<i>1.23</i>	0.51	<i>0.39</i>	0.61	<i>0.61</i>	0.89	<i>0.14</i>
Other <sup>1</sup>	0.07	<i>0.08</i>	0.26	<i>0.50</i>	0.07	<i>0.07</i>	0.17	<i>0.24</i>	0.07	<i>0.07</i>

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents who had no suicide thoughts were categorized as not attempting suicide in the past 12 months. Respondents with unknown suicide information were excluded.

<sup>1</sup> Other Employment includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.