

Appendix B: List of Tables

The table type indicators appear in parentheses after each table number. Refer to the “Table Presentation” section of the Introduction for more details about the organization and numbering of the tables, including some exceptions to the primary table types. The primary table types are as follows:

- A = Numbers in Thousands
- B = Percentages
- C = Standard Errors for “A” Tables
- D = Standard Errors for “B” Tables
- N = Survey Sample Size

The coronavirus disease 2019 (COVID-19) pandemic made 2020 a unique year within the history of the National Survey on Drug Use and Health (NSDUH). The 2020 estimates for most measures were calculated using data from Quarters 1 and 4 of 2020 and are labeled as “2020” in table titles for brevity. For a few tables, estimates for measures were calculated using data from only Quarter 4 of 2020. These estimates are labeled as “Quarter 4, 2020” in table titles. Refer to the “Considerations for the 2020 NSDUH Detailed Tables” section of the Introduction for more details.

Illicit Drug Use/Misuse Tables – 1.1 to 1.127

1.1 (A, B, C, D)	Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older (2019 and 2020)
1.2 (A, B, C, D)	Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 to 17 (2019 and 2020)
1.3 (A, B, C, D)	Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 or Older (2019 and 2020)
1.4 (A, B, C, D)	Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 18 to 25 (2019 and 2020)
1.5 (A, B, C, D)	Types of Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 26 or Older (2019 and 2020)
1.6 (A, B, C, D)	Illicit Drug Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
1.7 (A, B, C, D)	Marijuana Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
1.8 (A, B, C, D)	Cocaine Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
1.9 (A, B, C, D)	Crack Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)

- 1.10 (A, B, C, D) Hallucinogen Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.11 (A, B, C, D) Inhalant Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.12 (A, B, C, D) Methamphetamine Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.13 (A, B, C, D) Any Use of Prescription Pain Relievers in Past Year and Misuse of Prescription Pain Relievers in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.14 (A, B, C, D) Any Use of Prescription Stimulants in Past Year and Misuse of Prescription Stimulants in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.15 (A, B, C, D) Any Use of Prescription Tranquilizers or Prescription Sedatives in Past Year and Misuse of Prescription Tranquilizers or Prescription Sedatives in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.16 (A, B, C, D) Any Use of Prescription Tranquilizers in Past Year and Misuse of Prescription Tranquilizers in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.17 (A, B, C, D) Any Use of Prescription Sedatives in Past Year and Misuse of Prescription Sedatives in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.18 (A, B, C, D) Any Use and Misuse of Prescription Benzodiazepines in Past Year: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.19 (A, B, C, D) Misuse of Opioids in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.20 (A, B, C, D) Misuse of Central Nervous System Stimulants in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.21 (A, B, C, D) Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 1.22 (A, B, C, D) Any Use and Misuse of Prescription Psychotherapeutics in Past Year: Among People Aged 12 or Older; Misuse of Prescription Psychotherapeutics in Past Year: Among Past Year Any Users Aged 12 or Older; by Age Group (2019 and 2020)
- 1.23 (A, B, C, D) Illicit Drug Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.24 (A, B, C, D) Illicit Drug Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.25 (A, B, C, D) Illicit Drug Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)

- 1.26 (A, B, C, D) Marijuana Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.27 (A, B, C, D) Marijuana Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.28 (A, B, C, D) Marijuana Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.29 (A, B, C, D) Cocaine Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.30 (A, B, C, D) Cocaine Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.31 (A, B, C, D) Cocaine Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.32 (A, B, C, D) Crack Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.33 (A, B, C, D) Crack Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.34 (A, B, C, D) Crack Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.35 (A, B, C, D) Hallucinogen Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.36 (A, B, C, D) Hallucinogen Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.37 (A, B, C, D) Hallucinogen Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.38 (A, B, C, D) Inhalant Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.39 (A, B, C, D) Inhalant Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.40 (A, B, C, D) Inhalant Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.41 (A, B, C, D) Methamphetamine Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.42 (A, B, C, D) Methamphetamine Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.43 (A, B, C, D) Methamphetamine Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)

- 1.44 (A, B, C, D) Any Use of Prescription Pain Relievers in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.45 (A, B, C, D) Misuse of Prescription Pain Relievers in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.46 (A, B, C, D) Misuse of Prescription Pain Relievers in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.47 (A, B, C, D) Any Use of Prescription Stimulants in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.48 (A, B, C, D) Misuse of Prescription Stimulants in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.49 (A, B, C, D) Misuse of Prescription Stimulants in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.50 (A, B, C, D) Any Use of Prescription Tranquilizers or Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.51 (A, B, C, D) Misuse of Prescription Tranquilizers or Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.52 (A, B, C, D) Misuse of Prescription Tranquilizers or Prescription Sedatives in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.53 (A, B, C, D) Any Use of Prescription Tranquilizers in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.54 (A, B, C, D) Misuse of Prescription Tranquilizers in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.55 (A, B, C, D) Misuse of Prescription Tranquilizers in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.56 (A, B, C, D) Any Use of Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.57 (A, B, C, D) Misuse of Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.58 (A, B, C, D) Misuse of Prescription Sedatives in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.59 (A, B, C, D) Any Use of Prescription Benzodiazepines in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.60 (A, B, C, D) Misuse of Prescription Benzodiazepines in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.61 (A, B, C, D) Misuse of Opioids in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)

- 1.62 (A, B, C, D) Misuse of Opioids in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.63 (A, B, C, D) Misuse of Central Nervous System Stimulants in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.64 (A, B, C, D) Misuse of Central Nervous System Stimulants in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.65 (A, B, C, D) Use of Illicit Drugs Other Than Marijuana in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.66 (A, B, C, D) Use of Illicit Drugs Other Than Marijuana in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 1.67 (A, B, C, D) Illicit Drug Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.68 (A, B, C, D) Illicit Drug Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.69 (A, B, C, D) Marijuana Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.70 (A, B, C, D) Marijuana Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.71 (A, B, C, D) Cocaine Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.72 (A, B, C, D) Cocaine Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.73 (A, B, C, D) Crack Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.74 (A, B, C, D) Hallucinogen Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.75 (A, B, C, D) Inhalant Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.76 (A, B, C, D) Inhalant Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.77 (A, B, C, D) Methamphetamine Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.78 (A, B, C, D) Methamphetamine Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.79 (A, B, C, D) Any Use of Prescription Pain Relievers in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)

- 1.80 (A, B, C, D) Misuse of Prescription Pain Relievers in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.81 (A, B, C, D) Misuse of Prescription Pain Relievers in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.82 (A, B, C, D) Any Use of Prescription Stimulants in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.83 (A, B, C, D) Misuse of Prescription Stimulants in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.84 (A, B, C, D) Misuse of Prescription Stimulants in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.85 (A, B, C, D) Any Use of Prescription Tranquilizers or Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.86 (A, B, C, D) Misuse of Prescription Tranquilizers or Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.87 (A, B, C, D) Misuse of Prescription Tranquilizers or Prescription Sedatives in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.88 (A, B, C, D) Any Use of Prescription Tranquilizers in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.89 (A, B, C, D) Misuse of Prescription Tranquilizers in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.90 (A, B, C, D) Misuse of Prescription Tranquilizers in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.91 (A, B, C, D) Any Use of Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.92 (A, B, C, D) Misuse of Prescription Sedatives in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.93 (A, B, C, D) Misuse of Prescription Sedatives in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.94 (A, B, C, D) Any Use of Prescription Benzodiazepines in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.95 (A, B, C, D) Misuse of Prescription Benzodiazepines in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.96 (A, B, C, D) Misuse of Opioids in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)

- 1.97 (A, B, C, D) Misuse of Opioids in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.98 (A, B, C, D) Misuse of Central Nervous System Stimulants in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.99 (A, B, C, D) Misuse of Central Nervous System Stimulants in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.100 (A, B, C, D) Use of Illicit Drugs Other Than Marijuana in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.101 (A, B, C, D) Use of Illicit Drugs Other Than Marijuana in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 1.102 (A, B, C, D) Specific Hallucinogen, Inhalant, Needle, and Heroin Use in Lifetime: Among People Aged 12 or Older; by Age Group (2019 and 2020)
- 1.103 (A, B, C, D) Any Use and Misuse of Prescription Pain Reliever Subtypes in Past Year: Among People Aged 12 or Older; Misuse of Prescription Pain Reliever Subtypes in Past Year: Among Past Year Any Users of Prescription Pain Reliever Subtypes Aged 12 or Older (2019 and 2020)
- 1.104 (A, B, C, D) Any Use and Misuse of Prescription Pain Reliever Subtypes in Past Year: Among People Aged 12 to 17; Misuse of Prescription Pain Reliever Subtypes in Past Year: Among Past Year Any Users of Prescription Pain Reliever Subtypes Aged 12 to 17 (2019 and 2020)
- 1.105 (A, B, C, D) Any Use and Misuse of Prescription Pain Reliever Subtypes in Past Year: Among People Aged 18 or Older; Misuse of Prescription Pain Reliever Subtypes in Past Year: Among Past Year Any Users of Prescription Pain Reliever Subtypes Aged 18 or Older (2019 and 2020)
- 1.106 (A, B, C, D) Any Use and Misuse of Prescription Pain Reliever Subtypes in Past Year: Among People Aged 18 to 25; Misuse of Prescription Pain Reliever Subtypes in Past Year: Among Past Year Any Users of Prescription Pain Reliever Subtypes Aged 18 to 25 (2019 and 2020)
- 1.107 (A, B, C, D) Any Use and Misuse of Prescription Pain Reliever Subtypes in Past Year: Among People Aged 26 or Older; Misuse of Prescription Pain Reliever Subtypes in Past Year: Among Past Year Any Users of Prescription Pain Reliever Subtypes Aged 26 or Older (2019 and 2020)
- 1.108 (A, B, C, D) Any Use and Misuse of Prescription Stimulant Subtypes in Past Year: Among People Aged 12 or Older; Misuse of Prescription Stimulant Subtypes in Past Year: Among Past Year Any Users of Prescription Stimulant Subtypes Aged 12 or Older (2019 and 2020)
- 1.109 (A, B, C, D) Any Use and Misuse of Prescription Stimulant Subtypes in Past Year: Among People Aged 12 to 17; Misuse of Prescription Stimulant Subtypes in Past Year: Among Past Year Any Users of Prescription Stimulant Subtypes Aged 12 to 17 (2019 and 2020)
- 1.110 (A, B, C, D) Any Use and Misuse of Prescription Stimulant Subtypes in Past Year: Among People Aged 18 or Older; Misuse of Prescription Stimulant Subtypes in Past Year: Among Past Year Any Users of Prescription Stimulant Subtypes Aged 18 or Older (2019 and 2020)
- 1.111 (A, B, C, D) Any Use and Misuse of Prescription Stimulant Subtypes in Past Year: Among People Aged 18 to 25; Misuse of Prescription Stimulant Subtypes in Past Year: Among Past Year Any Users of Prescription Stimulant Subtypes Aged 18 to 25 (2019 and 2020)

- 1.112 (A, B, C, D) Any Use and Misuse of Prescription Stimulant Subtypes in Past Year: Among People Aged 26 or Older; Misuse of Prescription Stimulant Subtypes in Past Year: Among Past Year Any Users of Prescription Stimulant Subtypes Aged 26 or Older (2019 and 2020)
- 1.113 (A, B, C, D) Any Use and Misuse of Prescription Tranquilizer Subtypes in Past Year: Among People Aged 12 or Older; Misuse of Prescription Tranquilizer Subtypes in Past Year: Among Past Year Any Users of Prescription Tranquilizer Subtypes Aged 12 or Older (2019 and 2020)
- 1.114 (A, B, C, D) Any Use and Misuse of Prescription Tranquilizer Subtypes in Past Year: Among People Aged 12 to 17; Misuse of Prescription Tranquilizer Subtypes in Past Year: Among Past Year Any Users of Prescription Tranquilizer Subtypes Aged 12 to 17 (2019 and 2020)
- 1.115 (A, B, C, D) Any Use and Misuse of Prescription Tranquilizer Subtypes in Past Year: Among People Aged 18 or Older; Misuse of Prescription Tranquilizer Subtypes in Past Year: Among Past Year Any Users of Prescription Tranquilizer Subtypes Aged 18 or Older (2019 and 2020)
- 1.116 (A, B, C, D) Any Use and Misuse of Prescription Tranquilizer Subtypes in Past Year: Among People Aged 18 to 25; Misuse of Prescription Tranquilizer Subtypes in Past Year: Among Past Year Any Users of Prescription Tranquilizer Subtypes Aged 18 to 25 (2019 and 2020)
- 1.117 (A, B, C, D) Any Use and Misuse of Prescription Tranquilizer Subtypes in Past Year: Among People Aged 26 or Older; Misuse of Prescription Tranquilizer Subtypes in Past Year: Among Past Year Any Users of Prescription Tranquilizer Subtypes Aged 26 or Older (2019 and 2020)
- 1.118 (A, B, C, D) Any Use and Misuse of Prescription Sedative Subtypes in Past Year: Among People Aged 12 or Older; Misuse of Prescription Sedative Subtypes in Past Year: Among Past Year Any Users of Prescription Sedative Subtypes Aged 12 or Older (2019 and 2020)
- 1.119 (A, B, C, D) Any Use and Misuse of Prescription Sedative Subtypes in Past Year: Among People Aged 12 to 17; Misuse of Prescription Sedative Subtypes in Past Year: Among Past Year Any Users of Prescription Sedative Subtypes Aged 12 to 17 (2019 and 2020)
- 1.120 (A, B, C, D) Any Use and Misuse of Prescription Sedative Subtypes in Past Year: Among People Aged 18 or Older; Misuse of Prescription Sedative Subtypes in Past Year: Among Past Year Any Users of Prescription Sedative Subtypes Aged 18 or Older (2019 and 2020)
- 1.121 (A, B, C, D) Any Use and Misuse of Prescription Sedative Subtypes in Past Year: Among People Aged 18 to 25; Misuse of Prescription Sedative Subtypes in Past Year: Among Past Year Any Users of Prescription Sedative Subtypes Aged 18 to 25 (2019 and 2020)
- 1.122 (A, B, C, D) Any Use and Misuse of Prescription Sedative Subtypes in Past Year: Among People Aged 26 or Older; Misuse of Prescription Sedative Subtypes in Past Year: Among Past Year Any Users of Prescription Sedative Subtypes Aged 26 or Older (2019 and 2020)
- 1.123 (A, B, C, D) Any Use and Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among People Aged 12 or Older; Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among Past Year Any Users of Prescription Benzodiazepine Subtypes Aged 12 or Older (2019 and 2020)
- 1.124 (A, B, C, D) Any Use and Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among People Aged 12 to 17; Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among Past Year Any Users of Prescription Benzodiazepine Subtypes Aged 12 to 17 (2019 and 2020)
- 1.125 (A, B, C, D) Any Use and Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among People Aged 18 or Older; Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among

Past Year Any Users of Prescription Benzodiazepine Subtypes Aged 18 or Older (2019 and 2020)

1.126 (A, B, C, D) Any Use and Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among People Aged 18 to 25; Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among Past Year Any Users of Prescription Benzodiazepine Subtypes Aged 18 to 25 (2019 and 2020)

1.127 (A, B, C, D) Any Use and Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among People Aged 26 or Older; Misuse of Prescription Benzodiazepine Subtypes in Past Year: Among Past Year Any Users of Prescription Benzodiazepine Subtypes Aged 26 or Older (2019 and 2020)

Tobacco Product Use, Nicotine Vaping, and Alcohol Use Tables – 2.1 to 2.47

2.1 (A, B, C, D) Tobacco Product Use, Nicotine Vaping, and Alcohol Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Age Group (2019 and 2020)

2.2 (A, B, C, D) Tobacco Product Use or Nicotine Vaping in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2020)

2.3 (A, B, C, D) Tobacco Product Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)

2.4 (A, B, C, D) Cigarette Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)

2.5 (A, B, C, D) Smokeless Tobacco Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)

2.6 (A, B, C, D) Cigar Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)

2.7 (A, B, C, D) Nicotine Vaping in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2020)

2.8 (A, B, C, D) Alcohol Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)

2.9 (A, B, C, D) Alcohol, Binge Alcohol, and Heavy Alcohol Use in Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)

2.10 (A, B, C, D) Tobacco Product Use or Nicotine Vaping in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2020)

2.11 (A, B, C, D) Tobacco Product Use or Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2020)

2.12 (A, B, C, D) Tobacco Product Use or Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2020)

2.13 (A, B, C, D) Tobacco Product Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)

- 2.14 (A, B, C, D) Tobacco Product Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.15 (A, B, C, D) Tobacco Product Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.16 (A, B, C, D) Cigarette Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.17 (A, B, C, D) Cigarette Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.18 (A, B, C, D) Cigarette Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.19 (A, B, C, D) Smokeless Tobacco Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.20 (A, B, C, D) Smokeless Tobacco Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.21 (A, B, C, D) Smokeless Tobacco Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.22 (A, B, C, D) Nicotine Vaping in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2020)
- 2.23 (A, B, C, D) Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2020)
- 2.24 (A, B, C, D) Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2020)
- 2.25 (A, B, C, D) Alcohol Use in Lifetime: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.26 (A, B, C, D) Alcohol Use in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.27 (A, B, C, D) Alcohol Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.28 (A, B, C, D) Binge Alcohol Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.29 (A, B, C, D) Heavy Alcohol Use in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 2.30 (A, B, C, D) Tobacco Product Use or Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2020)
- 2.31 (A, B, C, D) Tobacco Product Use or Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2020)

- 2.32 (A, B, C, D) Tobacco Product Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.33 (A, B, C, D) Tobacco Product Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.34 (A, B, C, D) Cigarette Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.35 (A, B, C, D) Cigarette Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.36 (A, B, C, D) Smokeless Tobacco Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.37 (A, B, C, D) Smokeless Tobacco Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.38 (A, B, C, D) Nicotine Vaping in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2020)
- 2.39 (A, B, C, D) Nicotine Vaping in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2020)
- 2.40 (A, B, C, D) Alcohol Use in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.41 (A, B, C, D) Alcohol Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.42 (A, B, C, D) Binge Alcohol Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.43 (A, B, C, D) Heavy Alcohol Use in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.44 (A, B, C, D) Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Demographic Characteristics (2019 and 2020)
- 2.45 (A, B, C, D) Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Demographic Characteristics (2019 and 2020)
- 2.46 (A, B, C, D) Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 12 to 20; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 2.47 (A, B, C, D) Alcohol Use in Lifetime, Past Year, and Past Month and Binge Alcohol and Heavy Alcohol Use in Past Month: Among People Aged 21 or Older; by Geographic and Socioeconomic Characteristics (2019 and 2020)

Risk and Protective Factors Tables – 3.1 to 3.18

- 3.1 (A, B, C, D) Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 12 or Older; by Age Group (2019 and 2020)
- 3.2 (A, B, C, D) Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.3 (A, B, C, D) Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.4 (A, B, C, D) Perceived Great Risk of Harm Associated with Heroin and LSD Use: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.5 (A, B, C, D) Perceived That Obtaining Specific Illicit Drugs Would Be Fairly or Very Easy: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.6 (A, B, C, D) Perceived That Parents Would Strongly Disapprove of Their Substance Use Behaviors: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.7 (A, B, C, D) Perceived That Close Friends Would Strongly Disapprove or Somewhat Disapprove of Their Substance Use Behaviors: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.8 (A, B, C, D) Strongly Disapproved or Somewhat Disapproved of Peers' Substance Use Behaviors: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.9 (A, B, C, D) Participated in a Prevention Program or Group in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.10 (A, B, C, D) Participated in a Substance Use Program or Exposed to Substance Use Prevention Message in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.11 (A, B, C, D) Engaged in a Physical Delinquent Behavior in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.12 (A, B, C, D) Engaged in a Nonphysical Delinquent Behavior in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.13 (A, B, C, D) Selected Risk and Protective Factors for Substance Use Disorders and Mental Illness: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.14 (A, B, C, D) Agreed or Strongly Agreed with Statements about Religious Beliefs: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.15 (A, B, C, D) Always or Sometimes Had Parental Involvement through Specific Behaviors in Past Year: Among People Aged 12 to 17; by Demographic and Geographic Characteristics (2019 and 2020)

- 3.16 (A, B, C, D) Measures of Student Characteristics in Past Year: Among People Aged 12 to 17 Who Were Enrolled in School in Past Year; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.17 (A, B, C, D) Always or Sometimes Had Adult Involvement through Specific School-Related Behaviors in Past Year: Among People Aged 12 to 17 Who Were Enrolled in School in Past Year; by Demographic and Geographic Characteristics (2019 and 2020)
- 3.18 (A, B, C, D) Perceived That All or Most Students in Grade Level Use Specific Substances: Among People Aged 12 to 17 Who Were Enrolled in School in Past Year; by Demographic and Geographic Characteristics (2019 and 2020)

Incidence Tables – 4.1 to 4.10

- 4.1 (B, D) Past Year Initiation of Marijuana Use: Among People Aged 12 or Older, among People Aged 12 or Older at Risk for Initiation of Marijuana Use, and among Past Year Marijuana Users Aged 12 or Older; by Demographic Characteristics (2019 and 2020)
- 4.2 (B, D) Past Year Initiation of Cigarette Use: Among People Aged 12 or Older, among People Aged 12 or Older at Risk for Initiation of Cigarette Use, and among Past Year Cigarette Users Aged 12 or Older; by Demographic Characteristics (2019 and 2020)
- 4.3 (B, D) Past Year Initiation of Alcohol Use: Among People Aged 12 or Older, among People Aged 12 or Older at Risk for Initiation of Alcohol Use, and among Past Year Alcohol Users Aged 12 or Older; by Demographic Characteristics (2019 and 2020)
- 4.4 (B, D) Past Year Initiation of Substance Use: Among People Aged 12 or Older, among People Aged 12 or Older at Risk for Initiation of Substance Use, and among Past Year Substance Users Aged 12 or Older (2019 and 2020)
- 4.5 (B, D) Past Year Initiation of Substance Use: Among People Aged 12 to 17, among People Aged 12 to 17 at Risk for Initiation of Substance Use, and among Past Year Substance Users Aged 12 to 17 (2019 and 2020)
- 4.6 (B, D) Past Year Initiation of Substance Use: Among People Aged 18 or Older, among People Aged 18 or Older at Risk for Initiation of Substance Use, and among Past Year Substance Users Aged 18 or Older (2019 and 2020)
- 4.7 (B, D) Past Year Initiation of Substance Use: Among People Aged 18 to 25, among People Aged 18 to 25 at Risk for Initiation of Substance Use, and among Past Year Substance Users Aged 18 to 25 (2019 and 2020)
- 4.8 (B, D) Past Year Initiation of Substance Use: Among People Aged 26 or Older, among People Aged 26 or Older at Risk for Initiation of Substance Use, and among Past Year Substance Users Aged 26 or Older (2019 and 2020)
- 4.9 (A, C) Past Year Initiation of Substance Use: Among People Aged 12 or Older Who Initiated Use Prior to Age 18, Prior to Age 21, and at Age 21 or Older (2019 and 2020)
- 4.10 (B, D) Past Year Initiation of Substance Use: Among People Aged 12 to 49; Mean Age at First Substance Use: Among Past Year Initiates Aged 12 to 49; by Gender (2019 and 2020)

Substance Use Disorder and Treatment Tables – 5.1 to 5.43

- 5.1 (A, B, C, D) Substance Use Disorder for Specific Substances in Past Year: Among People Aged 12 or Older; by Age Group (2019 and 2020)
- 5.2 (A, B, C, D) Substance Use Disorder in Past Year: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 5.3 (A, B, C, D) Illicit Drug Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.4 (A, B, C, D) Alcohol Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.5 (A, B, C, D) Substance Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.6 (A, B, C, D) Illicit Drug Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 5.7 (A, B, C, D) Alcohol Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 5.8 (A, B, C, D) Substance Use Disorder in Past Year: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 5.9 (A, B, C, D) Received Substance Use Treatment in Past Year: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 5.10 (A, B, C, D) Received Illicit Drug Use Treatment in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.11 (A, B, C, D) Received Alcohol Use Treatment in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.12 (A, B, C, D) Received Substance Use Treatment in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.13 (A, B, C, D) Received Substance Use Treatment in Past Year: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 5.14 (A, B, C, D) Substances for Which Last or Current Treatment Was Received: Among People Aged 12 or Older Who Received Substance Use Treatment in Past Year; by Age Group (2019 and 2020)
- 5.15 (A, B, C, D) Locations of Illicit Drug Use Treatment in Past Year: Among People Aged 12 or Older Who Received Illicit Drug Use Treatment in Past Year; by Age Group (2019 and 2020)
- 5.16 (A, B, C, D) Locations of Alcohol Use Treatment in Past Year: Among People Aged 12 or Older Who Received Alcohol Use Treatment in Past Year; by Age Group (2019 and 2020)
- 5.17 (A, B, C, D) Locations of Substance Use Treatment in Past Year: Among People Aged 12 or Older Who Received Substance Use Treatment in Past Year; by Age Group (2019 and 2020)
- 5.18 (A, B, C, D) Received Substance Use Treatment at Any Location in Past Year: Among People Aged 12 or Older; by Age Group and Past Year Illicit Drug Use Disorder, Past Year Alcohol Use

- Disorder, Past Year Illicit Drug and Alcohol Use Disorder, and Past Year Illicit Drug or Alcohol Use Disorder (2019 and 2020)
- 5.19 (A, B, C, D) Received Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 5.20 (A, B, C, D) Received Illicit Drug Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.21 (A, B, C, D) Received Alcohol Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.22 (A, B, C, D) Received Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 5.23 (A, B, C, D) Received Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 5.24 (A, B, C, D) Substances for Which Last or Current Treatment Was Received: Among People Aged 12 or Older Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in Past Year; by Age Group (2019 and 2020)
- 5.25 (A, B, C, D) Locations of Illicit Drug Use Treatment in Past Year: Among People Aged 12 or Older Who Received Illicit Drug Use Treatment at a Specialty Facility in Past Year; by Age Group (2019 and 2020)
- 5.26 (A, B, C, D) Locations of Alcohol Use Treatment in Past Year: Among People Aged 12 or Older Who Received Alcohol Use Treatment at a Specialty Facility in Past Year; by Age Group (2019 and 2020)
- 5.27 (A, B, C, D) Locations of Substance Use Treatment in Past Year: Among People Aged 12 or Older Who Received Substance Use Treatment at a Specialty Facility in Past Year; by Age Group (2019 and 2020)
- 5.28 (A, B, C, D) Source of Payment for Last or Current Illicit Drug Use Treatment: Among People Aged 12 or Older Who Received Their Last or Current Illicit Drug Use Treatment at a Specialty Facility in Past Year; by Age Group (2019 and 2020)
- 5.29 (A, B, C, D) Source of Payment for Last or Current Alcohol Use Treatment: Among People Aged 12 or Older Who Received Their Last or Current Alcohol Use Treatment at a Specialty Facility in Past Year; by Age Group (2019 and 2020)
- 5.30 (A, B, C, D) Source of Payment for Last or Current Substance Use Treatment: Among People Aged 12 or Older Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in Past Year; by Age Group (2019 and 2020)
- 5.31 (A, B, C, D) Received Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older; by Age Group and Past Year Illicit Drug Use Disorder, Past Year Alcohol Use Disorder, Past Year Illicit Drug and Alcohol Use Disorder, and Past Year Illicit Drug or Alcohol Use Disorder (2019 and 2020)
- 5.32 (A, B, C, D) Classified as Needing Illicit Drug Use Treatment: Among People Aged 12 or Older; Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Illicit Drug Use Treatment; by Detailed Age Category (2019 and 2020)

- 5.33 (A, B, C, D) Classified as Needing Illicit Drug Use Treatment: Among People Aged 12 or Older; Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Illicit Drug Use Treatment; by Demographic Characteristics (2019 and 2020)
- 5.34 (A, B, C, D) Classified as Needing Illicit Drug Use Treatment: Among People Aged 12 or Older; Receipt of Illicit Drug Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Illicit Drug Use Treatment; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 5.35 (A, B, C, D) Perceived Need for Illicit Drug Use Treatment and Whether Made an Effort to Get Treatment in Past Year: Among People Aged 12 or Older Classified as Needing but Not Receiving Illicit Drug Use Treatment at a Specialty Facility; by Demographic Characteristics (2019 and 2020)
- 5.36 (A, B, C, D) Classified as Needing Alcohol Use Treatment: Among People Aged 12 or Older; Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Alcohol Use Treatment; by Demographic Characteristics (2019 and 2020)
- 5.37 (A, B, C, D) Perceived Need for Alcohol Use Treatment and Whether Made an Effort to Get Treatment in Past Year: Among People Aged 12 or Older Classified as Needing but Not Receiving Alcohol Use Treatment at a Specialty Facility; by Demographic Characteristics (2019 and 2020)
- 5.38 (A, B, C, D) Classified as Needing Substance Use Treatment: Among People Aged 12 or Older; Receipt of Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older and among People Aged 12 or Older Classified as Needing Substance Use Treatment; by Demographic Characteristics (2019 and 2020)
- 5.39 (A, B, C, D) Perceived Need for Substance Use Treatment and Whether Made an Effort to Get Treatment in Past Year: Among People Aged 12 or Older Classified as Needing but Not Receiving Substance Use Treatment at a Specialty Facility; by Demographic Characteristics (2019 and 2020)
- 5.40 (A, B, C, D) Detailed Reasons for Not Receiving Substance Use Treatment in Past Year: Among People Aged 12 or Older Classified as Needing But Not Receiving Substance Use Treatment at a Specialty Facility and Who Perceived a Need for Substance Use Treatment in Past Year (2019 and 2020)
- 5.41 (A, B, C, D) Received Medication-Assisted Treatment for Alcohol, Opioids, and Alcohol or Opioids in Past Year: Among People Aged 12 or Older; by Demographic, Geographic, and Socioeconomic Characteristics (2019 and 2020)
- 5.42 (A, B, C, D) Received Medication-Assisted Treatment (MAT) for Alcohol in Past Year: Among People Aged 12 or Older with Past Year Alcohol Use Disorder; Received MAT for Opioids in Past Year: Among People Aged 12 or Older with Past Year Opioid Use Disorder; by Demographic, Geographic, and Socioeconomic Characteristics (2019 and 2020)
- 5.43 (A, B, C, D) Received Virtual Substance Use Treatment for Illicit Drug, Alcohol, and Illicit Drug or Alcohol Use: Among People Who Received Substance Use Treatment for the Respective Substance in Past Year; by Demographic Characteristics (Quarter 4, 2020)

Miscellaneous Tables – 6.1 to 6.37

- 6.1 (A, B, C, D) Drugs Used with Alcohol or within 2 Hours of Alcohol Use on Most Recent Use of Alcohol in Past Month: Among Past Month Alcohol Users Aged 12 or Older; by Age Group and Underage and Legal Drinking Age Groups (2019 and 2020)
- 6.2 (A, B, C, D) Cigarette Use and Nicotine (Cigarette) Dependence in Past Month: Among People Aged 12 or Older; by Detailed Age Category (2019 and 2020)
- 6.3 (A, B, C, D) Nicotine (Cigarette) Dependence in Past Month: Among People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 6.4 (A, B, C, D) Nicotine (Cigarette) Dependence in Past Month: Among People Aged 12 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 6.5 (A, B, C, D) Source Where Prescription Pain Relievers Were Obtained for Most Recent Misuse: Among Past Year Misusers Aged 12 or Older; by Age Group (2019 and 2020)
- 6.6 (A, B, C, D) Source Where Friend or Relative Obtained Prescription Pain Relievers: Among Past Year Misusers Aged 12 or Older Who Obtained Most Recently Misused Prescription Pain Relievers from a Friend or Relative for Free in Past Year; by Age Group (2019 and 2020)
- 6.7 (A, B, C, D) Source Where Prescription Stimulants Were Obtained for Most Recent Misuse: Among Past Year Misusers Aged 12 or Older; by Age Group (2019 and 2020)
- 6.8 (A, B, C, D) Source Where Friend or Relative Obtained Prescription Stimulants: Among Past Year Misusers Aged 12 or Older Who Obtained Most Recently Misused Prescription Stimulants from a Friend or Relative for Free in Past Year; by Age Group (2019 and 2020)
- 6.9 (A, B, C, D) Source Where Prescription Tranquilizers Were Obtained for Most Recent Misuse: Among Past Year Misusers Aged 12 or Older; by Age Group (2019 and 2020)
- 6.10 (A, B, C, D) Source Where Friend or Relative Obtained Prescription Tranquilizers: Among Past Year Misusers Aged 12 or Older Who Obtained Most Recently Misused Prescription Tranquilizers from a Friend or Relative for Free in Past Year; by Age Group (2019 and 2020)
- 6.11 (A, B, C, D) Source Where Prescription Sedatives Were Obtained for Most Recent Misuse: Among Past Year Misusers Aged 12 or Older; by Age Group (2019 and 2020)
- 6.12 (A, B, C, D) Source Where Friend or Relative Obtained Prescription Sedatives: Among Past Year Misusers Aged 12 or Older Who Obtained Most Recently Misused Prescription Sedatives from a Friend or Relative for Free in Past Year; by Age Group (2019 and 2020)
- 6.13 (A, B, C, D) Main Reasons for Last Episode of Misuse of Prescription Psychotherapeutics: Among Past Year Misusers Aged 12 or Older of Each Type of Prescription Psychotherapeutic (2019 and 2020)
- 6.14 (A, B, C, D) Main Reasons for Last Episode of Misuse of Prescription Psychotherapeutics: Among Past Year Misusers Aged 18 or Older of Each Type of Prescription Psychotherapeutic (2019 and 2020)
- 6.15 (A, B, C, D) Social Context and Location of Most Recent Alcohol Use in Past Month: Among Past Month Alcohol Users Aged 12 to 20; by Age Group and Gender (2019 and 2020)

- 6.16 (A, B, C, D) Source Where Alcohol Was Obtained for Most Recent Use in Past Month: Among Past Month Alcohol Users Aged 12 to 20; by Age Group and Gender (2019 and 2020)
- 6.17 (A, B, C, D) Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Lifetime: Among People Aged 12 or Older; by Age Group (2019 and 2020)
- 6.18 (A, B, C, D) Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Past Year: Among People Aged 12 or Older; by Age Group (2019 and 2020)
- 6.19 (A, B, C, D) Illicit Drug Use, Tobacco Product Use, Nicotine Vaping, Alcohol Use, and Other Substance Use in Past Month: Among People Aged 12 or Older; by Age Group (2019 and 2020)
- 6.20 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among Females Aged 15 to 44; by Pregnancy Status (2019 and 2020)
- 6.21 (A, B, C, D) Illicit Drug Use, Marijuana Use, and Opioid Misuse in Past Month: Among Females Aged 15 to 44; by Pregnancy Status, Demographic, Socioeconomic, and Pregnancy Characteristics (2019 and 2020)
- 6.22 (A, B, C, D) Tobacco, Cigarette, and Daily Cigarette Use in Past Month: Among Females Aged 15 to 44; by Pregnancy Status, Demographic, Socioeconomic, and Pregnancy Characteristics (2019 and 2020)
- 6.23 (A, B, C, D) Alcohol, Binge Alcohol, and Heavy Alcohol Use in Past Month: Among Females Aged 15 to 44; by Pregnancy Status, Demographic, Socioeconomic, and Pregnancy Characteristics (2019 and 2020)
- 6.24 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 to 22; by College Enrollment Status and Gender (2019 and 2020)
- 6.25 (A, B, C, D) Illicit Drug Use Disorder in Past Year: Among People Aged 18 to 22; by College Enrollment Status and Demographic Characteristics (2019 and 2020)
- 6.26 (A, B, C, D) Alcohol Use Disorder in Past Year: Among People Aged 18 to 22; by College Enrollment Status and Demographic Characteristics (2019 and 2020)
- 6.27 (A, B, C, D) Substance Use Disorder in Past Year: Among People Aged 18 to 22; by College Enrollment Status and Demographic Characteristics (2019 and 2020)
- 6.28 (A, B, C, D) Drove Under Influence of Alcohol or Selected Illicit Drugs in Past Year: Among People Aged 16 or Older; by Demographic Characteristics (2019 and 2020)
- 6.29 (A, B, C, D) Drove Under Influence of Alcohol or Selected Illicit Drugs in Past Year: Among People Aged 16 or Older; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 6.30 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 or Older; by Past Year Probation and Parole/Supervised Release Statuses (2019 and 2020)
- 6.31 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 to 49; by Past Year Probation and Parole/Supervised Release Statuses (2019 and 2020)
- 6.32 (A, B, C, D) Illicit Drug Use in Past Month: Among People Aged 18 or Older; by Past Year Probation and Parole/Supervised Release Statuses and Demographic Characteristics (2019 and 2020)

- 6.33 (A, B, C, D) Illicit Drug Use Disorder in Past Year: Among People Aged 18 or Older; by Past Year Probation and Parole/Supervised Release Statuses and Demographic Characteristics (2019 and 2020)
- 6.34 (A, B, C, D) Substance Use Disorder in Past Year: Among People Aged 18 or Older; by Past Year Probation and Parole/Supervised Release Statuses and Demographic Characteristics (2019 and 2020)
- 6.35 (A, B, C, D) Perceived Ever Having Had a Substance Use Problem or Mental Health Issue: Among People Aged 18 or Older; by Demographic Characteristics (2019 and 2020)
- 6.36 (A, B, C, D) Perceived Recovery from a Substance Use Problem or Mental Health Issue: Among People Aged 18 or Older; by Demographic Characteristics (2019 and 2020)
- 6.37 (A, B, C, D) Perceived Recovery from a Substance Use Problem: Among People Aged 18 or Older Who Perceived Ever Having a Substance Use Problem; Perceived Recovery from a Mental Health Issue: Among People Aged 18 or Older Who Perceived Ever Having a Mental Health Issue; by Demographic Characteristics (2019 and 2020)

Trend Tables – 7.1 to 7.54

- 7.1 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 12 or Older (2002-2020)
- 7.2 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 12 or Older (2002-2020)
- 7.3 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 12 or Older (2002-2020)
- 7.4 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 12 to 17 (2002-2020)
- 7.5 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 12 to 17 (2002-2020)
- 7.6 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 12 to 17 (2002-2020)
- 7.7 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 18 or Older (2002-2020)
- 7.8 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 18 or Older (2002-2020)
- 7.9 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 or Older (2002-2020)
- 7.10 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 18 to 25 (2002-2020)
- 7.11 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 18 to 25 (2002-2020)

- 7.12 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 18 to 25 (2002-2020)
- 7.13 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Lifetime: Among People Aged 26 or Older (2002-2020)
- 7.14 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Year: Among People Aged 26 or Older (2002-2020)
- 7.15 (A, B, C, D) Types of Illicit Drug, Tobacco Product, and Alcohol Use in Past Month: Among People Aged 26 or Older (2002-2020)
- 7.16 (A, B, C, D) Alcohol Use in Lifetime, Past Year, and Past Month: Among People Aged 12 to 20; by Gender (2002-2020)
- 7.17 (B, D) Average Number of Days Used Specific Substances in Past Year: Among Past Year Users of Specific Substances Aged 12 or Older (2002-2020)
- 7.18 (B, D) Average Number of Days Used Specific Substances in Past Month: Among Past Month Users of Specific Substances Aged 12 or Older (2002-2020)
- 7.19 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 or Older and among Past Year Users of Specific Substances Aged 12 or Older (2002-2020)
- 7.20 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 to 17 and among Past Year Users of Specific Substances Aged 12 to 17 (2002-2020)
- 7.21 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 18 or Older and among Past Year Users of Specific Substances Aged 18 or Older (2002-2020)
- 7.22 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 18 to 25 and among Past Year Users of Specific Substances Aged 18 to 25 (2002-2020)
- 7.23 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 26 or Older and among Past Year Users of Specific Substances Aged 26 or Older (2002-2020)
- 7.24 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 12 to 20 and among Past Year Users of Specific Substances Aged 12 to 20 (2002-2020)
- 7.25 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Year: Among All People Aged 21 or Older and among Past Year Users of Specific Substances Aged 21 or Older (2002-2020)
- 7.26 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 or Older and among Past Month Users of Specific Substances Aged 12 or Older (2002-2020)
- 7.27 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 to 17 and among Past Month Users of Specific Substances Aged 12 to 17 (2002-2020)
- 7.28 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 18 or Older and among Past Month Users of Specific Substances Aged 18 or Older (2002-2020)
- 7.29 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 18 to 25 and among Past Month Users of Specific Substances Aged 18 to 25 (2002-2020)

- 7.30 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 26 or Older and among Past Month Users of Specific Substances Aged 26 or Older (2002-2020)
- 7.31 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 12 to 20 and among Past Month Users of Specific Substances Aged 12 to 20 (2002-2020)
- 7.32 (A, B, C, D) Daily or Almost Daily Use of Specific Substances in Past Month: Among All People Aged 21 or Older and among Past Month Users of Specific Substances Aged 21 or Older (2002-2020)
- 7.33 (A, B, C, D) Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 12 or Older (2015-2020)
- 7.34 (A, B, C, D) Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 12 to 17 (2015-2020)
- 7.35 (A, B, C, D) Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 18 or Older (2015-2020)
- 7.36 (A, B, C, D) Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 18 to 25 (2015-2020)
- 7.37 (A, B, C, D) Perceived Great Risk of Harm Associated with Substance Use and Perceived Availability of Substances: Among People Aged 26 or Older (2015-2020)
- 7.38 (A, B, C, D) Perceived That Parents Would Strongly Disapprove of Their Substance Use Behaviors and Strongly Disapproved or Somewhat Disapproved of Peers' Substance Use Behaviors: Among People Aged 12 to 17 (2002-2020)
- 7.39 (A, B, C, D) Participated in a Substance Use Program or Exposed to Substance Use Prevention Message in Past Year: Among People Aged 12 to 17 (2002-2020)
- 7.40 (A, B, C, D) Past Year Initiation of Substance Use: Among People Aged 12 or Older (2002-2020)
- 7.41 (A, B, C, D) Past Year Initiation of Substance Use: Among People Aged 12 to 17 (2002-2020)
- 7.42 (A, B, C, D) Past Year Initiation of Substance Use: Among People Aged 18 or Older (2002-2020)
- 7.43 (A, B, C, D) Past Year Initiation of Substance Use: Among People Aged 18 to 25 (2002-2020)
- 7.44 (A, B, C, D) Past Year Initiation of Substance Use: Among People Aged 26 or Older (2002-2020)
- 7.45 (B, D) Mean Age at First Substance Use: Among Past Year Initiates Aged 12 to 49 (2002-2020)
- 7.46 (A, B, C, D) Received Substance Use Treatment at Any Location in Past Year: Among People Aged 12 or Older; by Age Group (2015-2020)
- 7.47 (A, B, C, D) Received Specific Substance Use Treatment at Any Location in Past Year: Among People Aged 12 or Older Who Received Treatment for Substance Use at Any Location in Past Year; by Age Group (2015-2020)
- 7.48 (A, B, C, D) Locations of Illicit Drug Use Treatment in Past Year: Among People Aged 12 or Older Who Received Illicit Drug Use Treatment in Past Year (2015-2020)

- 7.49 (A, B, C, D) Locations of Alcohol Use Treatment in Past Year: Among People Aged 12 or Older Who Received Alcohol Use Treatment in Past Year (2015-2020)
- 7.50 (A, B, C, D) Locations of Substance Use Treatment in Past Year: Among People Aged 12 or Older Who Received Substance Use Treatment in Past Year (2015-2020)
- 7.51 (A, B, C, D) Received Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older; by Age Group (2015-2020)
- 7.52 (A, B, C, D) Received Specific Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 12 or Older Who Received Treatment for Substance Use at a Specialty Facility in Past Year; by Age Group (2015-2020)
- 7.53 (B, D) Marijuana Use in Past Month: Among People Aged 12 or Older; by Age Group (1971-2020)
- 7.54 (B, D) Cocaine Use in Past Year: Among People Aged 12 or Older; by Age Group (1971-2020)

Adult Mental Health Tables – 8.1 to 8.71

- 8.1 (A, B, C, D) Any Mental Illness in Past Year: Among People Aged 18 or Older; by Gender and Detailed Age Category (2019 and 2020)
- 8.2 (A, B, C, D) Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 8.3 (A, B, C, D) Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.4 (A, B, C, D) Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Gender and Detailed Age Category (2019 and 2020)
- 8.5 (A, B, C, D) Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 8.6 (A, B, C, D) Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.7 (A, B, C, D) Level of Mental Illness in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2019 and 2020)
- 8.8 (A, B, C, D) Level of Mental Illness in Past Year: Among People Aged 18 or Older; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.9 (A, B, C, D) Co-Occurring Substance Use Disorder and Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 8.10 (A, B, C, D) Co-Occurring Substance Use Disorder and Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.11 (A, B, C, D) Co-Occurring Substance Use Disorder and Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)

- 8.12 (A, B, C, D) Co-Occurring Substance Use Disorder and Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.13 (A, B, C, D) Co-Occurring Substance Use Disorder and Any Mental Illness Excluding Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 8.14 (A, B, C, D) Co-Occurring Substance Use Disorder and Any Mental Illness Excluding Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.15 (A, B, C, D) Any Mental Illness and Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Past Year Probation Status and Demographic Characteristics (2019 and 2020)
- 8.16 (A, B, C, D) Any Mental Illness and Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Past Year Parole/Supervised Release Status and Demographic Characteristics (2019 and 2020)
- 8.17 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Demographic Characteristics (2019 and 2020)
- 8.18 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.19 (A, B, C, D) Received Inpatient Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Demographic and Socioeconomic Characteristics (2019 and 2020)
- 8.20 (A, B, C, D) Received Outpatient Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Demographic and Socioeconomic Characteristics (2019 and 2020)
- 8.21 (A, B, C, D) Received Prescription Medication as a Type of Mental Health Service in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Demographic and Socioeconomic Characteristics (2019 and 2020)
- 8.22 (A, B, C, D) Received Substance Use Treatment at a Specialty Facility and/or Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Co-Occurring Substance Use Disorder and Level of Mental Illness and Age Group (2019 and 2020)
- 8.23 (A, B, C, D) Locations of Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year; by Past Year Level of Mental Illness (2019 and 2020)
- 8.24 (A, B, C, D) Types and Locations of Mental Health Services Received in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness (2019 and 2020)
- 8.25 (A, B, C, D) Locations of Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year; by Age Group (2019 and 2020)
- 8.26 (A, B, C, D) Sources of Payment for Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year; by Age Group (2019 and 2020)

- 8.27 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older; by Receipt of Past Year Mental Health Services and Demographic Characteristics (2019 and 2020)
- 8.28 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older; by Receipt of Past Year Mental Health Services and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.29 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness; by Receipt of Past Year Mental Health Services and Demographic Characteristics (2019 and 2020)
- 8.30 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness; by Receipt of Past Year Mental Health Services and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.31 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness; by Receipt of Past Year Mental Health Services and Demographic Characteristics (2019 and 2020)
- 8.32 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness; by Receipt of Past Year Mental Health Services and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.33 (A, B, C, D) Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services (2019 and 2020)
- 8.34 (A, B, C, D) Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services (2019 and 2020)
- 8.35 (A, B, C, D) Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services (2019 and 2020)
- 8.36 (A, B, C, D) Major Depressive Episode in Past Year: Among People Aged 18 or Older; by Gender and Detailed Age Category (2019 and 2020)
- 8.37 (A, B, C, D) Major Depressive Episode with Severe Impairment in Past Year: Among People Aged 18 or Older; by Gender and Detailed Age Category (2019 and 2020)
- 8.38 (A, B, C, D) Major Depressive Episode (MDE) and MDE with Severe Impairment in Past Year: Among People Aged 18 or Older; Receipt of Treatment for Depression in Past Year: Among People Aged 18 or Older with MDE and among People Aged 18 or Older with MDE with Severe Impairment in Past Year; by Gender and Age Group (2019 and 2020)
- 8.39 (A, B, C, D) Major Depressive Episode (MDE) and MDE with Severe Impairment in Past Year: Among People Aged 18 or Older; Receipt of Treatment for Depression in Past Year: Among People Aged 18 or Older with MDE and among People Aged 18 or Older with MDE with Severe Impairment in Past Year; by Demographic Characteristics (2019 and 2020)

- 8.40 (A, B, C, D) Major Depressive Episode (MDE) and MDE with Severe Impairment in Past Year: Among People Aged 18 or Older; Receipt of Treatment for Depression in Past Year: Among People Aged 18 or Older with MDE and among People Aged 18 or Older with MDE with Severe Impairment in Past Year; by Geographic, Socioeconomic, and Health Characteristics (2019 and 2020)
- 8.41 (A, B, C, D) Level of Mental Illness and Major Depressive Episode (MDE) and MDE with Severe Impairment Status in Past Year: Among People Aged 18 or Older; by Past Year Substance Use Disorder Status and Past Year Substance Use Disorder for Specific Substances (2019 and 2020)
- 8.42 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.43 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 18 to 25; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.44 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 26 or Older; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.45 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 26 to 49; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.46 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 50 or Older; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.47 (A, B, C, D) Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.48 (A, B, C, D) Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year: Among People Aged 18 to 25; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.49 (A, B, C, D) Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year: Among People Aged 26 or Older; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.50 (A, B, C, D) Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year: Among People Aged 26 to 49; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.51 (A, B, C, D) Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year: Among People Aged 50 or Older; by Past Year Level of Mental Illness and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (2019 and 2020)
- 8.52 (A, B, C, D) Types of Professionals Seen: Among People Aged 18 or Older with Major Depressive Episode in Past Year Who Saw or Talked to a Professional about Depression in Past Year; by Age Group (2019 and 2020)

- 8.53 (A, B, C, D) Types of Professionals Seen: Among People Aged 18 or Older with Major Depressive Episode with Severe Impairment in Past Year Who Saw or Talked to a Professional about Depression in Past Year; by Age Group (2019 and 2020)
- 8.54 (A, B, C, D) Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 8.55 (A, B, C, D) Made Any Suicide Plans in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 8.56 (A, B, C, D) Attempted Suicide in Past Year: Among People Aged 18 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 8.57 (A, B, C, D) Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 8.58 (A, B, C, D) Had Serious Thoughts of Suicide, Made Any Suicide Plans, and Attempted Suicide in Past Year: Among People Aged 18 or Older; by Demographic and Socioeconomic Characteristics (2019 and 2020)
- 8.59 (A, B, C, D) Attempted Suicide in Past Year: Among People Aged 18 or Older; Received Medical Attention for Suicide Attempt or Stayed Overnight or Longer in a Hospital for Suicide Attempt in Past Year: Among People Aged 18 or Older Who Attempted Suicide in Past Year; by Demographic and Socioeconomic Characteristics (2019 and 2020)
- 8.60 (A, B, C, D) Had Serious Thoughts of Suicide, Made Any Suicide Plans, and Attempted Suicide in Past Year: Among People Aged 18 or Older; by Type of Illicit Drug Use in Past Year and Alcohol Use in Past Year and Past Month (2019 and 2020)
- 8.61 (A, B, C, D) Had Serious Thoughts of Suicide, Made Any Suicide Plans, and Attempted Suicide in Past Year: Among People Aged 18 or Older; by Past Year Substance Use Disorder Status and Past Year Substance Use Disorder for Specific Substances (2019 and 2020)
- 8.62 (A, B, C, D) Substance Use Disorder Status and Substance Use Disorder for Specific Substances in Past Year: Among People Aged 18 or Older; by Past Year Suicide Behavior (2019 and 2020)
- 8.63 (A, B, C, D) Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Past Year Probation Status and Demographic Characteristics (2019 and 2020)
- 8.64 (A, B, C, D) Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Past Year Parole/Supervised Release Status and Demographic Characteristics (2019 and 2020)
- 8.65 (A, B, C, D) Suicidal Thoughts and Behavior and Treatment Resulting from a Suicide Attempt, Level of Mental Illness, Major Depressive Episode, and Mental Health Services in Past Year: Among People Aged 18 to 22; by College Enrollment Status (2019 and 2020)
- 8.66 (A, B, C, D) Suicidal Thoughts and Behavior and Treatment Resulting from a Suicide Attempt, Level of Mental Illness, Major Depressive Episode, and Mental Health Services in Past Year: Among Males Aged 18 to 22; by College Enrollment Status (2019 and 2020)
- 8.67 (A, B, C, D) Suicidal Thoughts and Behavior and Treatment Resulting from a Suicide Attempt, Level of Mental Illness, Major Depressive Episode, and Mental Health Services in Past Year: Among Females Aged 18 to 22; by College Enrollment Status (2019 and 2020)

- 8.68 (A, B, C, D) Had Serious Thoughts of Suicide, Made Any Suicide Plans, and Attempted Suicide in Past Year: Among People Aged 18 or Older; by Past Year Major Depressive Episode Status, Past Year Receipt of Mental Health Services Status, Past Year Substance Use Disorder Status, Past Year Serious Psychological Distress Status, and Past Year Substance Use Treatment at a Specialty Facility Status (2019 and 2020)
- 8.69 (A, B, C, D) Major Depressive Episode, Mental Health Services and Perceived Need, Substance Use Disorder, Serious Psychological Distress, and Substance Use Treatment at a Specialty Facility in Past Year: Among People Aged 18 or Older Who Had Serious Thoughts of Suicide in Past Year (2019 and 2020)
- 8.70 (A, B, C, D) Serious Psychological Distress in Past Month: Among People Aged 18 or Older; by Age Group and Demographic and Socioeconomic Characteristics (2019 and 2020)
- 8.71 (A, B, C, D) Virtual Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Demographic and Socioeconomic Characteristics (Quarter 4, 2020)

Youth Mental Health Tables – 9.1 to 9.17

- 9.1 (A, B, C, D) Settings Where Mental Health Services Were Received in Past Year: Among People Aged 12 to 17; by Age Group (2019 and 2020)
- 9.2 (A, B, C, D) Settings Where Mental Health Services Were Received in Past Year: Among People Aged 12 to 17; by Demographic Characteristics (2019 and 2020)
- 9.3 (A, B, C, D) Settings Where Mental Health Services Were Received in Past Year: Among People Aged 12 to 17; by Geographic and Socioeconomic Characteristics (2019 and 2020)
- 9.4 (A, B, C, D) Reasons for Receiving Most Recent Mental Health Service in Past Year: Among People Aged 12 to 17 Who Received Mental Health Services in the Respective Settings in Past Year (2019 and 2020)
- 9.5 (A, B, C, D) Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year: Among People Aged 12 to 17; Receipt of Treatment for Depression in Past Year: Among People Aged 12 to 17 with MDE and among People Aged 12 to 17 with MDE with Severe Impairment in Past Year; by Demographic Characteristics (2019 and 2020)
- 9.6 (A, B, C, D) Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year: Among People Aged 12 to 17; Receipt of Treatment for Depression in Past Year: Among People Aged 12 to 17 with MDE and among People Aged 12 to 17 with MDE with Severe Impairment in Past Year; by Geographic, Socioeconomic, and Health Characteristics (2019 and 2020)
- 9.7 (A, B, C, D) Major Depressive Episode in Past Year: Among People Aged 12 to 17; by Past Year Substance Use Disorder Status and Demographic Characteristics (2019 and 2020)
- 9.8 (A, B, C, D) Major Depressive Episode with Severe Impairment in Past Year: Among People Aged 12 to 17; by Past Year Substance Use Disorder Status and Demographic Characteristics (2019 and 2020)
- 9.9 (A, B, C, D) Substance Use Disorder Status in Past Year: Among People Aged 12 to 17; by Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status and Demographic Characteristics (2019 and 2020)

- 9.10 (A, B, C, D) Co-Occurring Substance Use Disorder, Illicit Drug Use Disorder, or Alcohol Use Disorder and Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year: Among People Aged 12 to 17; by Gender (2019 and 2020)
- 9.11 (A, B, C, D) Types of Professionals Seen: Among People Aged 12 to 17 with Major Depressive Episode (MDE) and among People Aged 12 to 17 with MDE with Severe Impairment in Past Year Who Saw or Talked to a Professional about Depression in Past Year (2019 and 2020)
- 9.12 (A, B, C, D) Type of Treatment Received in Past Year for Depression: Among People Aged 12 to 17 with Major Depressive Episode in Past Year; by Demographic and Socioeconomic Characteristics (2019 and 2020)
- 9.13 (A, B, C, D) Received Substance Use Treatment at a Specialty Facility and/or Mental Health Services (Specialty or Nonspecialty) in Past Year: Among People Aged 12 to 17; by Past Year Substance Use Disorder and Major Depressive Episode (MDE) and MDE with Severe Impairment Status and Age Group (2019 and 2020)
- 9.14 (A, B, C, D) Had Serious Thoughts of Suicide, Made Any Suicide Plans, and Attempted Suicide in Past Year: Among People Aged 12 to 17; by Demographic Characteristics (Quarter 4, 2020)
- 9.15 (A, B, C, D) Attempted Suicide in Past Year: Among People Aged 12 to 17; Received Medical Attention for Suicide Attempt in Past Year and Stayed Overnight or Longer in a Hospital for Suicide Attempt in Past Year: Among People Aged 12 to 17 Who Attempted Suicide in Past Year; by Demographic Characteristics (Quarter 4, 2020)
- 9.16 (A, B, C, D) Received Virtual Mental Health Services in Past Year: Among People Aged 12 to 17; by Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status and Demographic Characteristics (Quarter 4, 2020)
- 9.17 (A, B, C, D) Received Virtual Mental Health Services in Past Year: Among People Aged 12 to 17; by Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status and Geographic, Socioeconomic, and Health Characteristics (Quarter 4, 2020)

Adult Mental Health Trend Tables – 10.1 to 10.37

- 10.1 (A, B, C, D) Any Mental Illness in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2008-2020)
- 10.2 (A, B, C, D) Any Mental Illness in Past Year: Among People Aged 18 or Older; by Geographic and Socioeconomic Characteristics (2008-2020)
- 10.3 (A, B, C, D) Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2008-2020)
- 10.4 (A, B, C, D) Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Geographic and Socioeconomic Characteristics (2008-2020)
- 10.5 (A, B, C, D) Any Mental Illness Excluding Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2008-2020)
- 10.6 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2002-2020)
- 10.7 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older; by Geographic and Socioeconomic Characteristics (2002-2020)

- 10.8 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness; by Demographic Characteristics (2008-2020)
- 10.9 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness; by Geographic and Socioeconomic Characteristics (2008-2020)
- 10.10 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness; by Demographic Characteristics (2008-2020)
- 10.11 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness; by Geographic and Socioeconomic Characteristics (2008-2020)
- 10.12 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older with No Past Year Mental Illness; by Demographic Characteristics (2008-2020)
- 10.13 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older with No Past Year Mental Illness; by Geographic and Socioeconomic Characteristics (2008-2020)
- 10.14 (A, B, C, D) Received Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness Excluding Serious Mental Illness; by Demographic Characteristics (2008-2020)
- 10.15 (A, B, C, D) Type of Mental Health Service Received in Past Year: Among People Aged 18 or Older; by Age Group (2002-2020)
- 10.16 (A, B, C, D) Type of Mental Health Service Received in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness; by Age Group (2008-2020)
- 10.17 (A, B, C, D) Type of Mental Health Service Received in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness; by Age Group (2008-2020)
- 10.18 (A, B, C, D) Locations of Outpatient Mental Health Services: Among People Aged 18 or Older Who Received Outpatient Mental Health Services in Past Year (2002-2020)
- 10.19 (A, B, C, D) Locations of Outpatient Mental Health Services: Among People Aged 18 or Older with Past Year Any Mental Illness Who Received Outpatient Mental Health Services in Past Year (2008-2020)
- 10.20 (A, B, C, D) Locations of Outpatient Mental Health Services: Among People Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Services in Past Year (2008-2020)
- 10.21 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2002-2020)
- 10.22 (A, B, C, D) Perceived Unmet Need for Mental Health Services in Past Year: Among People Aged 18 or Older; by Past Year Level of Mental Illness and Age Group (2008-2020)
- 10.23 (A, B, C, D) Receipt of Mental Health Services in Past Year: Among People Aged 18 or Older with a Perceived Unmet Need for Mental Health Services in Past Year; by Age Group (2002-2020)
- 10.24 (A, B, C, D) Receipt of Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Age Group (2008-2020)

10.25 (A, B, C, D)	Receipt of Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Age Group (2008-2020)
10.26 (A, B, C, D)	Major Depressive Episode in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2005-2020)
10.27 (A, B, C, D)	Major Depressive Episode with Severe Impairment in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2009-2020)
10.28 (A, B, C, D)	Received Treatment for Depression in Past Year: Among People Aged 18 or Older with Major Depressive Episode in Past Year; by Demographic Characteristics (2009-2020)
10.29 (A, B, C, D)	Received Treatment for Depression in Past Year: Among People Aged 18 or Older with Past Year Major Depressive Episode with Severe Impairment; by Demographic Characteristics (2009-2020)
10.30 (A, B, C, D)	Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Detailed Age Category (2008-2020)
10.31 (A, B, C, D)	Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2008-2020)
10.32 (A, B, C, D)	Had Serious Thoughts of Suicide in Past Year: Among People Aged 18 or Older; by Geographic and Socioeconomic Characteristics (2008-2020)
10.33 (A, B, C, D)	Made Any Suicide Plans in Past Year: Among People Aged 18 or Older; by Detailed Age Category (2008-2020)
10.34 (A, B, C, D)	Made Any Suicide Plans in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2008-2020)
10.35 (A, B, C, D)	Attempted Suicide in Past Year: Among People Aged 18 or Older; by Detailed Age Category (2008-2020)
10.36 (A, B, C, D)	Attempted Suicide in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2008-2020)
10.37 (A, B, C, D)	Serious Psychological Distress in Past Year: Among People Aged 18 or Older; by Demographic Characteristics (2005-2020)

Youth Mental Health Trend Tables – 11.1 to 11.9

11.1 (A, B, C, D)	Settings Where Mental Health Services Were Received in Past Year: Among People Aged 12 to 17 (2002-2020)
11.2 (A, B, C, D)	Major Depressive Episode in Past Year: Among People Aged 12 to 17; by Demographic Characteristics (2004-2020)
11.3 (A, B, C, D)	Major Depressive Episode with Severe Impairment in Past Year: Among People Aged 12 to 17; by Demographic Characteristics (2006-2020)
11.4 (A, B, C, D)	Receipt of Treatment for Depression in Past Year: Among People Aged 12 to 17 with Major Depressive Episode in Past Year; by Demographic Characteristics (2004-2020)

- 11.5 (A, B, C, D) Receipt of Treatment for Depression in Past Year: Among People Aged 12 to 17 with Major Depressive Episode with Severe Impairment in Past Year; by Demographic Characteristics (2006-2020)
- 11.6 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 12 to 17 with Major Depressive Episode in Past Year (2004-2020)
- 11.7 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 12 to 17 with Major Depressive Episode with Severe Impairment in Past Year (2006-2020)
- 11.8 (A, B, C, D) Substance Use in Past Year and Past Month: Among People Aged 12 to 17 with No Major Depressive Episode in Past Year (2004-2020)
- 11.9 (A, B, C, D) Type of Treatment Received in Past Year for Depression: Among People Aged 12 to 17 with Major Depressive Episode (MDE) and among People Aged 12 to 17 with MDE with Severe Impairment in Past Year (2004-2020)

Sample Size and Population Tables – 12.1 to 12.10

- 12.1 (A, C, N) People Aged 12 or Older; by Gender and Detailed Age Category (2019 and 2020)
- 12.2 (A, C, N) People Aged 12 or Older; by Age Group and Demographic Characteristics (2019 and 2020)
- 12.3 (A, C, N) People Aged 12 or Older; by Underage and Legal Drinking Age Groups and Demographic Characteristics (2019 and 2020)
- 12.4 (A, C, N) People Aged 12 or Older; by Age Group and Geographic, Socioeconomic, and Health Characteristics (2019 and 2020)
- 12.5 (A, C, N) People Aged 12 or Older; by Underage and Legal Drinking Age Groups and Geographic and Socioeconomic Characteristics (2019 and 2020)
- 12.6 (A, C, N) People Aged 12 or Older; by Youth and Adult Demographic Characteristics (2002-2020)
- 12.7 (A, C, N) Females Aged 15 to 44; by Pregnancy Status and Demographic, Socioeconomic, and Pregnancy Characteristics (2019 and 2020)
- 12.8 (A, C, N) People Aged 18 to 22; by College Enrollment Status and Demographic Characteristics (2019 and 2020)
- 12.9 (A, C, N) People Aged 18 or Older; by Past Year Probation and Parole/Supervised Release Statuses and Demographic Characteristics (2019 and 2020)
- 12.10 (A, C, N) People Aged 12 or Older; by Age Group and Demographic, Geographic, and Socioeconomic Characteristics (Quarter 4, 2020)

Perceived Effects of Coronavirus Disease 2019 (COVID-19) Tables – 13.1 to 13.11

- 13.1 (A, B, C, D) Had Serious Thoughts of Suicide Because of the COVID-19 Pandemic, Made Any Suicide Plans Because of the COVID-19 Pandemic, and Attempted Suicide Because of the COVID-19 Pandemic in Past Year: Among People Aged 18 or Older with Respective Suicidal Thoughts and Behaviors in Past Year; by Demographic Characteristics (Quarter 4, 2020)

- 13.2 (A, B, C, D) Perceived COVID-19 Pandemic Effect on Drug Use: Among Past Year Illicit Drug Users and Past Year Any Users of Prescription Psychotherapeutics Aged 12 or Older; by Demographic, Geographic, and Socioeconomic Characteristics (Quarter 4, 2020)
- 13.3 (A, B, C, D) Perceived COVID-19 Pandemic Effect on Alcohol Use: Among Past Year Alcohol Users Aged 12 or Older; by Demographic, Geographic, and Socioeconomic Characteristics (Quarter 4, 2020)
- 13.4 (A, B, C, D) Perceived COVID-19 Pandemic Effect on Access to Substance Use Treatment: Among People Aged 12 or Older, among People Aged 12 or Older with Substance Use in Past Year, and among People Aged 12 or Older with Substance Use Disorder in Past Year; by Age Group (Quarter 4, 2020)
- 13.5 (A, B, C, D) Perceived COVID-19 Pandemic Negative Effect on Emotional or Mental Health: Among People Aged 18 or Older; by Age Group and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (Quarter 4, 2020)
- 13.6 (A, B, C, D) Perceived COVID-19 Pandemic Negative Effect on Emotional or Mental Health: Among People Aged 18 or Older; by Age Group and Past Year Level of Mental Illness (Quarter 4, 2020)
- 13.7 (A, B, C, D) Perceived COVID-19 Pandemic Negative Effect on Emotional or Mental Health: Among People Aged 12 to 17; by Age Group and Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status (Quarter 4, 2020)
- 13.8 (A, B, C, D) Perceived COVID-19 Pandemic Effect on Access to Mental Health Services: Among People Aged 18 or Older; by Age Group and Past Year Mental Health Services (Including Virtual Services) Status (Quarter 4, 2020)
- 13.9 (A, B, C, D) Perceived COVID-19 Pandemic Effect on Access to Mental Health Services: Among People Aged 18 or Older; by Age Group and Past Year Level of Mental Illness (Quarter 4, 2020)
- 13.10 (A, B, C, D) Serious Financial Worries and Loss of Permanent Housing Because of the COVID-19 Pandemic: Among People Aged 12 or Older; by Demographic, Geographic, and Socioeconomic Characteristics (Quarter 4, 2020)
- 13.11 (A, B, C, D) Perceived COVID-19 Pandemic Effect on Access to Medical Care: Among People Aged 12 or Older; by Age Group (Quarter 4, 2020)