

Table 8.33A Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services, Numbers in Thousands, 2019 and 2020

| Reason Did Not Receive Mental Health Services ¹ | Total ² | | MENTAL HEALTH SERVICES ³ | | | |
|---|--------------------|---------------|-------------------------------------|--------------|--------------|---------------|
| | | | Received | | Not Received | |
| | 2019 | 2020 | 2019 | 2020 | 2019 | 2020 |
| TOTAL POPULATION | 16,597 | <i>19,725</i> | 8,573 | <i>9,291</i> | 7,997 | <i>10,400</i> |
| Could Not Afford Cost | 6,701 | <i>7,443</i> | 3,467 | <i>3,221</i> | 3,232 | <i>4,198</i> |
| Might Cause Neighbors/Community to Have Negative Opinion | 1,651 | <i>2,129</i> | 749 | <i>749</i> | 897 | <i>1,369</i> |
| Might Have Negative Effect on Job | 1,492 | <i>1,740</i> | 686 | <i>778</i> | 806 | <i>960</i> |
| Health Insurance Does Not Cover Any Mental Health Services | 1,243 | <i>1,668</i> | 574 | <i>705</i> | 669 | <i>952</i> |
| Health Insurance Does Not Pay Enough for Mental Health Services | 2,505 | <i>3,361</i> | 1,441 | <i>1,563</i> | 1,061 | <i>1,791</i> |
| Did Not Know Where to Go for Services | 4,033 | <i>5,407</i> | 1,604 | <i>2,157</i> | 2,420 | <i>3,240</i> |
| Concerned about Confidentiality | 1,438 | <i>1,770</i> | 644 | <i>766</i> | 794 | <i>993</i> |
| Concerned about Being Committed/Having to Take Medicine | 2,031 | <i>2,793</i> | 1,077 | <i>1,329</i> | 952 | <i>1,457</i> |
| Did Not Feel Need for Treatment at the Time | 1,685 | <i>2,082</i> | 885 | <i>745</i> | 801 | <i>1,337</i> |
| Thought Could Handle the Problem Without Treatment | 4,579 | <i>5,449</i> | 2,052 | <i>2,145</i> | 2,526 | <i>3,296</i> |
| Treatment Would Not Help | 1,893 | <i>2,414</i> | 1,032 | <i>911</i> | 862 | <i>1,496</i> |
| Did Not Have Time | 3,553 | <i>3,934</i> | 1,861 | <i>1,881</i> | 1,686 | <i>2,042</i> |
| Did Not Want Others to Find Out | 1,103 | <i>1,418</i> | 436 | <i>438</i> | 667 | <i>980</i> |
| No Transportation/Inconvenient | 920 | <i>1,043</i> | 597 | <i>685</i> | 323 | <i>344</i> |
| COVID-19-Related ⁴ | -- | <i>467</i> | -- | <i>246</i> | -- | <i>221</i> |
| Some Other Reason ⁵ | 1,906 | <i>2,269</i> | 1,183 | <i>1,232</i> | 720 | <i>1,026</i> |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Perceived unmet need for mental health services is defined as a perceived need for treatment/counseling that was not received. Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

¹ Respondents could indicate multiple reasons for not receiving mental health services; thus, these response categories are not mutually exclusive.

² The Total column includes respondents with unknown mental health services information.

³ Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

⁴ Respondents were permitted to specify other reasons for not receiving mental health services. Reasons related to COVID-19 were collectively the most common write-in response.

⁵ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Services were classified as having provided a "no" response for some other reason.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.33B Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services, Percentages, 2019 and 2020

| Reason Did Not Receive Mental Health Services ¹ | Total ² | | MENTAL HEALTH SERVICES ³ | | | |
|---|--------------------|--------------|-------------------------------------|--------------|--------------|--------------|
| | | | Received | | Not Received | |
| | 2019 | 2020 | 2019 | 2020 | 2019 | 2020 |
| TOTAL POPULATION | 100.0 | <i>100.0</i> | 100.0 | <i>100.0</i> | 100.0 | <i>100.0</i> |
| Could Not Afford Cost | 40.6 | <i>38.3</i> | 40.6 | <i>35.3</i> | 40.8 | <i>40.8</i> |
| Might Cause Neighbors/Community to Have Negative Opinion | 10.0 | <i>10.9</i> | 8.8 | <i>8.2</i> | 11.3 | <i>13.3</i> |
| Might Have Negative Effect on Job | 9.0 | <i>8.9</i> | 8.0 | <i>8.5</i> | 10.2 | <i>9.3</i> |
| Health Insurance Does Not Cover Any Mental Health Services | 7.5 | <i>8.6</i> | 6.7 | <i>7.7</i> | 8.4 | <i>9.2</i> |
| Health Insurance Does Not Pay Enough for Mental Health Services | 15.2 | <i>17.3</i> | 16.9 | <i>17.1</i> | 13.4 | <i>17.4</i> |
| Did Not Know Where to Go for Services | 24.4 | <i>27.8</i> | 18.8 | <i>23.6</i> | 30.5 | <i>31.5</i> |
| Concerned about Confidentiality | 8.7 | <i>9.1</i> | 7.5 | <i>8.4</i> | 10.0 | <i>9.6</i> |
| Concerned about Being Committed/Having to Take Medicine | 12.3 | <i>14.4</i> | 12.6 | <i>14.6</i> | 12.0 | <i>14.2</i> |
| Did Not Feel Need for Treatment at the Time | 10.2 | <i>10.7</i> | 10.4 | <i>8.2</i> | 10.1 | <i>13.0</i> |
| Thought Could Handle the Problem Without Treatment | 27.8 | <i>28.0</i> | 24.0 | <i>23.5</i> | 31.9 | <i>32.0</i> |
| Treatment Would Not Help | 11.5 | <i>12.4</i> | 12.1 | <i>10.0</i> | 10.9 | <i>14.5</i> |
| Did Not Have Time | 21.6 | <i>20.2</i> | 21.8 | <i>20.6</i> | 21.3 | <i>19.8</i> |
| Did Not Want Others to Find Out | 6.7 | <i>7.3</i> | 5.1 | <i>4.8</i> | 8.4 | <i>9.5</i> |
| No Transportation/Inconvenient | 5.6 | <i>5.4</i> | 7.0 | <i>7.5</i> | 4.1 | <i>3.3</i> |
| COVID-19-Related ⁴ | -- | <i>2.4</i> | -- | <i>2.7</i> | -- | <i>2.1</i> |
| Some Other Reason ⁵ | 11.6 | <i>11.6</i> | 13.9 | <i>13.5</i> | 9.1 | <i>9.9</i> |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Perceived unmet need for mental health services is defined as a perceived need for treatment/counseling that was not received. Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

¹ Respondents could indicate multiple reasons for not receiving mental health services; thus, these response categories are not mutually exclusive.

² The Total column includes respondents with unknown mental health services information.

³ Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

⁴ Respondents were permitted to specify other reasons for not receiving mental health services. Reasons related to COVID-19 were collectively the most common write-in response.

⁵ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Services were classified as having provided a "no" response for some other reason.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.34A Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services, Numbers in Thousands, 2019 and 2020

| Reason Did Not Receive Mental Health Services ¹ | Total ² | | MENTAL HEALTH SERVICES ³ | | | |
|--|--------------------|--------|-------------------------------------|-------|--------------|-------|
| | | | Received | | Not Received | |
| | 2019 | 2020 | 2019 | 2020 | 2019 | 2020 |
| TOTAL POPULATION | 13,321 | 16,083 | 7,480 | 8,342 | 5,826 | 7,709 |
| Could Not Afford Cost | 5,744 | 6,544 | 3,198 | 3,073 | 2,547 | 3,449 |
| Might Cause Neighbors/Community to Have Negative Opinion | 1,404 | 1,728 | 703 | 669 | 696 | 1,049 |
| Might Have Negative Effect on Job | 1,327 | 1,534 | 651 | 743 | 676 | 789 |
| Health Insurance Does Not Cover Any Mental Health Services | 1,033 | 1,416 | 519 | 561 | 513 | 844 |
| Health Insurance Does Not Pay Enough for Mental Health Services | 2,116 | 2,969 | 1,262 | 1,476 | 853 | 1,487 |
| Did Not Know Where to Go for Services | 3,315 | 4,573 | 1,394 | 2,050 | 1,920 | 2,515 |
| Concerned about Confidentiality | 1,281 | 1,514 | 602 | 732 | 679 | 774 |
| Concerned about Being Committed/Having to Take Medicine | 1,892 | 2,647 | 1,030 | 1,396 | 861 | 1,243 |
| Did Not Feel Need for Treatment at the Time Thought Could Handle the Problem Without Treatment | 1,241 | 1,544 | 712 | 663 | 529 | 882 |
| Treatment Would Not Help | 3,516 | 4,190 | 1,749 | 1,897 | 1,767 | 2,285 |
| Did Not Have Time | 1,694 | 2,065 | 952 | 818 | 741 | 1,241 |
| Did Not Want Others to Find Out | 2,822 | 2,907 | 1,654 | 1,549 | 1,162 | 1,346 |
| No Transportation/Inconvenient | 994 | 1,188 | 422 | 418 | 573 | 770 |
| COVID-19-Related ⁴ | -- | 464 | -- | 299 | -- | 165 |
| Some Other Reason ⁵ | 1,544 | 1,842 | 1,031 | 1,100 | 509 | 730 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

NOTE: Perceived unmet need for mental health services is defined as a perceived need for treatment/counseling that was not received. Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

¹ Respondents could indicate multiple reasons for not receiving mental health services; thus, these response categories are not mutually exclusive.

² The Total column includes respondents with unknown mental health services information.

³ Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

⁴ Respondents were permitted to specify other reasons for not receiving mental health services. Reasons related to COVID-19 were collectively the most common write-in response.

⁵ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Services were classified as having provided a “no” response for some other reason.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.34B Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Any Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services, Percentages, 2019 and 2020

| Reason Did Not Receive Mental Health Services ¹ | Total ² | | MENTAL HEALTH SERVICES ³ | | | |
|---|--------------------|--------------|-------------------------------------|--------------|--------------|--------------|
| | | | Received | | Not Received | |
| | 2019 | 2020 | 2019 | 2020 | 2019 | 2020 |
| TOTAL POPULATION | 100.0 | <i>100.0</i> | 100.0 | <i>100.0</i> | 100.0 | <i>100.0</i> |
| Could Not Afford Cost | 43.3 | <i>41.0</i> | 42.9 | <i>37.3</i> | 43.9 | <i>44.9</i> |
| Might Cause Neighbors/Community to Have Negative Opinion | 10.6 | <i>10.8</i> | 9.4 | <i>8.1</i> | 12.0 | <i>13.7</i> |
| Might Have Negative Effect on Job | 10.0 | <i>9.6</i> | 8.7 | <i>9.0</i> | 11.7 | <i>10.3</i> |
| Health Insurance Does Not Cover Any Mental Health Services | 7.8 | <i>8.9</i> | 7.0 | <i>6.8</i> | 8.8 | <i>11.0</i> |
| Health Insurance Does Not Pay Enough for Mental Health Services | 15.9 | <i>18.6</i> | 16.9 | <i>17.9</i> | 14.7 | <i>19.4</i> |
| Did Not Know Where to Go for Services | 25.0 | <i>28.7</i> | 18.7 | <i>24.9</i> | 33.1 | <i>32.7</i> |
| Concerned about Confidentiality | 9.6 | <i>9.5</i> | 8.1 | <i>8.9</i> | 11.7 | <i>10.1</i> |
| Concerned about Being Committed/Having to Take Medicine | 14.2 | <i>16.6</i> | 13.8 | <i>17.0</i> | 14.8 | <i>16.2</i> |
| Did Not Feel Need for Treatment at the Time | 9.3 | <i>9.7</i> | 9.5 | <i>8.0</i> | 9.1 | <i>11.5</i> |
| Thought Could Handle the Problem Without Treatment | 26.5 | <i>26.3</i> | 23.5 | <i>23.0</i> | 30.5 | <i>29.7</i> |
| Treatment Would Not Help | 12.8 | <i>13.0</i> | 12.8 | <i>9.9</i> | 12.8 | <i>16.2</i> |
| Did Not Have Time | 21.3 | <i>18.2</i> | 22.2 | <i>18.8</i> | 20.0 | <i>17.5</i> |
| Did Not Want Others to Find Out | 7.5 | <i>7.4</i> | 5.7 | <i>5.1</i> | 9.9 | <i>10.0</i> |
| No Transportation/Inconvenient | 6.3 | <i>6.6</i> | 7.6 | <i>8.8</i> | 4.7 | <i>4.1</i> |
| COVID-19-Related ⁴ | -- | <i>2.9</i> | -- | <i>3.6</i> | -- | <i>2.1</i> |
| Some Other Reason ⁵ | 11.6 | <i>11.5</i> | 13.8 | <i>13.4</i> | 8.8 | <i>9.5</i> |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

NOTE: Perceived unmet need for mental health services is defined as a perceived need for treatment/counseling that was not received. Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

¹ Respondents could indicate multiple reasons for not receiving mental health services; thus, these response categories are not mutually exclusive.

² The Total column includes respondents with unknown mental health services information.

³ Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

⁴ Respondents were permitted to specify other reasons for not receiving mental health services. Reasons related to COVID-19 were collectively the most common write-in response.

⁵ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Services were classified as having provided a “no” response for some other reason.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.35A Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services, Numbers in Thousands, 2019 and 2020

| Reason Did Not Receive Mental Health Services ¹ | Total ² | | MENTAL HEALTH SERVICES ³ | | | |
|---|--------------------|--------------|-------------------------------------|--------------|--------------|--------------|
| | | | Received | | Not Received | |
| | 2019 | 2020 | 2019 | 2020 | 2019 | 2020 |
| TOTAL POPULATION | 6,233 | <i>7,048</i> | 4,186 | <i>4,392</i> | 2,046 | <i>2,647</i> |
| Could Not Afford Cost | 2,923 | <i>3,223</i> | 1,864 | <i>1,915</i> | 1,059 | <i>1,306</i> |
| Might Cause Neighbors/Community to Have Negative Opinion | 715 | <i>798</i> | 450 | <i>309</i> | 265 | <i>486</i> |
| Might Have Negative Effect on Job | 780 | <i>836</i> | 441 | <i>498</i> | 339 | <i>338</i> |
| Health Insurance Does Not Cover Any Mental Health Services | 473 | <i>640</i> | 272 | <i>324</i> | 201 | <i>316</i> |
| Health Insurance Does Not Pay Enough for Mental Health Services | 1,065 | <i>1,348</i> | 717 | <i>869</i> | 348 | <i>478</i> |
| Did Not Know Where to Go for Services | 1,547 | <i>2,055</i> | 793 | <i>1,169</i> | 753 | <i>884</i> |
| Concerned about Confidentiality | 735 | <i>819</i> | 390 | <i>512</i> | 345 | <i>305</i> |
| Concerned about Being Committed/Having to Take Medicine | 1,240 | <i>1,756</i> | 760 | <i>1,072</i> | 478 | <i>683</i> |
| Did Not Feel Need for Treatment at the Time | 505 | <i>507</i> | 332 | <i>298</i> | 173 | <i>209</i> |
| Thought Could Handle the Problem Without Treatment | 1,479 | <i>1,662</i> | 921 | <i>1,002</i> | 558 | <i>660</i> |
| Treatment Would Not Help | 842 | <i>926</i> | 564 | <i>480</i> | 277 | <i>446</i> |
| Did Not Have Time | 1,182 | <i>1,096</i> | 804 | <i>694</i> | 378 | <i>397</i> |
| Did Not Want Others to Find Out | 449 | <i>495</i> | 258 | <i>232</i> | 190 | <i>263</i> |
| No Transportation/Inconvenient | 459 | <i>411</i> | 325 | <i>304</i> | 135 | <i>107</i> |
| COVID-19-Related ⁴ | -- | <i>179</i> | -- | <i>63</i> | -- | <i>*</i> |
| Some Other Reason ⁵ | 871 | <i>850</i> | 636 | <i>620</i> | 235 | <i>225</i> |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

NOTE: Perceived unmet need for mental health services is defined as a perceived need for treatment/counseling that was not received. Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

¹ Respondents could indicate multiple reasons for not receiving mental health services; thus, these response categories are not mutually exclusive.

² The Total column includes respondents with unknown mental health services information.

³ Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

⁴ Respondents were permitted to specify other reasons for not receiving mental health services. Reasons related to COVID-19 were collectively the most common write-in response.

⁵ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Services were classified as having provided a “no” response for some other reason.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

Table 8.35B Detailed Reasons for Not Receiving Mental Health Services in Past Year: Among People Aged 18 or Older with Past Year Serious Mental Illness and a Perceived Unmet Need for Mental Health Services in Past Year; by Receipt of Past Year Mental Health Services, Percentages, 2019 and 2020

| Reason Did Not Receive Mental Health Services ¹ | Total ² | | MENTAL HEALTH SERVICES ³ | | | |
|---|--------------------|--------------|-------------------------------------|--------------|--------------|--------------|
| | | | Received | | Not Received | |
| | 2019 | 2020 | 2019 | 2020 | 2019 | 2020 |
| TOTAL POPULATION | 100.0 | <i>100.0</i> | 100.0 | <i>100.0</i> | 100.0 | <i>100.0</i> |
| Could Not Afford Cost | 46.9 | <i>45.8</i> | 44.6 | <i>43.6</i> | 51.8 | <i>49.5</i> |
| Might Cause Neighbors/Community to Have Negative Opinion | 11.5 | <i>11.3</i> | 10.8 | <i>7.0</i> | 12.9 | <i>18.4</i> |
| Might Have Negative Effect on Job | 12.5 | <i>11.9</i> | 10.5 | <i>11.4</i> | 16.6 | <i>12.8</i> |
| Health Insurance Does Not Cover Any Mental Health Services | 7.6 | <i>9.1</i> | 6.5 | <i>7.4</i> | 9.8 | <i>12.0</i> |
| Health Insurance Does Not Pay Enough for Mental Health Services | 17.1 | <i>19.1</i> | 17.1 | <i>19.8</i> | 17.0 | <i>18.1</i> |
| Did Not Know Where to Go for Services | 24.8 | <i>29.2</i> | 19.0 | <i>26.6</i> | 36.8 | <i>33.5</i> |
| Concerned about Confidentiality | 11.8 | <i>11.6</i> | 9.3 | <i>11.7</i> | 16.9 | <i>11.6</i> |
| Concerned about Being Committed/Having to Take Medicine | 19.9 | <i>24.9</i> | 18.2 | <i>24.4</i> | 23.4 | <i>25.9</i> |
| Did Not Feel Need for Treatment at the Time | 8.1 | <i>7.2</i> | 7.9 | <i>6.8</i> | 8.5 | <i>7.9</i> |
| Thought Could Handle the Problem Without Treatment | 23.7 | <i>23.6</i> | 22.0 | <i>22.8</i> | 27.3 | <i>25.0</i> |
| Treatment Would Not Help | 13.5 | <i>13.2</i> | 13.5 | <i>10.9</i> | 13.6 | <i>16.9</i> |
| Did Not Have Time | 19.0 | <i>15.6</i> | 19.2 | <i>15.8</i> | 18.5 | <i>15.0</i> |
| Did Not Want Others to Find Out | 7.2 | <i>7.0</i> | 6.2 | <i>5.3</i> | 9.3 | <i>10.0</i> |
| No Transportation/Inconvenient | 7.4 | <i>5.8</i> | 7.8 | <i>6.9</i> | 6.6 | <i>4.0</i> |
| COVID-19-Related ⁴ | -- | <i>2.5</i> | -- | <i>1.4</i> | -- | <i>*</i> |
| Some Other Reason ⁵ | 14.0 | <i>12.1</i> | 15.2 | <i>14.1</i> | 11.5 | <i>8.5</i> |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Estimates in this table for 2020 exclude a subset of respondents who did not complete the questionnaire. The analysis weights and estimates were adjusted for the reduced sample size. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

NOTE: Perceived unmet need for mental health services is defined as a perceived need for treatment/counseling that was not received. Perception of unmet need was asked of all respondents regardless of their mental health. Respondents with unknown perception of unmet need information were excluded.

¹ Respondents could indicate multiple reasons for not receiving mental health services; thus, these response categories are not mutually exclusive.

² The Total column includes respondents with unknown mental health services information.

³ Mental Health Services for adults includes inpatient treatment/counseling, outpatient treatment/counseling, or use of prescription medication for problems with emotions, nerves, or mental health. Respondents with unknown mental health service information were excluded. Questions on virtual services were added in Quarter 4 of 2020. Estimates in this table do not include data from these questions. Data on virtual services are included at the end of this section. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

⁴ Respondents were permitted to specify other reasons for not receiving mental health services. Reasons related to COVID-19 were collectively the most common write-in response.

⁵ Respondents with unknown or invalid responses to the other-specify question on Some Other Reason for Not Receiving Mental Health Services were classified as having provided a “no” response for some other reason.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.