

**Table 6.3A Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2021**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 18+ (2021)</b>	<b>Aged 18-25 (2021)</b>	<b>Aged 26+ (2021)</b>	<b>Aged 26-49 (2021)</b>	<b>Aged 50+ (2021)</b>
<b>TOTAL</b>	57,805	11,265	46,539	28,793	17,746
<b>GEOGRAPHIC REGION</b>					
Northeast	9,121	1,812	7,309	4,668	2,642
Midwest	12,150	2,523	9,627	6,188	3,440
South	21,998	4,155	17,843	10,646	7,197
West	14,535	2,776	11,760	7,291	4,468
<b>COUNTY TYPE</b>					
Large Metro	30,646	6,019	24,627	15,955	8,672
Small Metro	18,586	3,766	14,820	8,981	5,839
Nonmetro	8,573	1,481	7,092	3,857	3,235
Urbanized	3,443	753	2,691	1,618	1,072
Less Urbanized	4,218	617	3,602	1,902	1,700
Completely Rural	911	*	799	336	463
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	10,913	2,768	8,144	4,719	3,425
100-199%	13,237	2,749	10,488	5,857	4,631
200% or More	33,613	5,706	27,907	18,217	9,690
<b>EDUCATION LEVEL</b>					
< High School	5,778	1,060	4,718	2,129	2,589
High School Graduate	13,968	3,229	10,739	5,857	4,882
Some College/Associate's Degree	20,674	5,250	15,424	9,702	5,722
College Graduate	17,385	1,727	15,658	11,105	4,554
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	31,784	6,810	24,974	16,182	8,792
Medicaid/CHIP	14,666	2,674	11,992	7,502	4,490
Other <sup>3</sup>	13,925	909	13,016	3,462	9,554
No Coverage	6,146	1,392	4,754	3,771	983

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.3B Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2021**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 18+ (2021)</b>	<b>Aged 18-25 (2021)</b>	<b>Aged 26+ (2021)</b>	<b>Aged 26-49 (2021)</b>	<b>Aged 50+ (2021)</b>
<b>TOTAL</b>	22.8	33.7	21.1	28.1	15.0
<b>GEOGRAPHIC REGION</b>					
Northeast	20.4	31.7	18.7	26.8	12.2
Midwest	23.1	35.5	21.2	30.1	13.8
South	22.8	32.7	21.3	27.4	16.1
West	24.2	35.0	22.6	28.6	16.8
<b>COUNTY TYPE</b>					
Large Metro	22.1	33.5	20.4	27.2	14.0
Small Metro	24.0	34.4	22.2	29.7	16.0
Nonmetro	22.7	32.8	21.4	28.5	16.4
Urbanized	24.0	38.8	21.7	31.4	14.8
Less Urbanized	21.8	29.1	21.0	27.1	16.7
Completely Rural	22.4	*	22.2	24.9	20.5
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	29.0	32.5	28.0	30.4	25.2
100-199%	26.3	34.7	24.8	29.2	20.8
200% or More	20.3	33.7	18.7	27.3	11.8
<b>EDUCATION LEVEL</b>					
< High School	20.1	28.3	18.9	21.5	17.2
High School Graduate	20.0	30.4	18.1	24.1	14.0
Some College/Associate's Degree	26.8	37.3	24.5	32.5	17.3
College Graduate	22.2	34.4	21.4	29.1	13.0
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	20.6	35.8	18.4	25.9	12.0
Medicaid/CHIP	31.5	31.6	31.5	34.8	27.3
Other <sup>3</sup>	18.5	35.9	17.9	38.2	15.0
No Coverage	24.2	27.9	23.2	25.7	16.9

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.6A Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2021**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 18+ (2021)</b>	<b>Aged 18-25 (2021)</b>	<b>Aged 26+ (2021)</b>	<b>Aged 26-49 (2021)</b>	<b>Aged 50+ (2021)</b>
<b>TOTAL</b>	14,087	3,822	10,264	7,256	3,008
<b>GEOGRAPHIC REGION</b>					
Northeast	2,079	563	1,516	1,137	379
Midwest	2,935	798	2,137	1,615	521
South	5,428	1,474	3,954	2,672	1,282
West	3,644	987	2,657	1,831	826
<b>COUNTY TYPE</b>					
Large Metro	6,932	1,982	4,950	3,614	1,336
Small Metro	4,956	1,308	3,648	2,590	1,058
Nonmetro	2,199	533	1,666	1,052	614
Urbanized	923	262	661	490	172
Less Urbanized	1,099	214	885	497	388
Completely Rural	177	58	119	65	54
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	3,079	903	2,176	1,407	769
100-199%	3,391	1,028	2,363	1,616	747
200% or More	7,614	1,888	5,726	4,233	1,493
<b>EDUCATION LEVEL</b>					
< High School	1,231	325	906	483	423
High School Graduate	3,335	1,184	2,152	1,319	833
Some College/Associate's Degree	6,048	1,850	4,198	3,061	1,137
College Graduate	3,473	464	3,009	2,393	615
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	7,014	2,319	4,695	3,587	1,109
Medicaid/CHIP	3,986	886	3,100	2,164	936
Other <sup>3</sup>	3,001	298	2,703	1,130	1,574
No Coverage	1,670	468	1,202	1,001	202

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.6B Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2021**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 18+ (2021)</b>	<b>Aged 18-25 (2021)</b>	<b>Aged 26+ (2021)</b>	<b>Aged 26-49 (2021)</b>	<b>Aged 50+ (2021)</b>
<b>TOTAL</b>	5.5	11.4	4.7	7.1	2.5
<b>GEOGRAPHIC REGION</b>					
Northeast	4.6	9.8	3.9	6.5	1.7
Midwest	5.6	11.2	4.7	7.9	2.1
South	5.6	11.6	4.7	6.9	2.9
West	6.1	12.4	5.1	7.2	3.1
<b>COUNTY TYPE</b>					
Large Metro	5.0	11.0	4.1	6.2	2.2
Small Metro	6.4	11.9	5.5	8.6	2.9
Nonmetro	5.8	11.8	5.0	7.8	3.1
Urbanized	6.4	13.5	5.3	9.5	2.4
Less Urbanized	5.7	10.1	5.1	7.1	3.8
Completely Rural	4.4	12.7	3.3	4.8	2.4
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	8.2	10.6	7.5	9.1	5.7
100-199%	6.7	13.0	5.6	8.1	3.3
200% or More	4.6	11.2	3.8	6.3	1.8
<b>EDUCATION LEVEL</b>					
< High School	4.3	8.7	3.6	4.9	2.8
High School Graduate	4.8	11.1	3.6	5.4	2.4
Some College/Associate's Degree	7.9	13.1	6.7	10.2	3.4
College Graduate	4.4	9.2	4.1	6.3	1.8
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	4.5	12.2	3.5	5.7	1.5
Medicaid/CHIP	8.6	10.5	8.2	10.0	5.7
Other <sup>3</sup>	4.0	11.8	3.7	12.5	2.5
No Coverage	6.6	9.4	5.9	6.8	3.5

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.10A Co-Occurring Substance Use Disorder and Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2021**

Geographic/Socioeconomic Characteristic	Aged 18+ (2021)	Aged 18-25 (2021)	Aged 26+ (2021)	Aged 26-49 (2021)	Aged 50+ (2021)
<b>TOTAL</b>	19,375	4,508	14,867	10,471	4,396
<b>GEOGRAPHIC REGION</b>					
Northeast	2,882	699	2,183	1,575	608
Midwest	4,154	1,037	3,118	2,204	913
South	7,123	1,551	5,572	3,821	1,750
West	5,216	1,221	3,995	2,870	1,124
<b>COUNTY TYPE</b>					
Large Metro	10,649	2,381	8,268	6,062	2,205
Small Metro	5,854	1,527	4,326	3,056	1,270
Nonmetro	2,873	600	2,273	1,352	921
Urbanized	1,186	305	881	579	301
Less Urbanized	1,345	243	1,102	626	476
Completely Rural	342	52	290	146	144
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	3,873	1,111	2,762	1,873	889
100-199%	4,746	1,146	3,600	2,286	1,315
200% or More	10,750	2,246	8,505	6,311	2,193
<b>EDUCATION LEVEL</b>					
< High School	2,008	401	1,607	906	701
High School Graduate	4,801	1,343	3,457	2,329	1,128
Some College/Associate's Degree	7,736	2,080	5,656	4,007	1,649
College Graduate	4,830	684	4,146	3,229	917
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	9,346	2,659	6,687	4,745	1,942
Medicaid/CHIP	5,980	1,061	4,918	3,444	1,474
Other <sup>3</sup>	3,931	447	3,484	1,471	2,013
No Coverage	2,343	548	1,795	1,624	171

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder estimates are based on DSM-5 criteria. Beginning with the 2021 NSDUH, questions on prescription drug use disorder were asked of all past year users of prescription drugs, regardless of whether they misused prescription drugs. The estimates in this table include prescription drug use disorder data from all past year users of prescription drugs. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Drug use includes the use of marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine in the past year or any use (i.e., not necessarily misuse) of prescription pain relievers, tranquilizers, stimulants, or sedatives in the past year.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.10B Co-Occurring Substance Use Disorder and Any Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2021**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 18+ (2021)</b>	<b>Aged 18-25 (2021)</b>	<b>Aged 26+ (2021)</b>	<b>Aged 26-49 (2021)</b>	<b>Aged 50+ (2021)</b>
<b>TOTAL</b>	7.6	13.5	6.7	10.2	3.7
<b>GEOGRAPHIC REGION</b>					
Northeast	6.4	12.2	5.6	9.1	2.8
Midwest	7.9	14.6	6.9	10.7	3.7
South	7.4	12.2	6.7	9.8	3.9
West	8.7	15.4	7.7	11.3	4.2
<b>COUNTY TYPE</b>					
Large Metro	7.7	13.2	6.9	10.3	3.6
Small Metro	7.5	13.9	6.5	10.1	3.5
Nonmetro	7.6	13.3	6.8	10.0	4.7
Urbanized	8.3	15.7	7.1	11.2	4.2
Less Urbanized	7.0	11.4	6.4	8.9	4.7
Completely Rural	8.4	11.4	8.0	10.8	6.4
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	10.3	13.1	9.5	12.1	6.5
100-199%	9.4	14.5	8.5	11.4	5.9
200% or More	6.5	13.3	5.7	9.5	2.7
<b>EDUCATION LEVEL</b>					
< High School	7.0	10.7	6.4	9.1	4.6
High School Graduate	6.9	12.6	5.8	9.6	3.2
Some College/Associate's Degree	10.0	14.8	9.0	13.4	5.0
College Graduate	6.2	13.6	5.7	8.5	2.6
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	6.1	14.0	4.9	7.6	2.7
Medicaid/CHIP	12.9	12.5	12.9	16.0	9.0
Other <sup>3</sup>	5.2	17.7	4.8	16.2	3.2
No Coverage	9.2	11.0	8.8	11.1	2.9

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder estimates are based on DSM-5 criteria. Beginning with the 2021 NSDUH, questions on prescription drug use disorder were asked of all past year users of prescription drugs, regardless of whether they misused prescription drugs. The estimates in this table include prescription drug use disorder data from all past year users of prescription drugs. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Drug use includes the use of marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine in the past year or any use (i.e., not necessarily misuse) of prescription pain relievers, tranquilizers, stimulants, or sedatives in the past year.

NOTE: Any Mental Illness (AMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.12A Co-Occurring Substance Use Disorder and Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2021**

Geographic/Socioeconomic Characteristic	Aged 18+ (2021)	Aged 18-25 (2021)	Aged 26+ (2021)	Aged 26-49 (2021)	Aged 50+ (2021)
<b>TOTAL</b>	6,376	1,802	4,573	3,370	1,203
<b>GEOGRAPHIC REGION</b>					
Northeast	908	268	640	515	125
Midwest	1,290	395	896	696	200
South	2,395	647	1,748	1,187	560
West	1,783	493	1,290	972	318
<b>COUNTY TYPE</b>					
Large Metro	3,105	910	2,194	1,718	476
Small Metro	2,255	642	1,613	1,231	382
Nonmetro	1,016	250	766	422	344
Urbanized	407	118	289	202	87
Less Urbanized	511	99	412	183	229
Completely Rural	98	33	65	37	28
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	1,500	461	1,039	703	336
100-199%	1,615	497	1,119	770	348
200% or More	3,260	844	2,416	1,897	519
<b>EDUCATION LEVEL</b>					
< High School	615	127	488	256	232
High School Graduate	1,579	575	1,003	681	322
Some College/Associate's Degree	2,795	875	1,920	1,503	417
College Graduate	1,386	225	1,162	931	231
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	2,607	991	1,615	1,239	376
Medicaid/CHIP	2,119	449	1,669	1,221	448
Other <sup>3</sup>	1,403	160	1,243	638	605
No Coverage	918	258	660	548	112

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder estimates are based on DSM-5 criteria. Beginning with the 2021 NSDUH, questions on prescription drug use disorder were asked of all past year users of prescription drugs, regardless of whether they misused prescription drugs. The estimates in this table include prescription drug use disorder data from all past year users of prescription drugs. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Drug use includes the use of marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine in the past year or any use (i.e., not necessarily misuse) of prescription pain relievers, tranquilizers, stimulants, or sedatives in the past year.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.12B Co-Occurring Substance Use Disorder and Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2021**

Geographic/Socioeconomic Characteristic	Aged 18+ (2021)	Aged 18-25 (2021)	Aged 26+ (2021)	Aged 26-49 (2021)	Aged 50+ (2021)
<b>TOTAL</b>	2.5	5.4	2.1	3.3	1.0
<b>GEOGRAPHIC REGION</b>					
Northeast	2.0	4.7	1.6	3.0	0.6
Midwest	2.5	5.6	2.0	3.4	0.8
South	2.5	5.1	2.1	3.1	1.2
West	3.0	6.2	2.5	3.8	1.2
<b>COUNTY TYPE</b>					
Large Metro	2.2	5.1	1.8	2.9	0.8
Small Metro	2.9	5.9	2.4	4.1	1.0
Nonmetro	2.7	5.5	2.3	3.1	1.7
Urbanized	2.8	6.1	2.3	3.9	1.2
Less Urbanized	2.6	4.6	2.4	2.6	2.3
Completely Rural	2.4	7.3	1.8	2.7	1.2
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	4.0	5.4	3.6	4.5	2.5
100-199%	3.2	6.3	2.6	3.8	1.6
200% or More	2.0	5.0	1.6	2.8	0.6
<b>EDUCATION LEVEL</b>					
< High School	2.1	3.4	2.0	2.6	1.5
High School Graduate	2.3	5.4	1.7	2.8	0.9
Some College/Associate's Degree	3.6	6.2	3.1	5.0	1.3
College Graduate	1.8	4.5	1.6	2.4	0.7
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	1.7	5.2	1.2	2.0	0.5
Medicaid/CHIP	4.6	5.3	4.4	5.7	2.7
Other <sup>3</sup>	1.9	6.3	1.7	7.0	1.0
No Coverage	3.6	5.2	3.2	3.7	1.9

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder estimates are based on DSM-5 criteria. Beginning with the 2021 NSDUH, questions on prescription drug use disorder were asked of all past year users of prescription drugs, regardless of whether they misused prescription drugs. The estimates in this table include prescription drug use disorder data from all past year users of prescription drugs. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Drug use includes the use of marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine in the past year or any use (i.e., not necessarily misuse) of prescription pain relievers, tranquilizers, stimulants, or sedatives in the past year.

NOTE: Serious Mental Illness (SMI) aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.



**Table 6.14A Co-Occurring Substance Use Disorder and Any Mental Illness Excluding Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Numbers in Thousands, 2021**

<b>Geographic/Socioeconomic Characteristic</b>	<b>Aged 18+ (2021)</b>	<b>Aged 18-25 (2021)</b>	<b>Aged 26+ (2021)</b>	<b>Aged 26-49 (2021)</b>	<b>Aged 50+ (2021)</b>
<b>TOTAL</b>	12,999	2,705	10,294	7,100	3,194
<b>GEOGRAPHIC REGION</b>					
Northeast	1,974	431	1,543	1,060	483
Midwest	2,864	642	2,222	1,509	713
South	4,728	904	3,824	2,634	1,190
West	3,433	728	2,705	1,898	807
<b>COUNTY TYPE</b>					
Large Metro	7,544	1,470	6,073	4,344	1,729
Small Metro	3,599	885	2,714	1,826	888
Nonmetro	1,857	350	1,507	930	577
Urbanized	778	187	591	377	214
Less Urbanized	834	144	690	443	247
Completely Rural	244	19	226	110	116
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	2,373	650	1,723	1,170	553
100-199%	3,131	649	2,482	1,516	966
200% or More	7,490	1,401	6,089	4,414	1,674
<b>EDUCATION LEVEL</b>					
< High School	1,392	274	1,119	649	469
High School Graduate	3,222	768	2,454	1,648	806
Some College/Associate's Degree	4,941	1,205	3,736	2,504	1,232
College Graduate	3,444	459	2,985	2,298	686
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	6,739	1,668	5,072	3,506	1,566
Medicaid/CHIP	3,861	612	3,249	2,223	1,026
Other <sup>3</sup>	2,528	287	2,241	833	1,408
No Coverage	1,425	290	1,135	1,076	59

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder estimates are based on DSM-5 criteria. Beginning with the 2021 NSDUH, questions on prescription drug use disorder were asked of all past year users of prescription drugs, regardless of whether they misused prescription drugs. The estimates in this table include prescription drug use disorder data from all past year users of prescription drugs. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Drug use includes the use of marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine in the past year or any use (i.e., not necessarily misuse) of prescription pain relievers, tranquilizers, stimulants, or sedatives in the past year.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.

**Table 6.14B Co-Occurring Substance Use Disorder and Any Mental Illness Excluding Serious Mental Illness in Past Year: Among People Aged 18 or Older; by Age Group and Geographic and Socioeconomic Characteristics, Percentages, 2021**

Geographic/Socioeconomic Characteristic	Aged 18+ (2021)	Aged 18-25 (2021)	Aged 26+ (2021)	Aged 26-49 (2021)	Aged 50+ (2021)
<b>TOTAL</b>	5.1	8.1	4.7	6.9	2.7
<b>GEOGRAPHIC REGION</b>					
Northeast	4.4	7.5	4.0	6.1	2.2
Midwest	5.5	9.0	4.9	7.3	2.9
South	4.9	7.1	4.6	6.8	2.7
West	5.7	9.2	5.2	7.5	3.0
<b>COUNTY TYPE</b>					
Large Metro	5.4	8.2	5.0	7.4	2.8
Small Metro	4.6	8.1	4.1	6.0	2.4
Nonmetro	4.9	7.7	4.5	6.9	2.9
Urbanized	5.4	9.6	4.8	7.3	2.9
Less Urbanized	4.3	6.8	4.0	6.3	2.4
Completely Rural	6.0	4.1	6.3	8.1	5.1
<b>POVERTY LEVEL<sup>1</sup></b>					
Less Than 100%	6.3	7.6	5.9	7.5	4.1
100-199%	6.2	8.2	5.9	7.6	4.3
200% or More	4.5	8.3	4.1	6.6	2.0
<b>EDUCATION LEVEL</b>					
< High School	4.8	7.3	4.5	6.5	3.1
High School Graduate	4.6	7.2	4.1	6.8	2.3
Some College/Associate's Degree	6.4	8.6	5.9	8.4	3.7
College Graduate	4.4	9.1	4.1	6.0	2.0
<b>HEALTH INSURANCE<sup>2</sup></b>					
Private	4.4	8.8	3.7	5.6	2.1
Medicaid/CHIP	8.3	7.2	8.5	10.3	6.2
Other <sup>3</sup>	3.4	11.3	3.1	9.2	2.2
No Coverage	5.6	5.8	5.5	7.3	1.0

\* = low precision; -- = not available; da = does not apply; nr = not reported due to measurement issues.

NOTE: Estimates from years prior to 2021 are not shown because of methodological changes in 2021. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Substance use disorder estimates are based on DSM-5 criteria. Beginning with the 2021 NSDUH, questions on prescription drug use disorder were asked of all past year users of prescription drugs, regardless of whether they misused prescription drugs. The estimates in this table include prescription drug use disorder data from all past year users of prescription drugs. See the *2021 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details on these changes.

NOTE: Drug use includes the use of marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine in the past year or any use (i.e., not necessarily misuse) of prescription pain relievers, tranquilizers, stimulants, or sedatives in the past year.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

<sup>1</sup> Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>3</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2021.