

States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024						
Table	Age Group	Quintile 1	Quintile 2	Quintile 3	Quintile 4	Quintile 5
Table 1: Illicit Drug Use in the Past Month: Among People Aged 12 or Older (Figures 1a - 1e)	12 or Older	11.40 - 13.25	13.26 - 15.05	15.06 - 17.97	17.98 - 22.08	22.09 - 27.80
	12 to 17	5.02 - 6.17	6.18 - 7.10	7.11 - 7.95	7.96 - 8.92	8.93 - 12.09
	18 to 25	15.40 - 19.71	19.72 - 24.22	24.23 - 27.95	27.96 - 32.17	32.18 - 41.45
	26 or Older	11.25 - 13.44	13.45 - 14.96	14.97 - 17.95	17.96 - 21.85	21.86 - 27.51
	18 or Older	12.15 - 13.93	13.94 - 15.83	15.84 - 18.96	18.97 - 23.40	23.41 - 29.05
Table 2: Marijuana Use in the Past Year: Among People Aged 12 or Older (Figures 2a - 2e)	12 or Older	15.16 - 18.10	18.11 - 20.41	20.42 - 23.89	23.90 - 28.45	28.46 - 35.96
	12 to 17	6.92 - 9.59	9.60 - 10.49	10.50 - 11.69	11.70 - 12.93	12.94 - 16.80
	18 to 25	24.34 - 28.82	28.83 - 33.81	33.82 - 38.23	38.24 - 44.09	44.10 - 58.28
	26 or Older	14.40 - 17.35	17.36 - 19.56	19.57 - 23.27	23.28 - 27.86	27.87 - 34.40
	18 or Older	15.94 - 19.10	19.11 - 21.36	21.37 - 24.92	24.93 - 30.16	30.17 - 37.57
Table 3: Marijuana Use in the Past Month: Among People Aged 12 or Older (Figures 3a - 3e)	12 or Older	10.02 - 11.81	11.82 - 14.23	14.24 - 16.99	17.00 - 20.28	20.29 - 25.47
	12 to 17	3.65 - 5.11	5.12 - 5.65	5.66 - 6.51	6.52 - 7.46	7.47 - 9.87
	18 to 25	14.60 - 18.49	18.50 - 23.17	23.18 - 26.98	26.99 - 30.87	30.88 - 40.07
	26 or Older	9.78 - 11.85	11.86 - 13.80	13.81 - 17.28	17.29 - 20.03	20.04 - 25.04
	18 or Older	10.66 - 12.53	12.54 - 15.05	15.06 - 18.11	18.12 - 21.55	21.56 - 26.71
Table 4: Perceptions of Great Risk from Smoking Marijuana Once a Month: Among People Aged 12 or Older (Figures 4a - 4e)	12 or Older	12.21 - 15.10	15.11 - 17.90	17.91 - 19.34	19.35 - 21.62	21.63 - 26.94
	12 to 17	14.86 - 18.38	18.39 - 20.22	20.23 - 22.00	22.01 - 23.51	23.52 - 30.52
	18 to 25	6.42 - 9.27	9.28 - 10.11	10.12 - 11.52	11.53 - 12.78	12.79 - 16.57
	26 or Older	12.67 - 15.63	15.64 - 18.71	18.72 - 20.37	20.38 - 22.93	22.94 - 28.80
	18 or Older	11.99 - 14.77	14.78 - 17.58	17.59 - 19.14	19.15 - 21.52	21.53 - 26.99
Table 5: First Use of Marijuana in the Past Year: Among People Aged 12 or Older at Risk for Initiation of Marijuana Use (Figures 5a - 5e)	12 or Older	1.66 - 2.10	2.11 - 2.34	2.35 - 2.57	2.58 - 3.23	3.24 - 4.22
	12 to 17	2.50 - 3.81	3.82 - 4.38	4.39 - 4.82	4.83 - 5.32	5.33 - 7.23
	18 to 25	4.58 - 6.27	6.28 - 7.50	7.51 - 8.54	8.55 - 10.88	10.89 - 14.68
	26 or Older	0.63 - 0.87	0.88 - 1.01	1.02 - 1.11	1.12 - 1.44	1.45 - 1.88
	18 or Older	1.28 - 1.76	1.77 - 1.97	1.98 - 2.15	2.16 - 2.74	2.75 - 3.76

States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024						
Table	Age Group	Quintile 1	Quintile 2	Quintile 3	Quintile 4	Quintile 5
Table 6: Illicit Drug Use Other Than Marijuana in the Past Month: Among People Aged 12 or Older <sup>1</sup> (Figures 6a - 6e)	12 or Older	2.36 - 2.80	2.81 - 3.10	3.11 - 3.42	3.43 - 3.78	3.79 - 6.12
	12 to 17	1.24 - 1.95	1.96 - 2.10	2.11 - 2.42	2.43 - 2.82	2.83 - 4.29
	18 to 25	1.77 - 2.39	2.40 - 3.08	3.09 - 3.48	3.49 - 4.40	4.41 - 7.22
	26 or Older	2.27 - 2.90	2.91 - 3.12	3.13 - 3.47	3.48 - 4.14	4.15 - 6.16
	18 or Older	2.40 - 2.87	2.88 - 3.19	3.20 - 3.49	3.50 - 3.96	3.97 - 6.32
Table 7: Cocaine Use in the Past Year: Among People Aged 12 or Older (Figures 7a - 7e)	12 or Older	0.98 - 1.30	1.31 - 1.40	1.41 - 1.54	1.55 - 1.85	1.86 - 3.52
	12 to 17	0.12 - 0.22	0.23 - 0.23	0.24 - 0.25	0.26 - 0.29	0.30 - 0.43
	18 to 25	1.58 - 2.16	2.17 - 2.39	2.40 - 2.73	2.74 - 3.22	3.23 - 6.44
	26 or Older	0.95 - 1.27	1.28 - 1.35	1.36 - 1.53	1.54 - 1.80	1.81 - 3.40
	18 or Older	1.05 - 1.42	1.43 - 1.52	1.53 - 1.68	1.69 - 2.00	2.01 - 3.74
Table 8: Perceptions of Great Risk from Using Cocaine Once a Month: Among People Aged 12 or Older (Figures 8a - 8e)	12 or Older	53.52 - 61.25	61.26 - 63.22	63.23 - 65.90	65.91 - 67.67	67.68 - 74.40
	12 to 17	42.67 - 45.50	45.51 - 47.17	47.18 - 49.61	49.62 - 50.58	50.59 - 54.70
	18 to 25	49.46 - 54.65	54.66 - 57.07	57.08 - 59.47	59.48 - 60.74	60.75 - 66.82
	26 or Older	53.64 - 63.53	63.54 - 65.79	65.80 - 68.98	68.99 - 70.81	70.82 - 78.18
	18 or Older	53.87 - 62.53	62.54 - 64.93	64.94 - 67.72	67.73 - 69.46	69.47 - 76.57
Table 9: Heroin Use in the Past Year: Among People Aged 12 or Older (Figures 9a - 9c)	12 or Older <sup>2</sup>	--	--	--	--	--
	12 to 17 <sup>2</sup>	--	--	--	--	--
	18 to 25	0.05 - 0.07	0.08 - 0.11	0.12 - 0.14	0.15 - 0.20	0.21 - 0.39
	26 or Older	0.13 - 0.20	0.21 - 0.22	0.23 - 0.25	0.26 - 0.29	0.30 - 0.47
	18 or Older	0.12 - 0.20	0.21 - 0.22	0.23 - 0.24	0.25 - 0.27	0.28 - 0.44
Table 10: Perceptions of Great Risk from Trying Heroin Once or Twice: Among People Aged 12 or Older (Figures 10a - 10e)	12 or Older	75.57 - 78.65	78.66 - 79.98	79.99 - 81.97	81.98 - 82.42	82.43 - 84.62
	12 to 17	48.90 - 53.25	53.26 - 54.15	54.16 - 55.87	55.88 - 56.81	56.82 - 59.35
	18 to 25	71.35 - 72.58	72.59 - 74.60	74.61 - 76.11	76.12 - 77.43	77.44 - 80.00
	26 or Older	77.53 - 82.70	82.71 - 83.81	83.82 - 85.28	85.29 - 86.45	86.46 - 88.53
	18 or Older	76.95 - 81.26	81.27 - 82.41	82.42 - 84.23	84.24 - 85.16	85.17 - 87.37

States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024						
Table	Age Group	Quintile 1	Quintile 2	Quintile 3	Quintile 4	Quintile 5
Table 11: Hallucinogen Use in the Past Year: Among People Aged 12 or Older (Figures 11a - 11e)	12 or Older	1.96 - 2.44	2.45 - 2.83	2.84 - 3.31	3.32 - 3.87	3.88 - 8.32
	12 to 17	0.95 - 1.28	1.29 - 1.42	1.43 - 1.59	1.60 - 1.74	1.75 - 2.61
	18 to 25	4.42 - 5.30	5.31 - 5.79	5.80 - 6.98	6.99 - 8.10	8.11 - 20.03
	26 or Older	1.68 - 2.11	2.12 - 2.49	2.50 - 2.93	2.94 - 3.64	3.65 - 8.65
	18 or Older	2.04 - 2.56	2.57 - 2.94	2.95 - 3.48	3.49 - 4.07	4.08 - 8.80
Table 12: Methamphetamine Use in the Past Year: Among People Aged 12 or Older (Figures 12a - 12e)	12 or Older	0.38 - 0.62	0.63 - 0.86	0.87 - 1.08	1.09 - 1.31	1.32 - 1.99
	12 to 17	0.07 - 0.15	0.16 - 0.18	0.19 - 0.21	0.22 - 0.25	0.26 - 0.40
	18 to 25	0.17 - 0.31	0.32 - 0.39	0.40 - 0.52	0.53 - 0.62	0.63 - 0.79
	26 or Older	0.42 - 0.71	0.72 - 0.99	1.00 - 1.27	1.28 - 1.58	1.59 - 2.37
	18 or Older	0.40 - 0.67	0.68 - 0.90	0.91 - 1.18	1.19 - 1.42	1.43 - 2.14
Table 13: Prescription Opioid Misuse in the Past Year: Among People Aged 12 or Older (Figures 13a - 13e)	12 or Older	2.08 - 2.44	2.45 - 2.71	2.72 - 2.92	2.93 - 3.16	3.17 - 4.45
	12 to 17	1.16 - 1.45	1.46 - 1.51	1.52 - 1.67	1.68 - 1.85	1.86 - 2.54
	18 to 25	1.57 - 2.21	2.22 - 2.37	2.38 - 2.59	2.60 - 2.89	2.90 - 3.81
	26 or Older	2.11 - 2.54	2.55 - 2.84	2.85 - 3.07	3.08 - 3.39	3.40 - 4.84
	18 or Older	2.15 - 2.51	2.52 - 2.81	2.82 - 3.04	3.05 - 3.29	3.30 - 4.70
Table 14: Opioid Misuse in the Past Year: Among People Aged 12 or Older (Figures 14a - 14e)	12 or Older	2.07 - 2.45	2.46 - 2.71	2.72 - 3.02	3.03 - 3.35	3.36 - 4.58
	12 to 17	1.28 - 1.51	1.52 - 1.64	1.65 - 1.76	1.77 - 1.90	1.91 - 2.54
	18 to 25	1.52 - 1.99	2.00 - 2.31	2.32 - 2.49	2.50 - 2.82	2.83 - 3.96
	26 or Older	2.11 - 2.52	2.53 - 2.87	2.88 - 3.22	3.23 - 3.65	3.66 - 4.99
	18 or Older	2.13 - 2.50	2.51 - 2.82	2.83 - 3.11	3.12 - 3.51	3.52 - 4.85
Table 15: Alcohol Use in the Past Month: Among People Aged 12 or Older (Figures 15a - 15e)	12 or Older	27.71 - 41.30	41.31 - 47.53	47.54 - 49.66	49.67 - 52.65	52.66 - 60.71
	12 to 17	3.40 - 5.99	6.00 - 6.44	6.45 - 7.23	7.24 - 8.14	8.15 - 9.75
	18 to 25	31.32 - 45.67	45.68 - 48.41	48.42 - 51.08	51.09 - 53.47	53.48 - 65.43
	26 or Older	30.97 - 45.72	45.73 - 51.60	51.61 - 54.89	54.90 - 57.32	57.33 - 63.93
	18 or Older	31.02 - 45.30	45.31 - 51.31	51.32 - 54.41	54.42 - 56.73	56.74 - 64.14

States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024						
Table	Age Group	Quintile 1	Quintile 2	Quintile 3	Quintile 4	Quintile 5
Table 16: Binge Alcohol Use in the Past Month: Among People Aged 12 or Older (Figures 16a - 16e)	12 or Older	13.24 - 18.99	19.00 - 19.92	19.93 - 21.90	21.91 - 22.97	22.98 - 29.94
	12 to 17	2.68 - 3.40	3.41 - 3.61	3.62 - 3.85	3.86 - 4.19	4.20 - 5.19
	18 to 25	18.25 - 25.23	25.24 - 27.16	27.17 - 29.85	29.86 - 32.36	32.37 - 41.87
	26 or Older	13.85 - 19.82	19.83 - 20.88	20.89 - 22.21	22.22 - 23.76	23.77 - 29.85
	18 or Older	14.67 - 20.66	20.67 - 21.67	21.68 - 23.54	23.55 - 24.91	24.92 - 31.61
Table 17: Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week: Among People Aged 12 or Older (Figures 17a - 17e)	12 or Older	38.48 - 40.48	40.49 - 43.43	43.44 - 44.64	44.65 - 46.91	46.92 - 50.79
	12 to 17	37.50 - 39.72	39.73 - 41.21	41.22 - 42.63	42.64 - 44.37	44.38 - 46.62
	18 to 25	31.26 - 34.34	34.35 - 36.99	37.00 - 38.97	38.98 - 41.66	41.67 - 45.33
	26 or Older	39.67 - 41.67	41.68 - 44.45	44.46 - 45.72	45.73 - 47.83	47.84 - 52.42
	18 or Older	38.55 - 40.66	40.67 - 43.68	43.69 - 44.82	44.83 - 47.16	47.17 - 51.30
Table 18: Alcohol Use in the Past Month: Among People Aged 12 to 20 (Figure 18a)	12 to 20	9.80 - 12.34	12.35 - 13.65	13.66 - 15.33	15.34 - 17.20	17.21 - 19.02
Table 18: Binge Alcohol Use in the Past Month: Among People Aged 12 to 20 (Figure 18b)	12 to 20	5.91 - 7.21	7.22 - 8.21	8.22 - 8.88	8.89 - 9.95	9.96 - 12.09
Table 18: Perceptions of Great Risk from Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week: Among People Aged 12 to 20 (Figure 18c)	12 to 20	34.56 - 37.54	37.55 - 40.32	40.33 - 41.91	41.92 - 44.29	44.30 - 47.11
Table 19: Tobacco Product Use in the Past Month: Among People Aged 12 or Older (Figures 19a - 19e)	12 or Older	10.85 - 14.76	14.77 - 16.58	16.59 - 19.43	19.44 - 21.88	21.89 - 26.48
	12 to 17	1.13 - 1.65	1.66 - 1.85	1.86 - 2.26	2.27 - 2.36	2.37 - 3.22
	18 to 25	10.05 - 13.66	13.67 - 14.93	14.94 - 16.95	16.96 - 18.76	18.77 - 24.03
	26 or Older	12.07 - 16.13	16.14 - 18.74	18.75 - 21.74	21.75 - 24.52	24.53 - 30.15
	18 or Older	11.93 - 15.97	15.98 - 18.16	18.17 - 21.24	21.25 - 23.96	23.97 - 28.61
Table 20: Cigarette Use in the Past Month: Among People Aged 12 or Older (Figures 20a - 20e)	12 or Older	8.06 - 11.41	11.42 - 12.64	12.65 - 14.82	14.83 - 17.12	17.13 - 20.98
	12 to 17	0.84 - 1.16	1.17 - 1.34	1.35 - 1.54	1.55 - 1.73	1.74 - 2.21
	18 to 25	6.81 - 9.04	9.05 - 10.31	10.32 - 11.31	11.32 - 12.96	12.97 - 18.06
	26 or Older	9.37 - 12.70	12.71 - 14.63	14.64 - 16.92	16.93 - 19.80	19.81 - 23.91
	18 or Older	9.04 - 12.56	12.57 - 14.00	14.01 - 16.08	16.09 - 18.81	18.82 - 22.69

States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024						
Table	Age Group	Quintile 1	Quintile 2	Quintile 3	Quintile 4	Quintile 5
Table 21: Nicotine Vaping in the Past Month: Among People Aged 12 or Older (Figures 21a - 21e)	12 or Older	6.92 - 8.79	8.80 - 9.90	9.91 - 10.81	10.82 - 11.57	11.58 - 13.80
	12 to 17	3.74 - 5.77	5.78 - 6.62	6.63 - 7.19	7.20 - 7.85	7.86 - 9.27
	18 to 25	15.94 - 22.67	22.68 - 25.01	25.02 - 26.30	26.31 - 29.47	29.48 - 33.69
	26 or Older	5.42 - 7.11	7.12 - 7.92	7.93 - 8.68	8.69 - 9.36	9.37 - 12.12
	18 or Older	7.08 - 8.97	8.98 - 10.18	10.19 - 10.98	10.99 - 11.90	11.91 - 14.47
Table 22: Perceptions of Great Risk from Smoking One or More Packs of Cigarettes per Day: Among People Aged 12 or Older (Figures 22a - 22e)	12 or Older	60.77 - 62.82	62.83 - 64.84	64.85 - 67.61	67.62 - 69.52	69.53 - 73.55
	12 to 17	56.94 - 58.64	58.65 - 59.65	59.66 - 61.04	61.05 - 62.50	62.51 - 66.94
	18 to 25	53.72 - 56.36	56.37 - 58.16	58.17 - 59.79	59.80 - 62.04	62.05 - 67.19
	26 or Older	62.38 - 64.28	64.29 - 66.70	66.71 - 69.41	69.42 - 71.88	71.89 - 76.01
	18 or Older	61.11 - 63.40	63.41 - 65.50	65.51 - 68.25	68.26 - 70.23	70.24 - 74.53
Table 23: Tobacco Product Use in the Past Month: Among People Aged 12 to 20 (Figure 23a)	12 to 20	3.19 - 4.11	4.12 - 4.65	4.66 - 5.18	5.19 - 6.09	6.10 - 8.14
Table 23: Cigarette Use in the Past Month: Among People Aged 12 to 20 (Figure 23b)	12 to 20	2.20 - 2.70	2.71 - 3.28	3.29 - 3.79	3.80 - 4.19	4.20 - 7.06
Table 24: Substance Use Disorder in the Past Year: Among People Aged 12 or Older (Figures 24a - 24e)	12 or Older	12.59 - 15.97	15.98 - 16.94	16.95 - 17.61	17.62 - 19.39	19.40 - 23.85
	12 to 17	5.73 - 7.61	7.62 - 7.89	7.90 - 8.32	8.33 - 8.95	8.96 - 12.08
	18 to 25	16.65 - 24.63	24.64 - 25.90	25.91 - 27.36	27.37 - 30.16	30.17 - 36.12
	26 or Older	12.82 - 15.71	15.72 - 16.51	16.52 - 17.23	17.24 - 18.84	18.85 - 23.36
	18 or Older	13.53 - 16.91	16.92 - 17.91	17.92 - 18.47	18.48 - 20.35	20.36 - 24.88
Table 25: Alcohol Use Disorder in the Past Year: Among People Aged 12 or Older (Figures 25a - 25e)	12 or Older	7.18 - 9.35	9.36 - 9.65	9.66 - 10.35	10.36 - 11.22	11.23 - 15.79
	12 to 17	1.93 - 2.65	2.66 - 2.88	2.89 - 3.13	3.14 - 3.43	3.44 - 4.18
	18 to 25	10.17 - 13.66	13.67 - 14.60	14.61 - 15.25	15.26 - 17.17	17.18 - 19.88
	26 or Older	7.38 - 9.37	9.38 - 9.67	9.68 - 10.47	10.48 - 11.19	11.20 - 16.11
	18 or Older	7.89 - 9.99	10.00 - 10.34	10.35 - 11.10	11.11 - 11.90	11.91 - 16.66
Table 26: Alcohol Use Disorder in the Past Year: Among People Aged 12 to 20 (Figure 26a)	12 to 20	3.27 - 4.97	4.98 - 5.34	5.35 - 5.97	5.98 - 6.39	6.40 - 8.86

States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024						
Table	Age Group	Quintile 1	Quintile 2	Quintile 3	Quintile 4	Quintile 5
Table 27: Drug Use Disorder in the Past Year: Among People Aged 12 or Older (Figures 27a - 27e)	12 or Older	6.98 - 8.68	8.69 - 9.50	9.51 - 10.41	10.42 - 11.29	11.30 - 13.50
	12 to 17	5.04 - 6.18	6.19 - 6.63	6.64 - 7.02	7.03 - 7.50	7.51 - 9.69
	18 to 25	11.72 - 14.58	14.59 - 16.84	16.85 - 19.03	19.04 - 21.66	21.67 - 26.85
	26 or Older	6.44 - 7.89	7.90 - 8.83	8.84 - 9.57	9.58 - 10.26	10.27 - 12.33
	18 or Older	7.15 - 8.92	8.93 - 9.81	9.82 - 10.77	10.78 - 11.67	11.68 - 13.94
Table 28: Prescription Opioid Use Disorder in the Past Year: Among People Aged 12 or Older (Figures 28a - 28e)	12 or Older	1.08 - 1.42	1.43 - 1.58	1.59 - 1.79	1.80 - 2.02	2.03 - 2.73
	12 to 17	0.81 - 0.92	0.93 - 0.93	0.94 - 0.96	0.97 - 0.99	1.00 - 1.10
	18 to 25	0.60 - 0.77	0.78 - 0.90	0.91 - 1.05	1.06 - 1.16	1.17 - 1.64
	26 or Older	1.14 - 1.56	1.57 - 1.75	1.76 - 2.01	2.02 - 2.26	2.27 - 3.17
	18 or Older	1.09 - 1.46	1.47 - 1.64	1.65 - 1.87	1.88 - 2.13	2.14 - 2.93
Table 29: Opioid Use Disorder in the Past Year: Among People Aged 12 or Older (Figures 29a - 29e)	12 or Older	1.02 - 1.54	1.55 - 1.78	1.79 - 1.84	1.85 - 2.10	2.11 - 3.07
	12 to 17	0.74 - 0.90	0.91 - 0.96	0.97 - 1.02	1.03 - 1.07	1.08 - 1.33
	18 to 25	0.60 - 0.84	0.85 - 0.93	0.94 - 1.11	1.12 - 1.22	1.23 - 1.61
	26 or Older	1.06 - 1.72	1.73 - 1.96	1.97 - 2.05	2.06 - 2.35	2.36 - 3.61
	18 or Older	1.02 - 1.59	1.60 - 1.85	1.86 - 1.92	1.93 - 2.22	2.23 - 3.31
Table 30: Received Substance Use Treatment in the Past Year: Among People Aged 12 or Older <sup>1</sup> (Figures 30a - 30e)	12 or Older	2.60 - 3.07	3.08 - 3.41	3.42 - 3.67	3.68 - 4.13	4.14 - 5.55
	12 to 17	0.85 - 2.31	2.32 - 2.81	2.82 - 3.09	3.10 - 3.56	3.57 - 4.47
	18 to 25	2.47 - 2.70	2.71 - 2.92	2.93 - 3.15	3.16 - 3.51	3.52 - 4.33
	26 or Older	2.60 - 3.18	3.19 - 3.53	3.54 - 3.84	3.85 - 4.39	4.40 - 6.06
	18 or Older	2.65 - 3.14	3.15 - 3.48	3.49 - 3.72	3.73 - 4.21	4.22 - 5.79
Table 31: Classified as Needing Substance Use Treatment in the Past Year: Among People Aged 12 or Older <sup>1</sup> (Figures 31a - 31e)	12 or Older	14.64 - 17.31	17.32 - 18.35	18.36 - 18.96	18.97 - 20.01	20.02 - 26.13
	12 to 17	7.03 - 8.15	8.16 - 9.09	9.10 - 10.00	10.01 - 10.83	10.84 - 15.70
	18 to 25	17.83 - 23.93	23.94 - 25.95	25.96 - 27.53	27.54 - 29.58	29.59 - 36.42
	26 or Older	14.39 - 17.07	17.08 - 17.97	17.98 - 19.04	19.05 - 20.12	20.13 - 26.52
	18 or Older	15.21 - 18.29	18.30 - 19.20	19.21 - 20.02	20.03 - 20.98	20.99 - 27.35

<b>States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024</b>						
<b>Table</b>	<b>Age Group</b>	<b>Quintile 1</b>	<b>Quintile 2</b>	<b>Quintile 3</b>	<b>Quintile 4</b>	<b>Quintile 5</b>
Table 32: Did Not Receive Substance Use Treatment in the Past Year: Among People Aged 12 or Older Classified as Needing Substance Use Treatment <sup>1</sup> (Figures 32a - 32e)	12 or Older	72.88 - 78.65	78.66 - 80.63	80.64 - 81.56	81.57 - 82.89	82.90 - 85.24
	12 to 17	57.45 - 61.78	61.79 - 66.86	66.87 - 70.64	70.65 - 74.97	74.98 - 86.19
	18 to 25	82.17 - 87.19	87.20 - 88.51	88.52 - 88.94	88.95 - 89.80	89.81 - 91.10
	26 or Older	71.30 - 76.27	76.28 - 79.48	79.49 - 80.55	80.56 - 82.08	82.09 - 84.64
	18 or Older	73.50 - 78.79	78.80 - 81.11	81.12 - 82.02	82.03 - 83.44	83.45 - 85.80
Table 33: Any Mental Illness in the Past Year: Among People Aged 18 or Older (Figures 33a - 33c)	18 or Older	18.10 - 21.87	21.88 - 23.68	23.69 - 24.64	24.65 - 26.36	26.37 - 31.58
	18 to 25	27.96 - 32.28	32.29 - 33.94	33.95 - 35.70	35.71 - 37.17	37.18 - 41.74
	26 or Older	16.29 - 20.34	20.35 - 21.88	21.89 - 22.91	22.92 - 24.39	24.40 - 30.18
Table 34: Serious Mental Illness in the Past Year: Among People Aged 18 or Older (Figures 34a - 34c)	18 or Older	4.00 - 5.14	5.15 - 5.88	5.89 - 6.46	6.47 - 6.92	6.93 - 8.40
	18 to 25	7.13 - 8.87	8.88 - 10.07	10.08 - 10.88	10.89 - 12.08	12.09 - 15.45
	26 or Older	3.39 - 4.54	4.55 - 5.27	5.28 - 5.77	5.78 - 6.17	6.18 - 7.37
Table 35: Co-Occurring Substance Use Disorder and Any Mental Illness in the Past Year: Among People Aged 18 or Older (Figures 35a - 35c)	18 or Older	6.21 - 7.62	7.63 - 8.08	8.09 - 8.70	8.71 - 9.39	9.40 - 11.62
	18 to 25	9.57 - 12.43	12.44 - 13.50	13.51 - 14.61	14.62 - 16.32	16.33 - 20.66
	26 or Older	5.19 - 6.71	6.72 - 7.25	7.26 - 7.68	7.69 - 8.59	8.60 - 10.27
Table 36: Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year: Among People Aged 18 or Older (Figures 36a - 36c)	18 or Older	1.96 - 2.50	2.51 - 2.73	2.74 - 3.00	3.01 - 3.12	3.13 - 4.09
	18 to 25	4.27 - 4.69	4.70 - 5.19	5.20 - 5.62	5.63 - 6.18	6.19 - 7.71
	26 or Older	1.63 - 2.14	2.15 - 2.31	2.32 - 2.58	2.59 - 2.67	2.68 - 3.66
Table 37: Received Mental Health Treatment in the Past Year: Among People Aged 12 or Older <sup>1</sup> (Figures 37a - 37d)	18 or Older	15.34 - 21.75	21.76 - 23.31	23.32 - 25.02	25.03 - 27.30	27.31 - 34.20
	12 to 17	23.18 - 27.45	27.46 - 29.78	29.79 - 30.57	30.58 - 33.08	33.09 - 38.39
	18 to 25	18.58 - 22.60	22.61 - 25.91	25.92 - 28.11	28.12 - 30.40	30.41 - 38.47
	26 or Older	14.48 - 20.98	20.99 - 23.07	23.08 - 24.37	24.38 - 26.83	26.84 - 34.26
Table 38: Major Depressive Episode in the Past Year: Among People Aged 12 or Older (Figures 38a - 38d)	18 or Older	6.08 - 7.83	7.84 - 8.54	8.55 - 9.20	9.21 - 9.87	9.88 - 11.90
	12 to 17	13.91 - 15.83	15.84 - 16.65	16.66 - 17.53	17.54 - 18.43	18.44 - 20.32
	18 to 25	11.82 - 15.57	15.58 - 16.47	16.48 - 17.60	17.61 - 20.02	20.03 - 24.21
	26 or Older	4.83 - 6.50	6.51 - 7.21	7.22 - 7.75	7.76 - 8.34	8.35 - 10.40

States Categorized into Five Groups from Lowest to Highest Estimate; by Age Group, Annual Average Percentages, 2023 and 2024						
Table	Age Group	Quintile 1	Quintile 2	Quintile 3	Quintile 4	Quintile 5
Table 39: Had Serious Thoughts of Suicide in the Past Year: Among People Aged 12 or Older (Figures 39a - 39d)	18 or Older	4.07 - 4.89	4.90 - 5.38	5.39 - 5.63	5.64 - 6.08	6.09 - 7.43
	12 to 17	10.01 - 10.64	10.65 - 11.37	11.38 - 11.93	11.94 - 12.80	12.81 - 14.12
	18 to 25	9.42 - 11.66	11.67 - 12.45	12.46 - 13.42	13.43 - 14.21	14.22 - 16.52
	26 or Older	3.28 - 3.83	3.84 - 4.16	4.17 - 4.54	4.55 - 4.83	4.84 - 5.64
Table 40: Made Any Suicide Plans in the Past Year: Among People Aged 12 or Older (Figures 40a - 40d)	18 or Older	1.26 - 1.53	1.54 - 1.62	1.63 - 1.76	1.77 - 1.91	1.92 - 2.21
	12 to 17	4.26 - 4.83	4.84 - 5.13	5.14 - 5.47	5.48 - 5.77	5.78 - 6.39
	18 to 25	3.31 - 3.77	3.78 - 4.26	4.27 - 4.61	4.62 - 5.00	5.01 - 5.59
	26 or Older	0.94 - 1.13	1.14 - 1.21	1.22 - 1.35	1.36 - 1.45	1.46 - 1.75
Table 41: Attempted Suicide in the Past Year: Among People Aged 12 or Older (Figures 41a - 41d)	18 or Older	0.56 - 0.64	0.65 - 0.70	0.71 - 0.74	0.75 - 0.80	0.81 - 0.94
	12 to 17	2.51 - 2.92	2.93 - 3.08	3.09 - 3.26	3.27 - 3.52	3.53 - 4.39
	18 to 25	1.64 - 1.87	1.88 - 1.98	1.99 - 2.05	2.06 - 2.19	2.20 - 3.00
	26 or Older	0.34 - 0.45	0.46 - 0.49	0.50 - 0.53	0.54 - 0.60	0.61 - 0.78
-- Not available.						
NOTE: This table shows the boundaries used to create the maps (Figures 1a - 1e to 41a - 41d) shown in the <i>2023-2024 National Surveys on Drug Use and Health: National Maps of Prevalence Estimates, by State</i> document, available on the <a href="#">NSDUH Data Collection</a> web page.						
NOTE: The table numbers 1 to 41 listed in the "Table" column correspond to the tables found in the <i>2023-2024 National Surveys on Drug Use and Health: Model-Based Prevalence Estimates (50 States and the District of Columbia)</i> document, available on the <a href="#">NSDUH Data Collection</a> web page.						
NOTE: State estimates (which are based on a survey-weighted hierarchical Bayes small area estimation approach) fall into one of five quintiles according to their ranking. Because 51 states were ranked for each measure, the middle quintile was assigned to 11 states, and the remaining quintiles were assigned 10 states each. In some cases, a "quintile" could have more or fewer states than desired because two (or more) states had the same estimate (to two decimal places). When such ties occurred at the "boundary" between two quintiles, all of the states with the same estimate were conservatively assigned to the lower quintile (with the exception of the risk outcomes where the estimate was assigned to the higher group). Those states with the highest estimates for a given measure are in orange, with the exception of the perceptions of risk measures, for which the lowest perceptions of great risk are in orange. Those states with the lowest estimates are in dark blue, with the exception of the perceptions of risk measures, for which the highest perceptions of great risk are in dark blue. The upper and lower limits of each quintile shown in the legend collectively define a continuum and are not necessarily the actual values of a particular state.						
NOTE: Because estimates were rounded to two decimal places, the upper and lower bounds of a quintile shown in the map legend can be identical.						
<sup>1</sup> The estimates in these rows are based on 2024 NSDUH data only. For details, see the <i>2023-2024 National Surveys on Drug Use and Health: Guide to State Tables and Summary of Small Area Estimation Methodology</i> on the <a href="#">NSDUH Data Collection</a> web page.						
<sup>2</sup> Estimates for youths aged 12 to 17 are not available for past year heroin use because past year heroin use was extremely rare among youths aged 12 to 17 in the 2023 and 2024 NSDUHs. As a result, estimates for people aged 12 or older are also not produced.						
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Surveys on Drug Use and Health, 2023 and 2024.						