

**National Household Survey on
Drug Abuse, 2001**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Processor Notes

- 1) All system-missing values (denoted as “.” in the frequencies) were recoded to “-9” in the 1st version of the data file. In the past these values were coded to “99”
- 2) Variables ending in ...NEWA through NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.
- 3) This data collection includes setup statements (e.g., a “do file” and dictionary) for StataSE. Analysts are advised that the conversion from ASCII to Stata format is likely to be slow due to the large file size. Subsets from the NSDUH may be downloaded from the on-line analysis system

Important Changes in Third Edition Release

- 1) The two study design variables VEREP and VESTR were revised to provide consistency with the 2004 study, which collapsed the strata to maximize the number of people in each replicate.
- 2) There were also 9 more variables (CIG30BRN, CIG30ROL, SNF30BRN, CHW30BRN, SLT30BRN, CGR30BRN, ANYHLTIN, WRKBZCAT, WRKBZCYR) that were dropped and replaced by the variables (CIG30BR2, CIG30RO2, SNF30BR2, CHW30BR2, SLT30BR2, CGR30BR2, ANYHLTI2, WRKBZCA2, WRKBZCY2). This was done to correct a problem with how rare responses were coded and to provide consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.
- 3) One more variable (EDUCCAT2) was added for this release. This additional variable provides consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.
- 4) By not accounting for a specific CAI skip pattern in the NSDUH questionnaire, the past year illicit drug treatment location variables (DRGHOSP DRGRFIN DRGRFOP DRGMHC DRGTXER DRGDOC DRGJAIL DRGSHG) and the past year alcohol treatment location variables (ALCHOSP ALCFIN ALCRFOP ALCMHC ALCTXER ALCDOC ALCJAIL ALCSHG) that were created for the substance use treatment analysis starting in 2000 have underestimated the prevalence of treatment at specific locations. This was corrected in this release.
- 5) The variable IISLTYFU was updated to fix the fact that some respondents were erroneously assigned 3s who should have received 1s.
- 6) The variable GOVTPROG was updated to provide consistency with the 2004 NSDUH study as well as future public releases of the NSDUH study.

2001 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Public Use File Codebook Main Study

Contract No. 283-03-9028
Project No. 8726
Deliverable 25

Prepared for:

Substance Abuse and Mental Health Services Administration
Rockville, Maryland 20857

Prepared by:
Research Triangle Institute

May 18, 2006

TABLE OF CONTENTS

	PAGE

INTRODUCTION AND DESCRIPTION OF THE 2001 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE.....	i-1
Introduction.....	i-1
Overview of the NHSDA.....	i-1
Strengths and Limitations of the NHSDA.....	i-3
SURVEY METHODOLOGY (1999 SURVEY REDESIGN).....	i-4
Stratification and Selection of Primary Sampling Units.....	i-5
Selection of Dwelling Units.....	i-6
Selection of Persons.....	i-7
DATA COLLECTION AND RESPONSE RATES.....	i-7
WEIGHTING PROCEDURES.....	i-8
CONTENTS AND ORGANIZATION OF THE 2001 NHSDA PUBLIC USE FILE.....	i-8
Data File Description.....	i-8
Variable Naming Conventions.....	i-10
USABLE CASES.....	i-10
LOGICAL EDITING.....	i-12
Editing Procedure for Drug Use Variables.....	i-12
Changes to Drug Use Questions is 2001.....	i-14
Standard Code Conventions.....	i-14
STATISTICAL IMPUTATION.....	i-15
STATISTICAL SIGNIFICANCE OF DIFFERENCES.....	i-17
USE OF SAMPLE WEIGHTS AND SAMPLE DESIGN VARIABLES.....	i-18
CONFIDENTIALITY OF DATA.....	i-18
Estimation of Parameters and their Standard Errors.....	i-19
Table 1. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample by Seven Domains.....	i-20
Table 2. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample by Six Domains.....	i-20
CODEBOOK	
IDENTIFICATION.....	1
CORE SUBSTANCE USE	
TOBACCO.....	2
ALCOHOL.....	25
MARIJUANA.....	31
COCAINE.....	36
CRACK.....	40
HEROIN.....	44
HALLUCINOGENS.....	48
INHALANTS.....	64
PAIN RELIEVERS.....	76
TRANQUILIZERS.....	95
STIMULANTS.....	108
SEDATIVES.....	125
IMPUTED SUBSTANCE USE	
REGENCY OF DRUG USE.....	137
PAST YEAR FREQUENCY OF USE.....	145
PAST MONTH FREQUENCY OF USE.....	149
AGE/DATE OF FIRST DRUG USE.....	153

RECODED DRUG USE.....	160
SELECTED UNEDITED VARIABLES.....	179
NON-CORE	
SPECIAL DRUGS.....	207
RECODED SPECIAL DRUGS.....	219
RISK/AVAILABILITY.....	222
RECODED RISK/AVAILABILITY.....	234
SPECIALTY CIGARETTES.....	236
RECODED SPECIALTY CIGARETTES.....	239
SUBSTANCE DEPENDENCE AND ABUSE.....	240
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE.....	336
RECODED SUBSTANCE DEPENDENCE AND ABUSE.....	343
SPECIAL TOPICS.....	353
RECODED SPECIAL TOPICS.....	363
MARIJUANA PURCHASES.....	365
SUBSTANCE TREATMENT.....	386
RECODED SUBSTANCE TREATMENT.....	424
PREGNANCY AND HEALTH CARE.....	433
RECODED PREGNANCY AND HEALTH CARE.....	436
ADULT MENTAL HEALTH TREATMENT.....	437
RECODED ADULT MENTAL HEALTH TREATMENT.....	454
SOCIAL ENVIRONMENT.....	456
YOUTH EXPERIENCES.....	472
RECODED YOUTH EXPERIENCES.....	506
ADULT MENTAL HEALTH.....	515
RECODED ADULT MENTAL HEALTH.....	559
YOUTH MENTAL HEALTH TREATMENT.....	560
RECODED YOUTH MENTAL HEALTH TREATMENT.....	580
HOUSEHOLD COMPOSITION (ROSTER).....	588
INCOME AND INSURANCE.....	590
RECODED INCOME AND INSURANCE.....	604
INTERVIEW INFORMATION.....	606
DEMOGRAPHICS	
CORE DEMOGRAPHICS.....	607
IMPUTED DEMOGRAPHICS.....	609
NON-CORE DEMOGRAPHICS.....	610
EMPLOYMENT AND WORKPLACE.....	616
RECODED DEMOGRAPHICS.....	630
GEOGRAPHIC.....	634
SAMPLE WEIGHTING AND ESTIMATION VARS.....	635
ALPHA INDEX OF VARIABLE NAMES.....	636
INDEX OF VARIABLE NAMES.....	683

APPENDICES

APPENDIX A	Drug Codes for Open-Ended Questions
APPENDIX B	Consolidated Drug Other Specify Tables
APPENDIX C	Tobacco Brand Codes for Open-Ended Questions
APPENDIX D	Substance Dependence and Abuse Variable Documentation
APPENDIX E	Recoded Adult Mental Health: Serious Mental Illness Variable Documentation
APPENDIX F	Occupational Classification System For Recodes
APPENDIX G	Industrial Classification System For Recodes
APPENDIX H	Variable Map

INTRODUCTION AND DESCRIPTION OF THE 2001 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

Introduction

This codebook provides documentation for the 2001 National Household Survey on Drug Abuse (NHSDA) public use file. The variable names in this codebook are the variable names that appear in the dataset. The NHSDA is sponsored by the Office of Applied Studies (OAS) within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI of Research Triangle Park, North Carolina.

For each variable on the 2001 public use file, the codebook provides the variable name, a description of the variable, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as interview items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included on the file and documented in the codebook.

Extensive work was done on the 2001 public use file to protect respondent confidentiality while still allowing most variables to be available for analysts' use. These procedures are discussed in greater detail in the Confidentiality of Data section near the end of this introduction. Briefly, the steps included standard procedures for eliminating variables for which there was a high risk that individuals could be identified and collapsing values of other variables. Additional special techniques to protect respondent confidentiality included subsampling of records and substitution of data from donors. Analysis of the data after these procedures were implemented showed that the effect on the levels and accuracy of estimates was minimal. Nevertheless, *because of the procedures that were implemented, users of this file are advised that previously published estimates may not be exactly reproducible from the variables on this file.*

Overview of the NHSDA

The 2001 NHSDA is the 21st in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey series provides information about the use of illicit drugs, alcohol, and tobacco among members of the noninstitutionalized U.S. civilian population aged 12 or older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, and 1990 through 2000. Currently, public use files are available for surveys from 1979 onward.

In 1999, the NHSDA underwent a major redesign. The method of data collection was changed from a paper questionnaire administration to a computer-assisted administration. In addition, the sample design was changed from a strictly national design to a State-based sampling plan. These important changes have a major impact on the data produced from the NHSDA. *Because of the differences in methodology and impact of the new design on data collection, only*

limited comparisons can be made between data from the redesigned surveys (1999 onward) and data obtained from surveys prior to 1999.

Prior to 1999, the NHSDA was conducted using paper-and-pencil interviewing (PAPI) methods for an interview lasting about an hour. The NHSDA PAPI instrumentation consisted of a questionnaire booklet completed by an interviewer and a set of individual answer sheets completed by a respondent. All substance use questions and other sensitive questions appeared on the answer sheets, so the interviewer was unaware of the respondent's answers. Less sensitive questions, such as demographics, occupational status, household size, and composition, were asked aloud by the interviewer and recorded in the questionnaire booklet.

Starting in 1999, the NHSDA interview is now carried out using computer-assisted interviewing (CAI) methods. The survey uses a combination of computer-assisted personal interviewing (CAPI) conducted by an interviewer and audio computer-assisted self-interviewing (ACASI). For the most part, questions previously administered by an interviewer are now administered by an interviewer using CAPI. Questions previously administered using self-administered answer sheets are now administered using ACASI. Use of ACASI is designed to provide respondents with a highly private and confidential means of responding to questions and to increase the level of honest reporting of illicit drug use and other sensitive behaviors.

The 2001 NHSDA documentation includes specifications for the logic governing how respondents were routed through the questions in the interview. Analysts are encouraged to reference this document in conjunction with their review of the codebook (for searchable versions of the specifications, see <http://www.samhsa.gov/oas/nhsda/methods.cfm> and <http://datafiles.samhsa.gov>).

A key feature of the NHSDA CAI instrument is a core/supplement structure. A core set of questions critical for basic trend measurement of prevalence rates remains in the survey every year and comprises the first part of the interview. Supplemental questions, or modules, that can be revised, dropped, or added from year to year make up the remainder of the interview. The core consists of initial demographic items and questions pertaining to the use of tobacco, alcohol, marijuana, cocaine, crack cocaine, heroin, hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives. Supplemental items include the remaining ACASI sections and demographic questions. It should be mentioned that some of the supplemental portions of the questionnaire have remained in the survey, relatively unchanged, every year (e.g., current health insurance coverage, income). Since 1988, additional information also has been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. In addition, the consequences of using various drugs have been given considerable attention since 1985.

The target population for the 2001 survey was the same as has been defined since the 1991 NHSDA: the civilian, noninstitutionalized population of the United States (including civilians living on military bases) who were 12 years of age or older at the time of the survey. Before 1991, the NHSDA sample was drawn from the household population of the contiguous 48 States. Alaska and Hawaii were added to the sample population in 1991, as were residents of noninstitutional group quarters (e.g., college dormitories, group homes, civilians dwelling on

military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas (MSAs) were oversampled in 1991. The 1992 and 1993 NHSDAs retained the oversampling of the six MSAs and also were designed to provide quarterly as well as annual estimates.

Beginning in 1999, the NHSDA sample employed a 50-State design with an independent, multistage area probability sample for each of the 50 States and the District of Columbia. The eight States with the largest population (which together account for 48 percent of the total U.S. population aged 12 or older) were designated as large sample States (California, Florida, Illinois, Michigan, New York, Ohio, Pennsylvania, and Texas). For these States, the design provided a sample large enough to support direct State estimates. For the remaining 42 States and the District of Columbia, smaller, but adequate, samples were selected to support State estimates using small area estimation (SAE) techniques. The design also oversampled youths and young adults, so that each State's sample was approximately equally distributed among three major age groups: 12 to 17 years, 18 to 25 years, and 26 years or older.

A description of the 2001 survey, including more detailed information on sample issues, can be found in the following three-volume NHSDA report:

Results from the 2001 National Household Survey on Drug Abuse: Volume I. Summary of national findings (DHHS Publication No. SMA 02-3758, NHSDA Series H-17).

Results from the 2001 National Household Survey on Drug Abuse: Volume II. Technical appendices and selected data tables (DHHS Publication No. SMA 02-3759, NHSDA Series H-18).

Results from the 2001 National Household Survey on Drug Abuse: Volume III. Detailed tables (Internet-accessible only).

This report presents in tabular, graphical, and narrative bullet formats some key findings on drug use prevalence by age and major demographic variables in 2001. It is available at <http://www.samhsa.gov/oas/nhsda.htm> and <http://www.DrugAbuseStatistics.SAMHSA.gov>.

Strengths and Limitations of the NHSDA

The NHSDA is the only study that regularly produces estimates of drug use among civilian members of the noninstitutionalized population in the United States. The survey is an appropriate technique for estimating prevalence rates for use of different drugs because most drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

The redesign of the NHSDA also has yielded improvements. With the expanded sample design, the precision of the estimates at the national level is improved substantially. The CAI

methodology also has made data collection and processing more efficient and has improved the quality of the data.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some underreporting and overreporting may have taken place.

Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals. Further, because of this cross-sectional design, year-to-year variations can occur in the data by virtue of who responded to the survey and what the respondents in any given year reported about their drug use. For this reason, conclusions about trends in drug use are best made by looking at estimates from 3 or more years.

Third, because the target population of the survey is defined as the noninstitutionalized civilian population of the United States, a small proportion (slightly less than 2 percent) of the population is excluded. The subpopulations excluded are members of the active-duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the noninstitutionalized civilian population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs, such as heroin.

Survey Methodology

As noted above, the 1999 survey was the first conducted using CAI methods and marked the first year in a transition to improved State estimates based on minimum sample sizes per State. Household screening also was converted from a paper screening form to a handheld computer (Newton). To obtain the required precision at the State level and to improve the precision at the national level, the overall sample size was increased to a total of 67,500. This large sample size allowed SAMHSA to continue reporting adequately precise demographic subgroup estimates at the national level without needing to oversample specially targeted demographics, as was required in the past. The achieved sample size for the 2001 survey was 68,929 persons. *Because of the subsampling step used in the procedures to control the risk of disclosing the identity of any respondent, only 55,561 records appear on the public use file (see the section on Confidentiality of Data).*

A coordinated 5-year sample design was developed. Although there is no overlap with the 1998 sample, a coordinated design for 1999 through 2003 facilitated a 50 percent overlap in first-stage units (area segments [see below]) between each 2 successive years from 1999 through

2003.¹ This design was intended to increase the precision of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive NHSDA years.

The 1999 through 2003 design allows for computation of estimates by State in all 50 States plus the District of Columbia. States may therefore be viewed as the first level of stratification as well as a reporting variable. Eight States, referred to as the large sample States, had a sample designed to yield 3,600 respondents per State for the 2001 survey. This sample size was considered adequate to support direct State estimates. The remaining 43 States had a sample designed to yield 900 respondents per State in the 2001 survey. In these 43 States, adequate data were available to support reliable State estimates based on SAE methodology.

In addition to the originally planned national sample, a special New York City supplement was added following the September 11th attacks. The final quarter's sample was increased by 66 percent in the area surrounding the city, which included portions of New York, New Jersey, and Connecticut. The increased sample would provide greater precision in studying the effects of the attack on drug use prevalence and mental health service measures.

Stratification and Selection of Primary Sampling Units (Area Segments)

Within each State, sampling strata called field interviewer (FI) regions were formed. Based on a composite size measure, States were geographically partitioned into roughly equally sized regions. In other words, regions were formed such that each area yielded, in expectation, roughly the same number of interviews during each data collection period, thus distributing the workload equally among interviewers. The eight large sample States were divided into 48 FI regions each; the remaining States were divided into 12 FI regions each. Therefore, the partitioning of the United States resulted in the formation of a total of 900 FI regions.

For the first stage of sampling, each of the FI regions was partitioned into small geographic areas composed of adjacent Census blocks. These geographic clusters of blocks are referred to as *segments*, but were actually the primary sampling units (PSUs) for the new 50-State design. A sample *dwelling unit* in the NHSDA refers to either a housing unit or a group quarters listing unit, such as a dormitory room or a shelter bed. To support the overlapping sample design and any special supplemental samples or field tests that SAMHSA might wish to conduct, segments were formed to contain a minimum of 175 dwelling units.²

Before selecting sample segments, additional implicit stratification was achieved by sorting the first-stage sampling units by a metropolitan statistical area/socioeconomic status

¹In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

²Dwelling unit counts were obtained from the 1990 Decennial Census data supplemented with revised population counts from Claritas.

(MSA/SES) indicator³ and by the percentage of the population who are non-Hispanic and white. Within each FI region, a large segment sample was selected with probabilities proportional to size to serve as a pool of segments for the coordinated 5-year design and to allow for partial replacement of the segment sample each year. A subsample of eight area segments was selected for 2001; the sample of eight segments was further partitioned into four samples of two segments each and assigned to the four quarterly survey periods. Within each FI region, one segment per quarter was a repeat segment, retained from the 2000 sample, and one segment per quarter was a new segment that remained in the sample for 2001 and 2002.

Selection of Dwelling Units

The sample design required an approximately equal number of persons in three age groups: 12 to 17 years, 18 to 25 years, and 26 years or older. To improve the precision of the estimates, the sample allocation process targeted five age groups: 12 to 17 years, 18 to 25 years, 26 to 34 years, 35 to 49 years, and 50 years or older. Here the allocation among the three age groups in the 26 years or older group was done in such a way as to increase precision while maintaining approximately the same sample size as the 12 to 17 and 18 to 25 age groups. The size measures used in selecting the area segments were coordinated with the dwelling unit and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self-weighting objective occurred for several reasons, including the following:

advance projections on the number of dwelling units did not accurately reflect the current housing inventory;

maximum dwelling unit sample sizes were preset to control the interviewer workload and to allow unused addresses to be available for the next year's survey; and

the person selection probabilities were constrained so that no more than two persons could be selected per dwelling unit.

An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the dwelling unit sample allocation in each area segment was adjusted to allow for dwelling unit eligibility, for screening nonresponse, and for person nonresponse.

In advance of the survey period, specially trained listers had visited each area segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. Systematic sampling was used to select the allocated sample of addresses from each segment.⁴

³Four categories were defined: (1) MSA/low SES, (2) MSA/high SES, (3) non-MSA/low SES, and (4) non-MSA/high SES.

⁴This had the effect of creating noncompact clusters (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters (see L. Kish, 1965, *Survey Sampling*, New York: John Wiley).

Selection of Persons

During each quarterly survey, FIs visited each sample address to determine dwelling unit eligibility, to list all eligible persons at the address, to select the sample of persons to be interviewed, and to conduct interviews. In addition, the interviewers followed special "half-open" interval procedures to identify any new (since the time of listing) housing or any dwelling units missed during the advance listing process. Any new or missed dwelling units following immediately after a sample dwelling unit and up to, but not including, the next initially listed address in the prescribed order of listing also were included in the sample.

The interviewers used a handheld computer to record the results of the dwelling unit screening process and to select the sample of respondents. They recorded the results of each call, the final eligibility status of the dwelling unit, and information on new and missed dwelling units. If a sample address was an eligible occupied dwelling unit, they also conducted a screening interview to identify and roster all survey-eligible persons residing at the address. When the roster was complete, the computer was programmed to select the sample of persons to be interviewed using parameters specified for that area segment and a random number specified for that address.

Data collection progress was monitored during each quarterly survey by State. Small reserve samples were held back each quarter so that the assigned sample size could be adjusted if necessary during the course of data collection.

Data Collection and Response Rates

The fieldwork for the 2001 NHSDA was directed by senior RTI staff members. RTI maintained a field staff of approximately 900 FIs to collect the data.

As noted above, a total final sample of 68,929 computer-assisted interviews was obtained for the 2001 survey. Strategies for ensuring high rates of participation resulted in a weighted screening response rate of 92 percent and a weighted interview response rate for the CAI of 73 percent. (Note that these response rates reflect the original sample, not the subsampled data file referenced in this document.)

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Answers to sensitive questions were gathered using ACASI. During ACASI portions of the interview, respondents listened to prerecorded questions through headphones and entered their responses directly into a computer without interviewers knowing how they were answering.

Weighting Procedures

The estimates yielded by the NHSDA are based on sample survey data rather than on complete data for the entire population. This means that the data must be weighted to obtain unbiased estimates for drug use in the population represented by the 2001 NHSDA. The "final sampling weight" of the i^{th} respondent, say w_i , can be interpreted as the number of persons in the NHSDA target population represented by the i^{th} respondent. The sum of the weights over all respondents is used to estimate the size of the total target population:

$$\sum_i w_i \text{ estimated size of target population,} \quad (1)$$

where the summation is over all respondents in the 2001 NHSDA.

The "basic sampling weights" for the 2001 NHSDA are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight that respondent has in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of three stagewise sampling probabilities. Specifically, the probability of selecting respondent i equals the product of (a) the probability of selecting respondent i 's segment given the State and FI region in which it is located, (b) the probability of selecting respondent i 's dwelling unit given the selection of his or her segment, and (c) the probability of selecting respondent i within that selected dwelling unit.

To obtain the full sample "final NHSDA weights," the basic sampling weights were adjusted to take into account dwelling unit-level and individual-level nonresponse. These weights were further adjusted to ensure consistency with intercensal population projections obtained from the U.S. Bureau of the Census (see <http://www.census.gov/> and www.census.gov/population/www/projections/st_yr95to00.html).

For the public use file, a portion of the records was randomly subsampled from the original file and removed to introduce uncertainty in a "potential intruder's" mind while reducing the probability that any known respondent was in the public use file (see the section on Confidentiality of Data near the end of this introduction). Therefore, the weights of the members of the remaining sample were subsequently adjusted for subsampling. The weights were then calibrated to known totals from the full analytic file in order to increase precision. (See the section on Confidentiality of Data for more details.)

Contents and Organization of the 2001 NHSDA Public Use File

Data File Description

The file described here is made available as an ASCII file with 2,076 variables and 55,561 observations. Three programs are made available to read the ASCII file into SAS, SPSS, or Stata. The file is also made available as a SAS transport (XPORT) file, SPSS portable file, and Stata system file. The ASCII file and programs are available from SAMHDA at <http://datafiles.samhsa.gov>.

The overall organization of the file is shown in the Table of Contents of this document. Edited data from core drug modules make up the first portion of the file. Edited data from the noncore self-administered modules and demographic questions are in later sections. These variables contain missing data; see the section on Standard Code Conventions for a description of the codes given to different types of missing data. For each edited variable, the number of observations assigned a given missing data code is shown in the entry for that variable.

Imputation-revised drug use variables, as well as selected recoded versions of these variables, are included for core drug use variables. These imputed and recoded drug use variables are in separate sections following the edited core drug use variables. The recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised core drug use variables served as the starting point for the recoded core drug use variables. Imputation-revised core and noncore demographic variables also are included toward the end of the codebook. Missing values for all imputation-revised variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. *Where imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than raw or edited variables from the interview.*

Variables containing the original responses to the recency-of-use and 12-month frequency-of-use questions are presented in the codebook section on Selected Unedited Variables. These are included to show how respondents originally answered these questions prior to the data being edited for consistency with related items in that drug's section of the interview.

Variables from self-administered noncore modules comprise the next major section in the codebook. In addition to edited variables in these noncore modules, recoded variables are in some of these sections. For example, edited variables from the section of the interview pertaining to symptoms of dependence or abuse (Substance Dependence and Abuse section in this codebook) were used to create recoded summary measures of dependence on alcohol or other drugs. Unlike variables in the core sections, however, imputation for missing data generally was not done prior to the recoding of noncore variables. Consequently, noncore recoded variables may still have missing values.

For recoded variables, the missing data codes contained in the source variables and defined in the Standard Code Convention section of this codebook were often recoded to the standard missing code (.). It is intended that cases containing these missing codes be excluded from an analysis.

A map file also is included to aid users in determining associations between different types of variables (Appendix H). The map file gives a correspondence between question names

in the CAI instrument specifications (see <http://www.samhsa.gov/oas/nhsda/methods.cfm> and <http://datafiles.samhsa.gov>), edited variables, and recoded variables.⁵

In many instances, the codebook itself also indicates in parentheses the question name that corresponds to an edited variable. However, one important feature of the transition to CAI in 1999 was that respondents could be routed to different versions of a question depending on prior information from the interview. For this reason, individual variables do not exist on this file that correspond to every question in the interview. For example, respondents who initiated use of a drug within 1 year of their current age were asked more detailed questions about the year and month in which they first used that drug. Depending on their age, date of birth, and interview date, respondents could be routed to one of three possible questions to identify the year in which they first used a drug (e.g., CG04a, CG04b, or CG04c for cigarettes, as shown in the specifications at <http://www.samhsa.gov/oas/nhsda/methods.cfm> and <http://datafiles.samhsa.gov>). Similarly, respondents could be routed to one of two possible questions to determine the month in which they first used a drug. To facilitate analysis, therefore, responses from these multiple year-of-first-use and month-of-first use questions were combined into one single year-of-first use variable and one single month-of-first use variable.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. The user is advised, however, that the transition to a CAI mode of data collection beginning in 1999 marked an important change not only in the conduct of the survey, but also in the data that the survey yielded. Therefore, *data collected with the CAI mode beginning in 1999 are generally not comparable with data collected with the old PAPI mode in prior years, even if the basic wording or content of a question was the same in both the CAI and PAPI instruments.*

As much as possible, however, CAI variables were named identically to the PAPI variables when the content of questions was identical or similar in CAI and PAPI. Use of variable names in CAI that had previously been used in PAPI preserved the historical meaning of key variables, such as those pertaining to the most recent time that respondents used a particular drug.

Usable Cases

A key step in the data processing procedures established the minimum item response requirements in order for cases to be retained for weighting and further analysis (i.e., "usable" cases). These procedures were designed to eliminate cases with unacceptable levels of item nonresponse (i.e., missing data), thereby retaining cases with lower levels of missing data and reducing the amount of statistical imputation needed for any given record.

⁵Some section names in the CAI instrument specifications have been changed for this codebook to make the contents of the section clearer to data file users. For example, the Substance Dependence and Abuse section of this codebook corresponds to the Drug Dependence and Withdrawal section in the instrument specifications.

The usable case criteria established for CAI were based on the completeness of information that respondents provided about their lifetime use or nonuse of different drugs. In CAI, respondents were asked more detailed questions about different drugs only if they reported lifetime use of that drug (or lifetime use of one or more drugs within a broader category, such as hallucinogens) on an initial "gate" question.⁶ Consequently, whether a CAI respondent was a lifetime user or nonuser of the drugs of interest could be readily determined by reviewing the respondent's answers to the "gate" question on lifetime use of that drug (or category of drugs).

The requirements for a CAI record to be considered usable are noted below.

1. The lifetime cigarette question (i.e., "Have you ever smoked part or all of a cigarette?") had to have been answered as "yes" or "no." This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance. Consequently, data about lifetime use or nonuse of cigarettes could be used in subsequent statistical imputations for other drugs where lifetime use/nonuse was undefined.
2. Responses to questions on at least nine (9) of the following additional drugs had to contain information about lifetime use or nonuse: (a) chewing tobacco, (b) snuff, (c) cigars, (d) alcohol, (e) marijuana, (f) cocaine (in any form), (g) heroin, (h) hallucinogens, (i) inhalants, (j) pain relievers, (k) tranquilizers, (l) stimulants, and (m) sedatives. Crack cocaine was not included in the usable case rule because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as "yes." Although the CAI instrument also asked about pipe tobacco, this was not included in the usable case rule because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question.

The 2001 interview also included follow-up probes for respondents who initially refused to answer a gate question, or an entire series of gate questions. Follow-up probes were included in 2001 for the following modules that were relevant to the usable case rule: cigarettes, chewing tobacco, snuff, cigars, alcohol, marijuana, cocaine, heroin, specific hallucinogens (i.e., LSD, PCP, and Ecstasy [MDMA]), the specific stimulant methamphetamine, and any use of inhalants, pain relievers, tranquilizers, stimulants, or sedatives (if respondents refused all lifetime use questions about these latter five drug categories). If respondents changed their initial refusal to a response of "yes" or "no," they were considered to have provided usable data to that drug's gate information.

For the hallucinogens through sedatives sections, respondents reported about use or nonuse of specific drugs within that category. For these sections, the requirement for reporting of lifetime use or nonuse was considered to have been satisfied if at least one lead lifetime question in the series was answered as "yes" or "no" (e.g., if at least one question in the hallucinogen

⁶In all modules except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single "yes/no" question (e.g., "Have you ever, even once, used marijuana or hashish?"). In the hallucinogens through sedatives modules, the logic for asking more detailed questions about use of that category of drugs was based on respondents' answers to multiple "yes/no" questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the specific hallucinogens LSD, PCP, peyote, mescaline, psilocybin/mushrooms, Ecstasy, or "any other" hallucinogen).

series was answered as "yes" or "no" for hallucinogens). Similarly, in the inhalants, pain relievers, tranquilizers, stimulants, and sedatives sections, if respondents initially refused to answer all gate questions for a given drug but subsequently answered that drug's follow-up probe as "yes" or "no," they were considered to have satisfied the reporting requirement for that drug.

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., under age 12 or on active duty in the U.S. military). These ineligible cases by definition did not meet the usable case criteria because the interviews were terminated before the respondents were asked the first cigarette use question.

Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was further reduced through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related items. Nevertheless, there still were limited situations in which respondents could answer one question in a manner that was inconsistent with their answer to a previous question.

Logical editing of data was first conducted for many of the variables. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given module of the interview (e.g., within the hallucinogens section). As part of this procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply.

As a general principle when editing data in all the modules, responses from one module (e.g., hallucinogens) were not used to edit variables in another module (e.g., inhalants).⁷ For this reason, data in one module may not be completely consistent with data in other modules. Subsequent discussion about editing in this section focuses on key drug use variables.

Editing Procedure for Drug Use Variables

Logical editing and processing of drug use variables in the tobacco through the sedatives modules first involved identifying whether respondents had ever used or never used the drug of interest. That included situations in which respondents initially refused to answer a question about their lifetime use of a drug but then changed their answer to "yes" or "no" on follow-up. If respondents did not provide sufficient information about their use or nonuse of a particular drug (or drug category), their final status was assigned through statistical imputation procedures. If

⁷One exception to the principle of not editing across modules involved situations in which responses in one module governed whether respondents were asked questions in another module. For example, if respondents reported never using heroin, they were not asked questions in the noncore treatment module about treatment for heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment data because they had never used it.

values pertaining to lifetime use or nonuse of a given drug were changed through the editing procedures, this editing was indicated through special codes that indicated that a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." In the hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives modules, for example, respondents who did not report lifetime use of a specific drug (e.g., LSD) but specified use of it as "some other drug" were logically inferred to be lifetime users of that drug. In the psychotherapeutics modules (i.e., pain relievers, tranquilizers, stimulants, and sedatives), respondents whose only reported lifetime use involved over-the-counter medications were logically inferred to have never used that particular prescription-type psychotherapeutic drug.

Following determination of lifetime use or nonuse of a given drug, edits of the variables that established when respondents last used a drug of interest were probably the most critical. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime.

The 2001 interview included follow-up probes for respondents who were lifetime users of a given drug but did not know or refused to report when they last used it. Respondents who initially did not know when they last used a drug were asked to give their "best guess" of when they last used it. Respondents who initially refused to report when they last used a drug were asked to reconsider answering the question. If respondents changed their initial answer of "don't know" or "refused" in response to these probes, the editing procedures incorporated data from these probes into the final, edited recency-of-use variables. For example, if respondents initially refused to report when they last used a drug but then reported last using it more than 30 days ago but within the past 12 months, their edited recency indicated use in that period, in the absence of any information that was inconsistent with what they reported in the probe (see below).

Situations were identified and flagged in which there were potential inconsistencies between a respondent's answer to a drug's recency question (or the answer in a follow-up probe) and other data in that module. For example, it would be inconsistent for a respondent to report last using a drug "more than 12 months ago" but also to report having first used it at his or her current age. These inconsistencies were then addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent's original answer to the recency question.

Again, if values pertaining to the period when respondents last used a drug were changed through the editing procedures, special codes were assigned to indicate that these edits had been done. The documentation for these codes included the phrase "LOGICALLY ASSIGNED." For example, a code of 8 in a drug's recency-of-use variable means "Used at some point in the past 12 months LOGICALLY ASSIGNED." Specifically, if a respondent reported using a drug more than 30 days ago but within the past 12 months but other data suggested that the respondent may have used the drug more recently, this code of 8 indicated that it could at least be inferred that the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 ("Used at some point in the lifetime LOGICALLY ASSIGNED") indicated that the respondent was potentially a user in any period that was asked about for that particular drug, including the past 30 days. In particular, respondents were assigned a code of 9 if they initially answered "don't

know" or "refused" to a drug's recency question and continued on follow-up to answer "don't know" or "refused" regarding when they last used it.

Changes to Drug Use Questions in 2001

As substance use phenomena change, it can often become necessary to adjust the measuring instrument to reflect those changes. In this spirit, new questions were added to the interview in 2001 pertaining to the initiation and recency of use of the hallucinogen Ecstasy (MDMA). As in 2000, respondents in 2001 also were asked questions about their initiation and recency of use of LSD or PCP. If respondents in 2001 reported more recent use of a specific hallucinogen (i.e., LSD, PCP, or Ecstasy) than what they reported for their recency of use of any hallucinogen, they were prompted to resolve this inconsistency in their answers. If respondents did not resolve the inconsistency (i.e., by changing their general hallucinogen recency to indicate more recent use or by changing the recency for LSD, PCP, or Ecstasy to indicate less recent use), the editing procedures that had been in place since 1999 favored the information that indicated the most recent use of a hallucinogen. Thus, the new question about recency of use of Ecstasy provided respondents an additional opportunity to indicate more recent use of any hallucinogen than what they had originally reported. The new questions about Ecstasy use also provided additional data that were not available in 2000 for use in logically editing the hallucinogen recency-of-use variable.

To investigate the potential impact of the new Ecstasy questions, an analysis was performed that did not take into account the data present in these new questions. Results are described in greater detail in Appendix C of the *Results from the 2001 NHSDA: Volume II* (<http://www.samhsa.gov/oas/NHSDA/2k1NHSDA/vol2/appendixc.htm>). In summary, the analysis found that some estimates of hallucinogen use increased due to the addition of these new questions. Although the largest changes in the estimates occurred for hallucinogens and any illicit drugs other than marijuana for persons aged 18 to 25, increases in estimates of hallucinogen use and any illicit drug use other than marijuana between 2000 and 2001 would still have been significant for this age group even if the new Ecstasy questions had not been present.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc. = NEVER USED [DRUG(S) OF INTEREST]

93 or 993 or 9993, etc. = USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST

94 or 994 or 9994, etc. = DON'T KNOW

97 or 997 or 9997, etc. = REFUSED

98 or 998 or 9998, etc. = BLANK (i.e., not answered; not asked the question)

99 or 999 or 9999, etc. = LEGITIMATE SKIP

The following analogous codes also were assigned as part of the logical editing process:

81 (or 981, 9981, etc.) = NEVER USED [DRUG(s) OF INTEREST] Logically assigned

83 (or 983, 9983, etc.) = USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned

85 (or 985, 9985, etc.) = BAD DATA Logically assigned (i.e., usually inconsistent with other data)

89 (or 989, 9989, etc.) = LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences module but that respondent was subsequently classified as being 18 or older, any answers that the respondent gave in the youth experiences module were overwritten with codes of 89 (or 989, etc.). These codes signify that this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

the respondent broke off the interview before reaching a particular question or section;

the CAI program allowed the respondent to hit the ENTER key without providing a response (typically, in situations where respondents were asked to specify something, such as the name of some other drug that they had used); or

the CAI program skipped the respondent past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondent (e.g., if subsequent questions about a drug were skipped because the respondent did not know whether he or she ever used that drug).

Statistical Imputation

Statistical imputation refers to the substitution of acceptable artificial values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing data were replaced with nonmissing values for selected variables.

These variables can be identified in the codebook by their labels, within which can be found the words "IMPUTATION REVISED." In addition, most imputation-revised variables have names with the prefix "IR." Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words "IMPUTATION INDICATOR" in their labels and are identified with the prefix "II." For some imputation-revised variables, additional imputation indicators are available, identified with the prefix "II2," giving more details about the source of the imputed or logically assigned value.

The levels within the imputation-revised variables were limited to the valid responses in the interview itself. If neither editing nor imputation was required for a particular characteristic, the levels for the edited and imputation-revised variables were the same, with each level corresponding to a valid interview response. If an edited variable had a logically assigned value for which no imputation was required, that logically assigned value was converted to the associated valid interview response in the imputation-revised variable. Finally, levels in the edited variable that did not correspond to a valid interview response indicated that the information available for that respondent was incomplete and, consequently, imputation was required. These levels were replaced by imputed values corresponding to valid interview responses, which were consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include "bad data," "don't know," and "refused." Also, in the case of recency of use, some levels in the edited variable described a more general recency than was designated from a valid interview response, which, in the imputation-revised variable, were replaced by imputed values consistent with the general recency level.

For all demographic variables requiring imputation in the 2001 NHSDA, missing values were imputed using predictive mean neighborhoods (PMN), a procedure developed specifically for the NHSDA. PMN is a combination of model-assisted and nearest neighbor hot-deck imputation methods and is described in detail, along with its application to the NHSDA in 2000, in the *2000 Methodological Resource Book*.⁸ The use of PMN in 2001 to impute missing values in the variables for education level and employment status is an enhancement compared with what was done in 2000. In 2000, those two variables were imputed using an unweighted sequential hot-deck procedure with various sorting and classing variables. In 2001, however, missing values in all other variables requiring imputation were imputed. Prior to 2000, for all demographic variables requiring imputation in the NHSDA, missing data were imputed using the unweighted sequential hot-deck procedure.

To protect confidentiality, the imputation-revised race and Hispanic origin variables were not included on this file. This information is provided in a recoded variable that combines race and Hispanic ethnicity (NEWRACE2). A description of how race and ethnicity is treated in the 2001 NHSDA (and in surveys from previous years) is given in the document found at <http://www.samhsa.gov/oas/nhsda/methods.cfm>. The original version of the imputation-revised education level variable also was omitted from this file and replaced by a recoded version (IREduc2). However, the original marital status variable (IRMARIT) and employment status

⁸RTI. (2002). *2000 National Household Survey on Drug Abuse: Methodological resource book* (prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-98-9008, Deliverable No. 28, RTI 7190). Research Triangle Park, NC.

variables (EMPSTAT4 and EMPSTATY) are included. Although no missing data were imputed for gender, the potential for missing data makes an "IR" prefix necessary for this variable (IRSEX).

In the NHSDA, the core drug use variables are recency of use, frequency of use in the past 12 months, frequency of use in the past 30 days, and age at first use. Imputation of missing values in these core drug use variables was accomplished using PMN, as was true for the 1999 and 2000 NHSDA samples. In addition to the demographic and drug use variables, the PMN method also was used to impute missing values in many of the income, insurance, and roster-derived household composition variables in the 2001 sample.

Statistical Significance of Differences

The NHSDA's redesign has improved the precision of its estimates of substance use prevalence, but the redesign also has made it difficult to assess long-term trends. *As noted previously, it is not considered appropriate to make comparisons of the 1999 and later CAI estimates with earlier NHSDA estimates to assess trends in substance use, due to the major differences between the CAI and PAPI methods. If comparisons such as these are made, it is recommended that they be interpreted with caution.*

Customarily, the observed difference between estimates is evaluated in terms of its "statistical significance." "Statistical significance" refers to the probability that a difference as large as that observed would occur due to random error in the estimates if there were no difference in the prevalence rates for the population groups being compared. The significance of observed differences is generally reported at the 0.05 and 0.01 levels.

When comparing the prevalence estimates between survey years, year1 and year2, the null hypothesis (no difference in the year1 and year2 prevalence rates) can be tested against the alternative hypothesis (there is a difference in prevalence rates) using the standard difference in proportions test, expressed as follows:

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2 \text{cov}(\hat{p}_1, \hat{p}_2)}}$$

where

- \hat{p}_1 = year1 estimated proportion,
- $\text{var}(\hat{p}_1)$ = variance estimate for \hat{p}_1 ,
- \hat{p}_2 = year2 estimated proportion,
- $\text{var}(\hat{p}_2)$ = variance estimate for \hat{p}_2 , and
- $\text{cov}(\hat{p}_1, \hat{p}_2)$ = covariance between \hat{p}_1 and \hat{p}_2 .

Under the null hypothesis, Z is asymptotically distributed as a normal random variable. Calculated values of Z can therefore be referred to as the unit normal distribution to determine

the corresponding probability level (i.e., p value). Because there is a 50 percent overlap in the sampled segments between successive years of the NHSDA samples (see the section on Survey Methodology [1999 Survey Redesign]), the covariance term in the formula for Z will, in general, be greater than zero. As described below, commercially available variance estimation software can be used to compute estimates of Z along with the associated p values such that the covariance term is calculated by taking the sample design into account. A similar procedure and formula for Z can be used for estimated totals.

Two non-independent prevalence estimates from the same data year can be compared using the above formula. Using this formula directly and ignoring the covariance term, which is usually small and positive, will result in a somewhat conservative test of hypotheses that will sometimes fail to establish statistical significance when in fact it exists. Survey analysis software can calculate such within-year comparison estimates so that the covariance term is calculated by accounting for the sample design.

Use of Sample Weights and Sample Design Variables

Due to various adjustments, such as those for nonresponse and poststratification, the 2001 NHSDA sample is not self-weighting. *Analysts are advised to use the sample weight when attempting to use the NHSDA data to draw inferences about the target population or any subdomain of the target population.* All estimates published in SAMHSA reports (such as the *Results from the 2001 NHSDA: Volumes I, II, and III*) are weighted using the final analysis weight for the full sample. For the public use file, the corresponding final sample weight is denoted as ANALWT_C, with the "C" denoting confidentiality protection. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT_C, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the full sample weighting procedures and the sample weight components may be found in the *2000 Methodological Resource Book* available from SAMHSA (see footnote 8).

The public use file contains two sample design variables in addition to ANALWT_C. These variables are VESTR (variance estimation (pseudo) stratum) and VEREP (variance estimation (pseudo) replicate within each stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages. The SAMHDA Data Analysis System (<http://datafiles.samhsa.gov>) also has this capacity and is available for public use. However, the data analysis software in SAMHDA uses the terms Stratum and Cluster, which correspond respectively to VESTR and VEREP in the public use file.

Confidentiality of Data

To protect the confidentiality of respondents to the 2001 NHSDA, the full analytic file of approximately 69,000 persons has been modified in a number of ways. All directly identifying information on the file has been eliminated. In addition, Census region, State, and other geographic identifiers have been removed. This is an individual record file, and the household link between two persons who responded from the same household has been removed.

All variables on the file were reviewed for the possibility of identifying the respondent by combining a number of them at one time. Variables considered to have a high potential of personal identification, as well as a high value for analysis, were treated by standard procedures of categorization and top-and-bottom coding. In addition, two other techniques were used to introduce sufficient uncertainty for any person who attempted to disclose an individual identity and the confidential responses. First, a portion of the records was randomly subsampled and removed from the file to reduce the probability that any known respondent was in the public use file. Second, also on a random basis, a sample of records was designated, and variables were substituted from a similar donor record. This process makes it difficult for a "data snooper" to be certain that any record corresponds to a specific individual because some of the variables used to identify the record may come from different individuals. The result is that there is a very small probability of identifying an individual from the file.

Subsampling and substitution were done while simultaneously constraining the resultant file to a minimal increase in bias and a minimal decrease in precision for numerous estimates of drug use prevalence across numerous domains. In addition, the weights on the final file were recalibrated to known totals from the full analytic file so as to minimize the decrease in precision owing to the two techniques.

A number of variables were reviewed after the above process was undergone in order to determine the impact of these techniques on the bias and precision of estimates compared with the full file. These variables included both variables for which partial records were substituted, as well as other variables. In addition, the precision was studied for over 340 variables/subdomains. The difference in the estimates from the full analytic file and the public use file was typically about plus or minus 1 or 2 percent. In a few cases, it was higher, the highest being plus 13 percent for HERYR (heroin past year use) in domain Non-Hispanic Asian. The decrease in precision was typically about 6 to 10 percent on average.

Estimation of Parameters and Their Standard Errors

The sampling weights on the public use file were adjusted for subsampling and calibrated with respect to 6 drug use prevalence measures and 34 demographic domains. Survey analysis software can be used with these weights, along with VESTR and VEREP, to estimate various parameters and their standard errors. Because of calibration, some of the prevalence estimates for certain demographic domains from the public use file will be identical to the full sample estimates. Tables 1 and 2 show prevalence estimates and their standard errors for demographic domains that were not included in the calibration constraints.

Table 1 shows the ratio of prevalence estimates and standard errors from the public use file subsample to the full sample for past month marijuana use, a relatively high prevalence drug. The results are shown for seven demographic domains.

Table 2 shows the same ratios for past year heroin use, a relatively low prevalence drug. Only five of the seven demographic domains are presented because the Native Hawaiian/other

Pacific Islander domain and the Native American/Alaska Native domain had 0 heroin prevalence estimates.

Table 1. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Native American/Alaska Native	1.01	1.11
Non-Hispanic Native Hawaiian/other Pacific Islander	1.00	1.07
Non-Hispanic Asian	0.99	1.07
Non-Hispanic more than one race	1.02	1.05
Household has four members	0.99	0.94
Household has five members	1.02	1.00
Household has six or more members	0.99	1.06

Note: Ratio = [Public use file subsample estimate / Full sample estimate].

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 2. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Five Domains

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Asian	1.13	1.12
Non-Hispanic more than one race	0.97	1.12
Household has four members	0.98	1.05
Household has five members	0.92	0.98
Household has six or more members	1.08	1.16

Note: Ratio = [Public use file subsample estimate / Full sample estimate].

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

LABEL	LEN	IDENTIFICATION DESCRIPTION	PAGE:	1
-----	----	-----	FREQ	%
		-----	-----	-
(QUESTID)		IDENTIFICATION ----- The following variable, QUESTID, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the interview date (INTDATE) when using the QUESTID.		
QUESTID	7	RESPONDENT IDENTIFICATION		

NOTE: If respondents entered an age in CGSN03 (Please answer this question again. What is your current age?) that is less than 12, they were to be routed out immediately to ENDAUDIO so that the Field Interviewers could conclude the interview. The respondents were not being routed to ENDAUDIO after CGSN03a, but were instead going to CG17 (Have you ever used chewing tobacco?), then to ENDAUDIO. The routing for the CAI program was corrected 3/21/01.

NOTE: If a respondent entered an age in CGCC13 (Please answer this question again. What is your current age?) that is less than 12, respondents were to be routed immediately to ENDAUDIO so that the Field Interviewer could conclude the interview. The respondents were not being routed to ENDAUDIO after CGCC13a, but were instead going to CG16a (Have you smoked at least 100 cigarettes in your entire life?), then ENDAUDIO. The routing for the CAI program was corrected 3/21/01.

NOTE: Respondents who said No to CGCC11 (The computer recorded that you were DAILYCIG years old when you first started smoking cigarettes every day. Is this correct?) were supposed to get routed to CGCC14 (Please answer this question again. How old were you when you first started smoking cigarettes every day?). Instead, they were getting skipped past this question and going to CG25 (Have you ever used snuff?). This routing error was corrected on 3/21/01.

NOTE: Respondents who said No to CGSN01 (The computer recorded that you were SNUFFAGE when you first used snuff. Is this correct?) were supposed to get routed to CGSN04 (Please answer this question again. How old were you the first time you used snuff?). Instead, they were getting skipped past this question and going to CG27 (During the past 30 days, have you used snuff, even once?). This routing error was corrected on 3/21/01.

NOTE: Respondents who choose cigarette brand options 1-34 in CG11a (what brand of cigarettes did you smoke most often in the past 30 days) are supposed to be subsequently routed to CGTAR1 (what type of cigarettes did you smoke most often?) and CGMENTH1 (During the past 30 days, did you smoke CIGFILL menthol or regular cigarettes most often?). However, the CAI program erroneously specified brands 1-26 instead of 1-34, so anyone who answered CG11a with cigarette brand options 27-34 skipped the CGTAR1 and CGMENTH1 questions. This was corrected on 6/18/01.

LABEL LEN DESCRIPTION
 ----- --- -----

PAGE: 3
 ----- -

NOTE: If respondents answer No to CGCC07 (The computer recorded that you were DAILYCIG years old when you first started smoking cigarettes every day. Is this correct?), they are subsequently supposed to be routed to CGCC10 (Please answer this question again. How old were you when you first started smoking cigarettes every day?), but due to a problem with the CAI program, they were skipping CGCC10 and getting routed to CG16a (Have you smoked at least 100 cigarettes in your entire life?). This routing error was corrected on 6/18/01.

NOTE: Respondents who answered CGCC08 (The answers for this last question and an earlier question disagree. Which answer is correct?) with "I was DAILYCIG years old when I first started smoking cigarettes every day", were to be immediately routed to CGCC09 (Please answer this question again. How old were you the first time you smoked part or all of a cigarette?). Due to a problem with the CAI program, they were erroneously routed to CGCC10 (Please answer this question again. How old were you when you first started smoking cigarettes every day?). This problem was corrected on 6/18/01.

NOTE: Respondents who answered CGCC08 (The answers for this last question and an earlier question disagree. Which answer is correct?) with "I was AGE1STCG years old the first time I smoked part or all of a cigarette", were to be immediately routed to CGCC10 (Please answer this question again. How old were you when you first started smoking cigarettes every day?). Due to a problem with the CAI program, they were erroneously routed to CGCC09 (Please answer this question again. How old were you the first time you smoked part or all of a cigarette?). This problem was corrected on 6/18/01.

Variables affected by any one of these patches are denoted by an '*' to the left of the variable name.

These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.

Have you ever smoked part or all of a cigarette?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

CIGEVER	LEN	DESCRIPTION	FREQ	%
	1	EVER SMOKED A CIGARETTE		
		1 = Yes.....	32938	59.28
		2 = No.....	22623	40.72

		TOBACCO		
LABEL	LEN	DESCRIPTION	PAGE:	4
-----	----	-----	FREQ	%
-----	----	-----	-----	-----
(CG02)		If one of your best friends offered you a cigarette, would you smoke it?		
CIGOFRSM	2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG		
		1 = Definitely Yes.....	30	0.05
		2 = Probably Yes.....	197	0.35
		3 = Probably Not.....	1769	3.18
		4 = Definitely Not.....	9523	17.14
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	10	0.02
		99 = LEGITIMATE SKIP.....	44028	79.24
(CG03)		At any time during the next 12 months do you think you will smoke a cigarette?		
CIGWILYR	2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS		
		1 = Definitely Yes.....	29	0.05
		2 = Probably Yes.....	157	0.28
		3 = Probably Not.....	1598	2.88
		4 = Definitely Not.....	9723	17.50
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	8	0.01
		99 = LEGITIMATE SKIP.....	44028	79.24
(CG04)		How old were you the first time you smoked part or all of a cigarette?		
*CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE		
		RANGE = 1 - 60	32298	58.13
		985 = BAD DATA Logically assigned.....	332	0.60
		991 = NEVER USED CIGARETTES.....	22623	40.72
		994 = DON'T KNOW.....	257	0.46
		997 = REFUSED.....	51	0.09
(CG04A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG04a, CG04b, CG04c, and CG04d were used to create the following two variables.		
CIGYFU	4	YEAR OF FIRST CIGARETTE USE - RECODE		
		RANGE = 1999 - 2001	1551	2.79
		9985 = BAD DATA Logically assigned.....	735	1.32
		9989 = LEGITIMATE SKIP Logically assn.....	8	0.01
		9991 = NEVER USED CIGARETTES.....	22623	40.72
		9994 = DON'T KNOW.....	262	0.47
		9997 = REFUSED.....	54	0.10
		9998 = BLANK (NO ANSWER).....	227	0.41
		9999 = LEGITIMATE SKIP.....	30101	54.18

TOBACCO			PAGE:	5
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CIGMFU	2	MONTH OF FIRST CIGARETTE USE - RECODE		
		1 = January.....	112	0.20
		2 = February.....	59	0.11
		3 = March.....	118	0.21
		4 = April.....	85	0.15
		5 = May.....	115	0.21
		6 = June.....	180	0.32
		7 = July.....	144	0.26
		8 = August.....	112	0.20
		9 = September.....	104	0.19
		10 = October.....	108	0.19
		11 = November.....	109	0.20
		12 = December.....	90	0.16
		85 = BAD DATA Logically assigned.....	755	1.36
		89 = LEGITIMATE SKIP Logically assn.....	8	0.01
		91 = NEVER USED CIGARETTES.....	22623	40.72
		94 = DON'T KNOW.....	476	0.86
		97 = REFUSED.....	55	0.10
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	30101	54.18
(CG05)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last smoked part or all of a cigarette?		
CIGREC	2	TIME SINCE LAST SMOKED CIGARETTES		
		1 = Within the past 30 days.....	14770	26.58
		2 = More than 30 days ago but within the past 12 mos..	3185	5.73
		3 = More than 12 months ago but within the past 3 yrs.	3298	5.94
		4 = More than 3 years ago.....	11163	20.09
		8 = Used at some point in the past 12 mos LOG ASSN....	15	0.03
		9 = Used at some point in the lifetime LOG ASSN.....	22	0.04
		14 = Used more than 12 months ago LOG ASSN.....	260	0.47
		19 = Used more than 30 days ago LOG ASSN.....	225	0.40
		91 = NEVER USED CIGARETTES.....	22623	40.72

TOBACCO			PAGE:	6
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(CG07)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigarette?		
CIG30USE	2	HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS		
		RANGE = 1 - 30	14597	26.27
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	22623	40.72
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		94 = DON'T KNOW.....	145	0.26
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	35	0.06
(CG07DKRE)		What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?		
CG30EST	2	BEST EST. # DAYS SMOKED CIG PAST 30 DAYS		
		1 = 1 or 2 days.....	12	0.02
		2 = 3 to 5 days.....	24	0.04
		3 = 6 to 9 days.....	23	0.04
		4 = 10 to 19 days.....	30	0.05
		5 = 20 to 29 days.....	17	0.03
		6 = All 30 days.....	41	0.07
		91 = NEVER USED CIGARETTES.....	22623	40.72
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	14597	26.27
(CG08)		On the CG07 days / CIGDKRE you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?		
CIG30AV	2	AVG # CIGS SMOKED PER DAY/ON DAY SMOKED		
		1 = Less than one cigarette per day.....	1789	3.22
		2 = 1 cigarette per day.....	1432	2.58
		3 = 2 to 5 cigarettes per day.....	3531	6.36
		4 = 6 to 15 cigarettes per day (about 1/2 pack).....	3703	6.66
		5 = 16 to 25 cigarettes per day (about 1 pack).....	3099	5.58
		6 = 26 to 35 cigarettes per day (about 1 1/2 packs)...	810	1.46
		7 = More than 35 cigs per day (abt 2 packs or more)...	337	0.61
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	22623	40.72
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	56	0.10

		TOBACCO	PAGE:	7
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CIG30BR2	4	CIG BRAND USED MOST OFTEN PAST MO - RECODE		
		101 = Basic.....	544	0.98
		102 = Benson & Hedges.....	148	0.27
		103 = Cambridge.....	22	0.04
		104 = Camel.....	1446	2.60
		105 = Capri.....	79	0.14
		106 = Carlton.....	40	0.07
		107 = Doral.....	322	0.58
		109 = GPC.....	200	0.36
		110 = Kent.....	16	0.03
		111 = Kool.....	286	0.51
		112 = Marlboro.....	7317	13.17
		113 = Merit.....	91	0.16
		114 = Misty.....	54	0.10
		115 = Monarch.....	20	0.04
		116 = Montclair.....	17	0.03
		117 = More.....	26	0.05
		118 = Newport.....	2181	3.93
		119 = Pall Mall.....	56	0.10
		120 = Parliament.....	274	0.49
		121 = Private Label.....	15	0.03
		122 = Salem.....	185	0.33
		123 = Vantage.....	27	0.05
		124 = Viceroy.....	33	0.06
		125 = Virginia Slims.....	169	0.30
		126 = Winston.....	312	0.56
		127 = Alpine.....	4	0.01
		130 = Best Value.....	11	0.02
		132 = Bugler (roll-your-own).....	12	0.02
		137 = Eve.....	4	0.01
		140 = Lark.....	3	0.01
		142 = Lucky Strike.....	30	0.05
		144 = Maverick.....	16	0.03
		145 = Max.....	3	0.01
		146 = Now.....	11	0.02
		147 = Old Gold.....	43	0.08
		148 = Players.....	4	0.01
		149 = Pyramid.....	14	0.03
		152 = Saratoga.....	5	0.01
		157 = Tareyton.....	6	0.01
		158 = Top (roll-your-own).....	16	0.03
		160 = True.....	16	0.03
		161 = American Spirit.....	59	0.11
		162 = Austin.....	4	0.01
		163 = Bali Hai.....	3	0.01
		166 = Bidis; brand unspecified.....	3	0.01

TOBACCO			PAGE:	8
LABEL	LEN	DESCRIPTION	FREQ	%
		171 = Checkers.....	7	0.01
		172 = Cimmarron.....	3	0.01
		173 = Clove; brand unspecified.....	8	0.01
		174 = Daves.....	3	0.01
		175 = Djarum cigarettes.....	27	0.05
		176 = Drum rolling tobacco.....	5	0.01
		178 = Dunhill cigarettes.....	9	0.02
		179 = Eagle.....	6	0.01
		183 = First Class.....	7	0.01
		185 = Generic cigarettes; brand unspecified.....	3	0.01
		188 = Gunsmoke.....	3	0.01
		189 = Hi-Value.....	3	0.01
		190 = Jacks.....	8	0.01
		193 = Kamel Red.....	9	0.02
		196 = Mainstreet.....	11	0.02
		404 = Black & Mild.....	17	0.03
		423 = Swisher Sweets.....	10	0.02
		445 = Corona; brand unspecified.....	5	0.01
		1001 = Nat Sherman cigarettes.....	6	0.01
		1011 = Sampoerna.....	5	0.01
		1018 = USA Gold.....	65	0.12
		1020 = Waves.....	7	0.01
		1022 = Bailey.....	6	0.01
		1025 = Ultra Buy.....	6	0.01
		1027 = Mustang.....	3	0.01
		1029 = Tourney.....	4	0.01
		1037 = DTC.....	3	0.01
		1044 = Worth.....	4	0.01
		1048 = Carnival.....	5	0.01
		1050 = USA.....	16	0.03
		1064 = Seneca; company unspecified.....	6	0.01
		1069 = Zig-Zag (roll-your-own).....	4	0.01
		1082 = Tahoe.....	5	0.01
		1083 = Liggett Select.....	19	0.03
		1093 = Roger.....	7	0.01
		1094 = Shield.....	11	0.02
		1105 = Sixty-1.....	6	0.01
		1113 = Sweet Dreams.....	7	0.01
		1115 = Montana.....	3	0.01
		1117 = American.....	3	0.01
		1118 = Kingsport.....	3	0.01
		1120 = Durant.....	4	0.01
		1123 = CT.....	4	0.01
		1999 = Other cigarette brand or unspecified.....	159	0.29
		3999 = Other snuff brand or unspecified.....	3	0.01
		4999 = Other cigar/cigarillo brand or unspecified.....	14	0.03
		5999 = Other pipe tobacco brand or unspecified.....	3	0.01
		7999 = Not a tobacco product.....	1	0.00
		8999 = Tobacco replacement or tobacco-like product.....	2	0.00
		9000 = Did not confirm after 3 passes thru brand Qs.....	2	0.00

TOBACCO			PAGE:	9
LABEL	LEN	DESCRIPTION	FREQ	%
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED CIGARETTES.....	22623	40.72
		9993 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		9994 = DON'T KNOW.....	64	0.12
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	35	0.06
(CGTAR1)		During the past 30 days, what type of cigarettes did you smoke most often?		
*CIG30TYP 2		WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS		
		1 = Lights.....	7341	13.21
		2 = Ultra Lights.....	1466	2.64
		3 = Full Flavor.....	5821	10.48
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	22623	40.72
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		94 = DON'T KNOW.....	103	0.19
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	60	0.11
(CGMENTH1)		During the past 30 days, did you smoke menthol or regular cigarettes most often?		
*CIG30MEN 2		MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS		
		1 = Menthol.....	4154	7.48
		2 = Regular.....	10505	18.91
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	22623	40.72
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		94 = DON'T KNOW.....	71	0.13
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	60	0.11
		During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?		
CIG30RO2 2		HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS		
		1 = Yes.....	1604	2.89
		2 = No.....	13155	23.68
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES.....	22623	40.72
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	35	0.06

TOBACCO			PAGE:	10
LABEL	LEN	DESCRIPTION	FREQ	%
(CG15)		Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?		
CIGDLYMO	2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS		
		1 = Yes.....	8613	15.50
		2 = No.....	16020	28.83
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	8271	14.89
		91 = NEVER USED CIGARETTES.....	22623	40.72
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	15	0.03
(CG16)		How old were you when you first started smoking cigarettes every day?		
*CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 1 - 69	16660	29.99
		985 = BAD DATA Logically assigned.....	50	0.09
		991 = NEVER USED CIGARETTES.....	22623	40.72
		994 = DON'T KNOW.....	157	0.28
		997 = REFUSED.....	25	0.04
		998 = BLANK (NO ANSWER).....	26	0.05
		999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY).....	16020	28.83
(CG16A)		Have you smoked at least 100 cigarettes in your entire life?		
*CIG100LF	2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE		
		1 = Yes.....	11216	20.19
		2 = No.....	14230	25.61
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	7375	13.27
		91 = NEVER USED CIGARETTES.....	22623	40.72
		94 = DON'T KNOW.....	101	0.18
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	2	0.00

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
(CG25)		These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.		
		Have you ever used snuff, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
SNFEVER	2	EVER USED SNUFF		
		1 = Yes.....	8043	14.48
		2 = No.....	47487	85.47
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	2	0.00
(CG26)		How old were you the first time you used snuff?		
*SNUFTRY	3	AGE WHEN FIRST USED SNUFF		
		RANGE = 1 - 66	7829	14.09
		985 = BAD DATA Logically assigned.....	93	0.17
		991 = NEVER USED SNUFF.....	47487	85.47
		994 = DON'T KNOW.....	103	0.19
		997 = REFUSED.....	20	0.04
		998 = BLANK (NO ANSWER).....	29	0.05
(CG26A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG26a, CG26b, CG26c, and CG26d were used to create the following two variables.		
SNUFYFU	4	YEAR OF FIRST SNUFF USE - RECODE		
		RANGE = 1999 - 2001	611	1.10
		9985 = BAD DATA Logically assigned.....	234	0.42
		9991 = NEVER USED SNUFF.....	47487	85.47
		9994 = DON'T KNOW.....	104	0.19
		9997 = REFUSED.....	20	0.04
		9998 = BLANK (NO ANSWER).....	95	0.17
		9999 = LEGITIMATE SKIP.....	7010	12.62

TOBACCO			PAGE:	12
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SNUFMFU	2	MONTH OF FIRST SNUFF USE - RECODE		
		1 = January.....	47	0.08
		2 = February.....	32	0.06
		3 = March.....	50	0.09
		4 = April.....	36	0.06
		5 = May.....	33	0.06
		6 = June.....	60	0.11
		7 = July.....	58	0.10
		8 = August.....	42	0.08
		9 = September.....	46	0.08
		10 = October.....	44	0.08
		11 = November.....	52	0.09
		12 = December.....	32	0.06
		85 = BAD DATA Logically assigned.....	240	0.43
		91 = NEVER USED SNUFF.....	47487	85.47
		94 = DON'T KNOW.....	181	0.33
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	7010	12.62

(CG27) Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you used snuff, even once?

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used snuff?

SNFREC	2	TIME SINCE LAST USED SNUFF		
		1 = Within the past 30 days.....	1787	3.22
		2 = More than 30 days ago but within the past 12 mos..	852	1.53
		3 = More than 12 months ago but within the past 3 yrs.	1086	1.95
		4 = More than 3 years ago.....	4155	7.48
		8 = Used at some point in the past 12 mos LOG ASSN....	2	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	6	0.01
		14 = Used more than 12 months ago LOG ASSN.....	69	0.12
		19 = Used more than 30 days ago LOG ASSN.....	86	0.15
		91 = NEVER USED SNUFF.....	47487	85.47
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	29	0.05

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
(CG29)		During the past 30 days, that is since DATEFILL, on how many days did you use snuff?		
SNF30USE	2	HOW MANY DAYS USED SNUFF PAST 30 DAYS		
		RANGE = 1 - 30	1769	3.18
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SNUFF.....	47487	85.47
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	6248	11.25
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	36	0.06
(CG29DKRE)		What is your best estimate of the number of days you used snuff during the past 30 days?		
SN30EST	2	BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS		
		1 = 1 or 2 days.....	1	0.00
		2 = 3 to 5 days.....	4	0.01
		3 = 6 to 9 days.....	4	0.01
		4 = 10 to 19 days.....	4	0.01
		5 = 20 to 29 days.....	1	0.00
		6 = All 30 days.....	1	0.00
		91 = NEVER USED SNUFF.....	47487	85.47
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	6248	11.25
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	1769	3.18

LABEL	LEN	DESCRIPTION	FREQ	%
TOBACCO				
NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.				
SNF30BR2	4	SNUFF BRAND USED MOST OFTEN PAST MO - RECODE		
		208 = Red Man.....	13	0.02
		301 = Copenhagen.....	662	1.19
		302 = Gold River.....	8	0.01
		303 = Happy Days.....	4	0.01
		304 = Hawken.....	21	0.04
		305 = Kodiak.....	176	0.32
		306 = Redwood.....	15	0.03
		307 = Silver Creek.....	17	0.03
		308 = Skoal.....	665	1.20
		309 = Timber Wolf.....	81	0.15
		312 = Cougar.....	5	0.01
		316 = Red Seal.....	32	0.06
		317 = Rooster.....	14	0.03
		321 = W. Garrett snuff.....	8	0.01
		1999 = Other cigarette brand or unspecified.....	3	0.01
		2999 = Other chewing tobacco brand or unspecified.....	6	0.01
		3999 = Other snuff brand or unspecified.....	42	0.08
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SNUFF.....	47487	85.47
		9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	6248	11.25
		9994 = DON'T KNOW.....	11	0.02
		9997 = REFUSED.....	6	0.01
		9998 = BLANK (NO ANSWER).....	36	0.06

(CG17) The next questions are only about chewing tobacco.

Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.

Have you ever used chewing tobacco, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

*CHEWEVER	2	EVER USED CHEW EVEN ONCE		
		1 = Yes.....	7019	12.63
		2 = No.....	48530	87.35
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	2	0.00

TOBACCO			PAGE:	15
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG18)		How old were you the first time you used chewing tobacco?		
CHEWTRY	3	AGE WHEN FIRST USED CHEW		
		RANGE = 1 - 67	6827	12.29
		985 = BAD DATA Logically assigned.....	96	0.17
		991 = NEVER USED CHEWING TOBACCO.....	48530	87.35
		994 = DON'T KNOW.....	90	0.16
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	10	0.02
(CG18A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, and CG18d were used to create the following two variables.		
CHEWYFU	4	YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
		RANGE = 1999 - 2001	400	0.72
		9985 = BAD DATA Logically assigned.....	208	0.37
		9991 = NEVER USED CHEWING TOBACCO.....	48530	87.35
		9994 = DON'T KNOW.....	92	0.17
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	73	0.13
		9999 = LEGITIMATE SKIP.....	6248	11.25
CHEWMFU	2	MONTH OF FIRST CHEWING TOBACCO USE - RECODE		
		1 = January.....	24	0.04
		2 = February.....	22	0.04
		3 = March.....	37	0.07
		4 = April.....	22	0.04
		5 = May.....	33	0.06
		6 = June.....	35	0.06
		7 = July.....	30	0.05
		8 = August.....	28	0.05
		9 = September.....	38	0.07
		10 = October.....	30	0.05
		11 = November.....	32	0.06
		12 = December.....	14	0.03
		85 = BAD DATA Logically assigned.....	217	0.39
		91 = NEVER USED CHEWING TOBACCO.....	48530	87.35
		94 = DON'T KNOW.....	145	0.26
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	6248	11.25

		TOBACCO	PAGE:	16
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(CG19)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used chewing tobacco?		
CHEWREC	2	TIME SINCE LAST USED CHEWING TOBACCO		
		1 = Within the past 30 days.....	792	1.43
		2 = More than 30 days ago but within the past 12 mos..	730	1.31
		3 = More than 12 months ago but within the past 3 yrs.	1080	1.94
		4 = More than 3 years ago.....	4283	7.71
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	4	0.01
		14 = Used more than 12 months ago LOG ASSN.....	62	0.11
		19 = Used more than 30 days ago LOG ASSN.....	67	0.12
		91 = NEVER USED CHEWING TOBACCO.....	48530	87.35
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	10	0.02
(CG21)		During the past 30 days, that is since DATEFILL, on how many days did you use chewing tobacco?		
CHW30USE	2	HOW MANY DAYS USED CHEW IN PAST 30 DAYS		
		RANGE = 1 - 30	782	1.41
		91 = NEVER USED CHEWING TOBACCO.....	48530	87.35
		93 = DID NOT USE CHEWING TOBACCO PAST 30 DAYS.....	6222	11.20
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	15	0.03
(CG21DKRE)		What is your best estimate of the number of days you used chewing tobacco during the past 30 days?		
CH30EST	2	PAST 30 DAY ESTIMATE OF CHEWING TOBACCO		
		1 = 1 or 2 days.....	2	0.00
		2 = 3 to 5 days.....	1	0.00
		4 = 10 to 19 days.....	3	0.01
		91 = NEVER USED CHEWING TOBACCO.....	48530	87.35
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	6222	11.20
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	782	1.41

LABEL	LEN	DESCRIPTION	FREQ	%
TOBACCO				
NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.				
CHW30BR2	4	CHEW BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	104	0.19
		202 = Chattanooga Chew.....	15	0.03
		203 = Day's Work.....	9	0.02
		204 = Granger.....	6	0.01
		205 = H.B. Scott.....	6	0.01
		206 = Levi Garrett.....	133	0.24
		207 = Red Fox.....	9	0.02
		208 = Red Man.....	273	0.49
		209 = Taylors Pride.....	13	0.02
		211 = Work Horse.....	5	0.01
		220 = Lancaster.....	4	0.01
		301 = Copenhagen.....	43	0.08
		305 = Kodiak.....	22	0.04
		308 = Skoal.....	69	0.12
		309 = Timber Wolf.....	3	0.01
		317 = Rooster.....	4	0.01
		2999 = Other chewing tobacco brand or unspecified.....	55	0.10
		3999 = Other snuff brand or unspecified.....	6	0.01
		7999 = Not a tobacco product.....	1	0.00
		9000 = Did not confirm after 3 passes thru brand Qs.....	1	0.00
		9991 = NEVER USED CHEWING TOBACCO.....	48530	87.35
		9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	6222	11.20
		9994 = DON'T KNOW.....	9	0.02
		9997 = REFUSED.....	4	0.01
		9998 = BLANK (NO ANSWER).....	15	0.03

NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.

SLTTRY	3	AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE		
		RANGE = 1 - 65	10034	18.06
		985 = BAD DATA Logically assigned.....	23	0.04
		991 = NEVER USED SMOKELESS TOBACCO.....	45143	81.25
		994 = DON'T KNOW.....	161	0.29
		997 = REFUSED.....	25	0.04
		998 = BLANK (NO ANSWER).....	175	0.31

TOBACCO			PAGE:	18
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, CG18d, CG26a, CG26b, CG26c, and CG26d were used to create the following two variables.				
SLTYFU	4	YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE		
		RANGE = 1999 - 2001	701	1.26
		9985 = BAD DATA Logically assigned.....	275	0.49
		9991 = NEVER USED SMOKELESS TOBACCO.....	45143	81.25
		9994 = DON'T KNOW.....	163	0.29
		9997 = REFUSED.....	26	0.05
		9998 = BLANK (NO ANSWER).....	193	0.35
		9999 = LEGITIMATE SKIP.....	9060	16.31
SLTMFU	2	MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE		
		1 = January.....	46	0.08
		2 = February.....	40	0.07
		3 = March.....	63	0.11
		4 = April.....	41	0.07
		5 = May.....	42	0.08
		6 = June.....	66	0.12
		7 = July.....	63	0.11
		8 = August.....	50	0.09
		9 = September.....	60	0.11
		10 = October.....	54	0.10
		11 = November.....	62	0.11
		12 = December.....	32	0.06
		85 = BAD DATA Logically assigned.....	277	0.50
		91 = NEVER USED SMOKELESS TOBACCO.....	45143	81.25
		94 = DON'T KNOW.....	226	0.41
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	210	0.38
		99 = LEGITIMATE SKIP.....	9060	16.31
SLTREC	2	TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE		
		1 = Within the past 30 days.....	2117	3.81
		2 = More than 30 days ago but within the past 12 mos..	1066	1.92
		3 = More than 12 months ago but within the past 3 yrs.	1351	2.43
		4 = More than 3 years ago.....	5606	10.09
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	11	0.02
		14 = Used more than 12 months ago LOG ASSN.....	107	0.19
		19 = Used more than 30 days ago LOG ASSN.....	125	0.22
		91 = NEVER USED SMOKELESS TOBACCO.....	45143	81.25
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	31	0.06

		TOBACCO	PAGE:	19
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco				
SLT30BR2	4	SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	50	0.09
		202 = Chattanooga Chew.....	10	0.02
		203 = Day's Work.....	4	0.01
		204 = Granger.....	3	0.01
		205 = H.B. Scott.....	4	0.01
		206 = Levi Garrett.....	63	0.11
		208 = Red Man.....	136	0.24
		209 = Taylors Pride.....	9	0.02
		220 = Lancaster.....	3	0.01
		301 = Copenhagen.....	651	1.17
		302 = Gold River.....	8	0.01
		303 = Happy Days.....	3	0.01
		304 = Hawken.....	20	0.04
		305 = Kodiak.....	186	0.33
		306 = Redwood.....	13	0.02
		307 = Silver Creek.....	14	0.03
		308 = Skoal.....	678	1.22
		309 = Timber Wolf.....	78	0.14
		312 = Cougar.....	5	0.01
		316 = Red Seal.....	33	0.06
		317 = Rooster.....	16	0.03
		321 = W. Garrett snuff.....	7	0.01
		1999 = Other cigarette brand or unspecified.....	3	0.01
		2999 = Other chewing tobacco brand or unspecified.....	53	0.10
		3999 = Other snuff brand or unspecified.....	40	0.07
		7999 = Not a tobacco product.....	1	0.00
		9000 = Did not confirm after 3 passes thru brand Qs.....	1	0.00
		9991 = NEVER USED SMOKELESS TOBACCO.....	45143	81.25
		9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	8255	14.86
		9994 = DON'T KNOW.....	11	0.02
		9997 = REFUSED.....	8	0.01
		9998 = BLANK (NO ANSWER).....	52	0.09
SLT30FAV	2	WHICH BRAND CHEW OR SNUFF USED MOST		
		1 = Brand reported from CHW30BR2.....	443	0.80
		2 = Brand reported from SNF30BR2.....	1665	3.00
		91 = NEVER USED SMOKELESS TOBACCO.....	45143	81.25
		93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	8255	14.86
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	52	0.09

		TOBACCO	PAGE:	20
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(CG34)		The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.		
		Have you ever smoked part or all of any type of cigar?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGAREVR	2	EVER SMOKED PART OR ALL OF CIGAR		
		1 = Yes.....	18253	32.85
		2 = No.....	37298	67.13
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	3	0.01
(CG35)		How old were you the first time you smoked part or all of any type of cigar?		
CIGARTRY	3	AGE WHEN FIRST SMOKED CIGAR		
		RANGE = 1 - 83	17662	31.79
		985 = BAD DATA Logically assigned.....	282	0.51
		991 = NEVER USED CIGARS.....	37298	67.13
		994 = DON'T KNOW.....	291	0.52
		997 = REFUSED.....	21	0.04
		998 = BLANK (NO ANSWER).....	7	0.01
(CG35A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG35a, CG35b, CG35c, and CG35d were used to create the following two variables.		
CIGARYFU	4	YEAR OF FIRST CIGAR USE - RECODE		
		RANGE = 1999 - 2001	1760	3.17
		9985 = BAD DATA Logically assigned.....	804	1.45
		9989 = LEGITIMATE SKIP Logically assn.....	1	0.00
		9991 = NEVER USED CIGARS.....	37298	67.13
		9994 = DON'T KNOW.....	302	0.54
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	200	0.36
		9999 = LEGITIMATE SKIP.....	15173	27.31

		TOBACCO		
LABEL	LEN	DESCRIPTION	PAGE:	21
-----	----	-----	FREQ	%
-----	----	-----	-----	--
CIGARMFU	2	MONTH OF FIRST CIGAR USE - RECODE		
		1 = January.....	140	0.25
		2 = February.....	96	0.17
		3 = March.....	104	0.19
		4 = April.....	89	0.16
		5 = May.....	122	0.22
		6 = June.....	208	0.37
		7 = July.....	196	0.35
		8 = August.....	139	0.25
		9 = September.....	106	0.19
		10 = October.....	114	0.21
		11 = November.....	115	0.21
		12 = December.....	128	0.23
		85 = BAD DATA Logically assigned.....	824	1.48
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00
		91 = NEVER USED CIGARS.....	37298	67.13
		94 = DON'T KNOW.....	504	0.91
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	180	0.32
		99 = LEGITIMATE SKIP.....	15173	27.31

(CG36) Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last smoked part or all of any type of cigar?

CIGARREC	2	TIME SINCE LAST SMOKED CIGAR		
		1 = Within the past 30 days.....	3488	6.28
		2 = More than 30 days ago but within the past 12 mos..	3806	6.85
		3 = More than 12 months ago but within the past 3 yrs.	4171	7.51
		4 = More than 3 years ago.....	6329	11.39
		8 = Used at some point in the past 12 mos LOG ASSN....	14	0.03
		9 = Used at some point in the lifetime LOG ASSN.....	16	0.03
		14 = Used more than 12 months ago LOG ASSN.....	203	0.37
		19 = Used more than 30 days ago LOG ASSN.....	226	0.41
		91 = NEVER USED CIGARS.....	37298	67.13
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	7	0.01

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
(CG38)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigar?		
CGR30USE	2	HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
		RANGE = 1 - 30	3451	6.21
		91 = NEVER USED CIGARS.....	37298	67.13
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	14735	26.52
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	37	0.07
(CG38DKRE)		What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?		
CI30EST	2	BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
		1 = 1 or 2 days.....	9	0.02
		2 = 3 to 5 days.....	3	0.01
		3 = 6 to 9 days.....	2	0.00
		4 = 10 to 19 days.....	5	0.01
		5 = 20 to 29 days.....	2	0.00
		6 = All 30 days.....	2	0.00
		91 = NEVER USED CIGARS.....	37298	67.13
		93 = DID NOT USE CIGARS PAST 30 DAYS.....	14735	26.52
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	3451	6.21

TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CGR30BR2	4	CIGAR BRAND USED MOST OFTEN PAST MO - RECODE		
		112 = Marlboro.....	30	0.05
		118 = Newport.....	6	0.01
		401 = Antonio y Cleopatra.....	29	0.05
		402 = Backwoods.....	115	0.21
		403 = Bering.....	8	0.01
		404 = Black & Mild.....	952	1.71
		405 = Captain Black.....	16	0.03
		406 = Casa Silva.....	3	0.01
		407 = Cuesta-Rey.....	6	0.01
		408 = Dutch Masters.....	67	0.12
		409 = El Producto.....	16	0.03
		410 = Erik Filter.....	3	0.01
		411 = Garcia y Vega.....	121	0.22
		412 = Havatampa.....	29	0.05
		413 = King Edward.....	53	0.10
		414 = La Corona.....	24	0.04
		415 = Little Nippers.....	12	0.02
		416 = Macanudos.....	168	0.30
		417 = Muriel.....	15	0.03
		418 = Partagas.....	35	0.06
		419 = Phillies.....	189	0.34
		420 = Rigoletto.....	3	0.01
		421 = Robert Burns.....	4	0.01
		422 = Roi-Tan.....	4	0.01
		423 = Swisher Sweets.....	738	1.33
		424 = Tijuana Smalls.....	22	0.04
		426 = White Owl.....	44	0.08
		427 = William Penn.....	6	0.01
		428 = Winchester.....	15	0.03
		429 = Al Capone.....	10	0.02
		431 = Arturo Fuente.....	23	0.04
		432 = Ashton.....	7	0.01
		441 = Cherry Blend.....	3	0.01
		442 = Churchill; brand unspecified.....	3	0.01
		443 = Cohiba.....	39	0.07
		444 = Cojimar.....	3	0.01
		448 = Cuban; brand unspecified.....	42	0.08
		451 = Davidoff.....	4	0.01
		452 = Don Diego.....	9	0.02
		457 = Don Thomas.....	4	0.01
		458 = Dunhill cigars.....	3	0.01
		461 = Fonseca.....	3	0.01
		464 = H. Upmann.....	3	0.01
		465 = Habana/Havana; brand unspecified.....	9	0.02
		469 = Hoya De Monterrey.....	3	0.01

TOBACCO			PAGE:	24
LABEL	LEN	DESCRIPTION	FREQ	%
		476 = La Gloria Cubana.....	6	0.01
		484 = Middleton Cherry Blend.....	4	0.01
		486 = Montecristo.....	15	0.03
		488 = Optimo.....	7	0.01
		490 = Padron.....	3	0.01
		491 = Parodi Cella.....	4	0.01
		492 = Primetime.....	7	0.01
		494 = Punch.....	18	0.03
		496 = Romeo y Julieta.....	23	0.04
		501 = Prince Albert tobacco.....	4	0.01
		1999 = Other cigarette brand or unspecified.....	10	0.02
		4005 = Thompson.....	5	0.01
		4016 = Dominican; brand unspecified.....	4	0.01
		4041 = Miami Suites.....	3	0.01
		4050 = Fuente.....	14	0.03
		4083 = C.A.O.....	3	0.01
		4999 = Other cigar/cigarillo brand or unspecified.....	275	0.49
		5999 = Other pipe tobacco brand or unspecified.....	1	0.00
		7999 = Not a tobacco product.....	1	0.00
		9991 = NEVER USED CIGARS.....	37298	67.13
		9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	14735	26.52
		9994 = DON'T KNOW.....	171	0.31
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	37	0.07

(CG42) These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

PIPEVER	2	EVER SMOKED PIPE TOBACCO		
		1 = Yes.....	5620	10.12
		2 = No.....	49931	89.87
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	3	0.01

(CG43) During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?

PIPE30DY	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	560	1.01
		2 = No.....	5059	9.11
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PIPE TOBACCO.....	49931	89.87
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	7	0.01

LABEL	LEN	DESCRIPTION	FREQ	%
(AL01)		ALCOHOL		
		----- These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink. Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink. NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
ALCEVER	2	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes.....	40625	73.12
		2 = No.....	14906	26.83
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	18	0.03
(AL02)		Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.		
ALCTRY	3	AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE		
		RANGE = 1 - 77	39881	71.78
		985 = BAD DATA Logically assigned.....	165	0.30
		991 = NEVER USED ALCOHOL.....	14906	26.83
		994 = DON'T KNOW.....	519	0.93
		997 = REFUSED.....	79	0.14
		998 = BLANK (NO ANSWER).....	11	0.02

ALCOHOL			PAGE:	26
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(AL02A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions AL02a, AL02b, AL02c, and AL02d were used to create the following two variables.		
ALCYFU	4	YEAR OF FIRST ALCOHOL USE - RECODE		
		RANGE = 1999 - 2001	3204	5.77
		9985 = BAD DATA Logically assigned.....	1193	2.15
		9989 = LEGITIMATE SKIP Logically assn.....	1	0.00
		9991 = NEVER USED ALCOHOL.....	14906	26.83
		9994 = DON'T KNOW.....	536	0.96
		9997 = REFUSED.....	82	0.15
		9998 = BLANK (NO ANSWER).....	76	0.14
		9999 = LEGITIMATE SKIP.....	35563	64.01
ALCMFU	2	MONTH OF FIRST ALCOHOL USE - RECODE		
		1 = January.....	365	0.66
		2 = February.....	142	0.26
		3 = March.....	152	0.27
		4 = April.....	153	0.28
		5 = May.....	181	0.33
		6 = June.....	350	0.63
		7 = July.....	332	0.60
		8 = August.....	232	0.42
		9 = September.....	193	0.35
		10 = October.....	209	0.38
		11 = November.....	202	0.36
		12 = December.....	393	0.71
		85 = BAD DATA Logically assigned.....	1246	2.24
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00
		91 = NEVER USED ALCOHOL.....	14906	26.83
		94 = DON'T KNOW.....	824	1.48
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	35563	64.01

ALCOHOL			PAGE:	27
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ALLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days.....	24158	43.48
		2 = More than 30 days ago but within the past 12 mos..	8705	15.67
		3 = More than 12 months ago.....	6974	12.55
		8 = Used at some point in the past 12 mos LOG ASSN....	416	0.75
		9 = Used at some point in the lifetime LOG ASSN.....	372	0.67
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL.....	14906	26.83
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	11	0.02
ALCYRTOT	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	32873	59.17
		985 = BAD DATA Logically assigned.....	80	0.14
		991 = NEVER USED ALCOHOL.....	14906	26.83
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6974	12.55
		994 = DON'T KNOW.....	277	0.50
		997 = REFUSED.....	73	0.13
		998 = BLANK (NO ANSWER).....	378	0.68
ALTOTFG	2	TRIMMING INDICATOR FOR ALCYRTOT		
		1 = Trimmed to 365 days (no further editing).....	5	0.01
		2 = Trimmed relative to the 30-day freq.....	231	0.42
		3 = Trimmed relative to estimated 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	55322	99.57
ALFQFLG	2	TRIMMED ALCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	600	1.08
		98 = BLANK (NO ANSWER).....	54961	98.92

		ALCOHOL	PAGE:	28
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALBSTWAY	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Prefer to answer in days per week.....	10289	18.52
		2 = Prefer to answer in days per month.....	11727	21.11
		3 = Prefer to answer in days per year.....	10552	18.99
		11 = Prefer to ans in days per wk LOG ASSN.....	53	0.10
		12 = Prefer to ans in days per mo LOG ASSN.....	104	0.19
		13 = Prefer to ans in days per yr LOG ASSN.....	330	0.59
		85 = BAD DATA Logically assigned.....	78	0.14
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6974	12.55
		94 = DON'T KNOW.....	122	0.22
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	378	0.68
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALDAYPYR	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 366	10836	19.50
		985 = BAD DATA Logically assigned.....	31	0.06
		989 = LEGITIMATE SKIP Logically assigned.....	180	0.32
		991 = NEVER USED ALCOHOL.....	14906	26.83
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6974	12.55
		994 = DON'T KNOW.....	164	0.30
		997 = REFUSED.....	51	0.09
		998 = BLANK (NO ANSWER).....	426	0.77
		999 = LEGITIMATE SKIP.....	21993	39.58
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALDAYPMO	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	11777	21.20
		85 = BAD DATA Logically assigned.....	17	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	55	0.10
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6974	12.55
		94 = DON'T KNOW.....	210	0.38
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	443	0.80
		99 = LEGITIMATE SKIP.....	21123	38.02

		ALCOHOL	PAGE:	29
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALDAYPWK	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	10260	18.47
		85 = BAD DATA Logically assigned.....	32	0.06
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	6974	12.55
		94 = DON'T KNOW.....	275	0.49
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	429	0.77
		99 = LEGITIMATE SKIP.....	22613	40.70
(AL06)		Think specifically about the past 30 days - that is, since [FILL DATE], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?		
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 1 - 30	23727	42.70
		85 = BAD DATA Logically assigned.....	552	0.99
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15679	28.22
		94 = DON'T KNOW.....	184	0.33
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	448	0.81
(AL06DKRE)		What is your best estimate of the number of days you drank alcohol during the past 30 days?		
AL30EST	2	BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
		1 = 1 or 2 days.....	67	0.12
		2 = 3 to 5 days.....	53	0.10
		3 = 6 to 9 days.....	37	0.07
		4 = 10 to 19 days.....	23	0.04
		5 = 20 to 29 days.....	5	0.01
		6 = All 30 days.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15679	28.22
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	1004	1.81
		99 = LEGITIMATE SKIP.....	23719	42.69
ALDYSFG	2	REVISION INDICATOR FOR ALCDAYS		
		1 = Edited for consistency with ALCYRTOT or DR5DAY....	21	0.04
		98 = BLANK (NO ANSWER).....	55540	99.96

LABEL	LEN	ALCOHOL DESCRIPTION	FREQ	%
(AL07)		On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	3	USUAL # OF DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 90	22766	40.97
		975 = AT LEAST 5 Logically assigned.....	980	1.76
		985 = BAD DATA Logically assigned.....	241	0.43
		991 = NEVER USED ALCOHOL.....	14906	26.83
		993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15679	28.22
		994 = DON'T KNOW.....	134	0.24
		997 = REFUSED.....	59	0.11
		998 = BLANK (NO ANSWER).....	796	1.43
(AL08)		During the past 30 days, that is since [FILL DATE], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 0 - 30	23579	42.44
		80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	45	0.08
		85 = BAD DATA Logically assigned.....	241	0.43
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15679	28.22
		94 = DON'T KNOW.....	236	0.42
		97 = REFUSED.....	79	0.14
		98 = BLANK (NO ANSWER).....	796	1.43

MARIJUANA

LABEL	LEN	DESCRIPTION	FREQ	%
(MJ01)		MARIJUANA		
		<p>The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.</p> <p>Have you ever, even once, used marijuana or hashish?</p> <p>NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.</p>		
MJEVER	2	EVER USED MARIJUANA/HASHISH		
		1 = Yes.....	20708	37.27
		2 = No.....	34767	62.57
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	68	0.12
(MJ02)		How old were you the first time you used marijuana or hashish?		
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
		RANGE = 1 - 75	20492	36.88
		985 = BAD DATA Logically assigned.....	83	0.15
		991 = NEVER USED MARIJUANA.....	34767	62.57
		994 = DON'T KNOW.....	113	0.20
		997 = REFUSED.....	88	0.16
		998 = BLANK (NO ANSWER).....	18	0.03
(MJ03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions MJ03a, MJ03b, MJ03c, and MJ03d were used to create the following two variables.		
MJYFU	4	YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE		
		RANGE = 1999 - 2001	1719	3.09
		9985 = BAD DATA Logically assigned.....	621	1.12
		9991 = NEVER USED MARIJUANA.....	34767	62.57
		9994 = DON'T KNOW.....	123	0.22
		9997 = REFUSED.....	91	0.16
		9998 = BLANK (NO ANSWER).....	44	0.08
		9999 = LEGITIMATE SKIP.....	18196	32.75

MARIJUANA			PAGE:	32
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MJMFU	2	MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		
		1 = January.....	133	0.24
		2 = February.....	98	0.18
		3 = March.....	108	0.19
		4 = April.....	128	0.23
		5 = May.....	100	0.18
		6 = June.....	181	0.33
		7 = July.....	151	0.27
		8 = August.....	148	0.27
		9 = September.....	120	0.22
		10 = October.....	148	0.27
		11 = November.....	133	0.24
		12 = December.....	98	0.18
		85 = BAD DATA Logically assigned.....	642	1.16
		91 = NEVER USED MARIJUANA.....	34767	62.57
		94 = DON'T KNOW.....	291	0.52
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	18196	32.75
(MJLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used marijuana or hashish?		
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days.....	4782	8.61
		2 = More than 30 days ago but within the past 12 mos..	3535	6.36
		3 = More than 12 months ago.....	12009	21.61
		8 = Used at some point in the past 12 mos LOG ASSN....	170	0.31
		9 = Used at some point in the lifetime LOG ASSN.....	212	0.38
		91 = NEVER USED MARIJUANA.....	34767	62.57
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	18	0.03
MJYRTOT	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 365	8300	14.94
		985 = BAD DATA Logically assigned.....	76	0.14
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		994 = DON'T KNOW.....	77	0.14
		997 = REFUSED.....	102	0.18
		998 = BLANK (NO ANSWER).....	230	0.41
MRTOTFG	2	TRIMMING INDICATOR FOR MRJYRTOT		
		1 = Trimmed to 365 days (no further editing).....	8	0.01
		2 = Trimmed relative to the 30-day freq.....	145	0.26
		98 = BLANK (NO ANSWER).....	55408	99.72

		MARIJUANA	PAGE:	33
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MJFQFLG	2	TRIMMED MJYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	362	0.65
		98 = BLANK (NO ANSWER).....	55199	99.35
(MJFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Prefer to answer in days per week.....	2800	5.04
		2 = Prefer to answer in days per month.....	2210	3.98
		3 = Prefer to answer in days per year.....	3256	5.86
		11 = Prefer to ans in days per wk LOG ASSN.....	12	0.02
		12 = Prefer to ans in days per mo LOG ASSN.....	14	0.03
		13 = Prefer to ans in days per yr LOG ASSN.....	76	0.14
		85 = BAD DATA Logically assigned.....	74	0.13
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	230	0.41
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MRDAYPYR	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 366	3313	5.96
		985 = BAD DATA Logically assigned.....	6	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	27	0.05
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		994 = DON'T KNOW.....	46	0.08
		997 = REFUSED.....	87	0.16
		998 = BLANK (NO ANSWER).....	297	0.53
		999 = LEGITIMATE SKIP.....	5009	9.02

MARIJUANA

LABEL	LEN	DESCRIPTION	FREQ	%
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MRDAYPMO	2	# DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	2212	3.98
		85 = BAD DATA Logically assigned.....	22	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	14	0.03
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	284	0.51
		99 = LEGITIMATE SKIP.....	6111	11.00
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MRDAYPWK	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	2775	4.99
		85 = BAD DATA Logically assigned.....	48	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	100	0.18
		98 = BLANK (NO ANSWER).....	260	0.47
		99 = LEGITIMATE SKIP.....	5525	9.94
(MJ06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
		RANGE = 1 - 30	4716	8.49
		85 = BAD DATA Logically assigned.....	80	0.14
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	15544	27.98
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	320	0.58

MARIJUANA			PAGE:	35
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJ06DKRE)		What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?		
MR30EST	2	BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS		
		1 = 1 or 2 days.....	11	0.02
		2 = 3 to 5 days.....	5	0.01
		3 = 6 to 9 days.....	5	0.01
		4 = 10 to 19 days.....	11	0.02
		5 = 20 to 29 days.....	4	0.01
		6 = All 30 days.....	6	0.01
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	15544	27.98
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	400	0.72
		99 = LEGITIMATE SKIP.....	4715	8.49

COCAINE			PAGE:	36
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CC01)		COCAINE ----- These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste. Have you ever, even once, used any form of cocaine? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
COCEVER	2	EVER USED COCAINE		
		1 = Yes.....	5684	10.23
		2 = No.....	49845	89.71
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	24	0.04
(CC02)		How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 1 - 60	5619	10.11
		985 = BAD DATA Logically assigned.....	24	0.04
		991 = NEVER USED COCAINE.....	49845	89.71
		994 = DON'T KNOW.....	34	0.06
		997 = REFUSED.....	31	0.06
		998 = BLANK (NO ANSWER).....	8	0.01
(CC03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CC03a, CC03b, CC03c, and CC03d were used to create the following two variables.		
COCYFU	4	YEAR OF FIRST COCAINE USE - RECODE		
		RANGE = 1999 - 2001	591	1.06
		9985 = BAD DATA Logically assigned.....	186	0.33
		9989 = LEGITIMATE SKIP Logically assn.....	20	0.04
		9991 = NEVER USED COCAINE.....	49845	89.71
		9994 = DON'T KNOW.....	34	0.06
		9997 = REFUSED.....	32	0.06
		9998 = BLANK (NO ANSWER).....	22	0.04
		9999 = LEGITIMATE SKIP.....	4831	8.69

COCAINE			PAGE:	37
LABEL	LEN	DESCRIPTION	FREQ	%
COCMFU	2	MONTH OF FIRST COCAINE USE - RECODE		
		1 = January.....	67	0.12
		2 = February.....	49	0.09
		3 = March.....	36	0.06
		4 = April.....	33	0.06
		5 = May.....	35	0.06
		6 = June.....	55	0.10
		7 = July.....	57	0.10
		8 = August.....	55	0.10
		9 = September.....	44	0.08
		10 = October.....	33	0.06
		11 = November.....	38	0.07
		12 = December.....	43	0.08
		85 = BAD DATA Logically assigned.....	197	0.35
		89 = LEGITIMATE SKIP Logically assn.....	20	0.04
		91 = NEVER USED COCAINE.....	49845	89.71
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	4831	8.69
(CCLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days.....	471	0.85
		2 = More than 30 days ago but within the past 12 mos..	925	1.66
		3 = More than 12 months ago.....	4137	7.45
		8 = Used at some point in the past 12 mos LOG ASSN....	38	0.07
		9 = Used at some point in the lifetime LOG ASSN.....	72	0.13
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	19	0.03
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	22	0.04
		91 = NEVER USED COCAINE.....	49845	89.71
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	8	0.01
COCYRTOT	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 364	1424	2.56
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED COCAINE.....	49845	89.71
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4137	7.45
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	29	0.05
		998 = BLANK (NO ANSWER).....	111	0.20
CCTOTFG	2	TRIMMING INDICATOR FOR COCYRTOT		
		2 = Trimmed relative to the 30-day freq.....	10	0.02
		98 = BLANK (NO ANSWER).....	55551	99.98

COCAINE			PAGE:	38
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CCFQFLG	2	TRIMMED COCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	113	0.20
		98 = BLANK (NO ANSWER).....	55448	99.80
(CCFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CCBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Prefer to answer in days per week.....	241	0.43
		2 = Prefer to answer in days per month.....	297	0.53
		3 = Prefer to answer in days per year.....	827	1.49
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	3	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	9	0.02
		21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	21	0.04
		22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....	20	0.04
		23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	11	0.02
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED COCAINE.....	49845	89.71
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4137	7.45
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	111	0.20
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCDAYPYR	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 356	845	1.52
		989 = LEGITIMATE SKIP Logically assigned.....	17	0.03
		991 = NEVER USED COCAINE.....	49845	89.71
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4137	7.45
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	27	0.05
		998 = BLANK (NO ANSWER).....	117	0.21
		999 = LEGITIMATE SKIP.....	566	1.02

COCAINE

LABEL	LEN	DESCRIPTION	FREQ	%
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCDAYPMO	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 30	317	0.57
		89 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		91 = NEVER USED COCAINE.....	49845	89.71
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4137	7.45
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	117	0.21
		99 = LEGITIMATE SKIP.....	1098	1.98
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCDAYPWK	2	# DAYS PER WEEK USE COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	262	0.47
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	49845	89.71
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4137	7.45
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	111	0.20
		99 = LEGITIMATE SKIP.....	1161	2.09
(CC06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use cocaine?		
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30	469	0.84
		85 = BAD DATA Logically assigned.....	17	0.03
		91 = NEVER USED COCAINE.....	49845	89.71
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	5084	9.15
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	120	0.22
(CC06DKRE)		What is your best estimate of the number of days you used cocaine during the past 30 days?		
CC30EST	2	BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS		
		91 = NEVER USED COCAINE.....	49845	89.71
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	5084	9.15
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	137	0.25
		99 = LEGITIMATE SKIP.....	469	0.84

		CRACK		
LABEL	LEN	DESCRIPTION	PAGE:	40
-----	----	-----	FREQ	%
			----	-
(CK01)		CRACK ----- The next questions are about "crack," that is cocaine in rock or chunk form, and not the other forms of cocaine. Have you ever, even once, used "crack?" NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CRKEVER	2	EVER USED CRACK		
		1 = Yes.....	1385	2.49
		2 = No.....	4297	7.73
		91 = NEVER USED COCAINE (COCEVER=2).....	49845	89.71
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	8	0.01
(CK02)		How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED CRACK		
		RANGE = 3 - 51	1374	2.47
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED CRACK.....	54142	97.45
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	27	0.05
		998 = BLANK (NO ANSWER).....	10	0.02
(CK03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CK03a, CK03b, CK03c, and CK03d were used to create the following two variables.		
CRKYFU	4	YEAR OF FIRST CRACK USE - RECODE		
		RANGE = 1999 - 2001	129	0.23
		9985 = BAD DATA Logically assigned.....	67	0.12
		9991 = NEVER USED CRACK.....	54142	97.45
		9994 = DON'T KNOW.....	6	0.01
		9997 = REFUSED.....	27	0.05
		9998 = BLANK (NO ANSWER).....	12	0.02
		9999 = LEGITIMATE SKIP.....	1178	2.12

LABEL	LEN	DESCRIPTION	PAGE:	
			FREQ	%
		CRACK		41
CRKMFU	2	MONTH OF FIRST CRACK USE - RECODE		
		1 = January.....	11	0.02
		2 = February.....	10	0.02
		3 = March.....	7	0.01
		4 = April.....	12	0.02
		5 = May.....	4	0.01
		6 = June.....	12	0.02
		7 = July.....	9	0.02
		8 = August.....	6	0.01
		9 = September.....	12	0.02
		10 = October.....	17	0.03
		11 = November.....	9	0.02
		12 = December.....	9	0.02
		85 = BAD DATA Logically assigned.....	71	0.13
		91 = NEVER USED CRACK.....	54142	97.45
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	1178	2.12
(CKLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used "crack?"		
CRKREC	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days.....	95	0.17
		2 = More than 30 days ago but within the past 12 mos..	194	0.35
		3 = More than 12 months ago.....	1070	1.93
		8 = Used at some point in the past 12 mos LOG ASSN....	12	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	14	0.03
		91 = NEVER USED CRACK.....	54142	97.45
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	10	0.02
CRKYRTOT	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 357	287	0.52
		985 = BAD DATA Logically assigned.....	4	0.01
		991 = NEVER USED CRACK.....	54142	97.45
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1070	1.93
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	26	0.05
		998 = BLANK (NO ANSWER).....	29	0.05
CRTOTFG	2	TRIMMING INDICATOR FOR CRKYRTOT		
		2 = Trimmed relative to the 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	55558	99.99

		CRACK	PAGE:	42
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CRFQFLG	2	TRIMMED CRKYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	27	0.05
		98 = BLANK (NO ANSWER).....	55534	99.95
(CKFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Prefer to answer in days per week.....	74	0.13
		2 = Prefer to answer in days per month.....	73	0.13
		3 = Prefer to answer in days per year.....	141	0.25
		13 = Prefer to ans in days per yr LOG ASSN.....	1	0.00
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED CRACK.....	54142	97.45
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1070	1.93
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	29	0.05
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CRDAYPYR	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 300	142	0.26
		991 = NEVER USED CRACK.....	54142	97.45
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1070	1.93
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	24	0.04
		998 = BLANK (NO ANSWER).....	33	0.06
		999 = LEGITIMATE SKIP.....	147	0.26
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CRDAYPMO	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 25	73	0.13
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CRACK.....	54142	97.45
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1070	1.93
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	216	0.39

CRACK			PAGE:	43
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CRDAYPWK	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	72	0.13
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CRACK.....	54142	97.45
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1070	1.93
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	215	0.39
(CK06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use "crack?"		
CRKUS30A	2	# DAYS USED CRACK PAST 30 DAYS		
		RANGE = 1 - 30	94	0.17
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CRACK.....	54142	97.45
		93 = DID NOT USE CRACK IN THE PAST 30 DAYS.....	1264	2.27
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	34	0.06
(CK06DKRE)		What is your best estimate of the number of days you used "crack" during the past 30 days?		
CR30EST	2	BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS		
		91 = NEVER USED CRACK.....	54142	97.45
		93 = DID NOT USE CRACK IN THE PAST 30 DAYS.....	1264	2.27
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	36	0.06
		99 = LEGITIMATE SKIP.....	94	0.17

LABEL	LEN	DESCRIPTION	FREQ	%
(HE01)		HEROIN ----- These next questions are about heroin. Have you ever, even once, used heroin? NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
HEREVER	2	EVER USED HEROIN		
		1 = Yes.....	622	1.12
		2 = No.....	54915	98.84
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	14	0.03
(HE02)		How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 1 - 51	614	1.11
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED HEROIN.....	54915	98.84
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	15	0.03
		998 = BLANK (NO ANSWER).....	10	0.02
(HE03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions HE03a, HE03b, HE03c, and HE03d were used to create the following two variables.		
HERYFU	4	YEAR OF FIRST HEROIN USE - RECODE		
		RANGE = 1999 - 2001	75	0.13
		9985 = BAD DATA Logically assigned.....	19	0.03
		9991 = NEVER USED HEROIN.....	54915	98.84
		9994 = DON'T KNOW.....	4	0.01
		9997 = REFUSED.....	15	0.03
		9998 = BLANK (NO ANSWER).....	13	0.02
		9999 = LEGITIMATE SKIP.....	520	0.94

HEROIN			PAGE:	45
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HERMFU	2	MONTH OF FIRST HEROIN USE - RECODE		
		1 = January.....	7	0.01
		2 = February.....	5	0.01
		3 = March.....	10	0.02
		4 = April.....	6	0.01
		5 = May.....	5	0.01
		6 = June.....	6	0.01
		7 = July.....	6	0.01
		8 = August.....	8	0.01
		9 = September.....	4	0.01
		10 = October.....	3	0.01
		11 = November.....	5	0.01
		12 = December.....	7	0.01
		85 = BAD DATA Logically assigned.....	22	0.04
		91 = NEVER USED HEROIN.....	54915	98.84
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	520	0.94
(HELAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used heroin?		
HERREC	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days.....	46	0.08
		2 = More than 30 days ago but within the past 12 mos..	80	0.14
		3 = More than 12 months ago.....	476	0.86
		8 = Used at some point in the past 12 mos LOG ASSN....	11	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	9	0.02
		91 = NEVER USED HEROIN.....	54915	98.84
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	10	0.02
HERYRTOT	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 360	128	0.23
		985 = BAD DATA Logically assigned.....	7	0.01
		991 = NEVER USED HEROIN.....	54915	98.84
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	476	0.86
		997 = REFUSED.....	16	0.03
		998 = BLANK (NO ANSWER).....	19	0.03
HRTOTFG	2	TRIMMING INDICATOR FOR HERYRTOT		
		2 = Trimmed relative to the 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	55558	99.99
HRFQFLG	2	TRIMMED HERYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	19	0.03
		98 = BLANK (NO ANSWER).....	55542	99.97

HEROIN

LABEL	LEN	DESCRIPTION	FREQ	%
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Prefer to answer in days per week.....	37	0.07
		2 = Prefer to answer in days per month.....	25	0.04
		3 = Prefer to answer in days per year.....	67	0.12
		13 = Prefer to ans in days per yr LOG ASSN.....	1	0.00
		85 = BAD DATA Logically assigned.....	7	0.01
		91 = NEVER USED HEROIN.....	54915	98.84
		93 = DID NOT USE HEROIN PAST 12 MONTHS.....	476	0.86
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	19	0.03
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HRDAYPYR	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 356	68	0.12
		991 = NEVER USED HEROIN.....	54915	98.84
		993 = DID NOT USE HEROIN PAST 12 MOS.....	476	0.86
		997 = REFUSED.....	14	0.03
		998 = BLANK (NO ANSWER).....	26	0.05
		999 = LEGITIMATE SKIP.....	62	0.11
(HEMNAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HRDAYPMO	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 25	24	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	54915	98.84
		93 = DID NOT USE HEROIN PAST 12 MOS.....	476	0.86
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	25	0.04
		99 = LEGITIMATE SKIP.....	105	0.19

HEROIN			PAGE:	47
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HRDAYPWK	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	36	0.06
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED HEROIN.....	54915	98.84
		93 = DID NOT USE HEROIN PAST 12 MOS.....	476	0.86
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	92	0.17
(HE06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	45	0.08
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED HEROIN.....	54915	98.84
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS.....	556	1.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	28	0.05
(HE06DKRE)		What is your best estimate of the number of days you used heroin during the past 30 days?		
HR30EST	2	BEST EST. # DAYS USED HEROIN PAST 30 DAYS		
		2 = 3 to 5 days.....	1	0.00
		91 = NEVER USED HEROIN.....	54915	98.84
		93 = DID NOT USE HEROIN PAST 30 DAYS.....	556	1.00
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	45	0.08

HALLUCINOGENS

LABEL LEN

DESCRIPTION

FREQ

%

(LS01A)

HALLUCINOGENS

NOTE: Respondents who reported that they used LSD and who said Yes to LSREF2 (Please reconsider answering this question: Have you ever...used PCP...?) were supposed to eventually get routed to LS10 (How long has it been since you last used LSD?). Due to a problem with the CAI logic in LS10, respondents who said Yes to LSREF2 were not getting LS10. To correct this problem, the condition "or LSREF2 = yes" was added after "LS01b = yes" to LS10 on 3/21/01.

Variables affected by any one of these patches are denoted by an '*' to the left of the variable name.

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

- LSD, also called "acid"
- PCP, also called "angel dust" or phencyclidine
- Peyote
- Mescaline
- Psilocybin
- "Ecstasy," also called MDMA

Have you ever, even once, used LSD, also called "acid"?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

LSD	2	EVER USED LSD ("ACID")		
		1 = Yes.....	5242	9.43
		2 = No.....	2544	4.58
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	18	0.03

HALLUCINOGENS			PAGE:	49
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LS01B)		Have you ever, even once, used PCP, also called "angel dust" or phencyclidine?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes.....	1263	2.27
		2 = No.....	6535	11.76
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	15	0.03
(LS01C)		Have you ever, even once, used peyote?		
PEYOTE	2	EVER USED PEYOTE		
		1 = Yes.....	920	1.66
		2 = No.....	6854	12.34
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	13	0.02
(LS01D)		Have you ever, even once, used mescaline?		
MESC	2	EVER USED MESCALINE		
		1 = Yes.....	1385	2.49
		2 = No.....	6381	11.48
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED.....	15	0.03
(LS01E)		Have you ever, even once, used psilocybin, found in mushrooms?		
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Yes.....	4046	7.28
		2 = No.....	3672	6.61
		3 = Yes LOGICALLY ASSIGNED.....	24	0.04
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	18	0.03

HALLUCINOGENS			PAGE:	50
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LS01F)		Have you ever, even once, used "Ecstasy," also known as MDMA?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes.....	3159	5.69
		2 = No.....	4619	8.31
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	17	0.03
(LS01H)		Have you ever, even once used any other hallucinogens besides the ones that have been listed?		
HALNOLST	2	EVER USED OTHER HALLUCINOGEN		
		1 = Yes.....	830	1.49
		2 = No.....	6936	12.48
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	18	0.03

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWA	4	OTHER HALLUCINOGEN - SPECIFY 1		
		116 = Methaqualone, Quaalude, Sopor.....	5	0.01
		123 = Unisom <OTC>.....	1	0.00
		124 = Yellow jackets.....	1	0.00
		138 = Mandrakes.....	1	0.00
		142 = Belladonna.....	1	0.00
		174 = Ambien, Zolpidem.....	1	0.00
		180 = Tylenol P.M. <OTC>.....	1	0.00
		187 = Belladonna plant/flower/root, Deadly nightshade....	2	0.00
		201 = Valium, Diazepam.....	2	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		240 = Lithium carbonate, Lithonate.....	1	0.00
		246 = Clonazepam, Klonopin, Rivotril.....	1	0.00
		267 = Marezine.....	4	0.01
		280 = Ketaset.....	1	0.00
		301 = Dexedrine.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	15	0.03
		326 = White cross.....	1	0.00
		327 = Black beauties, Black beauty.....	1	0.00
		329 = Bird s eggs, Robin's eggs, speckled eggs.....	1	0.00
		348 = Crystal.....	2	0.00
		355 = Crystal meth.....	9	0.02
		369 = Artane.....	1	0.00
		394 = Debs.....	1	0.00
		408 = Dilaudid.....	1	0.00
		415 = Codeine.....	3	0.01
		417 = Morphine, Roxanol.....	4	0.01
		418 = Dolophine, Methadone.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		423 = Percocet.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..	3	0.01
		501 = Gasoline or lighter fluids.....	12	0.02
		502 = Spray paints.....	2	0.00
		503 = Other aerosol sprays.....	3	0.01
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		505 = Lacquer thinner or other paint solvents.....	2	0.00
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	4	0.01
		507 = Halothane, ether, or other anesthetics; chlorofo..	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	11	0.02
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	8	0.01
		516 = Freon, refrigerant.....	1	0.00
		520 = Old paint, paint.....	4	0.01
		524 = White-Out.....	1	0.00
		525 = Butane.....	1	0.00
		526 = Nail polish.....	1	0.00
		560 = Laundry detergent, soap.....	1	0.00
		566 = Smoked tea from Lipton tea bag.....	1	0.00
		592 = Computer air duster, computer cleaner, dust-off...	4	0.01
		601 = LSD ("acid").....	46	0.08
		602 = Peyote.....	1	0.00

HALLUCINOGENS			PAGE:	52
LABEL	LEN	DESCRIPTION	FREQ	%
603	=	Mescaline.....	7	0.01
604	=	Psilocybin (mushrooms), shrooms.....	35	0.06
605	=	PCP ("angel dust," phencyclidine).....	2	0.00
606	=	"Ecstasy" (MDMA), X-TC, "X".....	6	0.01
607	=	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	59	0.11
609	=	Jimson weed.....	4	0.01
610	=	Crystal T.....	1	0.00
612	=	Happy stick, sherm, sherman, shermstick.....	2	0.00
614	=	MDA, Methylenedioxy amphetamine.....	4	0.01
616	=	DET, Dimethyltryptamine, DMT.....	8	0.01
617	=	Morning glory seeds, morning glory tendrils.....	9	0.02
618	=	Acid paper, blotter (acid).....	3	0.01
622	=	Microdot(s), green microdot, purple microdot.....	8	0.01
625	=	Window, window pane, 4-way pane.....	4	0.01
627	=	Hawaiian Woodrose, Hawaiian Woodrose seeds.....	1	0.00
635	=	Ginseng seeds, ginseng weed.....	1	0.00
636	=	DOM, STP.....	3	0.01
637	=	Purple haze.....	1	0.00
639	=	Nutmeg, Mace.....	2	0.00
648	=	Designer drugs.....	1	0.00
650	=	Datura stramonium, daytura, thorn apple.....	3	0.01
658	=	Special K, Ketamine.....	29	0.05
659	=	Boat.....	1	0.00
660	=	Toad, Toad licking.....	1	0.00
682	=	Kif.....	1	0.00
683	=	Yage.....	1	0.00
687	=	Spray.....	1	0.00
691	=	Maximum impact.....	1	0.00
695	=	Angel s trumpet.....	1	0.00
698	=	Nexus, 2C-B.....	3	0.01
703	=	Opium.....	14	0.03
802	=	THC, cannabinal, marinol.....	8	0.01
803	=	Marijuana, MarrJane, Mary Jane, MJ, pot, weed,he..	6	0.01
805	=	Cocaine, coca, coca8na, coke.....	1	0.00
813	=	Cigarettes, smoking (substance not specified).....	1	0.00
829	=	Robitussin DM <OTC>.....	13	0.02
847	=	GHB, NSC.....	13	0.02
852	=	Formaldehyde, wak, whack (embalming fluid).....	1	0.00
883	=	Dextromethorphan Hydrobromide <OTC>.....	13	0.02
900	=	Not a drug.....	1	0.00
1002	=	Dramamine, seasick/motion sickness pill <OTC>.....	14	0.03
2002	=	Muscle Relaxers.....	1	0.00
3046	=	Adrenalin, Epinephrine.....	1	0.00
3052	=	Speed; otherwise unspecified.....	15	0.03
4067	=	Oxycontin.....	2	0.00
5009	=	Robo.....	2	0.00
5032	=	Nitrogen.....	1	0.00
5042	=	Fuels other than gasoline.....	1	0.00
5055	=	PVC.....	1	0.00
6012	=	Cloud 9, Cloud 13.....	1	0.00

HALLUCINOGENS			PAGE:	53
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
6029	=	DXM.....	14	0.03
6037	=	Fry.....	1	0.00
6043	=	Salviadinorum.....	5	0.01
6044	=	Gel caps, gel tabs.....	4	0.01
6047	=	Water.....	1	0.00
6049	=	Locoseeds, Locoweed seeds.....	1	0.00
6064	=	Marigold buttons.....	1	0.00
6074	=	LSA.....	1	0.00
6077	=	San Pedro.....	1	0.00
6083	=	CCC, Triple "C", C3.....	2	0.00
6091	=	Ergot, rye mold.....	1	0.00
6100	=	2C-T-7, T7.....	1	0.00
6101	=	Alice in Wonderland.....	1	0.00
6102	=	Absinthe.....	1	0.00
6103	=	Ayahuasca.....	4	0.01
6105	=	Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
6106	=	Paramethoxyamphetamine, PMA.....	1	0.00
6107	=	Ambrosia.....	1	0.00
6109	=	2, 5-Dimethoxyamphetamine, DMA.....	1	0.00
6110	=	Mad dog.....	1	0.00
6114	=	Molly; not otherwise specified.....	1	0.00
8002	=	Zantac.....	1	0.00
8009	=	Allergy pills/antihistamine; type unspecified.....	1	0.00
8011	=	Herb, flower, plant; type unspecified.....	4	0.01
8012	=	Coriciden <OTC>.....	8	0.01
8058	=	Cough medicine/syrup; type unspecified.....	1	0.00
8100	=	Kava Kava <OTC>.....	1	0.00
9985	=	BAD DATA Logically assigned.....	9	0.02
9991	=	NEVER USED HALLUCINOGENS.....	47719	85.89
9997	=	REFUSED.....	40	0.07
9998	=	BLANK (NO ANSWER).....	309	0.56
9999	=	LEGITIMATE SKIP.....	6936	12.48

HALLUCINOGENS			PAGE:	54
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALNEWB	4	OTHER HALLUCINOGEN - SPECIFY 2		
		105 = Placidyl.....	1	0.00
		123 = Unisom <OTC>.....	1	0.00
		142 = Belladona.....	1	0.00
		189 = Sonata.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		280 = Ketaset.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.01
		327 = Black beauties, Black beauty.....	1	0.00
		329 = Bird s eggs, Robin's eggs, speckled eggs.....	1	0.00
		332 = Ephedrine.....	1	0.00
		336 = Diet pills.....	1	0.00
		348 = Crystal.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..	2	0.00
		501 = Gasoline or lighter fluids.....	2	0.00
		504 = Shoeshine liquid, glue, or toluene.....	2	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	4	0.01
		516 = Freon, refrigerant.....	2	0.00
		520 = Old paint, paint.....	2	0.00
		524 = White-Out.....	1	0.00
		566 = Smoked tea from Lipton tea bag.....	1	0.00
		601 = LSD ("acid").....	7	0.01
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	9	0.02
		609 = Jimson weed.....	1	0.00
		614 = MDA, Methylenedioxy amphetamine.....	1	0.00
		615 = Homemade drugs.....	1	0.00
		616 = DET, Dimethyltryptamine, DMT.....	3	0.01
		622 = Microdot(s), green microdot, purple microdot.....	2	0.00
		627 = Hawaiian Woodrose, Hawaiian Woodrose seeds.....	1	0.00
		637 = Purple haze.....	1	0.00
		639 = Nutmeg, Mace.....	1	0.00
		658 = Special K, Ketamine.....	6	0.01
		673 = Orange.....	1	0.00
		678 = Banana peels.....	1	0.00
		698 = Nexus, 2C-B.....	1	0.00
		703 = Opium.....	2	0.00
		709 = Poppy.....	1	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed,he..	2	0.00
		829 = Robitussin DM <OTC>.....	4	0.01
		847 = GHB, NSC.....	3	0.01
		852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
		876 = Glass.....	1	0.00
		883 = Dextromethorphan Hydrobromide <OTC>.....	2	0.00
		1001 = Benadryl <OTC>.....	1	0.00
		1002 = Dramamine, seasick/motion sickness pill <OTC>.....	3	0.01
		3052 = Speed; otherwise unspecified.....	2	0.00

HALLUCINOGENS			PAGE:	55
LABEL	LEN	DESCRIPTION	FREQ	%
		5009 = Robo.....	1	0.00
		6029 = DXM.....	4	0.01
		6044 = Gel caps, gel tabs.....	2	0.00
		6073 = Rolls.....	1	0.00
		6083 = CCC, Triple "C", C3.....	1	0.00
		6111 = Syrian rue.....	1	0.00
		8058 = Cough medicine/syrup; type unspecified.....	1	0.00
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	781	1.41
		9999 = LEGITIMATE SKIP.....	6936	12.48
HALNEWC	4	OTHER HALLUCINOGEN - SPECIFY 3		
		124 = Yellow jackets.....	1	0.00
		176 = Melatonin <OTC>.....	1	0.00
		207 = Ativan, Lorazepam.....	1	0.00
		241 = Prozac.....	1	0.00
		327 = Black beauties, Black beauty.....	1	0.00
		348 = Crystal.....	1	0.00
		501 = Gasoline or lighter fluids.....	1	0.00
		520 = Old paint, paint.....	1	0.00
		601 = LSD ("acid").....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
		615 = Homemade drugs.....	1	0.00
		622 = Microdot(s), green microdot, purple microdot.....	2	0.00
		648 = Designer drugs.....	1	0.00
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
		829 = Robitussin DM <OTC>.....	1	0.00
		847 = GHB, NSC.....	2	0.00
		1002 = Dramamine, seasick/motion sickness pill <OTC>.....	1	0.00
		2002 = Muscle Relaxers.....	1	0.00
		6029 = DXM.....	1	0.00
		6044 = Gel caps, gel tabs.....	1	0.00
		6083 = CCC, Triple "C", C3.....	1	0.00
		6100 = 2C-T-7, T7.....	1	0.00
		8058 = Cough medicine/syrup; type unspecified.....	1	0.00
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	860	1.55
		9999 = LEGITIMATE SKIP.....	6936	12.48

HALLUCINOGENS			PAGE:	56
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWD	4	OTHER HALLUCINOGEN - SPECIFY 4		
		174 = Ambien, Zolpidem.....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
		616 = DET, Dimethyltryptamine, DMT.....	1	0.00
		625 = Window, window pane, 4-way pane.....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		900 = Not a drug.....	1	0.00
		6098 = Dust; not otherwise specified.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	879	1.58
		9999 = LEGITIMATE SKIP.....	6936	12.48
HALNEWE	4	OTHER HALLUCINOGEN - SPECIFY 5		
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1	0.00
		6043 = Salviadinorum.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	885	1.59
		9999 = LEGITIMATE SKIP.....	6936	12.48
(LS02)		How old were you the first time you used [LSFILL]?		
HALLAGE	3	AGE WHEN FIRST USED HALLUCINOGENS		
		RANGE = 1 - 58	7536	13.56
		985 = BAD DATA Logically assigned.....	51	0.09
		991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		994 = DON'T KNOW.....	55	0.10
		997 = REFUSED.....	31	0.06
		998 = BLANK (NO ANSWER).....	169	0.30
(LS03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS03a, LS03b, LS03c, and LS03d were used to create the following two variables.		
HALYFU	4	YEAR OF FIRST HALLUCINOGEN USE - RECODE		
		RANGE = 1999 - 2001	1040	1.87
		9985 = BAD DATA Logically assigned.....	368	0.66
		9989 = LEGITIMATE SKIP Logically assn.....	57	0.10
		9991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		9994 = DON'T KNOW.....	59	0.11
		9997 = REFUSED.....	32	0.06
		9998 = BLANK (NO ANSWER).....	185	0.33
		9999 = LEGITIMATE SKIP.....	6101	10.98

HALLUCINOGENS			PAGE:	57
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALMFU	2	MONTH OF FIRST HALLUCINOGEN USE - RECODE		
		1 = January.....	105	0.19
		2 = February.....	65	0.12
		3 = March.....	74	0.13
		4 = April.....	71	0.13
		5 = May.....	69	0.12
		6 = June.....	84	0.15
		7 = July.....	80	0.14
		8 = August.....	81	0.15
		9 = September.....	74	0.13
		10 = October.....	96	0.17
		11 = November.....	85	0.15
		12 = December.....	72	0.13
		85 = BAD DATA Logically assigned.....	380	0.68
		89 = LEGITIMATE SKIP Logically assn.....	57	0.10
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		94 = DON'T KNOW.....	140	0.25
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	173	0.31
		99 = LEGITIMATE SKIP.....	6101	10.98
(LSLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used [LSFILL]?		
HALLREC	2	TIME SINCE LAST USED HALLUCINOGENS		
		1 = Within the past 30 days.....	585	1.05
		2 = More than 30 days ago but within the past 12 mos..	1565	2.82
		3 = More than 12 months ago.....	5137	9.25
		8 = Used at some point in the past 12 mos LOG ASSN....	114	0.21
		9 = Used at some point in lifetime LOG ASSN.....	194	0.35
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	43	0.08
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	29	0.05
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	169	0.30
HALYRTOT	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 365	2076	3.74
		985 = BAD DATA Logically assigned.....	4	0.01
		991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5137	9.25
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	14	0.03
		998 = BLANK (NO ANSWER).....	596	1.07
HLTOTFG	2	TRIMMING INDICATOR FOR HALYRTOT		
		2 = Trimmed relative to the 30-day freq.....	6	0.01
		98 = BLANK (NO ANSWER).....	55555	99.99

HALLUCINOGENS			PAGE:	58
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLFQFLG	2	TRIMMED HALYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	167	0.30
		98 = BLANK (NO ANSWER).....	55394	99.70
(LSFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
HLBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Prefer to answer in days per week.....	263	0.47
		2 = Prefer to answer in days per month.....	398	0.72
		3 = Prefer to answer in days per year.....	1404	2.53
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	4	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	23	0.04
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PAST 12 MONTHS.....	5137	9.25
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	596	1.07
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
HLDAYPYR	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 365	1424	2.56
		989 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		991 = NEVER USED HALLUCINOGENS.....	47719	85.89
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5137	9.25
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	600	1.08
		999 = LEGITIMATE SKIP.....	662	1.19
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
HLDAYPMO	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 24	396	0.71
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	599	1.08
		99 = LEGITIMATE SKIP.....	1687	3.04

HALLUCINOGENS			PAGE:	59
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
HLDAYPWK	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 7	256	0.46
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	597	1.07
		99 = LEGITIMATE SKIP.....	1820	3.28
(LS04)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?		
HAL30USE	2	# DAYS USED HALLUCINOGEN PAST 30 DAYS		
		RANGE = 1 - 30	509	0.92
		85 = BAD DATA Logically assigned.....	29	0.05
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	6731	12.11
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	563	1.01
(LS04DKRE)		What is your best estimate of the number of days you used [LSFILL] during the past 30 days?		
HL30EST	2	BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS		
		4 = 10 to 19 days.....	1	0.00
		5 = 20 to 29 days.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PAST 30 DAYS.....	6731	12.11
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	592	1.07
		99 = LEGITIMATE SKIP.....	509	0.92
(LS05)		Now think only about LSD. How old were you the first time you used LSD?		
LSDAGE	3	AGE WHEN FIRST USED LSD		
		RANGE = 1 - 58	5141	9.25
		985 = BAD DATA Logically assigned.....	20	0.04
		991 = NEVER USED LSD.....	50263	90.46
		994 = DON'T KNOW.....	45	0.08
		997 = REFUSED.....	35	0.06
		998 = BLANK (NO ANSWER).....	57	0.10

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
(LS06)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS06, LS07, LS08, and LS09 were used to create the following two variables.		
LSDYFU	4	YEAR OF FIRST LSD USE - RECODE		
		RANGE = 1999 - 2001	456	0.82
		9985 = BAD DATA Logically assigned.....	144	0.26
		9991 = NEVER USED LSD.....	50263	90.46
		9994 = DON'T KNOW.....	47	0.08
		9997 = REFUSED.....	38	0.07
		9998 = BLANK (NO ANSWER).....	105	0.19
		9999 = LEGITIMATE SKIP.....	4508	8.11
LSDMFU	2	MONTH OF FIRST LSD USE - RECODE		
		1 = January.....	48	0.09
		2 = February.....	38	0.07
		3 = March.....	27	0.05
		4 = April.....	36	0.06
		5 = May.....	35	0.06
		6 = June.....	34	0.06
		7 = July.....	25	0.04
		8 = August.....	26	0.05
		9 = September.....	33	0.06
		10 = October.....	38	0.07
		11 = November.....	34	0.06
		12 = December.....	28	0.05
		85 = BAD DATA Logically assigned.....	160	0.29
		91 = NEVER USED LSD.....	50263	90.46
		94 = DON'T KNOW.....	88	0.16
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	95	0.17
		99 = LEGITIMATE SKIP.....	4508	8.11
(LS10)		Now think only about LSD. How long has it been since you last used LSD?		
*LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days.....	174	0.31
		2 = More than 30 days ago but within the past 12 mos..	689	1.24
		3 = More than 12 months ago.....	4259	7.67
		8 = Used at some point in the past 12 mos LOG ASSN....	34	0.06
		9 = Used at some point in the lifetime LOG ASSN.....	88	0.16
		91 = NEVER USED LSD.....	50263	90.46
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	36	0.06

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
(LS11)		Now think only about PCP. How old were you the first time you used PCP?		
PCPAGE	3	AGE WHEN FIRST USED PCP		
		RANGE = 1 - 45	1218	2.19
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED PCP.....	54254	97.65
		994 = DON'T KNOW.....	26	0.05
		997 = REFUSED.....	25	0.04
		998 = BLANK (NO ANSWER).....	30	0.05
(LS12)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS12, LS13, LS14, and LS15 were used to create the following two variables.		
PCPYFU	4	YEAR OF FIRST PCP USE - RECODE		
		RANGE = 1999 - 2001	111	0.20
		9985 = BAD DATA Logically assigned.....	53	0.10
		9991 = NEVER USED PCP.....	54254	97.65
		9994 = DON'T KNOW.....	25	0.04
		9997 = REFUSED.....	25	0.04
		9998 = BLANK (NO ANSWER).....	36	0.06
		9999 = LEGITIMATE SKIP.....	1057	1.90
PCPMFU	2	MONTH OF FIRST PCP USE - RECODE		
		1 = January.....	13	0.02
		2 = February.....	10	0.02
		3 = March.....	5	0.01
		4 = April.....	11	0.02
		5 = May.....	5	0.01
		6 = June.....	7	0.01
		7 = July.....	16	0.03
		8 = August.....	9	0.02
		9 = September.....	9	0.02
		10 = October.....	8	0.01
		11 = November.....	3	0.01
		12 = December.....	8	0.01
		85 = BAD DATA Logically assigned.....	56	0.10
		91 = NEVER USED PCP.....	54254	97.65
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	34	0.06
		99 = LEGITIMATE SKIP.....	1057	1.90

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
(LS16)		How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days.....	35	0.06
		2 = More than 30 days ago but within the past 12 mos..	103	0.19
		3 = More than 12 months ago.....	1082	1.95
		8 = Used at some point in the past 12 mos LOG ASSN....	11	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	33	0.06
		91 = NEVER USED PCP.....	54254	97.65
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	28	0.05
(LS17)		Now think only about "Ecstasy." How old were you the first time you used "Ecstasy," also known as MDMA?		
ECSAGE	3	AGE WHEN FIRST USED ECSTACY		
		RANGE = 2 - 54	3098	5.58
		985 = BAD DATA Logically assigned.....	31	0.06
		991 = NEVER USED ECSTACY.....	52338	94.20
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	24	0.04
		998 = BLANK (NO ANSWER).....	60	0.11
(LS18)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS18, LS19, LS20, and LS21 were used to create the following two variables.		
ECSYFU	4	YEAR OF FIRST ECS USE - RECODE		
		RANGE = 1999 - 2001	1058	1.90
		9985 = BAD DATA Logically assigned.....	249	0.45
		9991 = NEVER USED ECSTACY.....	52338	94.20
		9994 = DON'T KNOW.....	16	0.03
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	164	0.30
		9999 = LEGITIMATE SKIP.....	1712	3.08

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
ECSMFU	2	MONTH OF FIRST ECS USE - RECODE		
		1 = January.....	117	0.21
		2 = February.....	56	0.10
		3 = March.....	78	0.14
		4 = April.....	63	0.11
		5 = May.....	79	0.14
		6 = June.....	85	0.15
		7 = July.....	87	0.16
		8 = August.....	77	0.14
		9 = September.....	65	0.12
		10 = October.....	95	0.17
		11 = November.....	86	0.15
		12 = December.....	92	0.17
		85 = BAD DATA Logically assigned.....	262	0.47
		91 = NEVER USED ECSTACY.....	52338	94.20
		94 = DON'T KNOW.....	90	0.16
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	155	0.28
		99 = LEGITIMATE SKIP.....	1712	3.08
(LS22)		Now think only about ECSTACY. How long has it been since you last used ECSTACY?		
ECSREC	2	TIME SINCE LAST USED ECSTACY		
		1 = Within the past 30 days.....	352	0.63
		2 = More than 30 days ago but within the past 12 mos..	1147	2.06
		3 = More than 12 months ago.....	1512	2.72
		8 = Used at some point in the past 12 mos LOG ASSN....	30	0.05
		9 = Used at some point in the lifetime LOG ASSN.....	121	0.22
		91 = NEVER USED ECSTACY.....	52338	94.20
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	44	0.08

INHALANTS

LABEL LEN

DESCRIPTION

FREQ

%

(IN01A)

INHALANTS

 These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.

The questions use the term "inhalant" to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

- Amyl nitrite, "poppers," locker room odorizers, or "rush"
- Correction fluid, degreaser, or cleaning fluid
- Gasoline or lighter fluid
- Glue, shoe polish, or toluene
- Halothane, ether, or other paint solvents
- Lighter gases, such as butane or propane
- Nitrous oxide or "whippets"
- Spray paints
- Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, "poppers," locker room odorizers, or "rush" for kicks or to get high?

AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		1 = Yes.....	1550	2.79
		2 = No.....	4157	7.48
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	9	0.02

INHALANTS			PAGE:	65
LABEL	LEN	DESCRIPTION	FREQ	%
(IN01B)		Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?		
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		1 = Yes.....	675	1.21
		2 = No.....	5015	9.03
		3 = Yes LOGICALLY ASSIGNED.....	23	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	9	0.02
(IN01C)		Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?		
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		1 = Yes.....	1242	2.24
		2 = No.....	4468	8.04
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	11	0.02
(IN01D)		Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?		
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		1 = Yes.....	1275	2.29
		2 = No.....	4431	7.98
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	13	0.02
(IN01E)		Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?		
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		1 = Yes.....	315	0.57
		2 = No.....	5390	9.70
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	6	0.01

INHALANTS			PAGE:	66
LABEL	LEN	DESCRIPTION	FREQ	%
(IN01F)		Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?		
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		1 = Yes.....	586	1.05
		2 = No.....	5126	9.23
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	9	0.02
(IN01G)		Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?		
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Yes.....	394	0.71
		2 = No.....	5314	9.56
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	10	0.02
(IN01H)		Have you ever, even once, inhaled nitrous oxide or whippets for kicks or to get high?		
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		1 = Yes.....	2853	5.13
		2 = No.....	2851	5.13
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01I)		Have you ever, even once, inhaled spray paints for kicks or to get high?		
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Yes.....	675	1.21
		2 = No.....	5036	9.06
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	1	0.00

INHALANTS			PAGE:	67
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN01J)		Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?		
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Yes.....	663	1.19
		2 = No.....	5047	9.08
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
(IN01L)		Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?		
INHNOLST	2	EVER USED OTHER INHALANTS		
		1 = Yes.....	465	0.84
		2 = No.....	5243	9.44
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	1	0.00

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWA	4	OTHER INHALANT - SPECIFY 1		
		377 = Albuterol, Proventil, Ventolin.....	4	0.01
		501 = Gasoline or lighter fluids.....	3	0.01
		503 = Other aerosol sprays.....	22	0.04
		504 = Shoeshine liquid, glue, or toluene.....	15	0.03
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	6	0.01
		507 = Halothane, ether, or other anesthetics; chlorofo..	2	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	2	0.00
		509 = Correction fluids, degreasers, cleaning fluids....	5	0.01
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	13	0.02
		511 = Markers, felt-tip pens, ink pens.....	60	0.11
		512 = Incense.....	2	0.00
		516 = Freon, refrigerant.....	20	0.04
		518 = Acetone, nail polish remover.....	14	0.03
		519 = Helium.....	22	0.04
		520 = Old paint, paint.....	3	0.01
		523 = Matches.....	1	0.00
		524 = White-Out.....	25	0.04
		526 = Nail polish.....	10	0.02
		528 = Whipped-cream can.....	15	0.03
		534 = Deodorant.....	2	0.00
		539 = ScotchGard.....	3	0.01
		540 = PAM.....	3	0.01
		541 = Binaca.....	1	0.00
		543 = Liquid oxygen, oxygen.....	3	0.01
		545 = Car tailpipe exhaust fumes, CO.....	1	0.00
		548 = Cologne, isopropanol vapors, rubbing alcohol.....	4	0.01
		558 = Kool Aid.....	1	0.00
		569 = Peganento.....	1	0.00
		573 = Furniture polish.....	1	0.00
		582 = WD-40.....	1	0.00
		586 = Carbon from empty soft drink bottle.....	2	0.00
		590 = Canned air, compressed air.....	1	0.00
		592 = Computer air duster, computer cleaner, dust-off...	35	0.06
		599 = Potpourri.....	2	0.00
		601 = LSD ("acid").....	1	0.00
		691 = Maximum impact.....	2	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed,he..	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00
		900 = Not a drug.....	1	0.00
		5001 = Bleach.....	1	0.00
		5004 = Ink print, paper.....	1	0.00
		5022 = Carbon dioxide, CO2, dry ice hits.....	1	0.00
		5045 = Cleaner; not otherwise specified.....	2	0.00
		5049 = Hand sanitizer; contents unspecified.....	3	0.01
		5052 = Silly String.....	1	0.00
		5053 = Electronics cleaner.....	4	0.01
		5054 = Gum freezer.....	1	0.00
		5056 = Eucalyptus oil.....	1	0.00

INHALANTS			PAGE:	69
LABEL	LEN	DESCRIPTION	FREQ	%
		5057 = Argon.....	1	0.00
		5058 = Sealers/sealants; type unspecified.....	1	0.00
		6082 = Ammonia.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		8024 = Asthma inhaler/medication, bronchial dilators.....	8	0.01
		9985 = BAD DATA Logically assigned.....	5	0.01
		9991 = NEVER USED INHALANTS.....	49826	89.68
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	135	0.24
		9999 = LEGITIMATE SKIP.....	5243	9.44
INHNEWB	4	OTHER INHALANT - SPECIFY 2		
		503 = Other aerosol sprays.....	2	0.00
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		505 = Lacquer thinner or other paint solvents.....	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	4	0.01
		511 = Markers, felt-tip pens, ink pens.....	3	0.01
		516 = Freon, refrigerant.....	2	0.00
		518 = Acetone, nail polish remover.....	1	0.00
		519 = Helium.....	1	0.00
		520 = Old paint, paint.....	2	0.00
		524 = White-Out.....	4	0.01
		526 = Nail polish.....	2	0.00
		528 = Whipped-cream can.....	2	0.00
		540 = PAM.....	1	0.00
		548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
		553 = Pixie sticks.....	1	0.00
		586 = Carbon from empty soft drink bottle.....	1	0.00
		590 = Canned air, compressed air.....	1	0.00
		592 = Computer air duster, computer cleaner, dust-off...	1	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed,he..	1	0.00
		866 = Boomers.....	1	0.00
		5001 = Bleach.....	1	0.00
		5017 = Oil, lubricant; otherwise unspecified.....	1	0.00
		5045 = Cleaner; not otherwise specified.....	1	0.00
		5053 = Electronics cleaner.....	1	0.00
		5059 = Transmission fluid.....	1	0.00
		8024 = Asthma inhaler/medication, bronchial dilators.....	1	0.00
		8056 = Vicks VapoRub <OTC>.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED INHALANTS.....	49826	89.68
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	442	0.80
		9999 = LEGITIMATE SKIP.....	5243	9.44

INHALANTS			PAGE:	70
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
INHNEWC	4	OTHER INHALANT - SPECIFY 3		
		518 = Acetone, nail polish remover.....	1	0.00
		519 = Helium.....	1	0.00
		526 = Nail polish.....	1	0.00
		5050 = Burned rubber.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED INHALANTS.....	49826	89.68
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	478	0.86
		9999 = LEGITIMATE SKIP.....	5243	9.44
INHNEWD	4	OTHER INHALANT - SPECIFY 4		
		5017 = Oil, lubricant; otherwise unspecified.....	1	0.00
		8024 = Asthma inhaler/medication, bronchial dilators.....	1	0.00
		9991 = NEVER USED INHALANTS.....	49826	89.68
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	481	0.87
		9999 = LEGITIMATE SKIP.....	5243	9.44
INHNEWE	4	OTHER INHALANT - SPECIFY 5		
		501 = Gasoline or lighter fluids.....	1	0.00
		9991 = NEVER USED INHALANTS.....	49826	89.68
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	482	0.87
		9999 = LEGITIMATE SKIP.....	5243	9.44

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
(INREF)		The information respondents provide about their use of inhalants is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were code as 91.		
INNEVER	2	EVER USED INHALANTS		
		1 = Yes.....	5656	10.18
		91 = NEVER USED INHALANTS.....	49826	89.68
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	77	0.14
(IN02)		How old were you the first time you used any inhalant for kicks or to get high?		
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 1 - 55	5415	9.75
		985 = BAD DATA Logically assigned.....	66	0.12
		991 = NEVER USED INHALANTS.....	49826	89.68
		994 = DON'T KNOW.....	133	0.24
		997 = REFUSED.....	45	0.08
		998 = BLANK (NO ANSWER).....	76	0.14

INHALANTS			PAGE:	72
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IN03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions IN03a, IN03b, IN03c, and IN03d were used to create the following two variables.		
INHYFU	4	YEAR OF FIRST INHALANT USE - RECODE		
		RANGE = 1999 - 2001	639	1.15
		9985 = BAD DATA Logically assigned.....	291	0.52
		9991 = NEVER USED INHALANTS.....	49826	89.68
		9994 = DON'T KNOW.....	138	0.25
		9997 = REFUSED.....	45	0.08
		9998 = BLANK (NO ANSWER).....	97	0.17
		9999 = LEGITIMATE SKIP.....	4525	8.14
INHMFU	2	MONTH OF FIRST INHALANT USE - RECODE		
		1 = January.....	54	0.10
		2 = February.....	29	0.05
		3 = March.....	46	0.08
		4 = April.....	53	0.10
		5 = May.....	36	0.06
		6 = June.....	53	0.10
		7 = July.....	58	0.10
		8 = August.....	48	0.09
		9 = September.....	40	0.07
		10 = October.....	55	0.10
		11 = November.....	36	0.06
		12 = December.....	34	0.06
		85 = BAD DATA Logically assigned.....	308	0.55
		91 = NEVER USED INHALANTS.....	49826	89.68
		94 = DON'T KNOW.....	232	0.42
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	80	0.14
		99 = LEGITIMATE SKIP.....	4525	8.14

INHALANTS			PAGE:	73
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(INLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days.....	265	0.48
		2 = More than 30 days ago but within the past 12 mos..	746	1.34
		3 = More than 12 months ago.....	4445	8.00
		8 = Used at some point in the past 12 mos LOG ASSN....	28	0.05
		9 = Used at some point in lifetime LOG ASSN.....	172	0.31
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	76	0.14
INHYRTOT	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 364	1012	1.82
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED INHALANTS.....	49826	89.68
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4445	8.00
		994 = DON'T KNOW.....	20	0.04
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	248	0.45
INTOTFG	2	TRIMMING INDICATOR FOR INHYRTOT		
		1 = Trimmed to 365 days (no further editing).....	2	0.00
		2 = Trimmed relative to the 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	55556	99.99
INFQFLG	2	TRIMMED INHYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	115	0.21
		98 = BLANK (NO ANSWER).....	55446	99.79

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
(INFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED INHALANTS		
		1 = Prefer to answer in days per week.....	167	0.30
		2 = Prefer to answer in days per month.....	197	0.35
		3 = Prefer to answer in days per year.....	637	1.15
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	18	0.03
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	248	0.45
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INDAYPYR	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 300	649	1.17
		985 = BAD DATA Logically assigned.....	2	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		991 = NEVER USED INHALANTS.....	49826	89.68
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4445	8.00
		994 = DON'T KNOW.....	19	0.03
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	249	0.45
		999 = LEGITIMATE SKIP.....	364	0.66
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INDAYPMO	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 31	197	0.35
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	816	1.47

INHALANTS			PAGE:	75
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INDAYPWK	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	166	0.30
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP.....	846	1.52
(IN06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?		
INH DY30A	2	# DAYS USED INHALANT PAST 30 DAYS		
		RANGE = 1 - 29	255	0.46
		85 = BAD DATA Logically assigned.....	23	0.04
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	5191	9.34
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	254	0.46
(IN06DKRE)		What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?		
IN30EST	2	BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS		
		1 = 1 or 2 days.....	5	0.01
		2 = 3 to 5 days.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	5191	9.34
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	277	0.50
		99 = LEGITIMATE SKIP.....	255	0.46

LABEL	LEN	DESCRIPTION	FREQ	%
(PR01)		PAIN RELIEVERS		
		Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:		
		- the drug was not prescribed for you, or		
		- you took the drug only for the experience or feeling it caused.		
		These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.		
		Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.		
		Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?		
DARVTYLC	2	EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE		
		1 = Yes.....	4174	7.51
		2 = No.....	2501	4.50
		3 = Yes LOGICALLY ASSIGNED.....	7	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	92	0.17
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	4	0.01

PAIN RELIEVERS			PAGE:	77
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR02)		Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?		
PERCTYLX	2	EVER USED PERCOCET, PERCODAN, OR TYLOX		
		1 = Yes.....	2022	3.64
		2 = No.....	4688	8.44
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	5	0.01
(PR03)		Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?		
VICOLOR	2	EVER USED VICODIN, LORTAB, OR LORCET		
		1 = Yes.....	2890	5.20
		2 = No.....	3810	6.86
		3 = Yes LOGICALLY ASSIGNED.....	17	0.03
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	6	0.01
(PR04)		Please look at the pain relievers shown below the red line on Card A.		
		Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ANLCARD	2	EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A		
		1 = Yes.....	2560	4.61
		2 = No.....	4108	7.39
		3 = Yes LOGICALLY ASSIGNED.....	45	0.08
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	6	0.01

PAIN RELIEVERS			PAGE:	78
LABEL	LEN	DESCRIPTION	FREQ	%
(PR04A)		Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CODEINE	2	EVER USED CODEINE "NONMEDICALLY"		
		1 = Response entered.....	1560	2.81
		3 = Response entered LOGICALLY ASSIGNED.....	11	0.02
		6 = Response not entered.....	938	1.69
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
DEMEROL	2	EVER USED DEMEROL "NONMEDICALLY"		
		1 = Response entered.....	588	1.06
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	1916	3.45
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
DILAUD	2	EVER USED DILAUDID "NONMEDICALLY"		
		1 = Response entered.....	145	0.26
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	2361	4.25
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
FIORICET	2	EVER USED FIORICET "NONMEDICALLY"		
		1 = Response entered.....	94	0.17
		6 = Response not entered.....	2415	4.35
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39

PAIN RELIEVERS			PAGE:	79
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
FIORINAL	2	EVER USED FIORINAL "NONMEDICALLY"		
		1 = Response entered.....	109	0.20
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2399	4.32
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
HYDROCOD	2	EVER USED HYDROCODONE "NONMEDICALLY"		
		1 = Response entered.....	855	1.54
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	1644	2.96
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
METHDON	2	EVER USED METHADONE "NONMEDICALLY"		
		1 = Response entered.....	245	0.44
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	2261	4.07
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
MORPHINE	2	EVER USED MORPHINE "NONMEDICALLY"		
		1 = Response entered.....	526	0.95
		3 = Response entered LOGICALLY ASSIGNED.....	12	0.02
		6 = Response not entered.....	1971	3.55
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39

PAIN RELIEVERS			PAGE:	80
LABEL	LEN	DESCRIPTION	FREQ	%
OXYCONTN	2	EVER USED OXYCONTIN "NONMEDICALLY"		
		1 = Response entered.....	370	0.67
		3 = Response entered LOGICALLY ASSIGNED.....	11	0.02
		6 = Response not entered.....	2128	3.83
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
PHENCOD	2	EVER USED PHENAPHEN WITH CODEINE "NONMEDICALLY"		
		1 = Response entered.....	219	0.39
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2289	4.12
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
PROPOXY	2	EVER USED PROPOXYPHENE "NONMEDICALLY"		
		1 = Response entered.....	72	0.13
		6 = Response not entered.....	2437	4.39
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
SK65A	2	EVER USED SK65 "NONMEDICALLY"		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	2485	4.47
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
STADOL	2	EVER USED STADOL "NONMEDICALLY"		
		1 = Response entered.....	37	0.07
		6 = Response not entered.....	2472	4.45
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39

PAIN RELIEVERS			PAGE:	81
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TALACEN	2	EVER USED TALACEN "NONMEDICALLY"		
		1 = Response entered.....	24	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2484	4.47
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
TALWIN	2	EVER USED TALWIN "NONMEDICALLY"		
		1 = Response entered.....	80	0.14
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2428	4.37
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
TALWINNX	2	EVER USED TALWIN NX "NONMEDICALLY"		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	2482	4.47
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
TRAMADOL	2	EVER USED TRAMADOL "NONMEDICALLY"		
		1 = Response entered.....	35	0.06
		6 = Response not entered.....	2474	4.45
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39

PAIN RELIEVERS			PAGE:	82
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ULTRAM	2	EVER USED ULTRAM "NONMEDICALLY"		
		1 = Response entered.....	205	0.37
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	2300	4.14
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	4108	7.39
(PR05)		Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
ANLNOLST	2	EVER USED ANY OTHER PAIN RELIEVER "NONMEDICALLY"		
		1 = Yes.....	1483	2.67
		2 = No.....	5160	9.29
		4 = No LOGICALLY ASSIGNED.....	41	0.07
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	6	0.01

PAIN RELIEVERS			PAGE:	83
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALNEWA	4	OTHER PAIN RELIEVER - SPECIFY 1		
		109 = Seconal.....	9	0.02
		110 = Tuinal.....	2	0.00
		113 = Halcion, Triazolam.....	1	0.00
		115 = Phenobarbital.....	2	0.00
		116 = Methaqualone, Quaalude, Sopor.....	20	0.04
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		124 = Yellow jackets.....	1	0.00
		130 = Phenergan, Promethazine.....	2	0.00
		141 = Dilantin.....	1	0.00
		173 = Wafers.....	1	0.00
		174 = Ambien, Zolpidem.....	5	0.01
		178 = Quetiapine, Seroquel.....	1	0.00
		201 = Valium, Diazepam.....	110	0.20
		207 = Ativan, Lorazepam.....	4	0.01
		209 = Xanax, Alprazolam.....	74	0.13
		211 = Buspar.....	1	0.00
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		227 = Thorazine.....	1	0.00
		228 = Amitriptyline, Elavil.....	5	0.01
		234 = Cyclobenzaprine, Flexeril.....	9	0.02
		240 = Lithium carbonate, Lithonate.....	3	0.01
		241 = Prozac.....	8	0.01
		246 = Clonazepam, Klonopin, Rivotril.....	10	0.02
		250 = Aventyl, Nortriptyline, Pamelor.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	6	0.01
		271 = Zoloft.....	4	0.01
		283 = Paroxetine, Paxil.....	1	0.00
		290 = Skelaxin.....	2	0.00
		292 = Serzone.....	1	0.00
		301 = Dexedrine.....	3	0.01
		318 = Ritalin, Methylphenidate.....	11	0.02
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		332 = Ephedrine.....	1	0.00
		336 = Diet pills.....	1	0.00
		382 = Footballs, pink footballs, purple footballs.....	2	0.00
		401 = Darvon.....	2	0.00
		406 = Percodan.....	3	0.01
		407 = Demerol.....	5	0.01
		408 = Dilaudid.....	3	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	16	0.03
		410 = Phenaphen with Codeine, Phenaphen 3.....	1	0.00
		413 = Talacen.....	1	0.00
		415 = Codeine.....	10	0.02
		417 = Morphine, Roxanol.....	12	0.02
		418 = Dolophine, Methadone.....	2	0.00
		419 = Stadol, Stadol NS.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	27	0.05

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
421	=	USED ANALGESIC, DON'T KNOW NAME.....	101	0.18
422	=	Motrin.....	17	0.03
423	=	Percocet.....	18	0.03
425	=	Advil <OTC>.....	2	0.00
426	=	Fiorinal.....	1	0.00
427	=	Darvocet.....	7	0.01
430	=	Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
431	=	Tylox.....	7	0.01
434	=	Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..	51	0.09
435	=	Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
438	=	Anaprox, Naprosyn, Naproxen.....	17	0.03
442	=	Ibuprofen.....	40	0.07
444	=	Aspirin with Codeine, Empirin 3.....	1	0.00
447	=	Synalgos, Synalgos DC.....	1	0.00
458	=	Mepergan, Mepergan Fortis, Meprozone.....	4	0.01
465	=	Fentanyl, Duragesic, Sublimaze.....	3	0.01
466	=	Midol <OTC>.....	2	0.00
476	=	Duradrin, Isocom, Midrin.....	2	0.00
481	=	Acular, Ketorolac tromethamine, Toradol.....	3	0.01
490	=	Nubain.....	1	0.00
496	=	Ultram.....	4	0.01
498	=	Ponstel, Mefenamic acid.....	1	0.00
658	=	Special K, Ketamine.....	2	0.00
701	=	OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
703	=	Opium.....	1	0.00
819	=	Inderal, Propranalol.....	1	0.00
820	=	Penicillin.....	3	0.01
821	=	Amoxicillin, Ampicillin.....	4	0.01
828	=	Tetracycline.....	2	0.00
858	=	Antibiotic.....	2	0.00
897	=	Synthroid, Levothyroxine.....	1	0.00
2001	=	Carisoprodol, Soma.....	20	0.04
2002	=	Muscle Relaxers.....	9	0.02
2003	=	Zannies, zans, zany bars.....	4	0.01
3004	=	Black cadillac.....	1	0.00
3015	=	Fen-Phen (fenfluramine and phentermine).....	1	0.00
3023	=	Adderall.....	14	0.03
3027	=	Energy pills.....	1	0.00
3050	=	Mini Thins.....	1	0.00
3052	=	Speed; otherwise unspecified.....	1	0.00
3072	=	Purple Blast <OTC>.....	1	0.00
4001	=	Actron, Ketoprofen, Orudis, Oruvail.....	1	0.00
4002	=	Imitrex, Sumatriptan.....	1	0.00
4031	=	Cough medicine with codeine.....	1	0.00
4033	=	Vicoprofen.....	5	0.01
4035	=	Nabumetone, Relafin.....	1	0.00
4038	=	Propacet.....	1	0.00
4039	=	Daypro.....	1	0.00
4044	=	Hydrocodone.....	12	0.02
4046	=	Oxycodone.....	6	0.01

PAIN RELIEVERS			PAGE:	85
LABEL	LEN	DESCRIPTION	FREQ	%
4051	=	Celebrex.....	3	0.01
4055	=	Vioxx.....	5	0.01
4061	=	Oramorph SR.....	1	0.00
4063	=	Naprelan.....	2	0.00
4066	=	Suprax.....	1	0.00
4067	=	Oxycontin.....	12	0.02
4068	=	Roxilox.....	1	0.00
4069	=	Benflogin.....	1	0.00
4071	=	Syncol.....	1	0.00
4072	=	Oxycet.....	1	0.00
4073	=	Temgesic.....	1	0.00
4074	=	Provil <OTC>.....	1	0.00
6083	=	CCC, Triple "C", C3.....	1	0.00
8002	=	Zantac.....	7	0.01
8007	=	Gabapentin, Neurontin.....	1	0.00
8008	=	Antidepressant; type unspecified.....	2	0.00
8010	=	Zyrtec, cetirizine.....	1	0.00
8019	=	Azithromycin, Zithromax.....	1	0.00
8020	=	Allegra.....	3	0.01
8025	=	Claritin, Claritin D.....	3	0.01
8032	=	Prilosec.....	2	0.00
8035	=	Prednisone.....	1	0.00
8044	=	Cephelaxin, Keflex.....	1	0.00
8058	=	Cough medicine/syrup; type unspecified.....	1	0.00
8063	=	Heprin.....	1	0.00
8071	=	Augmentin.....	2	0.00
8073	=	Deconamine.....	1	0.00
8082	=	Robinul.....	1	0.00
8086	=	Provera.....	1	0.00
8098	=	Potassium chloride.....	1	0.00
8099	=	Somatech.....	1	0.00
8101	=	Colace <OTC>.....	1	0.00
9981	=	NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
9985	=	BAD DATA Logically assigned.....	14	0.03
9989	=	LEGITIMATE SKIP Logically assigned.....	41	0.07
9991	=	NEVER USED PAIN RELIEVERS.....	48693	87.64
9997	=	REFUSED.....	34	0.06
9998	=	BLANK (NO ANSWER).....	703	1.27
9999	=	LEGITIMATE SKIP.....	5160	9.29

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWB	4	OTHER PAIN RELIEVER - SPECIFY 2		
		105 = Placidyl.....	1	0.00
		109 = Seconal.....	1	0.00
		110 = Tuinal.....	1	0.00
		115 = Phenobarbital.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	5	0.01
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	2	0.00
		124 = Yellow jackets.....	1	0.00
		174 = Ambien, Zolpidem.....	1	0.00
		178 = Quetiapine, Seroquel.....	1	0.00
		201 = Valium, Diazepam.....	15	0.03
		207 = Ativan, Lorazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	21	0.04
		225 = Desyrel, Trazodone hydrochloride.....	2	0.00
		227 = Thorazine.....	1	0.00
		234 = Cyclobenzaprine, Flexeril.....	5	0.01
		237 = Versed.....	1	0.00
		241 = Prozac.....	2	0.00
		246 = Clonazepam, Klonopin, Rivotril.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		271 = Zoloft.....	2	0.00
		295 = Mirtazapine, Remeron.....	1	0.00
		311 = Preludin.....	1	0.00
		318 = Ritalin, Methylphenidate.....	8	0.01
		319 = Cylert.....	1	0.00
		321 = Methedrine.....	1	0.00
		326 = White cross.....	1	0.00
		382 = Footballs, pink footballs, purple footballs.....	1	0.00
		406 = Percodan.....	2	0.00
		407 = Demerol.....	2	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	7	0.01
		411 = Talwin.....	1	0.00
		415 = Codeine.....	4	0.01
		417 = Morphine, Roxanol.....	3	0.01
		418 = Dolophine, Methadone.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	5	0.01
		421 = USED ANALGESIC, DON'T KNOW NAME.....	8	0.01
		422 = Motrin.....	3	0.01
		423 = Percocet.....	6	0.01
		425 = Advil <OTC>.....	1	0.00
		430 = Aspirin, Ecotrin, Empirin <OTC>.....	3	0.01
		431 = Tylox.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..	12	0.02
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		442 = Ibuprofen.....	2	0.00
		458 = Mepergan, Mepergan Fortis, Meprozone.....	1	0.00
		468 = Excedrin <OTC>.....	1	0.00
		496 = Ultram.....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		820 = Penicillin.....	1	0.00

PAIN RELIEVERS			PAGE:	87
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		829 = Robitussin DM <OTC>.....	1	0.00
		874 = Premarin.....	1	0.00
		1001 = Benadryl <OTC>.....	1	0.00
		2001 = Carisoprodol, Soma.....	6	0.01
		2002 = Muscle Relaxers.....	3	0.01
		4031 = Cough medicine with codeine.....	1	0.00
		4033 = Vicoprofen.....	2	0.00
		4044 = Hydrocodone.....	1	0.00
		4051 = Celebrex.....	1	0.00
		4052 = Endocet.....	1	0.00
		4058 = Totem poles.....	1	0.00
		4076 = OTC pain reliever; not otherwise specified <OTC>..	1	0.00
		6083 = CCC, Triple "C", C3.....	1	0.00
		8020 = Allegra.....	1	0.00
		8064 = Triaminic <OTC>.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		9985 = BAD DATA Logically assigned.....	8	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	9	0.02
		9991 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	1396	2.51
		9999 = LEGITIMATE SKIP.....	5192	9.34

		PAIN RELIEVERS		PAGE:	88
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		-----	-
ANALNEWC	4	OTHER PAIN RELIEVER - SPECIFY 3			
		110 = Tuinal.....		1	0.00
		116 = Methaqualone, Quaalude, Sopor.....		2	0.00
		174 = Ambien, Zolpidem.....		1	0.00
		201 = Valium, Diazepam.....		4	0.01
		207 = Ativan, Lorazepam.....		1	0.00
		209 = Xanax, Alprazolam.....		4	0.01
		225 = Desyrel, Trazodone hydrochloride.....		1	0.00
		246 = Clonazepam, Klonopin, Rivotril.....		3	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....		1	0.00
		415 = Codeine.....		1	0.00
		417 = Morphine, Roxanol.....		2	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....		5	0.01
		421 = USED ANALGESIC, DON'T KNOW NAME.....		2	0.00
		422 = Motrin.....		1	0.00
		423 = Percocet.....		2	0.00
		427 = Darvocet.....		1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..		3	0.01
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....		1	0.00
		496 = Ultram.....		1	0.00
		896 = Catapres, Clonidine.....		1	0.00
		3052 = Speed; otherwise unspecified.....		2	0.00
		4044 = Hydrocodone.....		1	0.00
		4068 = Roxilox.....		1	0.00
		8002 = Zantac.....		1	0.00
		8042 = Alka Seltzer <OTC>.....		1	0.00
		8074 = Fansidar.....		1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....		76	0.14
		9985 = BAD DATA Logically assigned.....		3	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....		2	0.00
		9991 = NEVER USED PAIN RELIEVERS.....		48693	87.64
		9997 = REFUSED.....		16	0.03
		9998 = BLANK (NO ANSWER).....		1527	2.75
		9999 = LEGITIMATE SKIP.....		5199	9.36

PAIN RELIEVERS			PAGE:	89
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANALNEWD	4	OTHER PAIN RELIEVER - SPECIFY 4		
		105 = Placidyl.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		207 = Ativan, Lorazepam.....	1	0.00
		228 = Amitriptyline, Elavil.....	1	0.00
		406 = Percodan.....	2	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	2	0.00
		415 = Codeine.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
		423 = Percocet.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		9991 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	1560	2.81
		9999 = LEGITIMATE SKIP.....	5201	9.36
ANALNEWE	4	OTHER PAIN RELIEVER - SPECIFY 5		
		201 = Valium, Diazepam.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		423 = Percocet.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		9997 = REFUSED.....	15	0.03
		9998 = BLANK (NO ANSWER).....	1572	2.83
		9999 = LEGITIMATE SKIP.....	5201	9.36

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
(PRREF)		The information respondents provide about the prescription pain relievers they've used that were not prescribed for them or that they took only for the experience or feeling they caused is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVTYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
ANLEVER	2	EVER USED PAIN RELIEVERS NONMEDICALLY		
		1 = Yes.....	6628	11.93
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	160	0.29
(PR06)		How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALAGE	3	AGE WHEN FIRST USED PAIN RELIEVERS "NONMEDICALLY"		
		RANGE = 1 - 81	6187	11.14
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		985 = BAD DATA Logically assigned.....	78	0.14
		991 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		994 = DON'T KNOW.....	280	0.50
		997 = REFUSED.....	93	0.17
		998 = BLANK (NO ANSWER).....	154	0.28

PAIN RELIEVERS			PAGE:	91
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions PR07a, PR07b, PR08a, and PR08b were used to create the following two variables.		
ANALYFU	4	YEAR OF FIRST PAIN RELIEVER USE - RECODE		
		RANGE = 1999 - 2001	1132	2.04
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		9985 = BAD DATA Logically assigned.....	436	0.78
		9991 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		9994 = DON'T KNOW.....	297	0.53
		9997 = REFUSED.....	96	0.17
		9998 = BLANK (NO ANSWER).....	189	0.34
		9999 = LEGITIMATE SKIP.....	4642	8.35
ANALMFU	2	MONTH OF FIRST PAIN RELIEVER USE - RECODE		
		1 = January.....	113	0.20
		2 = February.....	101	0.18
		3 = March.....	84	0.15
		4 = April.....	74	0.13
		5 = May.....	64	0.12
		6 = June.....	77	0.14
		7 = July.....	94	0.17
		8 = August.....	65	0.12
		9 = September.....	80	0.14
		10 = October.....	100	0.18
		11 = November.....	88	0.16
		12 = December.....	66	0.12
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	457	0.82
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		94 = DON'T KNOW.....	421	0.76
		97 = REFUSED.....	98	0.18
		98 = BLANK (NO ANSWER).....	168	0.30
		99 = LEGITIMATE SKIP.....	4642	8.35

PAIN RELIEVERS			PAGE:	92
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days.....	1196	2.15
		2 = More than 30 days ago but within the past 12 mos..	1887	3.40
		3 = More than 12 months ago.....	3286	5.91
		8 = Used at some point in the past 12 mos LOG ASSN....	14	0.03
		9 = Used at some point in lifetime LOG ASSN.....	245	0.44
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	154	0.28
ANLYRTOT	3	TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS		
		RANGE = 1 - 365	3013	5.42
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		985 = BAD DATA Logically assigned.....	14	0.03
		991 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	3286	5.91
		994 = DON'T KNOW.....	60	0.11
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	400	0.72
PRTOTFG	2	TRIMMING INDICATOR FOR ANLYRTOT		
		98 = BLANK (NO ANSWER).....	55561	100.0
PRFQFLG	2	TRIMMED ANLYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	221	0.40
		98 = BLANK (NO ANSWER).....	55340	99.60

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
(PR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Prefer to answer in days per week.....	529	0.95
		2 = Prefer to answer in days per month.....	834	1.50
		3 = Prefer to answer in days per year.....	1652	2.97
		11 = Prefer to ans in days per wk LOG ASSN.....	6	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	7	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	25	0.04
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	14	0.03
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	400	0.72
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPYR	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	1664	2.99
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		989 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		991 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		993 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3286	5.91
		994 = DON'T KNOW.....	43	0.08
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	414	0.75
		999 = LEGITIMATE SKIP.....	1366	2.46

PAIN RELIEVERS

LABEL	LEN	DESCRIPTION	FREQ	%
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPMO 2		# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 30	829	1.49
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	409	0.74
		99 = LEGITIMATE SKIP.....	2193	3.95

(PR13) On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPWK 2		# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7	520	0.94
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	9	0.02
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS IN PAST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	405	0.73
		99 = LEGITIMATE SKIP.....	2493	4.49

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
(TR01)		TRANQUILIZERS		
		These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."		
		Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card B carefully as you answer the next questions.		
		Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
KLONOPIN	2	EVER USED KLONOPIN OR CLONAZEPAM		
		1 = Yes.....	505	0.91
		2 = No.....	2805	5.05
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	8	0.01
(TR02)		Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
XNAXATVN	2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
		1 = Yes.....	1557	2.80
		2 = No.....	1752	3.15
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	8	0.01

TRANQUILIZERS			PAGE:	96
LABEL	LEN	DESCRIPTION	FREQ	%
(TR03)		Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
VALMDIAZ	2	EVER USED VALIUM OR DIAZEPAM		
		1 = Yes.....	2339	4.21
		2 = No.....	968	1.74
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	8	0.01
(TR04)		Please look at the tranquilizers shown below the red line on Card B.		
		Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
TRNCARD	2	EVER USED ANY TRANQ BELOW RED LINE ON CARD B		
		1 = Yes.....	967	1.74
		2 = No.....	2345	4.22
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	8	0.01
(TR04A)		Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ATARAX	2	EVER USED ATARAX "NONMEDICALLY"		
		1 = Response entered.....	60	0.11
		6 = Response not entered.....	855	1.54
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22

TRANQUILIZERS			PAGE:	97
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
BUSPAR	2	EVER USED BUSPAR "NONMEDICALLY"		
		1 = Response entered.....	149	0.27
		6 = Response not entered.....	766	1.38
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
EQUANIL	2	EVER USED EQUANIL "NONMEDICALLY"		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	891	1.60
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
FLEXERIL	2	EVER USED FLEXERIL "NONMEDICALLY"		
		1 = Response entered.....	280	0.50
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	632	1.14
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
LIBRIUM	2	EVER USED LIBRIUM "NONMEDICALLY"		
		1 = Response entered.....	161	0.29
		6 = Response not entered.....	754	1.36
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
LIMBTROL	2	EVER USED LIMBTROL "NONMEDICALLY"		
		1 = Response entered.....	23	0.04
		6 = Response not entered.....	892	1.61
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22

TRANQUILIZERS			PAGE:	98
LABEL	LEN	DESCRIPTION	FREQ	%
MEPROB	2	EVER USED MEPROBAMATE "NONMEDICALLY"		
		1 = Response entered.....	35	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	879	1.58
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
MILTOWN	2	EVER USED MILTOWN "NONMEDICALLY"		
		1 = Response entered.....	26	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	888	1.60
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
ROHYPNOL	2	EVER USED ROHYPNOL "NONMEDICALLY"		
		1 = Response entered.....	121	0.22
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	793	1.43
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
SERAX	2	EVER USED SERAX "NONMEDICALLY"		
		1 = Response entered.....	34	0.06
		6 = Response not entered.....	881	1.59
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22

TRANQUILIZERS			PAGE:	99
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SOMA	2	EVER USED SOMA "NONMEDICALLY"		
		1 = Response entered.....	392	0.71
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	517	0.93
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
TRANXENE	2	EVER USED TRANXENE "NONMEDICALLY"		
		1 = Response entered.....	41	0.07
		6 = Response not entered.....	874	1.57
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
VISTAR	2	EVER USED VISTARIL "NONMEDICALLY"		
		1 = Response entered.....	62	0.11
		6 = Response not entered.....	853	1.54
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	2345	4.22
(TR05)		Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
TRNOLST	2	EVER USED ANY OTHER TRANQUILIZER "NONMEDICALLY"		
		1 = Yes.....	339	0.61
		2 = No.....	2953	5.31
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	59	0.11
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	8	0.01

TRANQUILIZERS			PAGE:	100
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TRNEWA	4	OTHER TRANQUILIZER - SPECIFY 1		
		105 = Placidyl.....	1	0.00
		108 = Nembutal.....	1	0.00
		109 = Seconal.....	3	0.01
		112 = Restoril, Temazepam.....	2	0.00
		113 = Halcion, Triazolam.....	1	0.00
		115 = Phenobarbital.....	2	0.00
		116 = Methaqualone, Quaalude, Sopor.....	16	0.03
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		124 = Yellow jackets.....	2	0.00
		129 = Reds.....	3	0.01
		138 = Mandrakes.....	1	0.00
		174 = Ambien, Zolpidem.....	2	0.00
		178 = Quetiapine, Seroquel.....	2	0.00
		189 = Sonata.....	1	0.00
		192 = Promazine.....	1	0.00
		201 = Valium, Diazepam.....	10	0.02
		207 = Ativan, Lorazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	3	0.01
		211 = Buspar.....	1	0.00
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	6	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	36	0.06
		224 = Triavil.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	5	0.01
		227 = Thorazine.....	1	0.00
		228 = Amitriptyline, Elavil.....	2	0.00
		232 = Mellaril.....	1	0.00
		234 = Cyclobenzaprine, Flexeril.....	2	0.00
		241 = Prozac.....	5	0.01
		250 = Aventyl, Nortriptyline, Pamelor.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		278 = Benzodiazepines.....	1	0.00
		283 = Paroxetine, Paxil.....	2	0.00
		289 = Olanzapine, Zyprexa.....	1	0.00
		298 = Acepromazine, PromAce.....	1	0.00
		299 = Midazolam.....	1	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		336 = Diet pills.....	1	0.00
		369 = Artane.....	1	0.00
		411 = Talwin.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		421 = USED ANALGESIC, DON'T KNOW NAME.....	1	0.00
		423 = Percocet.....	1	0.00
		432 = Rufen.....	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		438 = Anaprox, Naprosyn, Naproxen.....	3	0.01
		445 = Norgesic Forte.....	1	0.00
		658 = Special K, Ketamine.....	26	0.05
		663 = Animal tranquilizer, horse tranquilizer.....	3	0.01
		802 = THC, cannabinal, marinol.....	1	0.00

TRANQUILIZERS			PAGE:	101
LABEL	LEN	DESCRIPTION	FREQ	%
		886 = Spanish fly.....	1	0.00
		1002 = Dramamine, seasick/motion sickness pill <OTC>.....	1	0.00
		2001 = Carisoprodol, Soma.....	8	0.01
		2002 = Muscle Relaxers.....	2	0.00
		3026 = Bupropion, Wellbutrin, Zyban.....	1	0.00
		3037 = Effexor.....	1	0.00
		3077 = Concerta.....	1	0.00
		4060 = Ansaid, Flurbiprophen.....	1	0.00
		8008 = Antidepressant; type unspecified.....	1	0.00
		8024 = Asthma inhaler/medication, bronchial dilators.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	7	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	216	0.39
		9999 = LEGITIMATE SKIP.....	2953	5.31
TRNEWB	4	OTHER TRANQUILIZER - SPECIFY 2		
		108 = Nembutal.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	2	0.00
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	2	0.00
		138 = Mandrakes.....	1	0.00
		174 = Ambien, Zolpidem.....	1	0.00
		201 = Valium, Diazepam.....	2	0.00
		212 = Miltown.....	1	0.00
		213 = Equanil.....	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	3	0.01
		224 = Triavil.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	2	0.00
		227 = Thorazine.....	1	0.00
		234 = Cyclobenzaprine, Flexeril.....	1	0.00
		250 = Aventyl, Nortriptyline, Pamelor.....	1	0.00
		280 = Ketaset.....	1	0.00
		283 = Paroxetine, Paxil.....	1	0.00
		663 = Animal tranquilizer, horse tranquilizer.....	3	0.01
		4067 = Oxycontin.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	379	0.68
		9999 = LEGITIMATE SKIP.....	2954	5.32

TRANQUILIZERS			PAGE:	102
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
TRNEWC	4	OTHER TRANQUILIZER - SPECIFY 3		
		112 = Restoril, Temazepam.....	1	0.00
		113 = Halcion, Triazolam.....	1	0.00
		220 = Meprobamate.....	1	0.00
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	400	0.72
		9999 = LEGITIMATE SKIP.....	2954	5.32
TRNEWD	4	OTHER TRANQUILIZER - SPECIFY 4		
		110 = Tuinal.....	1	0.00
		113 = Halcion, Triazolam.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	2	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	404	0.73
		9999 = LEGITIMATE SKIP.....	2954	5.32
TRNEWE	4	OTHER TRANQUILIZER - SPECIFY 5		
		113 = Halcion, Triazolam.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	406	0.73
		9999 = LEGITIMATE SKIP.....	2954	5.32

TRANQUILIZERS			PAGE:	103
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TRREF)		The information respondents provide about the prescription tranquilizers they've used that were not prescribed for them or that they took only for the experience or feeling they caused is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLONOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
TRNEVER	2	EVER USED TRANQUILIZERS NONMEDICALLY		
		1 = Yes.....	3266	5.88
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	103	0.19
(TR06)		How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS "NONMEDICALLY"		
		RANGE = 1 - 70	3163	5.69
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	28	0.05
		991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		994 = DON'T KNOW.....	59	0.11
		997 = REFUSED.....	22	0.04
		998 = BLANK (NO ANSWER).....	100	0.18

TRANQUILIZERS			PAGE:	104
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions TR07a, TR07b, TR08a, and TR08b were used to create the following two variables.		
TRAN7FU	4	YEAR OF FIRST TRANQUILIZER USE - RECODE		
		RANGE = 1999 - 2001	526	0.95
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	176	0.32
		9991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		9994 = DON'T KNOW.....	61	0.11
		9997 = REFUSED.....	25	0.04
		9998 = BLANK (NO ANSWER).....	119	0.21
		9999 = LEGITIMATE SKIP.....	2465	4.44
TRAN8FU	2	MONTH OF FIRST TRANQUILIZER USE - RECODE		
		1 = January.....	48	0.09
		2 = February.....	39	0.07
		3 = March.....	38	0.07
		4 = April.....	62	0.11
		5 = May.....	31	0.06
		6 = June.....	43	0.08
		7 = July.....	46	0.08
		8 = August.....	36	0.06
		9 = September.....	28	0.05
		10 = October.....	45	0.08
		11 = November.....	29	0.05
		12 = December.....	23	0.04
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	187	0.34
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		94 = DON'T KNOW.....	117	0.21
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	108	0.19
		99 = LEGITIMATE SKIP.....	2465	4.44

TRANQUILIZERS			PAGE:	105
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS "NONMEDICALLY"		
		1 = Within the past 30 days.....	387	0.70
		2 = More than 30 days ago but within the past 12 mos..	758	1.36
		3 = More than 12 months ago.....	2025	3.64
		8 = Used at some point in the past 12 mos LOG ASSN....	9	0.02
		9 = Used at some point in lifetime LOG ASSN.....	87	0.16
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	100	0.18
TRNYRTOT	3	TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS		
		RANGE = 1 - 365	1135	2.04
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	7	0.01
		991 = NEVER USED TRANQUILIZERS.....	52183	93.92
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2025	3.64
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	187	0.34
TRTOTFG	2	TRIMMING INDICATOR FOR TRNYRTOT		
		1 = Trimmed to 365 days (no further editing).....	1	0.00
		98 = BLANK (NO ANSWER).....	55560	100.0
TRFQFLG	2	TRIMMED TRNYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	80	0.14
		98 = BLANK (NO ANSWER).....	55481	99.86

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

(TR10) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?

TRBSTWAY	#	DESCRIPTION	FREQ	%
2		EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
	1	= Prefer to answer in days per week.....	147	0.26
	2	= Prefer to answer in days per month.....	274	0.49
	3	= Prefer to answer in days per year.....	706	1.27
	12	= Prefer to ans in days per mo LOG ASSN.....	1	0.00
	13	= Prefer to ans in days per yr LOG ASSN.....	10	0.02
	81	= NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
	85	= BAD DATA Logically assigned.....	7	0.01
	91	= NEVER USED TRANQUILIZERS.....	52183	93.92
	93	= DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2025	3.64
	94	= DON'T KNOW.....	10	0.02
	97	= REFUSED.....	5	0.01
	98	= BLANK (NO ANSWER).....	187	0.34

(TR11) On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPYR	#	DESCRIPTION	FREQ	%
3		# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	715	1.29
	981	= NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
	989	= LEGITIMATE SKIP Logically assigned.....	1	0.00
	991	= NEVER USED TRANQUILIZERS.....	52183	93.92
	993	= DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2025	3.64
	994	= DON'T KNOW.....	10	0.02
	997	= REFUSED.....	6	0.01
	998	= BLANK (NO ANSWER).....	194	0.35
	999	= LEGITIMATE SKIP.....	421	0.76

TRANQUILIZERS			PAGE:	107
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPMO 2		# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 31	275	0.49
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	192	0.35
		99 = LEGITIMATE SKIP.....	862	1.55
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPWK 2		# DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7	145	0.26
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	189	0.34
		99 = LEGITIMATE SKIP.....	990	1.78

NOTE: If a respondent entered an age in STCC09 (Please answer this question again. What is your current age?) that is less than 12, respondents were to be routed immediately to ENDAUDIO so that the Field Interviewer could conclude the interview. The respondents were not being routed to ENDAUDIO after STCC09a, but were instead going to ST19 (How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?), then ENDAUDIO. The routing for the CAI program was corrected 3/21/01.

Variables affected by this patch are denoted by an '*' to the left of the variable name.

These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.

Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.

Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

METHDES	2	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		1 = Yes.....	2117	3.81
		2 = No.....	1885	3.39
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02

		STIMULANTS	PAGE:	109
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	9	0.02
(ST02)		Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphetamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?		
DIETPILS	2	EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC		
		1 = Yes.....	1320	2.38
		2 = No.....	2681	4.83
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	9	0.02
(ST03)		Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?		
RITMPHEN	2	EVER USED RITALIN OR METHYLPHENIDATE		
		1 = Yes.....	1455	2.62
		2 = No.....	2555	4.60
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	9	0.02

LABEL	LEN	DESCRIPTION	PAGE:	110
-----	----	-----	FREQ	%
-----	----	-----	-----	-
(ST04)		Please look at the stimulants shown below the red line on Card C.		
		Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?		
STMCARD	2	EVER USED ANY STIMULANT BELOW RED LINE ON CARD C		
		1 = Yes.....	743	1.34
		2 = No.....	3248	5.85
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	9	0.02
(ST04A)		Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CYLERT	2	EVER USED CYLERT "NONMEDICALLY"		
		1 = Response entered.....	67	0.12
		6 = Response not entered.....	611	1.10
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
DEXED	2	EVER USED DEXEDRINE "NONMEDICALLY"		
		1 = Response entered.....	418	0.75
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	257	0.46
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85

STIMULANTS			PAGE:	111
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DETAMP	2	EVER USED DEXTROAMPHETAMINE "NONMEDICALLY"		
		1 = Response entered.....	112	0.20
		6 = Response not entered.....	566	1.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
DIDREX	2	EVER USED DIDREX "NONMEDICALLY"		
		1 = Response entered.....	37	0.07
		6 = Response not entered.....	641	1.15
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
ESKAT	2	EVER USED ESKATROL "NONMEDICALLY"		
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	661	1.19
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
IONAMIN	2	EVER USED IONAMIN "NONMEDICALLY"		
		1 = Response entered.....	60	0.11
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	617	1.11
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
MAZANOR	2	EVER USED MAZANOR "NONMEDICALLY"		
		1 = Response entered.....	26	0.05
		6 = Response not entered.....	652	1.17
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85

STIMULANTS			PAGE:	112
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
OBLA	2	EVER USED OBEDRIN-LA "NONMEDICALLY"		
		1 = Response entered.....	10	0.02
		6 = Response not entered.....	668	1.20
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
PLEGINE	2	EVER USED PLEGINE "NONMEDICALLY"		
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	661	1.19
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	54	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
PRELUDIN	2	EVER USED PRELUDIN "NONMEDICALLY"		
		1 = Response entered.....	100	0.18
		6 = Response not entered.....	578	1.04
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
SANOREX	2	EVER USED SANOREX "NONMEDICALLY"		
		1 = Response entered.....	46	0.08
		6 = Response not entered.....	632	1.14
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85
TENUATE	2	EVER USED TENUATE "NONMEDICALLY"		
		1 = Response entered.....	26	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	651	1.17
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	3248	5.85

STIMULANTS			PAGE:	113
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST05)		Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?		
STMNOLST 2		EVER USED ANY OTHER STIMULANT "NONMEDICALLY"		
		1 = Yes.....	394	0.71
		2 = No.....	3581	6.45
		4 = No LOGICALLY ASSIGNED.....	9	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	10	0.02

STIMULANTS			PAGE:	114
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
STIMNEWA	4	OTHER STIMULANT - SPECIFY 1		
		124 = Yellow jackets.....	6	0.01
		130 = Phenergan, Promethazine.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		202 = Librium, Chlordiazepoxide HCl.....	1	0.00
		211 = Buspar.....	1	0.00
		240 = Lithium carbonate, Lithonate.....	1	0.00
		241 = Prozac.....	3	0.01
		246 = Clonazepam, Klonopin, Rivotril.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		271 = Zoloft.....	2	0.00
		283 = Paroxetine, Paxil.....	1	0.00
		301 = Dexedrine.....	3	0.01
		304 = Benzedrine.....	2	0.00
		306 = Desoxyn.....	1	0.00
		307 = Tenuate, Diethylpropion.....	1	0.00
		313 = Adipex-P, Fastin, Phentermine.....	8	0.01
		314 = Pondimin, Fenfluramine.....	1	0.00
		318 = Ritalin, Methylphenidate.....	7	0.01
		321 = Methedrine.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	5	0.01
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	10	0.02
		325 = USED STIMULANT, DON'T KNOW NAME.....	29	0.05
		326 = White cross.....	10	0.02
		327 = Black beauties, Black beauty.....	20	0.04
		328 = Pink hearts.....	1	0.00
		329 = Bird s eggs, Robin's eggs, speckled eggs.....	2	0.00
		330 = Blue birds, blue jays, blue robins, speckled bir..	2	0.00
		332 = Ephedrine.....	13	0.02
		333 = 357 Magnum, Magnum 44 <OTC>.....	1	0.00
		334 = Crossroads, cross tops.....	10	0.02
		336 = Diet pills.....	1	0.00
		339 = Amphetamines.....	2	0.00
		345 = Black Molly.....	4	0.01
		352 = Lemons.....	1	0.00
		353 = No-Doz <OTC>.....	1	0.00
		355 = Crystal meth.....	1	0.00
		359 = Criss cross.....	1	0.00
		374 = Christmas tree(s).....	2	0.00
		396 = Black Rjs, RJ8.....	1	0.00
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		418 = Dolophine, Methadone.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		702 = Heroin.....	1	0.00
		806 = Crack, rock.....	1	0.00
		814 = Caffeine <OTC>.....	1	0.00
		3001 = Brown and clear.....	1	0.00

STIMULANTS			PAGE:	115
LABEL	LEN	DESCRIPTION	FREQ	%
		3008 = Miniwhites.....	1	0.00
		3015 = Fen-Phen (fenfluramine and phentermine).....	1	0.00
		3018 = Up-johns.....	1	0.00
		3023 = Adderall.....	61	0.11
		3037 = Effexor.....	2	0.00
		3041 = Desbutal.....	1	0.00
		3050 = Mini Thins.....	2	0.00
		3052 = Speed; otherwise unspecified.....	13	0.02
		3070 = Synatan.....	1	0.00
		4027 = Rorer.....	1	0.00
		4064 = Epidrin.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	9	0.02
		9991 = NEVER USED STIMULANTS.....	51493	92.68
		9997 = REFUSED.....	15	0.03
		9998 = BLANK (NO ANSWER).....	195	0.35
		9999 = LEGITIMATE SKIP.....	3581	6.45
STIMNEWB	4	OTHER STIMULANT - SPECIFY 2		
		124 = Yellow jackets.....	2	0.00
		137 = 7-14.....	1	0.00
		312 = Ionamin.....	1	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		321 = Methedrine.....	1	0.00
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	6	0.01
		325 = USED STIMULANT, DON'T KNOW NAME.....	5	0.01
		326 = White cross.....	1	0.00
		327 = Black beauties, Black beauty.....	2	0.00
		328 = Pink hearts.....	2	0.00
		329 = Bird s eggs, Robin's eggs, speckled eggs.....	1	0.00
		332 = Ephedrine.....	2	0.00
		334 = Crossroads, cross tops.....	1	0.00
		345 = Black Molly.....	1	0.00
		374 = Christmas tree(s).....	1	0.00
		382 = Footballs, pink footballs, purple footballs.....	1	0.00
		3023 = Adderall.....	6	0.01
		3035 = Blacks.....	1	0.00
		3037 = Effexor.....	1	0.00
		3038 = Obenil.....	1	0.00
		3050 = Mini Thins.....	1	0.00
		3069 = DextroStat.....	1	0.00
		3076 = Norephedrine <OTC>.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	3	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED STIMULANTS.....	51493	92.68
		9997 = REFUSED.....	14	0.03
		9998 = BLANK (NO ANSWER).....	408	0.73
		9999 = LEGITIMATE SKIP.....	3589	6.46

STIMULANTS			PAGE:	116
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STIMNEWC	4	OTHER STIMULANT - SPECIFY 3		
		116 = Methaqualone, Quaalude, Sopor.....	1	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		325 = USED STIMULANT, DON'T KNOW NAME.....	3	0.01
		326 = White cross.....	1	0.00
		374 = Christmas tree(s).....	1	0.00
		382 = Footballs, pink footballs, purple footballs.....	1	0.00
		840 = Cough medicine (contents not specified) <OTC>.....	1	0.00
		847 = GHB, NSC.....	1	0.00
		3001 = Brown and clear.....	1	0.00
		3023 = Adderall.....	3	0.01
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9991 = NEVER USED STIMULANTS.....	51493	92.68
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	440	0.79
		9999 = LEGITIMATE SKIP.....	3590	6.46
STIMNEWD	4	OTHER STIMULANT - SPECIFY 4		
		129 = Reds.....	1	0.00
		374 = Christmas tree(s).....	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9991 = NEVER USED STIMULANTS.....	51493	92.68
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	451	0.81
		9999 = LEGITIMATE SKIP.....	3590	6.46
STIMNEWE	4	OTHER STIMULANT - SPECIFY 5		
		124 = Yellow jackets.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9991 = NEVER USED STIMULANTS.....	51493	92.68
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	453	0.82
		9999 = LEGITIMATE SKIP.....	3590	6.46

LABEL	LEN	DESCRIPTION	PAGE:	117
-----	-----	-----	FREQ	%
(STREF2)		The information respondents provide about the prescription stimulants they've used that were not prescribed for them or that they took only for the experience or feeling they caused is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
STMEVER	2	EVER USED STIMULANTS NONMEDICALLY		
		1 = Yes.....	3966	7.14
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51493	92.68
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	87	0.16
(ST06)		How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STIMAGE	3	AGE WHEN FIRST USED STIMULANTS "NONMEDICALLY"		
		RANGE = 1 - 55	3857	6.94
		981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	26	0.05
		991 = NEVER USED STIMULANTS.....	51493	92.68
		994 = DON'T KNOW.....	64	0.12
		997 = REFUSED.....	22	0.04
		998 = BLANK (NO ANSWER).....	87	0.16

STIMULANTS			PAGE:	118
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST07a, ST07b, ST08a, and ST08b were used to create the following two variables.		
STIMYFU	4	YEAR OF FIRST STIMULANT USE - RECODE		
		RANGE = 1999 - 2001	471	0.85
		9981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	173	0.31
		9989 = LEGITIMATE SKIP Logically assn.....	15	0.03
		9991 = NEVER USED STIMULANTS.....	51493	92.68
		9994 = DON'T KNOW.....	68	0.12
		9997 = REFUSED.....	25	0.04
		9998 = BLANK (NO ANSWER).....	100	0.18
		9999 = LEGITIMATE SKIP.....	3204	5.77
STIMMFU	2	MONTH OF FIRST STIMULANT USE - RECODE		
		1 = January.....	51	0.09
		2 = February.....	39	0.07
		3 = March.....	36	0.06
		4 = April.....	37	0.07
		5 = May.....	26	0.05
		6 = June.....	27	0.05
		7 = July.....	34	0.06
		8 = August.....	34	0.06
		9 = September.....	41	0.07
		10 = October.....	44	0.08
		11 = November.....	35	0.06
		12 = December.....	23	0.04
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	182	0.33
		89 = LEGITIMATE SKIP Logically assn.....	15	0.03
		91 = NEVER USED STIMULANTS.....	51493	92.68
		94 = DON'T KNOW.....	111	0.20
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	3204	5.77

STIMULANTS			PAGE:	119
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STIMREC	2	TIME SINCE LAST USED STIMULANTS "NONMEDICALLY"		
		1 = Within the past 30 days.....	357	0.64
		2 = More than 30 days ago but within the past 12 mos..	652	1.17
		3 = More than 12 months ago.....	2805	5.05
		8 = Used at some point in the past 12 mos LOG ASSN....	23	0.04
		9 = Used at some point in lifetime LOG ASSN.....	110	0.20
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	10	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	9	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	85	0.15
STMYRTOT	3	TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS		
		RANGE = 1 - 364	979	1.76
		981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	15	0.03
		991 = NEVER USED STIMULANTS.....	51493	92.68
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2805	5.05
		994 = DON'T KNOW.....	20	0.04
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	230	0.41
STTOTFG	2	TRIMMING INDICATOR FOR STMYRTOT		
		98 = BLANK (NO ANSWER).....	55561	100.0
STFQFLG	2	TRIMMED STMYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	87	0.16
		98 = BLANK (NO ANSWER).....	55474	99.84

STIMULANTS			PAGE:	120
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
STBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Prefer to answer in days per week.....	185	0.33
		2 = Prefer to answer in days per month.....	238	0.43
		3 = Prefer to answer in days per year.....	522	0.94
		11 = Prefer to ans in days per wk LOG ASSN.....	3	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	7	0.01
		21 = Prefer to ans in days per wk (MTBSTWAY=1,11).....	10	0.02
		22 = Prefer to ans in days per mo (MTBSTWAY=2,12).....	15	0.03
		23 = Prefer to ans in days per yr (MTBSTWAY=3,13).....	12	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	14	0.03
		91 = NEVER USED STIMULANTS.....	51493	92.68
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2805	5.05
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	230	0.41
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPYR	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 300	539	0.97
		981 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	13	0.02
		991 = NEVER USED STIMULANTS.....	51493	92.68
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2805	5.05
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	244	0.44
		999 = LEGITIMATE SKIP.....	439	0.79

		STIMULANTS	PAGE:	121
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPMO	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 23	248	0.45
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		91 = NEVER USED STIMULANTS.....	51493	92.68
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2805	5.05
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	240	0.43
		99 = LEGITIMATE SKIP.....	731	1.32
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPWK	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	192	0.35
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	10	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51493	92.68
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2805	5.05
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	786	1.41
(ST14)		Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?		
METHAGE	3	AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE		
		RANGE = 1 - 54	2069	3.72
		981 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED METHAMPHETAMINES.....	53378	96.07
		994 = DON'T KNOW.....	32	0.06
		997 = REFUSED.....	16	0.03
		998 = BLANK (NO ANSWER).....	48	0.09

STIMULANTS			PAGE:	122
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ST15)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST15, ST16, ST17, and ST18 were used to create the following two variables.		
METHYFU	4	YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
		RANGE = 1999 - 2001	193	0.35
		9981 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		9985 = BAD DATA Logically assigned.....	66	0.12
		9991 = NEVER USED METHAMPHETAMINES.....	53378	96.07
		9994 = DON'T KNOW.....	36	0.06
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	51	0.09
		9999 = LEGITIMATE SKIP.....	1808	3.25
METHMFU	2	MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
		1 = January.....	20	0.04
		2 = February.....	16	0.03
		3 = March.....	15	0.03
		4 = April.....	18	0.03
		5 = May.....	4	0.01
		6 = June.....	12	0.02
		7 = July.....	12	0.02
		8 = August.....	13	0.02
		9 = September.....	17	0.03
		10 = October.....	15	0.03
		11 = November.....	20	0.04
		12 = December.....	15	0.03
		81 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		85 = BAD DATA Logically assigned.....	68	0.12
		91 = NEVER USED METHAMPHETAMINES.....	53378	96.07
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP.....	1808	3.25
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
*METHREC	2	TIME SINCE LAST USED METHAMPHETAMINES		
		1 = Within the past 30 days.....	158	0.28
		2 = More than 30 days ago but within the past 12 mos..	283	0.51
		3 = More than 12 months ago.....	1627	2.93
		8 = Used at some point in the past 12 mos LOG ASSN....	10	0.02
		9 = Used at some point in lifetime LOG ASSN.....	40	0.07
		81 = NEVER USED METHAMPHETAMINES Logically assigned....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINES.....	53378	96.07
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	47	0.08

STIMULANTS			PAGE:	123
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MTHYRTOT	3	TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
		RANGE = 1 - 364	435	0.78
		981 = NEVER USED METHAMPHETAMINE Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	7	0.01
		991 = NEVER USED METHAMPHETAMINE.....	53378	96.07
		993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	1627	2.93
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	90	0.16
MTTOTFG	2	TRIMMING INDICATOR FOR MTHYRTOT		
		98 = BLANK (NO ANSWER).....	55561	100.0
MTFQFLG	2	TRIMMED MTHYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	33	0.06
		98 = BLANK (NO ANSWER).....	55528	99.94
(ST20)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?		
MTBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE		
		1 = Prefer to answer in days per week.....	88	0.16
		2 = Prefer to answer in days per month.....	108	0.19
		3 = Prefer to answer in days per year.....	237	0.43
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	4	0.01
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	7	0.01
		91 = NEVER USED METHAMPHETAMINE.....	53378	96.07
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	1627	2.93
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	90	0.16

STIMULANTS

LABEL	LEN	DESCRIPTION	FREQ	%
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPYR	3	# DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS		
		RANGE = 1 - 300	241	0.43
		981 = NEVER USED METHAMPHETAMINE Logically assigned.....	12	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED METHAMPHETAMINE.....	53378	96.07
		993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	1627	2.93
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	97	0.17
		999 = LEGITIMATE SKIP.....	196	0.35
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPMO	2	# DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS		
		RANGE = 1 - 25	109	0.20
		81 = NEVER USED METHAMPHETAMINE Logically assigned....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED METHAMPHETAMINE.....	53378	96.07
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS...	1627	2.93
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	95	0.17
		99 = LEGITIMATE SKIP.....	329	0.59
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPWK	2	# DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS		
		RANGE = 1 - 7	85	0.15
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED METHAMPHETAMINE.....	53378	96.07
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	1627	2.93
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	350	0.63

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

METHAQ	2	EVER USED METHAQUALONE, SOPOR, OR QUAALUDE		
		1 = Yes.....	810	1.46
		2 = No.....	469	0.84
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	11	0.02

		SEDATIVES	PAGE:	126
LABEL	LEN	DESCRIPTION	FREQ	%
-----		-----	-----	-----
(SV02)		Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?		
NEMBBARB	2	EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC		
		1 = Yes.....	391	0.70
		2 = No.....	892	1.61
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	11	0.02
(SV03)		Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
RESTTMAZ	2	EVER USED RESTORIL OR TEMAZEPAM		
		1 = Yes.....	158	0.28
		2 = No.....	1133	2.04
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	11	0.02
(SV04)		Please look at the sedatives shown below the red line on Card D.		
		Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?		
SEDCARD	2	EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D		
		1 = Yes.....	418	0.75
		2 = No.....	873	1.57
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	11	0.02

SEDATIVES			PAGE:	127
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SV04A)		Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
AMYTAL	2	EVER USED AMYTAL "NONMEDICALLY"		
		1 = Response entered.....	59	0.11
		6 = Response not entered.....	345	0.62
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	873	1.57
BUTISOL	2	EVER USED BUTISOL "NONMEDICALLY"		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	377	0.68
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	873	1.57
CHHYD	2	EVER USED CHLORAL HYDRATE "NONMEDICALLY"		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	380	0.68
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	873	1.57
DALMANE	2	EVER USED DALMANE "NONMEDICALLY"		
		1 = Response entered.....	59	0.11
		6 = Response not entered.....	345	0.62
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	873	1.57

SEDATIVES			PAGE:	128
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALCION	2	EVER USED HALCION "NONMEDICALLY"		
		1 = Response entered.....	95	0.17
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	308	0.55
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	873	1.57
PHENOBAR	2	EVER USED PHENOBARBITAL "NONMEDICALLY"		
		1 = Response entered.....	159	0.29
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	242	0.44
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	873	1.57
PLACIDYL	2	EVER USED PLACIDYL "NONMEDICALLY"		
		1 = Response entered.....	101	0.18
		6 = Response not entered.....	303	0.55
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	873	1.57
TUINAL	2	EVER USED TUINAL "NONMEDICALLY"		
		1 = Response entered.....	110	0.20
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	293	0.53
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	54	0.10
		99 = LEGITIMATE SKIP.....	873	1.57

SEDATIVES			PAGE:	129
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV05)		Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDNOLST 2		EVER USED ANY OTHER SEDATIVE "NONMEDICALLY"		
		1 = Yes.....	218	0.39
		2 = No.....	1059	1.91
		4 = No LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	11	0.02

SEDATIVES			PAGE:	130
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SEDNEWA	4	OTHER SEDATIVES - SPECIFY 1		
		109 = Seconal.....	5	0.01
		110 = Tuinal.....	1	0.00
		113 = Halcion, Triazolam.....	1	0.00
		115 = Phenobarbital.....	3	0.01
		116 = Methaqualone, Quaalude, Sopor.....	7	0.01
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	7	0.01
		121 = USED SEDATIVE, DON'T KNOW NAME.....	35	0.06
		129 = Reds.....	1	0.00
		131 = Haldol, Haloperidol.....	1	0.00
		156 = Sodium barbital.....	1	0.00
		171 = NyQuil <OTC>.....	1	0.00
		174 = Ambien, Zolpidem.....	22	0.04
		178 = Quetiapine, Seroquel.....	3	0.01
		189 = Sonata.....	1	0.00
		201 = Valium, Diazepam.....	4	0.01
		207 = Ativan, Lorazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	4	0.01
		228 = Amitriptyline, Elavil.....	4	0.01
		234 = Cyclobenzaprine, Flexeril.....	1	0.00
		247 = Adapin, Doxepin, Sinequan.....	1	0.00
		268 = Rohypnol, Roche, roofies.....	1	0.00
		326 = White cross.....	1	0.00
		415 = Codeine.....	3	0.01
		438 = Anaprox, Naprosyn, Naproxen.....	1	0.00
		658 = Special K, Ketamine.....	4	0.01
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
		4011 = Carbamazepine, Eptitol, Tegretol.....	1	0.00
		6108 = Gorilla biscuits.....	1	0.00
		8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
		8010 = Zyrtec, cetirizine.....	1	0.00
		8082 = Robinul.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	2	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		9991 = NEVER USED SEDATIVES.....	54188	97.53
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	157	0.28
		9999 = LEGITIMATE SKIP.....	1059	1.91

SEDATIVES			PAGE:	131
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
SEDNEWB	4	OTHER SEDATIVES - SPECIFY 2		
		108 = Nembutal.....	1	0.00
		116 = Methaqualone, Quaalude, Sopor.....	1	0.00
		119 = Secobarbital.....	1	0.00
		121 = USED SEDATIVE, DON'T KNOW NAME.....	3	0.01
		174 = Ambien, Zolpidem.....	1	0.00
		181 = Excedrin P.M. <OTC>.....	1	0.00
		189 = Sonata.....	1	0.00
		191 = Blues.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		434 = Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydo..	1	0.00
		438 = Anaprox, Naprosyn, Naproxen.....	1	0.00
		2001 = Carisoprodol, Soma.....	1	0.00
		8085 = Antipsychotics; type unspecified.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	54188	97.53
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	270	0.49
		9999 = LEGITIMATE SKIP.....	1061	1.91
SEDNEWC	4	OTHER SEDATIVES - SPECIFY 3		
		2001 = Carisoprodol, Soma.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	54188	97.53
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	284	0.51
		9999 = LEGITIMATE SKIP.....	1062	1.91
SEDNEWD	4	OTHER SEDATIVES - SPECIFY 4		
		9981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	54188	97.53
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	285	0.51
		9999 = LEGITIMATE SKIP.....	1062	1.91
SEDNEWE	4	OTHER SEDATIVES - SPECIFY 5		
		9981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	54188	97.53
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	285	0.51
		9999 = LEGITIMATE SKIP.....	1062	1.91

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
(SVREF)		The information respondents provide about the prescription sedatives they've used that were not prescribed for them or that they took only for the experience or feeling they caused is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
SEDEVER	2	EVER USED SEDATIVES NONMEDICALLY		
		1 = Yes.....	1241	2.23
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	113	0.20
(SV06)		How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES "NONMEDICALLY"		
		RANGE = 1 - 72	1197	2.15
		981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED SEDATIVES.....	54188	97.53
		994 = DON'T KNOW.....	36	0.06
		997 = REFUSED.....	11	0.02
		998 = BLANK (NO ANSWER).....	111	0.20

SEDATIVES			PAGE:	133
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions SV07a, SV07b, SV08a, and SV08b were used to create the following two variables.		
SEDYFU	4	YEAR OF FIRST SEDATIVE USE - RECODE		
		RANGE = 1999 - 2001	90	0.16
		9981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		9985 = BAD DATA Logically assigned.....	38	0.07
		9991 = NEVER USED SEDATIVES.....	54188	97.53
		9994 = DON'T KNOW.....	37	0.07
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	115	0.21
		9999 = LEGITIMATE SKIP.....	1069	1.92
SEDMFU	2	MONTH OF FIRST SEDATIVE USE - RECODE		
		1 = January.....	7	0.01
		2 = February.....	5	0.01
		3 = March.....	11	0.02
		4 = April.....	3	0.01
		5 = May.....	1	0.00
		6 = June.....	5	0.01
		7 = July.....	14	0.03
		8 = August.....	6	0.01
		9 = September.....	12	0.02
		10 = October.....	5	0.01
		11 = November.....	10	0.02
		12 = December.....	5	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	40	0.07
		91 = NEVER USED SEDATIVES.....	54188	97.53
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	1069	1.92

SEDATIVES			PAGE:	134
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question. How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES "NONMEDICALLY"		
		1 = Within the past 30 days.....	81	0.15
		2 = More than 30 days ago but within the past 12 mos..	136	0.24
		3 = More than 12 months ago.....	999	1.80
		8 = Used at some point in the past 12 mos LOG ASSN....	2	0.00
		9 = Used at some point in lifetime LOG ASSN.....	23	0.04
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	111	0.20
SEDYRTOT	3	TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS		
		RANGE = 1 - 364	212	0.38
		981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED SEDATIVES.....	54188	97.53
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	999	1.80
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	134	0.24
SVTOTFG	2	TRIMMING INDICATOR FOR SEDYRTOT		
		98 = BLANK (NO ANSWER).....	55561	100.0
SVFQFLG	2	TRIMMED SEDYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	22	0.04
		98 = BLANK (NO ANSWER).....	55539	99.96

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SVBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Prefer to answer in days per week.....	55	0.10
		2 = Prefer to answer in days per month.....	50	0.09
		3 = Prefer to answer in days per year.....	109	0.20
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPYR	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 200	110	0.20
		981 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED SEDATIVES.....	54188	97.53
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	999	1.80
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	137	0.25
		999 = LEGITIMATE SKIP.....	105	0.19

SEDATIVES			PAGE:	136
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPMO 2		# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 21	49	0.09
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	165	0.30
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPWK 2		# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	53	0.10
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	159	0.29

RECENCY OF DRUG USE			PAGE:	137
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECENCY OF DRUG USE				

IRCIGRC	1	CIGARETTE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	14786	26.61
		2 = More than 30 days ago but within the past 12 mos..	3277	5.90
		3 = More than 12 months ago but within the past 3 yrs.	3533	6.36
		4 = More than 3 years ago.....	11342	20.41
		9 = Never smoked cigarettes.....	22623	40.72
IICIGRC	1	CIGARETTE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55039	99.06
		2 = Logically edited data.....	5	0.01
		3 = Statistically imputed data.....	517	0.93
II2CIGRC	1	CIGARETTE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55039	99.06
		2 = Logically edited data.....	5	0.01
		4 = Statistically imputed data - edited recency=9.....	22	0.04
		5 = Statistically imputed data - edited recency=8.....	10	0.02
		6 = Statistically imputed data - edited recency=19.....	225	0.40
		7 = Statistically imputed data - edited recency=14.....	260	0.47
IRCGRRC	1	CIGAR RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	3497	6.29
		2 = More than 30 days ago but within the past 12 mos..	3928	7.07
		3 = More than 12 months ago but within the past 3 yrs.	4403	7.92
		4 = More than 3 years ago.....	6430	11.57
		9 = Never smoked cigars.....	37303	67.14
IICGRRC	1	CIGAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55092	99.16
		2 = Logically edited data.....	3	0.01
		3 = Statistically imputed data.....	466	0.84
II2CGRRC	1	CIGAR RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55092	99.16
		2 = Logically edited data.....	3	0.01
		3 = Statistically imputed data - lifetime use imputed.	10	0.02
		4 = Statistically imputed data - edited recency=9.....	16	0.03
		5 = Statistically imputed data - edited recency=8.....	11	0.02
		6 = Statistically imputed data - edited recency=19.....	226	0.41
		7 = Statistically imputed data - edited recency=14.....	203	0.37
IRPIPLF	1	LIFETIME PIPE USE - IMPUTATION REVISED		
		1 = Ever used pipes.....	5623	10.12
		9 = Never smoked pipes.....	49938	89.88

RECENCY OF DRUG USE			PAGE:	138
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IIPPLF	1	LIFETIME PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55550	99.98
		3 = Statistically imputed data.....	11	0.02
IRPIPMN	1	PAST MONTH PIPE USE - IMPUTATION REVISED		
		1 = Within the past 30 days.....	560	1.01
		2 = More than 30 days ago but within lifetime.....	5063	9.11
		9 = Never smoked pipes.....	49938	89.88
IIPPMN	1	PAST MONTH PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55550	99.98
		3 = Statistically imputed data.....	11	0.02
IRSLTRC	1	SMOKELESS TOBACCO RECENCY-IMPUTATION REVISED		
		1 = Within the past 30 days.....	2121	3.82
		2 = More than 30 days ago but within the past 12 mos..	1115	2.01
		3 = More than 12 months ago but within the past 3 yrs.	1450	2.61
		4 = More than 3 years ago.....	5700	10.26
		9 = Never used smokeless tobacco.....	45175	81.31
IISLTRC	1	SMOKELESS TOBACCO RECENCY-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55283	99.50
		3 = Statistically imputed data.....	278	0.50
II2SLTRC	1	SMOKELESS TOBACCO RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55283	99.50
		3 = Statistically imputed data - lifetime use imputed.	35	0.06
		4 = Statistically imputed data - edited recency=9.....	8	0.01
		5 = Statistically imputed data - edited recency=8.....	1	0.00
		6 = Statistically imputed data - edited recency=19.....	125	0.22
		7 = Statistically imputed data - edited recency=14.....	109	0.20
IRCHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	793	1.43
		2 = More than 30 days ago but within the past 12 mos..	754	1.36
		3 = More than 12 months ago but within the past 3 yrs.	1138	2.05
		4 = More than 3 years ago.....	4335	7.80
		9 = Never used chewing tobacco.....	48541	87.37
IICHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55415	99.74
		3 = Statistically imputed data.....	146	0.26
II2CHWRC	1	CHEWING TOBACCO RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55415	99.74
		3 = Statistically imputed data - lifetime use imputed.	12	0.02
		4 = Statistically imputed data - edited recency=9.....	4	0.01
		5 = Statistically imputed data - edited recency=8.....	1	0.00
		6 = Statistically imputed data - edited recency=19.....	67	0.12
		7 = Statistically imputed data - edited recency=14.....	62	0.11

RECENCY OF DRUG USE			PAGE:	139
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRSNFRC	1	SNUFF RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1791	3.22
		2 = More than 30 days ago but within the past 12 mos..	886	1.59
		3 = More than 12 months ago but within the past 3 yrs.	1151	2.07
		4 = More than 3 years ago.....	4218	7.59
		9 = Never used snuff.....	47515	85.52
IISNFRC	1	SNUFF RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55367	99.65
		3 = Statistically imputed data.....	194	0.35
II2SNFRC	1	SNUFF RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55367	99.65
		3 = Statistically imputed data - lifetime use imputed.	31	0.06
		4 = Statistically imputed data - edited recency=9.....	6	0.01
		5 = Statistically imputed data - edited recency=8.....	2	0.00
		6 = Statistically imputed data - edited recency=19.....	86	0.15
		7 = Statistically imputed data - edited recency=14.....	69	0.12
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	24538	44.16
		2 = More than 30 days ago but within the past 12 mos..	9038	16.27
		3 = More than 12 months ago.....	7065	12.72
		9 = Never used alcohol.....	14920	26.85
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54743	98.53
		2 = Logically edited data.....	15	0.03
		3 = Statistically imputed data.....	803	1.45
II2ALCRC	1	ALCOHOL RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54743	98.53
		2 = Logically edited data.....	15	0.03
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - edited recency=9.....	372	0.67
		5 = Statistically imputed data - edited recency=8.....	401	0.72
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	4950	8.91
		2 = More than 30 days ago but within the past 12 mos..	3688	6.64
		3 = More than 12 months ago.....	12116	21.81
		9 = Never used marijuana.....	34807	62.65
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55093	99.16
		2 = Logically edited data.....	11	0.02
		3 = Statistically imputed data.....	457	0.82

REGENCY OF DRUG USE			PAGE:	140
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
II2MJRC	1	MARIJUANA REGENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55093	99.16
		2 = Logically edited data.....	11	0.02
		3 = Statistically imputed data - lifetime use imputed.	86	0.15
		4 = Statistically imputed data - edited recency=9.....	212	0.38
		5 = Statistically imputed data - edited recency=8.....	159	0.29
IRCOCRC	1	COCAINE REGENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	520	0.94
		2 = More than 30 days ago but within the past 12 mos..	992	1.79
		3 = More than 12 months ago.....	4176	7.52
		9 = Never used cocaine.....	49873	89.76
IICOCRC	1	COCAINE REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55378	99.67
		2 = Logically edited data.....	44	0.08
		3 = Statistically imputed data.....	139	0.25
II2COCRC	1	COCAINE REGENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55378	99.67
		2 = Logically edited data.....	44	0.08
		3 = Statistically imputed data - lifetime use imputed.	32	0.06
		4 = Statistically imputed data - edited recency=9.....	72	0.13
		5 = Statistically imputed data - edited recency=8.....	35	0.06
IRCRKRC	1	CRACK REGENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	103	0.19
		2 = More than 30 days ago but within the past 12 mos..	205	0.37
		3 = More than 12 months ago.....	1078	1.94
		9 = Never used crack.....	54175	97.51
IICRKRC	1	CRACK REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55501	99.89
		2 = Logically edited data.....	1	0.00
		3 = Statistically imputed data.....	59	0.11
II2CRKRC	1	CRACK REGENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55501	99.89
		2 = Logically edited data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	34	0.06
		4 = Statistically imputed data - edited recency=9.....	14	0.03
		5 = Statistically imputed data - edited recency=8.....	11	0.02
IRHERRC	1	HEROIN REGENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	48	0.09
		2 = More than 30 days ago but within the past 12 mos..	93	0.17
		3 = More than 12 months ago.....	481	0.87
		9 = Never used heroin.....	54939	98.88

RECENCY OF DRUG USE			PAGE:	141
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55517	99.92
		3 = Statistically imputed data.....	44	0.08
II2HERRC	1	HEROIN RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55517	99.92
		3 = Statistically imputed data - lifetime use imputed.	24	0.04
		4 = Statistically imputed data - edited recency=9.....	9	0.02
		5 = Statistically imputed data - edited recency=8.....	11	0.02
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	680	1.22
		2 = More than 30 days ago but within the past 12 mos..	1728	3.11
		3 = More than 12 months ago.....	5266	9.48
		9 = Never used hallucinogens.....	47887	86.19
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55006	99.00
		2 = Logically edited data.....	81	0.15
		3 = Statistically imputed data.....	474	0.85
II2HALRC	1	HALLUCINOGEN RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55006	99.00
		2 = Logically edited data.....	81	0.15
		3 = Statistically imputed data - lifetime use imputed.	175	0.31
		4 = Statistically imputed data - edited recency=9.....	194	0.35
		5 = Statistically imputed data - edited recency=8.....	105	0.19
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	193	0.35
		2 = More than 30 days ago but within the past 12 mos..	738	1.33
		3 = More than 12 months ago.....	4319	7.77
		9 = Never used LSD.....	50311	90.55
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55385	99.68
		2 = Logically edited data.....	2	0.00
		3 = Statistically imputed data.....	174	0.31
II2LSDRC	1	LSD RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55385	99.68
		2 = Logically edited data.....	2	0.00
		3 = Statistically imputed data - lifetime use imputed.	54	0.10
		4 = Statistically imputed data - edited recency=9.....	88	0.16
		5 = Statistically imputed data - edited recency=8.....	32	0.06
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	39	0.07
		2 = More than 30 days ago but within the past 12 mos..	117	0.21
		3 = More than 12 months ago.....	1108	1.99
		9 = Never used PCP.....	54297	97.73

RECENCY OF DRUG USE			PAGE:	142
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55474	99.84
		2 = Logically edited data.....	1	0.00
		3 = Statistically imputed data.....	86	0.15
II2PCPRC	1	PCP RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55474	99.84
		2 = Logically edited data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	43	0.08
		4 = Statistically imputed data - edited recency=9.....	33	0.06
		5 = Statistically imputed data - edited recency=8.....	10	0.02
IRECSRC	1	ECSTASY RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	377	0.68
		2 = More than 30 days ago but within the past 12 mos..	1223	2.20
		3 = More than 12 months ago.....	1569	2.82
		9 = Never used ecstasy.....	52392	94.30
IIIECSRC	1	ECSTASY RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55349	99.62
		2 = Logically edited data.....	4	0.01
		3 = Statistically imputed data.....	208	0.37
II2ECSRC	1	ECSTASY RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55349	99.62
		2 = Logically edited data.....	4	0.01
		3 = Statistically imputed data - lifetime use imputed.	61	0.11
		4 = Statistically imputed data - edited recency=9.....	121	0.22
		5 = Statistically imputed data - edited recency=8.....	26	0.05
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	291	0.52
		2 = More than 30 days ago but within the past 12 mos..	812	1.46
		3 = More than 12 months ago.....	4562	8.21
		9 = Never used inhalants.....	49896	89.80
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55282	99.50
		2 = Logically edited data.....	2	0.00
		3 = Statistically imputed data.....	277	0.50
II2INHRC	1	INHALANT RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55282	99.50
		2 = Logically edited data.....	2	0.00
		3 = Statistically imputed data - lifetime use imputed.	79	0.14
		4 = Statistically imputed data - edited recency=9.....	172	0.31
		5 = Statistically imputed data - edited recency=8.....	26	0.05

RECENCY OF DRUG USE			PAGE:	143
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1276	2.30
		2 = More than 30 days ago but within the past 12 mos..	1980	3.56
		3 = More than 12 months ago.....	3386	6.09
		9 = Never used pain relievers.....	48919	88.05
IIANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55062	99.10
		2 = Logically edited data.....	80	0.14
		3 = Statistically imputed data.....	419	0.75
II2ANLRC	1	PAIN RELIEVER RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55062	99.10
		2 = Logically edited data.....	80	0.14
		3 = Statistically imputed data - lifetime use imputed.	164	0.30
		4 = Statistically imputed data - edited recency=9.....	245	0.44
		5 = Statistically imputed data - edited recency=8.....	10	0.02
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	410	0.74
		2 = More than 30 days ago but within the past 12 mos..	789	1.42
		3 = More than 12 months ago.....	2075	3.73
		9 = Never used tranquilizers.....	52287	94.11
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55353	99.63
		2 = Logically edited data.....	9	0.02
		3 = Statistically imputed data.....	199	0.36
II2TRNRC	1	TRANQUILIZER RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55353	99.63
		2 = Logically edited data.....	9	0.02
		3 = Statistically imputed data - lifetime use imputed.	106	0.19
		4 = Statistically imputed data - edited recency=9.....	87	0.16
		5 = Statistically imputed data - edited recency=8.....	6	0.01
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	394	0.71
		2 = More than 30 days ago but within the past 12 mos..	709	1.28
		3 = More than 12 months ago.....	2868	5.16
		9 = Never used stimulants.....	51590	92.85
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55307	99.54
		2 = Logically edited data.....	32	0.06
		3 = Statistically imputed data.....	222	0.40

RECENCY OF DRUG USE			PAGE:	144
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
II2STMRC	1	STIMULANT RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55307	99.54
		2 = Logically edited data.....	32	0.06
		3 = Statistically imputed data - lifetime use imputed.	90	0.16
		4 = Statistically imputed data - edited recency=9.....	110	0.20
		5 = Statistically imputed data - edited recency=8.....	22	0.04
IRMTHRC	1	METHAMPHETAMINE RECENCY-IMPUTATION REVISED		
		1 = Within the past 30 days.....	166	0.30
		2 = More than 30 days ago but within the past 12 mos..	302	0.54
		3 = More than 12 months ago.....	1656	2.98
		9 = Never used methamphetamines.....	53437	96.18
IIMTHRC	1	METHAMPHETAMINE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55446	99.79
		2 = Logically edited data.....	13	0.02
		3 = Statistically imputed data.....	102	0.18
II2MTHRC	1	METHAMPHETAMINE RECENCY-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55446	99.79
		2 = Logically edited data.....	13	0.02
		3 = Statistically imputed data - lifetime use imputed.	53	0.10
		4 = Statistically imputed data - edited recency=9.....	40	0.07
		5 = Statistically imputed data - edited recency=8.....	9	0.02
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	86	0.15
		2 = More than 30 days ago but within the past 12 mos..	143	0.26
		3 = More than 12 months ago.....	1015	1.83
		9 = Never used sedatives.....	54317	97.76
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55404	99.72
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	145	0.26
II2SEDRC	1	SEDATIVE RECENCY-DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55404	99.72
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data - lifetime use imputed.	120	0.22
		4 = Statistically imputed data - edited recency=9.....	23	0.04
		5 = Statistically imputed data - edited recency=8.....	2	0.00

PAST YEAR FREQUENCY OF USE			PAGE:	145
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PAST YEAR FREQUENCY OF USE				

IRALCFY	3	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	33576	60.43
		991 = NEVER USED ALCOHOL.....	14920	26.85
		993 = DID NOT USE ALCOHOL PAST YEAR.....	7065	12.72
IIALCFY	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54753	98.55
		3 = Statistically imputed data.....	808	1.45
II2ALCFY	1	ALCOHOL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	54753	98.55
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - lifetime use known...	778	1.40
IRMJFY	3	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	8638	15.55
		991 = NEVER USED MARIJUANA.....	34807	62.65
		993 = DID NOT USE MARIJUANA PAST YEAR.....	12116	21.81
IIMJFY	1	MARIJUANA FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	55076	99.13
		3 = Statistically imputed data.....	485	0.87
II2MJFY	1	MARIJUANA FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55076	99.13
		3 = Statistically imputed data - lifetime use imputed.	86	0.15
		4 = Statistically imputed data - lifetime use known...	399	0.72
IRCOCFY	3	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	1512	2.72
		991 = NEVER USED COCAINE.....	49873	89.76
		993 = DID NOT USE COCAINE PAST YEAR.....	4176	7.52
IICOCFY	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55406	99.72
		3 = Statistically imputed data.....	155	0.28
II2COCFY	1	COCAINE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55406	99.72
		3 = Statistically imputed data - lifetime use imputed.	32	0.06
		4 = Statistically imputed data - lifetime use known...	123	0.22
IRCRKFY	3	CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 357	308	0.55
		991 = NEVER USED CRACK.....	54175	97.51
		993 = DID NOT USE CRACK PAST YEAR.....	1078	1.94

PAST YEAR FREQUENCY OF USE			PAGE:	146
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IICRKFY	1	CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55499	99.89
		3 = Statistically imputed data.....	62	0.11
II2CRKFY	1	CRACK FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55499	99.89
		3 = Statistically imputed data - lifetime use imputed.	34	0.06
		4 = Statistically imputed data - lifetime use known...	28	0.05
IRHERFY	3	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 360	141	0.25
		991 = NEVER USED HEROIN.....	54939	98.88
		993 = DID NOT USE HEROIN PAST YEAR.....	481	0.87
IIHERFY	1	HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55519	99.92
		3 = Statistically imputed data.....	42	0.08
II2HERFY	1	HEROIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55519	99.92
		3 = Statistically imputed data - lifetime use imputed.	24	0.04
		4 = Statistically imputed data - lifetime use known...	18	0.03
IRHALFY	3	HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	2408	4.33
		991 = NEVER USED HALLUCINOGENS.....	47887	86.19
		993 = DID NOT USE HALLUCINOGENS PAST YEAR.....	5266	9.48
IIHALFY	1	HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54932	98.87
		3 = Statistically imputed data.....	629	1.13
II2HALFY	1	HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	54932	98.87
		3 = Statistically imputed data - lifetime use imputed.	175	0.31
		4 = Statistically imputed data - lifetime use known...	454	0.82
IRINHFY	3	INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	1103	1.99
		991 = NEVER USED INHALANTS.....	49896	89.80
		993 = DID NOT USE INHALANTS PAST YEAR.....	4562	8.21
IIINHFY	1	INHALANT FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	55283	99.50
		3 = Statistically imputed data.....	278	0.50
II2INHFY	1	INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55283	99.50
		3 = Statistically imputed data - lifetime use imputed.	79	0.14
		4 = Statistically imputed data - lifetime use known...	199	0.36

PAST YEAR FREQUENCY OF USE			PAGE:	147
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IRANLFY	3	PAIN RELIEVER FREQ PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 365	3256	5.86
		991 = NEVER USED PAIN RELIEVER.....	48919	88.05
		993 = DID NOT USE PAIN RELIEVER PAST YEAR.....	3386	6.09
IIANLFY	1	PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	54992	98.98
		2 = Logically edited data.....	76	0.14
		3 = Statistically imputed data.....	493	0.89
II2ANLFY	1	PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	54992	98.98
		2 = Logically edited data.....	76	0.14
		3 = Statistically imputed data - lifetime use imputed.	164	0.30
		4 = Statistically imputed data - lifetime use known...	329	0.59
IRTRNFY	3	TRANQUILIZER FREQ PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 365	1199	2.16
		991 = NEVER USED TRANQUILIZERS.....	52287	94.11
		993 = DID NOT USE TRANQUILIZERS PAST YEAR.....	2075	3.73
IITRNFY	1	TRAN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55343	99.61
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data.....	212	0.38
II2TRNFY	1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55343	99.61
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data - lifetime use imputed.	106	0.19
		4 = Statistically imputed data - lifetime use known...	106	0.19
IRSTMFY	3	STIMULANT FREQUENCY PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 364	1103	1.99
		991 = NEVER USED STIMULANTS.....	51590	92.85
		993 = DID NOT USE STIMULANTS PAST YEAR.....	2868	5.16
IISTMFY	1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55277	99.49
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	272	0.49
II2STMFY	1	STIM FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55277	99.49
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data - lifetime use imputed.	90	0.16
		4 = Statistically imputed data - lifetime use known...	182	0.33

PAST YEAR FREQUENCY OF USE			PAGE:	148
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRMTHFY	3	METH FREQUENCY PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 364	468	0.84
		991 = NEVER USED METH.....	53437	96.18
		993 = DID NOT USE METH PAST YEAR.....	1656	2.98
IIMTHFY	1	METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55440	99.78
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	109	0.20
II2MTHFY	1	METH FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55440	99.78
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data - lifetime use imputed.	53	0.10
		4 = Statistically imputed data - lifetime use known...	56	0.10
IRSEDFY	3	SEDATIVE FREQUENCY PAST YEAR-IMPUTATION REVISED		
		RANGE = 1 - 364	229	0.41
		991 = NEVER USED SEDATIVES.....	54317	97.76
		993 = DID NOT USE SEDATIVES PAST YEAR.....	1015	1.83
IISEDFY	1	SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	55399	99.71
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	150	0.27
II2SEDFY	1	SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55399	99.71
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data - lifetime use imputed.	120	0.22
		4 = Statistically imputed data - lifetime use known...	30	0.05

PAST MONTH FREQUENCY OF USE			PAGE:	149
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PAST MONTH FREQUENCY OF USE				

IRCIGFM	4	CIG FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	14786	26.61
		91 = NEVER USED.....	22623	40.72
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18152	32.67
IICIGFM	1	CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55351	99.62
		2 = Logically edited data.....	147	0.26
		3 = Statistically imputed data.....	63	0.11
II2CIGFM	1	CIG FREQUENCY PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55351	99.62
		2 = Logically edited data.....	147	0.26
		4 = Statistically imputed data - lifetime use known...	63	0.11
IRCGRFM	4	CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	3497	6.29
		91 = NEVER SMOKED CIGARS.....	37303	67.14
		93 = DID NOT SMOKE CIGARS PAST MONTH.....	14761	26.57
IICGRFM	1	CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55484	99.86
		2 = Logically edited data.....	23	0.04
		3 = Statistically imputed data.....	54	0.10
II2CGRFM	1	CIGAR FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55484	99.86
		2 = Logically edited data.....	23	0.04
		3 = Statistically imputed data - lifetime use imputed.	10	0.02
		4 = Statistically imputed data - lifetime use known...	44	0.08
IRCHWFM	4	CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED		
		RANGE = 1 - 30	793	1.43
		91 = NEVER USED CHEWING TOBACCO.....	48541	87.37
		93 = DID NOT USE CHEWING TOBACCO PAST MONTH.....	6227	11.21
IICHWFM	1	CHEWING TOB FREQ PAST MONTH-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55534	99.95
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data.....	21	0.04
II2CHWFM	1	CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55534	99.95
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data - lifetime use imputed.	12	0.02
		4 = Statistically imputed data - lifetime use known...	9	0.02

PAST MONTH FREQUENCY OF USE			PAGE:	150
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRSNFFM	4	SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	1791	3.22
		91 = NEVER USED SNUFF.....	47515	85.52
		93 = DID NOT USE SNUFF PAST MONTH.....	6255	11.26
IISNFFM	1	SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55505	99.90
		2 = Logically edited data.....	14	0.03
		3 = Statistically imputed data.....	42	0.08
II2SNFFM	1	SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55505	99.90
		2 = Logically edited data.....	14	0.03
		3 = Statistically imputed data - lifetime use imputed.	31	0.06
		4 = Statistically imputed data - lifetime use known...	11	0.02
IRALCFM	4	ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	24538	44.16
		91 = NEVER USED ALCOHOL.....	14920	26.85
		93 = DID NOT USE ALCOHOL PAST MONTH.....	16103	28.98
IIALCFM	1	ALCOHOL FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54307	97.74
		2 = Logically edited data.....	185	0.33
		3 = Statistically imputed data.....	1069	1.92
II2ALCFM	1	ALCOHOL FREQ PST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	54307	97.74
		2 = Logically edited data.....	185	0.33
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - lifetime use known...	1039	1.87
IRALCD5	2	5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
		RANGE = 0 - 30	24538	44.16
		91 = NEVER USED ALCOHOL.....	14920	26.85
		93 = DID NOT HAVE 5+ ALC DRNKS PAST MONTH.....	16103	28.98
IIALCD5	1	5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54164	97.49
		2 = Logically edited data.....	45	0.08
		3 = Statistically imputed data.....	1352	2.43
II2ALCD5	1	5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	54164	97.49
		2 = Logically edited data.....	45	0.08
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - lifetime use known...	1322	2.38

PAST MONTH FREQUENCY OF USE			PAGE:	151
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRMJFM	4	MARIJUANA FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 30	4950	8.91
		91 = NEVER USED MARIJUANA.....	34807	62.65
		93 = DID NOT USE MARIJUANA PAST MONTH.....	15804	28.44
IIMJFM	1	MARIJUANA FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data.....	55027	99.04
		2 = Logically edited data.....	41	0.07
		3 = Statistically imputed data.....	493	0.89
II2MJFM	1	MARIJUANA FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55027	99.04
		2 = Logically edited data.....	41	0.07
		3 = Statistically imputed data - lifetime use imputed.	86	0.15
		4 = Statistically imputed data - lifetime use known...	407	0.73
IRCOCFM	4	COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	520	0.94
		91 = NEVER USED COCAINE.....	49873	89.76
		93 = DID NOT USE COCAINE PAST MONTH.....	5168	9.30
IICOCFM	1	COCAINE FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55398	99.71
		3 = Statistically imputed data.....	163	0.29
II2COCFM	1	COCAINE FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55398	99.71
		3 = Statistically imputed data - lifetime use imputed.	32	0.06
		4 = Statistically imputed data - lifetime use known...	131	0.24
IRCRKFM	4	CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	103	0.19
		91 = NEVER USED CRACK.....	54175	97.51
		93 = DID NOT USE CRACK PAST MONTH.....	1283	2.31
IICRKFM	1	CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55500	99.89
		3 = Statistically imputed data.....	61	0.11
II2CRKFM	1	CRACK FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55500	99.89
		3 = Statistically imputed data - lifetime use imputed.	34	0.06
		4 = Statistically imputed data - lifetime use known...	27	0.05
IRHERFM	4	HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	48	0.09
		91 = NEVER USED HEROIN.....	54939	98.88
		93 = DID NOT USE HEROIN PAST MONTH.....	574	1.03

PAST MONTH FREQUENCY OF USE			PAGE:	152
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IIHERFM	1	HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55516	99.92
		2 = Logically edited data.....	1	0.00
		3 = Statistically imputed data.....	44	0.08
II2HERFM	1	HEROIN FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55516	99.92
		2 = Logically edited data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	24	0.04
		4 = Statistically imputed data - lifetime use known...	20	0.04
IRHALFM	4	HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	680	1.22
		91 = NEVER USED HALLUCINOGENS.....	47887	86.19
		93 = DID NOT USE HALLUCINOGENS PAST MONTH.....	6994	12.59
IIHALFM	1	HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54959	98.92
		2 = Logically edited data.....	11	0.02
		3 = Statistically imputed data.....	591	1.06
II2HALFM	1	HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	54959	98.92
		2 = Logically edited data.....	11	0.02
		3 = Statistically imputed data - lifetime use imputed.	175	0.31
		4 = Statistically imputed data - lifetime use known...	416	0.75
IRINHFM	4	INHALANT FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 29	291	0.52
		91 = NEVER USED INHALANTS.....	49896	89.80
		93 = DID NOT USE INHALANTS PAST MONTH.....	5374	9.67
IIINHFM	1	INHALANT FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data.....	55272	99.48
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data.....	283	0.51
II2INHFM	1	INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55272	99.48
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data - lifetime use imputed.	79	0.14
		4 = Statistically imputed data - lifetime use known...	204	0.37

LABEL	LEN	DESCRIPTION	PAGE:	153
-----	----	-----	FREQ	%
		AGE/DATE OF FIRST DRUG USE	----	-

IRCIGAGE	3	IMPUTATION-REVISED CIGARETTE AGE OF FIRST USE		
		RANGE = 1 - 60	32938	59.28
		991 = NEVER USED.....	22623	40.72
IICIGAGE	1	IRCIGAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54921	98.85
		3 = Statistically imputed data.....	640	1.15
IRCIGYFU	4	IMPUTATION-REVISED CIGARETTE YEAR OF FIRST USE		
		RANGE = 1913 - 2001	32938	59.28
		9999 = NEVER USED.....	22623	40.72
IICIGYFU	1	IRCIGYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	24174	43.51
		3 = Statistically imputed data.....	31387	56.49
IRCDUAGE	3	IMPUTATION-REVISED DAILY CIG AGE OF FIRST USE		
		RANGE = 1 - 69	16895	30.41
		991 = Never Used.....	22623	40.72
		993 = Never a daily user.....	16043	28.87
IICDUAGE	1	IRCDUAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	39283	70.70
		2 = Logically edited data.....	3	0.01
		3 = Statistically imputed data.....	16275	29.29
IRCDUYFU	4	IMPUTATION-REVISED DAILY CIG YEAR OF FIRST USE		
		RANGE = 1921 - 2001	16895	30.41
		9993 = NEVER A DAILY USER.....	16043	28.87
		9999 = NEVER USED.....	22623	40.72
IICDUYFU	1	IRCDUYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	22623	40.72
		3 = Statistically imputed data.....	32938	59.28
IRCGRAGE	3	IMPUTATION-REVISED CIGAR AGE OF FIRST USE		
		RANGE = 1 - 83	18258	32.86
		991 = NEVER USED.....	37303	67.14
IICGRAGE	1	IRCGRAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54960	98.92
		3 = Statistically imputed data.....	601	1.08
IRCGRYFU	4	IMPUTATION-REVISED CIGAR YEAR OF FIRST USE		
		RANGE = 1921 - 2001	18258	32.86
		9999 = NEVER USED.....	37303	67.14

AGE/DATE OF FIRST DRUG USE			PAGE:	154
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
IICGRYFU	1	IRCGRYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	39058	70.30
		3 = Statistically imputed data.....	16503	29.70
IRSNFAGE	3	IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
		RANGE = 1 - 66	8046	14.48
		991 = Never Used.....	47515	85.52
IISNFAGE	1	IRSNFAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55316	99.56
		3 = Statistically imputed data.....	245	0.44
IRSNFYFU	4	IMPUTATION-REVISED SNUFF YEAR OF FIRST USE		
		RANGE = 1921 - 2001	8046	14.48
		9999 = NEVER USED.....	47515	85.52
IISNFYFU	1	IRSNFYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	48098	86.57
		3 = Statistical Imputation.....	7463	13.43
IRCHWAGE	3	IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
		RANGE = 1 - 67	7020	12.63
		991 = NEVER USED.....	48541	87.37
IICHWAGE	1	IRCHWAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55357	99.63
		3 = Statistically imputed data.....	204	0.37
IRCHWYFU	4	IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE		
		RANGE = 1903 - 2001	7020	12.63
		9999 = Never Used.....	48541	87.37
IICHWYFU	1	IRCHWYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	48930	88.07
		3 = Statistically imputed data.....	6631	11.93
IRSLTAGE	3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
		RANGE = 1 - 65	10386	18.69
		991 = Never Used.....	45175	81.31
IISLTAGE	1	IRSLTAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55177	99.31
		3 = Statistically imputed data.....	384	0.69
IRSLTYFU	4	IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE		
		RANGE = 1903 - 2001	10386	18.69
		9999 = Never Used.....	45175	81.31
IISLTYFU	1	IRSLTYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	45844	82.51
		3 = Statistically imputed data.....	9717	17.49

AGE/DATE OF FIRST DRUG USE			PAGE:	155
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRALCAGE	3	IMPUTATION-REVISED ALCOHOL AGE OF FIRST USE		
		RANGE = 1 - 77	40641	73.15
		991 = Never Used.....	14920	26.85
IICALCAGE	1	IRALCAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54787	98.61
		3 = Statistically imputed data.....	774	1.39
IRALCYFU	4	IMPUTATION-REVISED ALCOHOL YEAR OF FIRST USE		
		RANGE = 1912 - 2001	40641	73.15
		9999 = NEVER USED.....	14920	26.85
IICALCYFU	1	IRALCYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	18110	32.59
		3 = Statistically imputed data.....	37451	67.41
IRMJAGE	3	IMPUTATION-REVISED MARIJUANA AGE OF FIRST USE		
		RANGE = 1 - 75	20754	37.35
		991 = Never Used.....	34807	62.65
IIMJAGE	1	IRMJAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55259	99.46
		3 = Statistically imputed data.....	302	0.54
IRMJYFU	4	IMPUTATION-REVISED MARIJUANA YEAR OF FIRST USE		
		RANGE = 1929 - 2001	20754	37.35
		9999 = Never Used.....	34807	62.65
IIMJYFU	1	IRMJYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	36486	65.67
		3 = Statistically imputed data.....	19075	34.33
IRCOAGE	3	IMPUTATION-REVISED COCAINE AGE OF FIRST USE		
		RANGE = 1 - 60	5688	10.24
		991 = Never Used.....	49873	89.76
IICOAGE	1	IRCOAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55464	99.83
		3 = Statistically imputed data.....	97	0.17
IRCOCYFU	4	IMPUTATION-REVISED COCAINE YEAR OF FIRST USE		
		RANGE = 1940 - 2001	5688	10.24
		9999 = Never Used.....	49873	89.76
IICOYFU	1	IRCOYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	50436	90.78
		3 = Statistically imputed data.....	5125	9.22
IRCRKAGE	3	IMPUTATION-REVISED CRACK AGE OF FIRST USE		
		RANGE = 3 - 51	1386	2.49
		991 = Never Used.....	54175	97.51

AGE/DATE OF FIRST DRUG USE			PAGE:	156
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IICRKAGE	1	IICRKAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55516	99.92
		3 = Statistically imputed data.....	45	0.08
IRCRKYFU	4	IMPUTATION-REVISED CRACK YEAR OF FIRST USE		
		RANGE = 1964 - 2001	1386	2.49
		9999 = Never Used.....	54175	97.51
IICRKYFU	1	IICRKYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54271	97.68
		3 = Statistically imputed data.....	1290	2.32
IRHERAGE	3	IMPUTATION-REVISED HEROIN AGE OF FIRST USE		
		RANGE = 1 - 51	622	1.12
		991 = Never Used.....	54939	98.88
IIHERAGE	1	IRHERAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55529	99.94
		3 = Statistically imputed data.....	32	0.06
IRHERYFU	4	IMPUTATION-REVISED HEROIN YEAR OF FIRST USE		
		RANGE = 1942 - 2001	622	1.12
		9999 = Never Used.....	54939	98.88
IIHERYFU	1	IRHERYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54990	98.97
		3 = Statistically imputed data.....	571	1.03
IRHALAGE	3	IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		RANGE = 1 - 58	7674	13.81
		991 = Never Used.....	47887	86.19
IIHALAGE	1	IRHALAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55423	99.75
		3 = Statistically imputed data.....	138	0.25
IRHALYFU	4	IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		RANGE = 1939 - 2001	7674	13.81
		9999 = Never Used.....	47887	86.19
IIHALYFU	1	IRHALYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	48927	88.06
		3 = Statistically imputed data.....	6634	11.94
IRLSDAGE	3	IMPUTATION-REVISED LSD AGE OF FIRST USE		
		RANGE = 1 - 58	5250	9.45
		991 = Never Used.....	50311	90.55
IILSDAGE	1	IRLSDAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55452	99.80
		3 = Statistically imputed data.....	109	0.20

AGE/DATE OF FIRST DRUG USE			PAGE:	157
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRLSDYFU	4	IMPUTATION-REVISED LSD YEAR OF FIRST USE		
		RANGE = 1947 - 2001	5250	9.45
		9999 = NEVER USED.....	50311	90.55
IILSDYFU	1	IRLSDYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	50719	91.29
		3 = Statistically imputed data.....	4842	8.71
IRPCPAGE	3	IMPUTATION-REVISED PCP AGE OF FIRST USE		
		RANGE = 1 - 45	1264	2.27
		991 = Never Used.....	54297	97.73
IIPCPAGE	1	IRPCPAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55515	99.92
		3 = Statistically imputed data.....	46	0.08
IRPCPYFU	4	IMPUTATION-REVISED PCP YEAR OF FIRST USE		
		RANGE = 1952 - 2001	1264	2.27
		9999 = NEVER USED.....	54297	97.73
IIPCPYFU	1	IRPCPYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54365	97.85
		3 = Statistically imputed data.....	1196	2.15
IRECSAGE	3	IMPUTATION-REVISED ECSTASY AGE OF FIRST USE		
		RANGE = 2 - 54	3169	5.70
		991 = Never Used.....	52392	94.30
IIIECSAGE	1	IRECSAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55490	99.87
		2 = Logically edited data.....	2	0.00
		3 = Statistically imputed data.....	69	0.12
IRECSYFU	4	IMPUTATION-REVISED ECSTASY YEAR OF FIRST USE		
		RANGE = 1966 - 2001	3169	5.70
		9999 = NEVER USED.....	52392	94.30
IIIECSYFU	1	IRECSYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53396	96.10
		3 = Statistically imputed data.....	2165	3.90
IRINHAGE	3	IMPUTATION-REVISED INHALANTS AGE OF FIRST USE		
		RANGE = 1 - 55	5665	10.20
		991 = Never Used.....	49896	89.80
IIINHAGE	1	IRINHAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55241	99.42
		3 = Statistically imputed data.....	320	0.58

AGE/DATE OF FIRST DRUG USE			PAGE:	158
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRINHYFU	4	IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE		
		RANGE = 1923 - 2001	5665	10.20
		9999 = Never Used.....	49896	89.80
IIINHYFU	1	IRINHYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	50465	90.83
		3 = Statistically imputed data.....	5096	9.17
IRANLAGE	3	IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE		
		RANGE = 1 - 81	6642	11.95
		991 = Never Used.....	48919	88.05
IIANLAGE	1	IRANLAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54880	98.77
		2 = Logically edited data.....	76	0.14
		3 = Statistically imputed data.....	605	1.09
IRANLYFU	4	IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE		
		RANGE = 1927 - 2001	6642	11.95
		9999 = Never Used.....	48919	88.05
IIANLYFU	1	IRANLYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	49825	89.68
		2 = Logically edited data.....	76	0.14
		3 = Statistically imputed data.....	5660	10.19
IRTRNAGE	3	IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE		
		RANGE = 1 - 70	3274	5.89
		991 = Never Used.....	52287	94.11
IITRNAGE	1	IRTRNAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55346	99.61
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data.....	209	0.38
IRTRNYFU	4	IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE		
		RANGE = 1925 - 2001	3274	5.89
		9999 = Never Used.....	52287	94.11
IITRNYFU	1	IRTRNYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52709	94.87
		2 = Logically edited data.....	6	0.01
		3 = Statistically imputed data.....	2846	5.12
IRSTMAGE	3	IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE		
		RANGE = 1 - 55	3971	7.15
		991 = Never Used.....	51590	92.85

AGE/DATE OF FIRST DRUG USE			PAGE:	159
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IISTMAGE	1	IRSTMAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55350	99.62
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	199	0.36
IRSTMYFU	4	IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE		
		RANGE = 1908 - 2001	3971	7.15
		9999 = Never Used.....	51590	92.85
IISTMYFU	1	IRSTMYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	51964	93.53
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	3585	6.45
IRMTHAGE	3	IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE		
		RANGE = 1 - 54	2124	3.82
		991 = Never Used.....	53437	96.18
IIMTHAGE	1	IRMTHAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55447	99.79
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	102	0.18
IRMTHYFU	4	IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE		
		RANGE = 1942 - 2001	2124	3.82
		9999 = Never Used.....	53437	96.18
IIMTHYFU	1	IRMTHYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53571	96.42
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	1978	3.56
IRSEDAGE	3	IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE		
		RANGE = 1 - 72	1244	2.24
		991 = Never Used.....	54317	97.76
IISEDAGE	1	IRSEDAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55385	99.68
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	164	0.30
IRSEDYFU	4	IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE		
		RANGE = 1930 - 2001	1244	2.24
		9999 = Never Used.....	54317	97.76
IISEDYFU	1	IRSEDYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54278	97.69
		2 = Logically edited data.....	12	0.02
		3 = Statistically imputed data.....	1271	2.29

RECODED DRUG USE			PAGE:	160
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED DRUG USE				

CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC=9).....	22623	40.72
		1 = Ever used (IRCIGRC=1-4).....	32938	59.28
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC=2-4,9).....	40775	73.39
		1 = Used within the past month (IRCIGRC=1).....	14786	26.61
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC=3,4,9).....	37498	67.49
		1 = Used within the past year (IRCIGRC=1,2).....	18063	32.51
CGRFLAG	1	CIGAR - EVER USED		
		0 = Never used (IRCGRRC=9).....	37303	67.14
		1 = Ever used (IRCGRRC=1-4).....	18258	32.86
CGRYR	1	CIGAR - PAST YEAR USE		
		0 = Did not use in the past year (IRCGRRC=3,4,9).....	48136	86.64
		1 = Used within the past year (IRCGRRC=1,2).....	7425	13.36
CGRMON	1	CIGAR - PAST MONTH USE		
		0 = Did not use in the past month (IRCGRRC=2-4,9).....	52064	93.71
		1 = Used within the past month (IRCGRRC=1).....	3497	6.29
PIPFLAG	1	PIPES - EVER USED		
		0 = Never Used (IRPIPLF=9).....	49938	89.88
		1 = Ever Used (IRPIPLF=1).....	5623	10.12
PIPMON	1	PIPES - PAST MONTH USE		
		0 = Did not use in the past month (IRPIPMN=2,9).....	55001	98.99
		1 = Used within the past month (IRPIPMN=1).....	560	1.01
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED		
		0 = Never used (IRSLTRC=9).....	45175	81.31
		1 = Ever used (IRSLTRC=1-4).....	10386	18.69
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IRSLTRC=3,4,9).....	52325	94.18
		1 = Used within the past year (IRSLTRC=1,2).....	3236	5.82
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IRSLTRC=2-4,9).....	53440	96.18
		1 = Used within the past month (IRSLTRC=1).....	2121	3.82
CHWFLAG	1	CHEWING TOBACCO - EVER USED		
		0 = Never Used (IRCHWRC=9).....	48541	87.37
		1 = Ever Used (IRCHWRC=1-4).....	7020	12.63

RECODED DRUG USE			PAGE:	161
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CHWYR	1	CHEWING TOBACCO - PAST YEAR USE		
		0 = Did not use in the past year (IRCHWRC=3,4,9).....	54014	97.22
		1 = Used within the past year (IRCHWRC=1,2).....	1547	2.78
CHWMON	1	CHEWING TOBACCO - PAST MONTH USE		
		0 = Did not use in the past month (IRCHWRC=2-4,9).....	54768	98.57
		1 = Used within the past month (IRCHWRC=1).....	793	1.43
SNFFLAG	1	SNUFF - EVER USED		
		0 = Never used (IRSNFRC=9).....	47515	85.52
		1 = Ever used (IRSNFRC=1-4).....	8046	14.48
SNFYR	1	SNUFF - PAST YEAR USE		
		0 = Did not use in the past year (IRSNFRC=3,4,9).....	52884	95.18
		1 = Used within the past year (IRSNFRC=1,2).....	2677	4.82
SNFMON	1	SNUFF - PAST MONTH USE		
		0 = Did not use in the past month (IRSNFRC=2-4,9).....	53770	96.78
		1 = Used within the past month (IRSNFRC=1).....	1791	3.22
The following three any tobacco variables				
were created by the examination of IRCIGRC,				
IRCGRRC, IRSLTRC, and IRPIPMN.				
TOBFLAG	1	ANY TOBACCO - EVER USED		
		0 = Never Used (all source vars=9).....	20299	36.53
		1 = Ever Used (any source var=1-4).....	35262	63.47
TOBYR	1	ANY TOBACCO - PAST YEAR USE		
		0 = Never use pst yr (IRPIPMN=2,9 & oth src vars=3,4,9) ..	34508	62.11
		1 = Used pst yr (IRPIPMN=1 or any oth src var=1,2).....	21053	37.89
TOBMON	1	ANY TOBACCO - PAST MONTH USE		
		0 = Did not use in pst month (all source vars=2-4,9) ..	38552	69.39
		1 = Used in past month (any source var=1).....	17009	30.61
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC=9).....	14920	26.85
		1 = Ever used (IRALCRC=1-3).....	40641	73.15
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC=3,9).....	21985	39.57
		1 = Used within the past year (IRALCRC=1,2).....	33576	60.43
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC=2-3,9).....	31023	55.84
		1 = Used within the past month (IRALCRC=1).....	24538	44.16
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC=9).....	34807	62.65
		1 = Ever used (IRMJRC=1-3).....	20754	37.35

RECODED DRUG USE			PAGE:	162
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC=3,9).....	46923	84.45
		1 = Used within the past year (IRMJRC=1,2).....	8638	15.55
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC=2-3,9).....	50611	91.09
		1 = Used within the past month (IRMJRC=1).....	4950	8.91
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC=9).....	49873	89.76
		1 = Ever used (IRCOCRC=1-3).....	5688	10.24
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC=3,9).....	54049	97.28
		1 = Used within the past year (IRCOCRC=1,2).....	1512	2.72
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC=2-3,9).....	55041	99.06
		1 = Used within the past month (IRCOCRC=1).....	520	0.94
CRKFLAG	1	"CRACK" - EVER USED		
		0 = Never used (IRCRKRC=9).....	54175	97.51
		1 = Ever used (IRCRKRC=1-3).....	1386	2.49
CRKYR	1	"CRACK" - PAST YEAR USE		
		0 = Did not use in the past year (IRCRKRC=3,9).....	55253	99.45
		1 = Used within the past year (IRCRKRC=1,2).....	308	0.55
CRKMON	1	"CRACK" - PAST MONTH USE		
		0 = Did not use in the past month (IRCRKRC=2-3,9).....	55458	99.81
		1 = Used within the past month (IRCRKRC=1).....	103	0.19
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC=9).....	54939	98.88
		1 = Ever used (IRHERRC=1-3).....	622	1.12
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC=3,9).....	55420	99.75
		1 = Used within the past year (IRHERRC=1,2).....	141	0.25
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC=2-3,9).....	55513	99.91
		1 = Used within the past month (IRHERRC=1).....	48	0.09
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC=9).....	47887	86.19
		1 = Ever used (IRHALRC=1-3).....	7674	13.81
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC=3,9).....	53153	95.67
		1 = Used within the past year (IRHALRC=1,2).....	2408	4.33

RECODED DRUG USE			PAGE:	163
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC=2-3,9).....	54881	98.78
		1 = Used within the past month (IRHALRC=1).....	680	1.22
LSDFLAG	1	LSD - EVER USED		
		0 = Never used (IRLSDRC=9).....	50311	90.55
		1 = Ever used (IRLSDRC=1-3).....	5250	9.45
LSDYR	1	LSD - PAST YEAR USE		
		0 = Did not use in the past year (IRLSDRC=3,9).....	54630	98.32
		1 = Used within the past year (IRLSDRC=1,2).....	931	1.68
LSDMON	1	LSD - PAST MONTH USE		
		0 = Did not use in the past month (IRLSDRC=2-3,9).....	55368	99.65
		1 = Used within the past month (IRLSDRC=1).....	193	0.35
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC=9).....	54297	97.73
		1 = Ever used (IRPCPRC=1-3).....	1264	2.27
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC=3,9).....	55405	99.72
		1 = Used within the past year (IRPCPRC=1,2).....	156	0.28
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC=2-3,9).....	55522	99.93
		1 = Used within the past month (IRPCPRC=1).....	39	0.07
ECSFLAG	1	ECSTASY - EVER USED		
		0 = Never used (IRECSRC=9).....	52392	94.30
		1 = Ever used (IRECSRC=1-3).....	3169	5.70
ECSYR	1	ECSTASY - PAST YEAR USE		
		0 = Did not use in the past year (IRECSRC=3,9).....	53961	97.12
		1 = Used within the past year (IRECSRC=1,2).....	1600	2.88
ECSMON	1	ECSTASY - PAST MONTH USE		
		0 = Did not use in the past month (IRECSRC=2-3,9).....	55184	99.32
		1 = Used within the past month (IRECSRC=1).....	377	0.68
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC=9).....	49896	89.80
		1 = Ever used (IRINHRC=1-3).....	5665	10.20
INHHR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC=3,9).....	54458	98.01
		1 = Used within the past year (IRINHRC=1,2).....	1103	1.99
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC=2-3,9).....	55270	99.48
		1 = Used within the past month (IRINHRC=1).....	291	0.52

RECODED DRUG USE			PAGE:	164
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ANLFLAG	1	PAIN RELIEVERS - EVER USED		
		0 = Never used (IRANLRC=9).....	48919	88.05
		1 = Ever used (IRANLRC=1-3).....	6642	11.95
ANLYR	1	PAIN RELIEVERS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC=3,9).....	52305	94.14
		1 = Used within the past year (IRANLRC=1,2).....	3256	5.86
ANLMON	1	PAIN RELIEVERS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC=2-3,9).....	54285	97.70
		1 = Used within the past month (IRANLRC=1).....	1276	2.30
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC=9).....	52287	94.11
		1 = Ever used (IRTRNRC=1-3).....	3274	5.89
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC=3,9).....	54362	97.84
		1 = Used within the past year (IRTRNRC=1,2).....	1199	2.16
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC=2-3,9).....	55151	99.26
		1 = Used within the past month (IRTRNRC=1).....	410	0.74
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC=9).....	51590	92.85
		1 = Ever used (IRSTMRC=1-3).....	3971	7.15
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC=3,9).....	54458	98.01
		1 = Used within the past year (IRSTMRC=1,2).....	1103	1.99
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC=2-3,9).....	55167	99.29
		1 = Used within the past month (IRSTMRC=1).....	394	0.71
MTHFLAG	1	METHAMPHETAMINES - EVER USED		
		0 = Never Used (IRMTHRC=9).....	53437	96.18
		1 = Ever Used (IRMTHRC=1-3).....	2124	3.82
MTHYR	1	METHAMPHETAMINES - PAST YEAR USE		
		0 = Did not use in the past year (IRMTHRC=3,9).....	55093	99.16
		1 = Used within the past year (IRMTHRC=1,2).....	468	0.84
MTHMON	1	METHAMPHETAMINES - PAST MONTH USE		
		0 = Did not use in the past month (IRMTHRC=2-3,9).....	55395	99.70
		1 = Used within the past month (IRMTHRC=1).....	166	0.30
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC=9).....	54317	97.76
		1 = Ever used (IRSEDRC=1-3).....	1244	2.24

RECODED DRUG USE			PAGE:	165
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC=3,9).....	55332	99.59
		1 = Used within the past year (IRSEDRC=1,2).....	229	0.41
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC=2-3,9).....	55475	99.85
		1 = Used within the past month (IRSEDRC=1).....	86	0.15
The following three any psychotherapeutic variables were created by examination of IRSEDRC, IRTRNRC, IRSTMRC, and IRANLRC				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES=9).....	46097	82.97
		1 = Ever used (ANY SOURCE VARIABLE<9).....	9464	17.03
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS>2)..	51399	92.51
		1 = Used in past year (ANY SOURCE VARIABLE<3).....	4162	7.49
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS>1).....	53869	96.95
		1 = Used in past month (ANY SOURCE VARIABLE=1).....	1692	3.05
The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.				
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES=0).....	31370	56.46
		1 = Ever used (ANY SOURCE VARIABLE=1).....	24191	43.54
The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.				
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS=0).....	44479	80.05
		1 = Used in past year (ANY SOURCE VARIABLE=1).....	11082	19.95
The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.				
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS=0).....	49378	88.87
		1 = Used in past month (ANY SOURCE VARIABLE=1).....	6183	11.13

RECODED DRUG USE			PAGE:	166
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, PSYFLAG2.				
MJOFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & anothr illct drug	46592	83.86
		1 = Marijuana is only (illicit) drug ever used.....	8969	16.14
The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, PSYR2.				
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & othr drug past yr...	50718	91.28
		1 = Marijuana is only (illicit) drug in past year.....	4843	8.72
The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, PSYMON2.				
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past mnth/Used MJ & othr drug past mo.	51965	93.53
		1 = Marijuana only (illicit) drug in past month.....	3596	6.47
The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, PSYFLAG2.				
IEMFLAG	1	ILLCIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana.....	40339	72.60
		1 = Illicit drug except for marijuana are ever used...	15222	27.40
The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, PSYR2.				
IEMYR	1	ILLCIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year.....	49322	88.77
		1 = Illicit drug except for marijuana used past year..	6239	11.23
The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, PSYMON2.				
IEMMON	1	ILLCIT DRUG EXCEPT FOR MARIJUANA-PAST MONTH USED		
		0 = Never used drug/used only marijuana past month....	52974	95.34
		1 = Illicit drug except for marijuana used past month.	2587	4.66

RECODED DRUG USE			PAGE:	167
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.		
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS		
		0 = Never/No "Binge" alcohol use (IRALCD5=0).....	42295	76.12
		1 = "Binge" alcohol use (IRALCD5=1-30).....	13266	23.88
		Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.		
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS		
		0 = Never/No heavy alcohol use (IRALCD5=0-4).....	51512	92.71
		1 = Heavy alcohol use (IRALCD5=5-30).....	4049	7.29
		The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON. To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol drinker, a respondent must also be a past month "binge" alcohol user.		
BINGEHVY	1	LEVEL OF ALCOHOL USE PAST MONTH		
		1 = Heavy Alcohol Use (HVYDRK2=1).....	4049	7.29
		2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0)	9217	16.59
		3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0)	11272	20.29
		4 = Did Not Use Alcohol in Pst Month (All source=0)...	31023	55.84
PEYOTE2	1	EVER USED PEYOTE		
		0 = No/Unknown (PEYOTE=2,91,94,97).....	54641	98.34
		1 = Yes (PEYOTE=1).....	920	1.66
MESC2	1	EVER USED MESCALINE		
		0 = No/Unknown (MESC=2,91,94,97).....	54175	97.51
		1 = Yes (MESC=1,3).....	1386	2.49
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = No/Unknown (PSILCY=2,91,94,97).....	51491	92.67
		1 = Yes (PSILCY=1,3).....	4070	7.33
ECSTASY2	1	EVER USED "ECSTASY" (MDMA)		
		0 = No/Unknown (ECSTASY=2,91,94,97).....	52399	94.31
		1 = Yes (ECSTASY=1,3).....	3162	5.69

RECODED DRUG USE			PAGE:	168
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC. 0 = No/Unknown (AMYLNIT=2,85,91,94,97)..... 1 = Yes (AMYLNIT=1,3).....	54008 1553	97.20 2.80
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC. 0 = No/Unknown (CLEFLU=2,85,91,94,97)..... 1 = Yes (CLEFLU=1,3).....	54863 698	98.74 1.26
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID 0 = No/Unknown (GAS=2,85,91,94,97)..... 1 = Yes (GAS=1,3).....	54317 1244	97.76 2.24
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE 0 = No/Unknown (GLUE=2,85,91,94,97)..... 1 = Yes (GLUE=1,3).....	54278 1283	97.69 2.31
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC 0 = No/Unknown (ETHER=2,85,91,94,97)..... 1 = Yes (ETHER=1,3).....	55245 316	99.43 0.57
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS 0 = No/Unknown (SOLVENT=2,85,91,94,97)..... 1 = Yes (SOLVENT=1).....	54975 586	98.95 1.05
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE) 0 = No/Unknown (LGAS=2,85,91,94,97)..... 1 = Yes (LGAS=1).....	55167 394	99.29 0.71
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS" 0 = No/Unknown (NITOXID=2,85,91,94,97,98)..... 1 = Yes (NITOXID=1,3).....	52707 2854	94.86 5.14
SPPAINT2	1	EVER INHALED SPRAY PAINTS 0 = No/Unknown (SPPAINT=2,85,91,94,97,98)..... 1 = Yes (SPPAINT=1).....	54886 675	98.79 1.21
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS 0 = No/Unknown (AEROS=2,85,91,94,97,98)..... 1 = Yes (AEROS=1,3).....	54895 666	98.80 1.20
DARVTYL2	1	EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE 0 = No/Unknown (DARVTYLC=2,81,85,91,94,97,98)..... 1 = Yes (DARVTYLC=1,3).....	51380 4181	92.47 7.53
PERCTYL2	1	EVER USED PERCOCET, PERCODAN, TYLOX 0 = No/Unknown (PERCTYLX=2,81,85,91,94,97,98)..... 1 = Yes (PERCTYLX=1,3).....	53530 2031	96.34 3.66
VICOLOR2	1	EVER USED VICODIN, LORTAB, LORCET 0 = No/Unknown (VICOLOR=2,81,85,91,94,97,98)..... 1 = Yes (VICOLOR=1,3).....	52654 2907	94.77 5.23

LABEL	LEN	RECODED DRUG USE DESCRIPTION	PAGE:	169
			FREQ	%
-----	----	-----	----	-
CODEINE2	1	EVER USED CODEINE		
		0 = No/Unknown (CODEINE=6,81,91,94,97,98,99)	53990	97.17
		1 = Yes (CODEINE=1,3)	1571	2.83
DEMEROL2	1	EVER USED DEMEROL		
		0 = No/Unknown (DEMEROL=6,81,91,94,97,98,99)	54968	98.93
		1 = Yes (DEMEROL=1,3)	593	1.07
DILAUD2	1	EVER USED DILAUDID		
		0 = No/Unknown (DILAUD=6,81,91,94,97,98,99)	55413	99.73
		1 = Yes (DILAUD=1,3)	148	0.27
FIORICT2	1	EVER USED FIORICET		
		0 = No/Unknown (FIORICET=6,81,91,94,97,98,99)	55467	99.83
		1 = Yes (FIORICET=1)	94	0.17
FIORINL2	1	EVER USED FIORINAL		
		0 = No/Unknown (FIORINAL=6,81,91,94,97,98,99)	55451	99.80
		1 = Yes (FIORINAL=1,3)	110	0.20
HYDROCD2	1	EVER USED HYDROCODONE		
		0 = No/Unknown (HYDROCOD=6,81,91,94,97,98,99)	54696	98.44
		1 = Yes (HYDROCOD=1,3)	865	1.56
METHDON2	1	EVER USED METHADONE		
		0 = No/Unknown (METHDON=6,81,85,91,94,97,98,99)	55313	99.55
		1 = Yes (METHDON=1,3)	248	0.45
MORPHIN2	1	EVER USED MORPHINE		
		0 = No/Unknown (MORPHINE=6,81,91,94,97,98,99)	55023	99.03
		1 = Yes (MORPHINE=1,3)	538	0.97
OXYCONT2	1	EVER USED OXYCONTIN		
		0 = No/Unknown (OXYCONTN=6,81,91,94,97,98,99)	55180	99.31
		1 = Yes (OXYCONTN=1,3)	381	0.69
PHENCOD2	1	EVER USED PHENAPHEN WITH CODEINE		
		0 = No/Unknown (PHENCOD=6,81,91,94,97,98,99)	55341	99.60
		1 = Yes (PHENCOD=1,3)	220	0.40
PROPOXY2	1	EVER USED PROPOXYPHENE		
		0 = No/Unknown (PROPOXY=6,81,91,94,97,98,99)	55489	99.87
		1 = Yes (PROPOXY=1)	72	0.13
SK65A2	1	EVER USED SK65		
		0 = No/Unknown (SK65A=6,81,91,94,97,98,99)	55537	99.96
		1 = Yes (SK65A=1)	24	0.04
STADOL2	1	EVER USED STADOL		
		0 = No/Unknown (STADOL=6,81,91,94,97,98,99)	55524	99.93
		1 = Yes (STADOL=1)	37	0.07

RECODED DRUG USE			PAGE:	170
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TALACEN2	1	EVER USED TALACEN		
		0 = No/Unknown (TALACEN=6,81,91,94,97,98,99).....	55536	99.96
		1 = Yes (TALACEN=1,3).....	25	0.04
TALWIN2	1	EVER USED TALWIN		
		0 = No/Unknown (TALWIN=6,81,91,94,97,98,99).....	55480	99.85
		1 = Yes (TALWIN=1,3).....	81	0.15
TALWINX2	1	EVER USED TALWIN NX		
		0 = No/Unknown (TALWINNX=6,81,91,94,97,98,99).....	55534	99.95
		1 = Yes (TALWINNX=1).....	27	0.05
TRAMADL2	1	EVER USED TRAMADOL		
		0 = No/Unknown (TRAMADOL=6,81,91,94,97,98,99).....	55526	99.94
		1 = Yes (TRAMADOL=1).....	35	0.06
ULTRAM2	1	EVER USED ULTRAM		
		0 = No/Unknown (ULTRAM=6,81,91,94,97,98,99).....	55352	99.62
		1 = Yes (ULTRAM=1,3).....	209	0.38
OTHANL	1	EVER USED OTHER PAIN RELIEVERS		
		0 = No/Unknwn (ANLCARD/ANLNOLST=2,4,81,85,91,94,97,98)	52196	93.94
		1 = Yes (ANLCARD or ANLNOLST=1,3).....	3365	6.06
KLONOPI2	1	EVER USED KLONOPIN OR CLONAZEPAM		
		0 = No/Unknown (KLONOPIN=2,81,85,91,94,97,98).....	55056	99.09
		1 = Yes (KLONOPIN=1).....	505	0.91
XNAXATV2	1	EVER USED XANAX, ALPRAZOLAM, ATIVAN		
		0 = No/Unknown (XNAXATVN=2,81,85,91,94,97,98).....	54001	97.19
		1 = Yes (XNAXATVN=1,3).....	1560	2.81
VALMDIA2	1	EVER USED VALIUM OR DIAZEPAM FOR FEELING		
		0 = No/Unknown (VALMDIAZ=2,81,85,91,94,97,98).....	53219	95.78
		1 = Yes (VALMDIAZ=1,3).....	2342	4.22
ATARAX2	1	EVER USED ATARAX		
		0 = No/Unknown (ATARAX=6,81,85,91,94,97,98,99).....	55501	99.89
		1 = Yes (ATARAX=1,3).....	60	0.11
BUSPAR2	1	EVER USED BUSPAR		
		0 = No/Unknown (BUSPAR=6,81,91,94,97,98,99).....	55412	99.73
		1 = Yes (BUSPAR=1).....	149	0.27
EQUANIL2	1	EVER USED EQUANIL		
		0 = No/Unknown (EQUANIL=6,81,91,94,97,98,99).....	55537	99.96
		1 = Yes (EQUANIL=1).....	24	0.04
FLEXERL2	1	EVER USED FLEXERIL		
		0 = No/Unknown (FLEXERIL=6,81,91,94,97,98,99).....	55278	99.49
		1 = Yes (FLEXERIL=1,3).....	283	0.51

RECODED DRUG USE			PAGE:	171
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
LIBRIUM2	1	EVER USED LIBRIUM		
		0 = No/Unknown (LIBRIUM=6,81,91,94,97,98,99).....	55400	99.71
		1 = Yes (LIBRIUM=1).....	161	0.29
LIMBTRL2	1	EVER USED LIMBITROL		
		0 = No/Unknown (LIMBTROL=6,81,91,94,97,98,99).....	55538	99.96
		1 = Yes (LIMBTROL=1).....	23	0.04
MEPROB2	1	EVER USED MEPROBAMATE		
		0 = No/Unknown (MEPROB=6,81,91,94,97,98,99).....	55525	99.94
		1 = Yes (MEPROB=1,3).....	36	0.06
MILTOWN2	1	EVER USED MILTOWN		
		0 = No/Unknown (MILTOWN=6,81,91,94,97,98,99).....	55534	99.95
		1 = Yes (MILTOWN=1,3).....	27	0.05
ROHYPNL2	1	EVER USED ROHYPNOL		
		0 = No/Unknown (ROHYPNOL=6,81,91,94,97,98,99).....	55439	99.78
		1 = Yes (ROHYPNOL=1,3).....	122	0.22
SERAX2	1	EVER USED SERAX		
		0 = No/Unknown (SERAX=6,81,85,91,94,97,98,99).....	55527	99.94
		1 = Yes (SERAX=1).....	34	0.06
SOMA2	1	EVER USED SOMA		
		0 = No/Unknown (SOMA=6,81,91,94,97,98,99).....	55163	99.28
		1 = Yes (SOMA=1,3).....	398	0.72
TRANXEN2	1	EVER USED TRANXENE		
		0 = No/Unknown (TRANXENE=6,81,91,94,97,98,99).....	55520	99.93
		1 = Yes (TRANXENE=1).....	41	0.07
VISTAR2	1	EVER USED VISTARIL		
		0 = No/Unknown (VISTAR=6,81,91,94,97,98,99).....	55499	99.89
		1 = Yes (VISTAR=1).....	62	0.11
OTHTRN	1	EVER USED OTHER TRANQUILIZERS		
		0 = No/Unknwn (TRNCARD/TRNOLST=2,4,81,85,91,94,97,98) .	54389	97.89
		1 = Yes (TRNCARD or TRNOLST=1,3).....	1172	2.11
METHDES2	1	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		0 = No/Unknown (METHDES=2,81,85,91,94,97,98).....	53443	96.19
		1 = Yes (METHDES=1,3).....	2118	3.81
DIETPIL2	1	EVER USED DIET PILLS FOR FEELING CAUSED		
		0 = No/Unknown (DIETPILS=2,81,85,91,94,97,98).....	54236	97.62
		1 = Yes (DIETPILS=1,3).....	1325	2.38
RITMPHE2	1	EVER USED RITALIN FOR FEELING CAUSED		
		0 = No/Unknown (RITMPHEN=2,81,85,91,94,97,98).....	54106	97.38
		1 = Yes (RITMPHEN=1).....	1455	2.62

RECODED DRUG USE			PAGE:	172
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
CYLERT2	1	EVER USED CYLERT		
		0 = No/Unknown (CYLERT=6,81,91,94,97,98,99)	55494	99.88
		1 = Yes (CYLERT=1)	67	0.12
DEXED2	1	EVER USED DEXEDRINE		
		0 = No/Unknown (DEXED=6,81,91,94,97,98,99)	55140	99.24
		1 = Yes (DEXED=1,3)	421	0.76
DETAMP2	1	EVER USED DEXTROAMPHETAMINE		
		0 = No/Unknown (DETAMP=6,81,91,94,97,98,99)	55449	99.80
		1 = Yes (DETAMP=1)	112	0.20
DIDREX2	1	EVER USED DIDREX		
		0 = No/Unknown (DIDREX=6,81,91,94,97,98,99)	55524	99.93
		1 = Yes (DIDREX=1)	37	0.07
ESKAT2	1	EVER USED ESKATROL		
		0 = No/Unknown (ESKAT=6,81,91,94,97,98,99)	55544	99.97
		1 = Yes (ESKAT=1)	17	0.03
IONAMIN2	1	EVER USED IONAMIN		
		0 = No/Unknown (IONAMIN=6,81,91,94,97,98,99)	55500	99.89
		1 = Yes (IONAMIN=1,3)	61	0.11
MAZANOR2	1	EVER USED MAZANOR		
		0 = No/Unknown (MAZANOR=6,81,91,94,97,98,99)	55535	99.95
		1 = Yes (MAZANOR=1)	26	0.05
OBLA2	1	EVER USED OBEDRIN-LA		
		0 = No/Unknown (OBLA=6,81,91,94,97,98,99)	55551	99.98
		1 = Yes (OBLA=1)	10	0.02
PLEGINE2	1	EVER USED PLEGINE		
		0 = No/Unknown (PLEGINE=6,81,85,91,94,97,98,99)	55544	99.97
		1 = Yes (PLEGINE=1)	17	0.03
PRELUDN2	1	EVER USED PRELUDIN		
		0 = No/Unknown (PRELUDIN=6,81,91,94,97,98,99)	55461	99.82
		1 = Yes (PRELUDIN=1)	100	0.18
SANOREX2	1	EVER USED SANOREX		
		0 = No/Unknown (SANOREX=6,81,91,94,97,98,99)	55515	99.92
		1 = Yes (SANOREX=1)	46	0.08
TENUATE2	1	EVER USED TENUATE		
		0 = No/Unknown (TENUATE=6,81,91,94,97,98,99)	55534	99.95
		1 = Yes (TENUATE=1,3)	27	0.05
OTHSTM	1	EVER USED OTHER STIMULANTS		
		0 = No/Unknwn (STMCARD/STMNOLST=2,4,81,85,91,94,97,98)	54543	98.17
		1 = Yes (STMCARD or STMNOLST=1,3)	1018	1.83

RECODED DRUG USE			PAGE:	173
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
METHAQ2	1	EVER USED METHAQUALONE, SOPOR, QUALLUDE		
		0 = No/Unknown (METHAQ=2,81,85,91,94,97,98)	54748	98.54
		1 = Yes (METHAQ=1,3)	813	1.46
NEMBBAR2	1	EVER USED BARBITURATES FOR FEELING		
		0 = No/Unknown (NEMBBARB=2,81,85,91,94,97,98)	55169	99.29
		1 = Yes (NEMBBARB=1,3)	392	0.71
RESTTMA2	1	EVER USED RESTORIL OR TEMAZEPAM		
		0 = No/Unknown (RESTTMAZ=2,81,85,91,94,97,98)	55403	99.72
		1 = Yes (RESTTMAZ=1)	158	0.28
AMYTAL2	1	EVER USED AMYTAL		
		0 = No/Unknown (AMYTAL=6,81,91,94,97,98,99)	55502	99.89
		1 = Yes (AMYTAL=1)	59	0.11
BUTISOL2	1	EVER USED BUTISOL		
		0 = No/Unknown (BUTISOL=6,81,91,94,97,98,99)	55534	99.95
		1 = Yes (BUTISOL=1)	27	0.05
CHHYD2	1	EVER USED CHLORAL HYDRATE		
		0 = No/Unknown (CHHYD=6,81,91,94,97,98,99)	55537	99.96
		1 = Yes (CHHYD=1)	24	0.04
DALMANE2	1	EVER USED DALMANE		
		0 = No/Unknown (DALMANE=6,81,91,94,97,98,99)	55502	99.89
		1 = Yes (DALMANE=1)	59	0.11
HALCION2	1	EVER USED HALCION		
		0 = No/Unknown (HALCION=6,81,91,94,97,98,99)	55465	99.83
		1 = Yes (HALCION=1,3)	96	0.17
PHENOBR2	1	EVER USED PHENOBARBITAL		
		0 = No/Unknown (PHENOBAR=6,81,91,94,97,98,99)	55399	99.71
		1 = Yes (PHENOBAR=1,3)	162	0.29
PLACIDY2	1	EVER USED PLACIDYL		
		0 = No/Unknown (PLACIDYL=6,81,91,94,97,98,99)	55460	99.82
		1 = Yes (PLACIDYL=1)	101	0.18
TUINAL2	1	EVER USED TUINAL		
		0 = No/Unknown (TUINAL=6,81,85,91,94,97,98,99)	55450	99.80
		1 = Yes (TUINAL=1,3)	111	0.20
OTHSED	1	EVER USED OTHER SEDATIVES		
		0 = No/Unknwn (SEDCARD/SEDNOLST=2,4,81,85,91,94,97,98)	54990	98.97
		1 = Yes (SEDCARD or SEDNOLST=1,3)	571	1.03

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

The following three variables, CIGBRND3, CGRBRND3, SMKBRND3, were created with the intent to show the brand estimates in order from highest to lowest within the overall population. The most widely used brands for each tobacco product and the ranking of these brands were determined by examining weighted frequencies of the respective source variables among all users of that tobacco product. It should be noted that the brand ordering is based upon the ranking of the 2001 data. As a result, the 2001 ordering of the most often used tobacco brands differs slightly from the 2000 order. Once the brand ordering was determined, the analysis variables were created as defined below. For each of these tobacco brand variables, all persons who indicated no past month use were set to the SAS missing code and excluded from the analysis. The category "Other Brands" contains all past month users who reported other valid brands not otherwise defined in one of the other levels. The category "Unknown Brands" contains past month users who did not specify a specific tobacco brand. Variables of this type can also be created within demographic subgroups, by first examining weighted frequencies of the respective source variables among users defined by a demographic subgroup of interest.

LABEL	LEN	DESCRIPTION	FREQ	%
CIGBRND3	2	CIGARETTE BRAND USED MOST OFTEN IN PAST MONTH		
		. = Not Past Month Cigarette User (CIGMON=0).....	40775	73.39
		1 = Marlboro (CIG30BR2=112).....	7317	13.17
		2 = Newport (CIG30BR2=118).....	2181	3.93
		3 = Camel (CIG30BR2=104).....	1446	2.60
		4 = Basic (CIG30BR2=101).....	544	0.98
		5 = Doral (CIG30BR2=107).....	322	0.58
		6 = Winston (CIG30BR2=126).....	312	0.56
		7 = Kool (CIG30BR2=111).....	286	0.51
		8 = GPC (CIG30BR2=109).....	200	0.36
		9 = Salem (CIG30BR2=122).....	185	0.33
		10 = Virginia Slims (CIG30BR2=125).....	169	0.30
		11 = Benson & Hedges (CIG30BR2=102).....	148	0.27
		12 = Merit (CIG30BR2=113).....	91	0.16
		13 = Parliament (CIG30BR2=120).....	274	0.49
		14 = Capri (CIG30BR2=105).....	79	0.14
		15 = Pall Mall (CIG30BR2=119).....	56	0.10

LABEL	LEN	RECODED DRUG USE DESCRIPTION	PAGE:	175
			FREQ	%
		16 = Misty (CIG30BR2=114).....	54	0.10
		17 = Other Brnd (CIG30BR2=other 100-199,1001-1999).....	966	1.74
		18 = Unkwn Brnd (CIG30BR2=200-999,2999-5999,9000-9998).	156	0.28

See additional coding information included above the cigarette brand recode variable (CIGBRND3).

CIGBRND3	2	CIGAR BRAND USED MOST OFTEN IN PAST MONTH		
.		= Not Past Month Cigar User (CGRMON=0).....	52064	93.71
1		= Black and Mild (CGR30BR2=404).....	952	1.71
2		= Swisher Sweets (CGR30BR2=423).....	738	1.33
3		= Macanudos (CGR30BR2=416).....	168	0.30
4		= Phillies (CGR30BR2=419).....	189	0.34
5		= Backwoods (CGR30BR2=402).....	115	0.21
6		= Garcia Y Vega (CGR30BR2=411).....	121	0.22
7		= Dutch Masters (CGR30BR2=408).....	67	0.12
8		= Cohiba (CGR30BR2=443).....	39	0.07
9		= Partagas (CGR30BR2=418).....	35	0.06
10		= White Owl (CGR30BR2=426).....	44	0.08
11		= Cuban (brand unspecified) (CGR30BR2=448).....	42	0.08
12		= Havatampa (CGR30BR2=412).....	29	0.05
13		= Muriel (CGR30BR2=417).....	15	0.03
14		= King Edward (CGR30BR2=413).....	53	0.10
15		= Antonio Y Cleopatra (CGR30BR2=401).....	29	0.05
16		= Other Brnd (CGR30BR2=other 400-499,4000-4999).....	620	1.12
17		= Unkwn Brnd (CGR30BR2=<399,501-5999,9000-9998).....	241	0.43

See additional coding information included above the cigarette brand recode variable (CIGBRND3).

SMKBRND3	2	SMOKELESS TOBACCO BRAND USED MOST OFTEN IN PST MON		
.		= Not Past Month Smokeless Tobacco User (SMKMON=0)..	53440	96.18
1		= Copenhagen (SLT30BR2=301).....	651	1.17
2		= Skoal (SLT30BR2=308).....	678	1.22
3		= Kodiak (SLT30BR2=305).....	186	0.33
4		= Red Man (SLT30BR2=208).....	136	0.24
5		= Levi Garrett (SLT30BR2=206).....	63	0.11
6		= Timber Wolf (SLT30BR2=309).....	78	0.14
7		= Beech Nut (SLT30BR2=201).....	50	0.09
8		= Red Seal (SLT30BR2=316).....	33	0.06
9		= Chattanooga Chew (SLT30BR2=202).....	10	0.02
10		= Other Brand (SLT30BR2=other 200-399,2999-3999)....	202	0.36
11		= Unkwn Brnd (SLT30BR2=<200,400-5999,9000-9998).....	34	0.06

RECODED DRUG USE			PAGE:	176
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		The variable CIGCOMPNY indicates the companies that owned the labels of the cigarette brands that respondents reported using most often in the past 30 days. For brands that were sold to another company during the survey year, CIGCOMPNY reflects which company owned the brand label for the majority of the year.		
CIGCOMPNY	2	CIG COMPANY FOR BRAND PAST 30 DYS - RECODE		
		1 = Philip Morris.....	8586	15.45
		2 = R.J. Reynolds.....	2351	4.23
		3 = Lorillard.....	2277	4.10
		4 = Brown and Williamson.....	793	1.43
		5 = Liggett.....	60	0.11
		6 = Commonwealth Brands.....	85	0.15
		7 = Santa Fe Natural Tobacco Company.....	59	0.11
		8 = Forsyth Tobacco Co (a division of R.J. Reynolds)..	47	0.08
		70 = SOME OTHER BRAND/COMPANY.....	288	0.52
		80 = CIG BRAND/COMPANY NOT SPECIFIED.....	84	0.15
		85 = BAD DATA Log assn (CIG30BR2=9985).....	2	0.00
		90 = NOT A CIGARETTE BRAND.....	55	0.10
		91 = NEVER USED CIGARETTES.....	22623	40.72
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18131	32.63
		94 = DON'T KNOW (CIG30BR2=9994).....	64	0.12
		97 = REFUSED (CIG30BR2=9997).....	19	0.03
		98 = BLANK (CIG30BR2=9998).....	37	0.07
ALCAFU	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRALCAGE=1-14).....	13688	24.64
		2 = 15-17 Years Old (IRALCAGE=15-17).....	15524	27.94
		3 = 18 Years or Older (IRALCAGE=18+).....	11429	20.57
		4 = Non Users (IRALCAGE=991).....	14920	26.85
MJAFU	1	MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRMJAGE=1-14).....	5882	10.59
		2 = 15-17 Years Old (IRMJAGE=15-17).....	8466	15.24
		3 = 18 Years or Older (IRMJAGE=18+).....	6406	11.53
		4 = Non Users (IRMJAGE=991).....	34807	62.65
COCAFU	1	COCAINE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCOCAGE=1-14).....	378	0.68
		2 = 15-17 Years Old (IRCOCAGE=15-17).....	1505	2.71
		3 = 18 Years or Older (IRCOCAGE=18+).....	3805	6.85
		4 = Non Users (IRCOCAGE=991).....	49873	89.76
HERAFU	1	HEROIN AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRHERAGE=1-14).....	62	0.11
		2 = 15-17 Years Old (IRHERAGE=15-17).....	175	0.31
		3 = 18 Years or Older (IRHERAGE=18+).....	385	0.69
		4 = Non Users (IRHERAGE=991).....	54939	98.88

RECODED DRUG USE			PAGE:	177
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HALAFU	1	HALLUCINOGEN AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRHALAGE=1-14).....	1111	2.00
		2 = 15-17 Years Old (IRHALAGE=15-17).....	3112	5.60
		3 = 18 Years or Older (IRHALAGE=18+).....	3451	6.21
		4 = Non Users (IRHALAGE=991).....	47887	86.19
INHAFU	1	INHALANT AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRINHAGE=1-14).....	2264	4.07
		2 = 15-17 Years Old (IRINHAGE=15-17).....	1871	3.37
		3 = 18 Years or Older (IRINHAGE=18+).....	1530	2.75
		4 = Non Users (IRINHAGE=991).....	49896	89.80
ANLAFU	1	PAIN RELIEVER AGE OF FIRST USE-CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRANLAGE=1-14).....	1612	2.90
		2 = 15-17 Years Old (IRANLAGE=15-17).....	2039	3.67
		3 = 18 Years or Older (IRANLAGE=18+).....	2991	5.38
		4 = Non Users (IRANLAGE=991).....	48919	88.05
TRNAFU	1	TRANQUILIZER AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRTRNAGE=1-14).....	427	0.77
		2 = 15-17 Years Old (IRTRNAGE=15-17).....	981	1.77
		3 = 18 Years or Older (IRTRNAGE=18+).....	1866	3.36
		4 = Non Users (IRTRNAGE=991).....	52287	94.11
STMAFU	1	STIMULANT AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSTMAGE=1-14).....	780	1.40
		2 = 15-17 Years Old (IRSTMAGE=15-17).....	1402	2.52
		3 = 18 Years or Older (IRSTMAGE=18+).....	1789	3.22
		4 = Non Users (IRSTMAGE=991).....	51590	92.85
SEDAFU	1	SEDATIVE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSEDAGE=1-14).....	211	0.38
		2 = 15-17 Years Old (IRSEDAGE=15-17).....	402	0.72
		3 = 18 Years or Older (IRSEDAGE=18+).....	631	1.14
		4 = Non Users (IRSEDAGE=991).....	54317	97.76
CIGAFU	1	CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCIGAGE=1-14).....	16296	29.33
		2 = 15-17 Years Old (IRCIGAGE=15-17).....	10542	18.97
		3 = 18 Years or Older (IRCIGAGE=18+).....	6100	10.98
		4 = Non Users (IRCIGAGE=991).....	22623	40.72
CGRAFU	1	CIGAR AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCGRAGE=1-14).....	3665	6.60
		2 = 15-17 Years Old (IRCGRAGE=15-17).....	5694	10.25
		3 = 18 Years or Older (IRCGRAGE=18+).....	8899	16.02
		4 = Non Users (IRCGRAGE=991).....	37303	67.14

RECODED DRUG USE			PAGE:	178
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
SLTAFU	1	SMOKELESS TOB AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRSLTAGE=1-14).....	4054	7.30
		2 = 15-17 Years Old (IRSLTAGE=15-17).....	3613	6.50
		3 = 18 Years or Older (IRSLTAGE=18+).....	2719	4.89
		4 = Non Users (IRSLTAGE=991).....	45175	81.31

SELECTED UNEDITED VARIABLES			PAGE:	179
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG05)		SELECTED UNEDITED VARIABLES ----- Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
CG05	2	HAVE YOU SMOKED CIG IN PAST 30 DAYS		
		1 = Yes.....	14772	26.59
		2 = No.....	18152	32.67
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	22623	40.72
(CG06)		How long has it been since you last smoked part or all of a cigarette?		
CG06	2	TIME SINCE LAST SMOKE A CIG (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	3190	5.74
		2 = More than 12 months ago but within the past 3 yrs.	3455	6.22
		3 = More than 3 years ago.....	11426	20.56
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	37409	67.33
(CG06DK)		What is your best guess of how long it has been since you last smoked part or all of a cigarette?		
CG06DK	2	BEST GUESS TIME SINCE LAST SMOKE A CIGARETTE		
		1 = More than 30 days ago but within the past 12 mos..	9	0.02
		2 = More than 12 months ago but within the past 3 yrs.	8	0.01
		3 = More than 3 years ago.....	19	0.03
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55503	99.90

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CG06RE)		The information respondents provide about their cigarette smoking is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last smoked part or all of a cigarette?		
CG06RE	2	RECONSIDER ANSWERING TIME SINCE LAST SMOKE A CIG		
		1 = More than 30 days ago but within the past 12 mos..	1	0.00
		2 = More than 12 months ago but within the past 3 yrs.	3	0.01
		3 = More than 3 years ago.....	3	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	55538	99.96
(CG27)		Now think about the past 30 days, that is, from DATEFILL up to and including today. During the past 30 days, have you used snuff, even once?		
CG27	2	HAVE YOU USED SNUFF IN PAST 30 DAYS		
		1 = Yes.....	1788	3.22
		2 = No.....	6251	11.25
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	47518	85.52
(CG28)		How long has it been since you last used snuff?		
CG28	2	TIME SINCE LAST USE SNUFF (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	853	1.54
		2 = More than 12 months ago but within the past 3 yrs.	1136	2.04
		3 = More than 3 years ago.....	4225	7.60
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	49310	88.75
(CG28DK)		What is your best guess of how long it has been since you last used snuff?		
CG28DK	2	BEST GUESS TIME SINCE LAST USE SNUFF		
		1 = More than 30 days ago but within the past 12 mos..	1	0.00
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	5	0.01
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55536	99.96

SELECTED UNEDITED VARIABLES			PAGE:	181
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(CG28RE)		The information respondents provide about their use of snuff is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used snuff?		
CG28RE	2	RECONSIDER ANSWERING TIME SINCE LAST USE SNUFF		
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	55549	99.98
(CG19)		Now think about the past 30 days, that is, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
CG19	2	HAVE YOU USED CHEW IN PAST 30 DAYS		
		1 = Yes.....	792	1.43
		2 = No.....	6225	11.20
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	48542	87.37
(CG20)		How long has it been since you last used chewing tobacco?		
CG20	2	TIME SINCE LAST USED CHEW (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	730	1.31
		2 = More than 12 months ago but within the past 3 yrs.	1129	2.03
		3 = More than 3 years ago.....	4342	7.81
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	49336	88.80
(CG20DK)		What is your best guess of how long it has been since you last used chewing tobacco?		
CG20DK	2	BEST GUESS HOW LONG SINCE USED CHEWING TOBACCO		
		1 = More than 30 days ago but within the past 12 mos..	1	0.00
		2 = More than 12 months ago but within the past 3 yrs.	2	0.00
		3 = More than 3 years ago.....	8	0.01
		94 = DON'T KNOW.....	6	0.01
		98 = BLANK (NO ANSWER).....	55544	99.97

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CG20RE)		The information respondents provide about their use of chewing tobacco is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used chewing tobacco?		
CG20RE	2	PLEASE ANSWER HOW LONG SINCE USED CHEWING TOBACCO		
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	1	0.00
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55554	99.99
(CG36)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
CG36	2	HAVE YOU SMOKED CIGAR IN PAST 30 DAYS		
		1 = Yes.....	3488	6.28
		2 = No.....	14754	26.55
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	37308	67.15
(CG37)		How long has it been since you last smoked part or all of any type of cigar?		
CG37	2	TIME SINCE LAST SMOKED CIGAR (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	3812	6.86
		2 = More than 12 months ago but within the past 3 yrs.	4356	7.84
		3 = More than 3 years ago.....	6528	11.75
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	40807	73.45
(CG37DK)		What is your best guess of how long it has been since you last smoked part or all of any type of cigar?		
CG37DK	2	BEST GUESS TIME SINCE LAST SMOKED CIGAR		
		1 = More than 30 days ago but within the past 12 mos..	7	0.01
		2 = More than 12 months ago but within the past 3 yrs.	8	0.01
		3 = More than 3 years ago.....	17	0.03
		94 = DON'T KNOW.....	18	0.03
		98 = BLANK (NO ANSWER).....	55511	99.91

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CG37RE)		The information respondents provide about their cigar smoking is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last smoked part or all of any type of cigar?		
CG37RE	2	RECONSIDER ANSWERING TIME SINCE LAST SMOKED CIGAR		
		1 = More than 30 days ago but within the past 12 mos..	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	55553	99.99
(CG43)		During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?		
CG43	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	560	1.01
		2 = No.....	5060	9.11
		98 = BLANK (NO ANSWER).....	49941	89.88
(ALLAST3)		How long has it been since you last drank an alcoholic beverage?		
ALLAST3	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days -- that is, since DATEFILL	24495	44.09
		2 = More than 30 days ago but within the past 12 mos..	8758	15.76
		3 = More than 12 months ago.....	7231	13.01
		94 = DON'T KNOW.....	99	0.18
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	14935	26.88
(ALRECDK)		What is your best guess of how long it has been since you last drank an alcoholic beverage?		
ALRECDK	2	BEST GUESS TIME SINCE LAST DRANK ALCOHOLIC BEV		
		1 = Within the past 30 days --that is, since DATEFILL.	7	0.01
		2 = More than 30 days ago but within the past 12 mos..	12	0.02
		3 = More than 12 months ago.....	38	0.07
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55462	99.82

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(ALRECRE)		The information respondents provide about their use of alcohol is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last drank an alcoholic beverage?		
ALRECRE	2	RECONSIDER ANSWERING TIME SINCE LST DRANK ALC BEV		
		1 = Within the past 30 days -- that is, since DATEFILL	8	0.01
		2 = More than 30 days ago but within the past 12 mos..	5	0.01
		3 = More than 12 months ago.....	5	0.01
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	55518	99.92
TOTDRINK	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 372	32956	59.31
		994 = DON'T KNOW.....	275	0.49
		997 = REFUSED.....	54	0.10
		998 = BLANK (NO ANSWER).....	22276	40.09
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALFRAME3	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Avg num of days per week during pst 12 mos.....	10303	18.54
		2 = Avg num of days per month during pst 12 mos.....	11738	21.13
		3 = Total number of days during the past 12 months....	10668	19.20
		94 = DON'T KNOW.....	467	0.84
		97 = REFUSED.....	109	0.20
		98 = BLANK (NO ANSWER).....	22276	40.09
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALYRAVE	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 366	10916	19.65
		994 = DON'T KNOW.....	278	0.50
		997 = REFUSED.....	50	0.09
		998 = BLANK (NO ANSWER).....	44317	79.76

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALMONAVE	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	11766	21.18
		94 = DON'T KNOW.....	258	0.46
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	43495	78.28
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALWKAVE	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	10274	18.49
		94 = DON'T KNOW.....	275	0.49
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	44958	80.92
(MJLAST3)		How long has it been since you last used marijuana or hashish?		
MJLAST3	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days -- that is, since DATEFILL	4845	8.72
		2 = More than 30 days ago but within the past 12 month	3620	6.52
		3 = More than 12 months ago.....	12132	21.84
		94 = DON'T KNOW.....	59	0.11
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	34853	62.73
(MJRECDK)		What is your best guess of how long it has been since you last used marijuana or hashish?		
MJRECDK	2	BEST GUESS TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days -- that is, since DATEFILL	5	0.01
		2 = More than 30 days ago but within the pst 12 mos...	2	0.00
		3 = More than 12 months ago.....	21	0.04
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55502	99.89

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJRECRE)		The information respondents provide about their use of marijuana and hashish is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used marijuana or hashish?		
MJRECRE	2	RECONSIDER TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days -- that is, since DATEFILL	12	0.02
		2 = More than 30 days ago but within the pst 12 mos...	3	0.01
		3 = More than 12 months ago.....	10	0.02
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	55509	99.91
TOTMJ	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 372	8378	15.08
		994 = DON'T KNOW.....	77	0.14
		997 = REFUSED.....	32	0.06
		998 = BLANK (NO ANSWER).....	47074	84.72
(MJFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MJFRAME3	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Avg num of days per week during pst 12 mos.....	2840	5.11
		2 = Avg num of days per month during pst 12 mos.....	2236	4.02
		3 = Total number of days during the past 12 months....	3277	5.90
		94 = DON'T KNOW.....	108	0.19
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	47074	84.72
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MJYRAVE	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 366	3329	5.99
		994 = DON'T KNOW.....	62	0.11
		997 = REFUSED.....	20	0.04
		998 = BLANK (NO ANSWER).....	52150	93.86

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MJMONAVE	2	# DAYS PER MOS USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	2232	4.02
		94 = DON'T KNOW.....	65	0.12
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	53243	95.83
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MJWKAVE	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	2817	5.07
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	52635	94.73
(CCLAST3)		How long has it been since you last used cocaine?		
CCLAST3	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days -- that is, since DATEFILL	485	0.87
		2 = More than 30 days ago but within the past 12 month	954	1.72
		3 = More than 12 months ago.....	4217	7.59
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	49877	89.77
(CCRECDK)		What is your best guess of how long it has been since you last used cocaine?		
CCRECDK	2	BEST GUESS TIME SINCE LAST USED COCAINE		
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		3 = More than 12 months ago.....	8	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55547	99.97

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CCRECRE)		The information respondents provide about their use of cocaine is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used cocaine?		
CCRECRE	2	RECONSIDER ANSWERING TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days -- that is, since DATEFILL	3	0.01
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		3 = More than 12 months ago.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	55547	99.97
TOTCOKE	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 364	1430	2.57
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	54117	97.40
(CCFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CCFRAME3	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Avg num of days per week during pst 12 mos.....	256	0.46
		2 = Avg num of days per month during pst 12 mos.....	318	0.57
		3 = Total number of days during the past 12 months....	851	1.53
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	54117	97.40
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCYRAVE	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 356	857	1.54
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	54691	98.43

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCMONAVE	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 30	317	0.57
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	55230	99.40
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCWKAVE	2	# DAYS PER WEEK USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	256	0.46
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55291	99.51
(CKLAST3)		How long has it been since you last used "crack?"		
CKLAST3	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days -- that is, since DATEFILL	97	0.17
		2 = More than 30 days ago but within the past 12 month	198	0.36
		3 = More than 12 months ago.....	1083	1.95
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	54176	97.51
(CKRECDK)		What is your best guess of how long it has been since you last used "crack"?		
CKRECDK	2	BEST GUESS TIME SINCE LAST USED CRACK		
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		3 = More than 12 months ago.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55558	99.99
(CKRECRE)		The information respondents provide about their use of "crack" is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used "crack"?		
CKRECRE	2	RECONSIDER TIME SINCE LAST USED CRACK		
		3 = More than 12 months ago.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55557	99.99

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
TOTCRACK	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 364	291	0.52
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	55265	99.47
(CKFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CKFRAME3	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Avg num of days per week during pst 12 mos.....	76	0.14
		2 = Avg num of days per month during pst 12 mos.....	75	0.13
		3 = Total number of days during the past 12 months....	141	0.25
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	55265	99.47
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CKYRAVE	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 300	142	0.26
		994 = DON'T KNOW.....	3	0.01
		998 = BLANK (NO ANSWER).....	55416	99.74
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CKMONAVE	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 30	75	0.13
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	55483	99.86
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CKWKAVE	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	74	0.13
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55482	99.86

SELECTED UNEDITED VARIABLES			PAGE:	191
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(HELAST3)		How long has it been since you last used heroin?		
HELAST3	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days -- that is, since DATEFILL	48	0.09
		2 = More than 30 days ago but within the past 12 month	89	0.16
		3 = More than 12 months ago.....	482	0.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	54939	98.88
(HERECDK)		What is your best guess of how long it has been since you last used heroin?		
HERECDK	2	BEST GUESS TIME SINCE LAST USED HEROIN		
		3 = More than 12 months ago.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55559	100.0
(HERECRE)		The information respondents provide about their use of heroin is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used heroin?		
HERECRE	2	RECONSIDER ANSWERING TIME SINCE LAST USED HEROIN		
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55560	100.0
TOTHERO	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 364	135	0.24
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	55424	99.75
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HEFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Avg num of days per week during pst 12 mos.....	43	0.08
		2 = Avg num of days per month during pst 12 mos.....	26	0.05
		3 = Total number of days during the past 12 months....	67	0.12
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55424	99.75

SELECTED UNEDITED VARIABLES			PAGE:	192
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HEYRAVE	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 356	68	0.12
		998 = BLANK (NO ANSWER).....	55493	99.88
(HEMNAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HEMNAVE	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 30	25	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55535	99.95
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HEWKAVE	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	42	0.08
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55517	99.92
(LSLAST)		How long has it been since you last used [LSFILL]?		
LSLAST	2	TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within the past 30 days -- that is, since DATEFILL	541	0.97
		2 = More than 30 days ago but within the past 12 mos..	1555	2.80
		3 = More than 12 months ago.....	5512	9.92
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	47894	86.20
(LSRECDK)		What is your best guess of how long it has been since you last used [LSFILL]?		
LSRECDK	2	BEST GUESS TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		2 = More than 30 days ago but within the pst 12 mos...	4	0.01
		3 = More than 12 months ago.....	9	0.02
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55527	99.94

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(LSRECRE)		The information respondents provide about their use of [LSFILL] is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used [LSFILL]?		
LSRECRE	2	RECONSIDER TIME SINCE LAST USED HALLUCINOGEN		
		2 = More than 30 days ago but within the pst 12 mos...	2	0.00
		3 = More than 12 months ago.....	6	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	55536	99.96
TOTHALL	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 365	2080	3.74
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	53458	96.21
(LSFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
LSFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Avg num of days per week during pst 12 mos.....	266	0.48
		2 = Avg num of days per month during pst 12 mos.....	400	0.72
		3 = Total number of days during the past 12 months....	1406	2.53
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	53458	96.21
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
LSYRAVE	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 365	1424	2.56
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	54124	97.41

SELECTED UNEDITED VARIABLES			PAGE:	194
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
LSMONAVE	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 30	397	0.71
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55148	99.26
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
LSWKAVE	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 7	259	0.47
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	55279	99.49
(LS10)		How long has it been since you last used LSD?		
*LS10	2	TIME SINCE USED LSD LAST		
		1 = Within the past 30 days -- that is, since DATEFILL	167	0.30
		2 = More than 30 days ago but within the past 12 mos..	596	1.07
		3 = More than 12 months ago.....	3237	5.83
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	51530	92.74
(LS16)		How long has it been since you last used PCP?		
LS16	2	HOW LONG SINCE USED PCP		
		1 = Within the past 30 days -- that is, since DATEFILL	36	0.06
		2 = More than 30 days ago but within the pst 12 mos...	90	0.16
		3 = More than 12 months ago.....	985	1.77
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	54430	97.96
(LS22)		How long has it been since you last used "Ecstasy," also known as MDMA?		
LS22	2	HOW LONG SINCE USED ECSTASY		
		1 = Within the past 30 days -- that is, since DATEFILL	296	0.53
		2 = More than 30 days ago but within the pst 12 mos...	851	1.53
		3 = More than 12 months ago.....	1220	2.20
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	53182	95.72

SELECTED UNEDITED VARIABLES			PAGE:	195
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(INLAST)		How long has it been since you last used any inhalant for kicks or to get high?		
INLAST	2	TIME SINCE LAST USED INHALANT		
		1 = Within the past 30 days -- that is, since DATEFILL	281	0.51
		2 = More than 30 days ago but within the past 12 mos..	747	1.34
		3 = More than 12 months ago.....	4521	8.14
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	49904	89.82
(INRECDK)		What is your best guess of how long it has been since you last used any inhalant for kicks or to get high?		
INRECDK	2	BEST GUESS HOW LONG SINCE LAST USED INHALANTS		
		1 = Within the past 30 days -- that is, since DATEFILL	5	0.01
		2 = More than 30 days ago but within the past 12 mos..	5	0.01
		3 = More than 12 months ago.....	28	0.05
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55481	99.86
(INRECRE)		The information respondents provide about their use of inhalants is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any inhalant for kicks or to get high?		
INRECRE	2	RECONSIDER HOW LONG SINCE LAST USED INHALANTS		
		1 = Within the past 30 days -- that is, since DATEFILL	2	0.00
		3 = More than 12 months ago.....	8	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	55533	99.95
TOTINHAL	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 372	1015	1.83
		994 = DON'T KNOW.....	20	0.04
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	54521	98.13

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(INFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INFRAME3	2	EASIEST WAY TO TELL US # DAYS USED INHALANT		
		1 = Avg num of days per week during pst 12 mos.....	168	0.30
		2 = Avg num of days per month during pst 12 mos.....	197	0.35
		3 = Total number of days during the past 12 months....	642	1.16
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	54521	98.13
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INYRAVE	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 366	652	1.17
		994 = DON'T KNOW.....	19	0.03
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	54886	98.79
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INMONAVE	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 31	196	0.35
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55341	99.60
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INWKAVE	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	167	0.30
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55369	99.65

SELECTED UNEDITED VARIABLES			PAGE:	197
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PR09)		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR09	2	TIME SINCE LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	1216	2.19
		2 = More than 30 days ago but within the past 12 mos..	1910	3.44
		3 = More than 12 months ago.....	3414	6.14
		94 = DON'T KNOW.....	110	0.20
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	48851	87.92
(PRRECDK)		What is your best guess of how long it has been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECDK	2	BEST GUESS LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	5	0.01
		2 = More than 30 days ago but within the past 12 month	14	0.03
		3 = More than 12 months ago.....	18	0.03
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	55451	99.80
(PRRECRE)		The information respondents provide about their use of prescription pain relievers is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECRE	2	RECONSIDER LAST USED PAIN RELIEVER "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	2	0.00
		2 = More than 30 days ago but within the past 12 month	2	0.00
		3 = More than 12 months ago.....	8	0.01
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	55501	99.89

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(PR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PR10	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Avg num of days per week during pst 12 mos.....	555	1.00
		2 = Avg num of days per month during pst 12 mos.....	853	1.54
		3 = Total number of days during the past 12 months....	1669	3.00
		94 = DON'T KNOW.....	62	0.11
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	52412	94.33
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR11	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	1681	3.03
		994 = DON'T KNOW.....	51	0.09
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	53820	96.87
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR12	2	# DAYS PER MOS USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 30	845	1.52
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	54648	98.36

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR13	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7	546	0.98
		94 = DON'T KNOW.....	62	0.11
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	54938	98.88
(TR09)		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR09	2	TIME SINCE LAST USED TRANQUILIZER "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	388	0.70
		2 = More than 30 days ago but within the past 12 mos..	769	1.38
		3 = More than 12 months ago.....	2077	3.74
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	52286	94.11
(TRRECDK)		What is your best guess of how long it has been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECDK	2	BEST GUESS HOW LONG SINCE USD TRANQUILIZER "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		2 = More than 30 days ago but within the past 12 mos..	4	0.01
		3 = More than 12 months ago.....	6	0.01
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55529	99.94

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(TRRECRE)		The information respondents provide about their use of prescription tranquilizers is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECRE	2	RECONSIDER HOW LONG SINCE USD TRANQUILIZER "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		3 = More than 12 months ago.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	55552	99.98
(TR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TR10	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
		1 = Avg num of days per week during pst 12 mos.....	153	0.28
		2 = Avg num of days per month during pst 12 mos.....	278	0.50
		3 = Total number of days during the past 12 months....	709	1.28
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	54398	97.91
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR11	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	718	1.29
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	54829	98.68

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR12	2	# DAYS PER MOS USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 31	279	0.50
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55269	99.47
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR13	2	# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7	151	0.27
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55395	99.70
(ST09)		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST09	2	TIME SINCE LAST USED STIMULANT "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	279	0.50
		2 = More than 30 days ago but within the past 12 mos..	521	0.94
		3 = More than 12 months ago.....	2010	3.62
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	52709	94.87
(STRECDK)		What is your best guess of how long it has been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECDK	2	BEST GUESS TIME SINCE LAST USED STIMULANTS "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		2 = More than 30 days ago but within the past 12 mos..	3	0.01
		3 = More than 12 months ago.....	4	0.01
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55528	99.94

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(STRECRE)		The information respondents provide about their use of prescription stimulants is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECRE	2	RECONSIDER TIME SINCE LAST USED STIMULANTS "NM"		
		2 = More than 30 days ago but within the past 12 mos..	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	55552	99.98
(ST10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
ST10	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Avg num of days per week during pst 12 mos.....	153	0.28
		2 = Avg num of days per month during pst 12 mos.....	210	0.38
		3 = Total number of days during the past 12 months....	424	0.76
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	54755	98.55
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST11	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 300	427	0.77
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	55118	99.20

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST12	2	# DAYS PER MOS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 31	206	0.37
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55335	99.59
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST13	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	153	0.28
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55388	99.69
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
*ST19	2	HOW LONG SINCE USED METHAMPH, DESOXYN, METHEDRINE		
		1 = Within the past 30 days - that is, since DATEFILL.	161	0.29
		2 = More than 30 days ago but within the past 12 mos..	297	0.53
		3 = More than 12 months ago.....	1640	2.95
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	53443	96.19
(ST20)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?		
ST20	2	EASIEST WAY TO TELL US # DAYS USED METHAMP/DESO		
		1 = Avg num of days per week during pst 12 mos.....	93	0.17
		2 = Avg num of days per month during pst 12 mos.....	110	0.20
		3 = Total number of days during the past 12 months....	238	0.43
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55112	99.19

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST21	3	# DAYS USED METHAMP/DESO/METH PAST 12 MONTHS		
		RANGE = 1 - 300	241	0.43
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	55315	99.56
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST22	2	# DAYS PER MOS USED METHAMP/DESO/M PAST 12 MONTHS		
		RANGE = 1 - 30	111	0.20
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55446	99.79
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST23	2	# DAYS PER WEEK USED METHAMP/DESO/M PAST 12 MONTHS		
		RANGE = 1 - 7	90	0.16
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55464	99.83
(SV09)		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV09	2	TIME SINCE LAST USED SEDATIVE "NONMEDICALLY"		
		1 = Within the past 30 days -- that is, since DATEFILL	84	0.15
		2 = More than 30 days ago but within the past 12 mos..	142	0.26
		3 = More than 12 months ago.....	1010	1.82
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	54306	97.74

SELECTED UNEDITED VARIABLES			PAGE:	205
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SVRECDK)		What is your best guess of how long it has been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECDK	2	BEST GUESS TIME SINCE LAST USED SEDATIVE "NM"		
		3 = More than 12 months ago.....	4	0.01
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55546	99.97
(SVRECRE)		The information respondents provide about their use of prescription sedatives is very important to the success of this study. We recognize that this information is personal. Please remember that the answers you give will be kept strictly confidential and they will never be linked to your name.		
		Please reconsider answering this question: How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECRE	2	RECONSIDER TIME SINCE LAST USED SEDATIVE "NM"		
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55557	99.99
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SV10	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Avg num of days per week during pst 12 mos.....	58	0.10
		2 = Avg num of days per month during pst 12 mos.....	52	0.09
		3 = Total number of days during the past 12 months....	111	0.20
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55335	99.59

SELECTED UNEDITED VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV11	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 200	112	0.20
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	55445	99.79
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV12	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 21	51	0.09
		94 = DON'T KNOW.....	5	0.01
		98 = BLANK (NO ANSWER).....	55505	99.90
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV13	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	56	0.10
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55498	99.89

- NOTE: Due to logic that was not updated from 2000 to 2001, the following questions
- SD12 (The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?)
 - SD13 (The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?)
 - SD14 (The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?)
 - SD15 (The last time you used a needle for injecting drugs, did someone else use the needle after you?)
 - SD16 (The last time you used a needle for injecting drugs, how did you get the needle?)

were asked only if the respondent answered YES to SD05 (ever used a needle to inject any/other drug). Respondents who said No to SD05, but had previously said YES to SD08/SDHEUSE (ever used needle to inject heroin), SD10a (ever used needle to inject methamphetamine), SD10c (ever used a needle to inject any other stimulant) or SD06 (ever used a needle to inject cocaine) were erroneously skipped out of questions SD12-SD16. Therefore, the logic of SD12-SD16 was changed to [IF SD08 = 1 OR SDHEUSE = 3 OR SD10a = 1 OR SD10c = 1 OR SD06 = 1 OR SD05 = 1] on 6/29/01.

Variables affected by this patch are denoted by an '*' to the left of the variable name.

These next questions are about the different ways that certain drugs can be used.

Have you ever, even once, smoked heroin?

HERSMOKE 2	1EVER SMOKED HEROIN		
	1 = Yes.....	235	0.42
	2 = No.....	377	0.68
	3 = Yes LOGICALLY ASSIGNED.....	7	0.01
	91 = NEVER USED HEROIN.....	54911	98.83
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	15	0.03
	98 = BLANK (NO ANSWER).....	14	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	208
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SD02)		How long has it been since you last smoked heroin?		
HRSMKREC	2	1TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days.....	11	0.02
		2 = More than 30 days ago but within the past 12 mos..	25	0.04
		3 = More than 12 months ago.....	198	0.36
		9 = At some point in the lifetime LOG ASSN.....	4	0.01
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	4	0.01
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = USED HEROIN BUT NEVER SMOKED IT.....	377	0.68
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	16	0.03
(SD03)		Have you ever, even once, sniffed or "snorted" heroin powder through your nose?		
HERSNIFF	2	1EVER SNIFFED HEROIN		
		1 = Yes.....	373	0.67
		2 = No.....	230	0.41
		3 = Yes LOGICALLY ASSIGNED.....	18	0.03
		91 = NEVER USED HEROIN.....	54911	98.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	14	0.03
(SD04)		How long has it been since you last sniffed or "snorted" heroin powder through your nose?		
HRSNFREC	2	1TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days.....	34	0.06
		2 = More than 30 days ago but within the past 12 mos..	44	0.08
		3 = More than 12 months ago.....	291	0.52
		9 = At some point in the lifetime LOG ASSN.....	7	0.01
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	15	0.03
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = USED HEROIN BUT NEVER SNIFFED IT.....	230	0.41
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	15	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	209
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD08)		Have you ever, even once, used a needle to inject heroin?		
HERNEEDL	2	1EVER USED NEEDLE TO INJECT HEROIN		
		1 = Yes.....	286	0.51
		2 = No.....	330	0.59
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02
		91 = NEVER USED HEROIN.....	54911	98.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	10	0.02
(SDHEUSE)		Earlier the computer recorded that you had used heroin. In what way have you used heroin?		
HEOTSMK	2	1HOW USED HEROIN: SMOKED IT		
		1 = Response entered.....	6	0.01
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	46	0.08
		91 = NEVER USED HEROIN.....	54911	98.83
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	567	1.02
HEOTSNF	2	1HOW USED HEROIN: SNIFFED IT		
		1 = Response entered.....	18	0.03
		6 = Response not entered.....	35	0.06
		91 = NEVER USED HEROIN.....	54911	98.83
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	567	1.02
HEOTNDL	2	1HOW USED HEROIN: INJECTED IT WITH A NEEDLE		
		1 = Response entered.....	4	0.01
		6 = Response not entered.....	49	0.09
		91 = NEVER USED HEROIN.....	54911	98.83
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	567	1.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL DRUGS		PAGE:	210
			FREQ	%		
HEOTOTH	2	1HOW USED HEROIN: SOME OTHER WAY				
		1 = Response entered.....	26	0.05		
		6 = Response not entered.....	27	0.05		
		91 = NEVER USED HEROIN.....	54911	98.83		
		97 = REFUSED.....	15	0.03		
		98 = BLANK (NO ANSWER).....	15	0.03		
		99 = LEGITIMATE SKIP.....	567	1.02		
HEOTSP	2	1HOW USED HEROIN: SPECIFY				
		1 = You smoked heroin.....	1	0.00		
		5 = You took it orally/by mouth/in pill form.....	10	0.02		
		6 = You sniffed or "snorted" heroin in liquid form....	2	0.00		
		10 = You combined it w/ecstasy (no other drug mentiond)	6	0.01		
		11 = You combined it w/ecstasy and marijuana.....	1	0.00		
		12 = You combined it w/ecstasy and cocaine.....	1	0.00		
		13 = You combined it w/marijuana (no oth drug mentiond)	1	0.00		
		14 = You combined w/a hallucinogen, not otherwise spcfd	1	0.00		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED HEROIN.....	54911	98.83		
		97 = REFUSED.....	15	0.03		
		98 = BLANK (NO ANSWER).....	17	0.03		
		99 = LEGITIMATE SKIP.....	594	1.07		
(SD09)		How long has it been since you last used a needle to inject heroin?				
HRNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT HEROIN				
		1 = Within the past 30 days.....	16	0.03		
		2 = More than 30 days ago but within the past 12 mos..	46	0.08		
		3 = More than 12 months ago.....	225	0.40		
		9 = At some point in the lifetime LOG ASSN.....	6	0.01		
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00		
		91 = NEVER USED HEROIN.....	54911	98.83		
		93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	330	0.59		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	11	0.02		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	211
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD10A)		Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTHNEEDL	2	1EVER USED NEEDLE TO INJECT METHAMPHETAMINE		
		1 = Yes.....	217	0.39
		2 = No.....	1896	3.41
		3 = Yes LOGICALLY ASSIGNED.....	21	0.04
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED METHAMPHETAMINES Log assn.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINES.....	53359	96.04
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	47	0.08
(SD10B)		How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT METH		
		1 = Within the past 30 days.....	16	0.03
		2 = More than 30 days ago but within the past 12 mos..	28	0.05
		3 = More than 12 months ago.....	172	0.31
		9 = At some point in the lifetime LOG ASSN.....	20	0.04
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED METHAMPHET Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	53359	96.04
		93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	1897	3.41
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	48	0.09

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	212
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD10C)		Have you ever, even once, used a needle to inject any other stimulant/a stimulant when it was not prescribed for you or that you took only for the experience or feeling it caused?		
OSTNEEDL	2	1EVER USED NEEDLE TO INJECT (OTHER) STIMULANT		
		1 = Yes.....	141	0.25
		2 = No.....	2687	4.84
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		81 = NEVER USED STIMULANTS Log assn.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		91 = NEVER USED STIMULANTS.....	51475	92.65
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	102	0.18
		99 = LEGITIMATE SKIP.....	1123	2.02
(SD11)		How long has it been since you last used a needle to inject (any other stimulant / any stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?		
OSTNLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT (OTH) STIM		
		1 = Within the past 30 days.....	12	0.02
		2 = More than 30 days ago but within the past 12 mos..	24	0.04
		3 = More than 12 months ago.....	104	0.19
		9 = At some point in the lifetime LOG ASSN.....	5	0.01
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED STIMULANT Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANT.....	51475	92.65
		93 = USED STIM/OTHR STIMULANT BUT NEVER WITH A NEEDLE..	2687	4.84
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	104	0.19
		99 = LEGITIMATE SKIP.....	1126	2.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	213
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD06)		Have you ever, even once, used a needle to inject cocaine?		
COCNEEDL	2	1EVER USED NEEDLE TO INJECT COCAINE		
		1 = Yes.....	323	0.58
		2 = No.....	5352	9.63
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		91 = NEVER USED COCAINE.....	49843	89.71
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	9	0.02
(SD07)		How long has it been since you last used a needle to inject cocaine?		
CONDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
		1 = Within the past 30 days.....	20	0.04
		2 = More than 30 days ago but within the past 12 mos..	34	0.06
		3 = More than 12 months ago.....	269	0.48
		9 = At some point in the lifetime LOG ASSN.....	2	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	5352	9.63
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	11	0.02
(SD05)		Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you or that you took only for the experience or feeling it caused?		
OTDGNEDL	2	1EVER USED NEEDLE TO INJECT ANY OTHER DRUG		
		1 = Yes.....	278	0.50
		2 = No.....	55241	99.42
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	13	0.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	214
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OTDGNDLA	4	1OTHER DRUG INJECTED - SPECIFY 1		
		109 = Seconal.....	1	0.00
		110 = Tuinal.....	4	0.01
		112 = Restoril, Temazepam.....	1	0.00
		115 = Phenobarbital.....	1	0.00
		190 = Dormin <OTC>.....	1	0.00
		201 = Valium, Diazepam.....	4	0.01
		299 = Midazolam.....	1	0.00
		311 = Preludin.....	2	0.00
		318 = Ritalin, Methylphenidate.....	2	0.00
		321 = Methedrine.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	25	0.04
		325 = USED STIMULANT, DON'T KNOW NAME.....	1	0.00
		339 = Amphetamines.....	2	0.00
		348 = Crystal.....	3	0.01
		355 = Crystal meth.....	3	0.01
		406 = Percodan.....	1	0.00
		407 = Demerol.....	4	0.01
		408 = Dilaudid.....	12	0.02
		411 = Talwin.....	3	0.01
		415 = Codeine.....	1	0.00
		417 = Morphine, Roxanol.....	11	0.02
		418 = Dolophine, Methadone.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		465 = Fentanyl, Duragesic, Sublimaze.....	1	0.00
		490 = Nubain.....	2	0.00
		601 = LSD ("acid").....	5	0.01
		605 = PCP ("angel dust," phencyclidine).....	3	0.01
		606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
		614 = MDA, Methylenedioxy amphetamine.....	4	0.01
		658 = Special K, Ketamine.....	3	0.01
		702 = Heroin.....	7	0.01
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	4	0.01
		805 = Cocaine, coca, coca8na, coke.....	8	0.01
		806 = Crack, rock.....	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
		824 = Steroids.....	18	0.03
		1001 = Benadryl <OTC>.....	1	0.00
		3052 = Speed; otherwise unspecified.....	8	0.01
		4046 = Oxycodone.....	2	0.00
		4067 = Oxycontin.....	5	0.01
		8014 = Throat spray; type unspecified <OTC>.....	1	0.00
		8067 = Testosterone.....	2	0.00
		8072 = Deca-Durabolin, Nondralone Deconate.....	3	0.01
		8076 = Winstrol.....	2	0.00

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	215
LABEL	LEN	DESCRIPTION	FREQ	%
		8078 = Vitamin K.....	1	0.00
		8079 = Insulin.....	2	0.00
		8081 = Primobolan.....	1	0.00
		8083 = Testosterone Cyprionate.....	2	0.00
		8087 = Benzocaine.....	1	0.00
		8088 = Dianabol.....	1	0.00
		8089 = Sustanol <OTC>.....	1	0.00
		8090 = Sustanon.....	2	0.00
		8092 = Decaderm.....	1	0.00
		9985 = BAD DATA Logically assigned.....	4	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9994 = DON'T KNOW.....	3	0.01
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	113	0.20
		9999 = LEGITIMATE SKIP.....	55241	99.42
OTDGNLDB 4		10THER DRUG INJECTED - SPECIFY 2		
		109 = Seconal.....	3	0.01
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		209 = Xanax, Alprazolam.....	1	0.00
		311 = Preludin.....	1	0.00
		318 = Ritalin, Methylphenidate.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	4	0.01
		406 = Percodan.....	1	0.00
		408 = Dilaudid.....	6	0.01
		417 = Morphine, Roxanol.....	6	0.01
		601 = LSD ("acid").....	5	0.01
		606 = "Ecstasy" (MDMA), X-TC, "X".....	2	0.00
		702 = Heroin.....	7	0.01
		805 = Cocaine, coca, coca8na, coke.....	5	0.01
		806 = Crack, rock.....	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
		824 = Steroids.....	4	0.01
		848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
		4067 = Oxycontin.....	4	0.01
		4077 = Tee's.....	1	0.00
		8069 = Decadron, Dexamethasone.....	1	0.00
		8072 = Deca-Durabolin, Nondralone Deconate.....	1	0.00
		8080 = Depotrone.....	1	0.00
		8090 = Sustanon.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9994 = DON'T KNOW.....	1	0.00
		9997 = REFUSED.....	14	0.03
		9998 = BLANK (NO ANSWER).....	243	0.44
		9999 = LEGITIMATE SKIP.....	55242	99.43

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	216
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
OTDGNDLC	4	1OTHER DRUG INJECTED - SPECIFY 3		
		105 = Placidyl.....	1	0.00
		109 = Seconal.....	1	0.00
		110 = Tuinal.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.01
		407 = Demerol.....	2	0.00
		411 = Talwin.....	1	0.00
		417 = Morphine, Roxanol.....	2	0.00
		419 = Stadol, Stadol NS.....	1	0.00
		457 = T's and blues, Tee's and B's, Tops and Bottoms....	1	0.00
		603 = Mescaline.....	1	0.00
		605 = PCP ("angel dust," phencyclidine).....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		702 = Heroin.....	3	0.01
		703 = Opium.....	1	0.00
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
		805 = Cocaine, coca, coca8na, coke.....	2	0.00
		876 = Glass.....	1	0.00
		8076 = Winstrol.....	1	0.00
		9997 = REFUSED.....	14	0.03
		9998 = BLANK (NO ANSWER).....	278	0.50
		9999 = LEGITIMATE SKIP.....	55242	99.43
OTDGNDLD	4	1OTHER DRUG INJECTED - SPECIFY 4		
		603 = Mescaline.....	1	0.00
		614 = MDA, Methylenedioxy amphetamine.....	1	0.00
		702 = Heroin.....	2	0.00
		805 = Cocaine, coca, coca8na, coke.....	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
		4067 = Oxycontin.....	1	0.00
		8076 = Winstrol.....	1	0.00
		8091 = Benzedrex <OTC>.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9997 = REFUSED.....	14	0.03
		9998 = BLANK (NO ANSWER).....	295	0.53
		9999 = LEGITIMATE SKIP.....	55242	99.43
OTDGNDLE	4	1OTHER DRUG INJECTED - SPECIFY 5		
		601 = LSD ("acid").....	1	0.00
		8076 = Winstrol.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9997 = REFUSED.....	14	0.03
		9998 = BLANK (NO ANSWER).....	302	0.54
		9999 = LEGITIMATE SKIP.....	55242	99.43

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	217
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD12)		Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
*GNNDREUS	2	1LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes.....	165	0.30
		2 = No.....	316	0.57
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	180	0.32
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	54854	98.73
(SD13)		The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		
*GNNDLSH1	2	1LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes.....	88	0.16
		2 = No.....	392	0.71
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	180	0.32
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	54854	98.73
(SD14)		The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
*GNNDCLEN	2	1USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes.....	125	0.22
		2 = No.....	357	0.64
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	180	0.32
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	54854	98.73

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	218
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SD15)		The last time you used a needle for injecting drugs, did someone else use the needle after you?		
*GNNDLSH2	2	1SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes.....	83	0.15
		2 = No.....	389	0.70
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	180	0.32
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	54854	98.73
(SD16)		NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.		
		The last time you used a needle for injecting drugs, how did you get the needle?		
*GNNDGET2	2	1HOW DID YOU GET THE NEEDLE LAST TIME		
		1 = Bought the needle from a pharmacy.....	223	0.40
		2 = Got the needle from a needle exchange.....	21	0.04
		3 = Bought the needle on the street.....	42	0.08
		4 = Got the needle in a shooting gallery.....	4	0.01
		5 = Got the needle some other way.....	42	0.08
		41 = Given by, stolen from a friend/acquaint of friend.	77	0.14
		42 = Given by, stolen from a relative.....	9	0.02
		43 = Given by, stolen from someone, relation unspcifd.	22	0.04
		44 = From drug dealer/came with drugs.....	6	0.01
		46 = Given by, stolen from medical facility/professionl	15	0.03
		47 = Given by, stolen from work.....	4	0.01
		49 = Bought, given, stolen from place/location unspcd.	8	0.01
		56 = Given by, stolen from farm supply store.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	180	0.32
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	54854	98.73

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED SPECIAL DRUGS				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
NOTE: The variables STNEEDLR and STNLRECR are analogous to the variables STNEEDLE and STNDLREC, respectively, that existed prior to 2001. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC.				
STNEEDLR	2	1EVER USED NEEDLE TO INJECT STIMULANT - RECODE		
		1 = Yes.....	302	0.54
		2 = No.....	3674	6.61
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51475	92.65
		97 = REFUSED.....	9	0.02
		98 = MISSING (BUT NOT REFUSED).....	89	0.16
STNLRECR	2	1MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE		
		1 = Within the past 30 days.....	21	0.04
		2 = More than 30 days ago but within the past 12 mos..	43	0.08
		3 = More than 12 months ago.....	209	0.38
		8 = At some point in the past 12 months LOG ASSN.....	1	0.00
		9 = At some point in the lifetime LOG ASSN.....	23	0.04
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	3674	6.61
		97 = REFUSED.....	9	0.02
		98 = MISSING (BUT NOT REFUSED).....	89	0.16

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS			PAGE:	220
LABEL	LEN	DESCRIPTION	FREQ	%
The following variable, NEDLRECR, is analogous to the variable NEDLRECC that existed in the 1999 and 2000 data. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR.				
NEDLRECR	2	1MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past 30 days.....	46	0.08
		2 = More than 30 days ago but within the past 12 mos..	77	0.14
		3 = More than 12 months ago.....	410	0.74
		8 = At some point in the past 12 months LOG ASSN.....	2	0.00
		9 = At some point in the lifetime LOG ASSN.....	31	0.06
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	12	0.02
		91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	54845	98.71
		97 = REFUSED.....	33	0.06
		98 = MISSING (BUT NOT REFUSED).....	100	0.18
Due to questionnaire changes in 2001, NEDFLG01 replaced NEDFLAG4. The source variables for NEDFLG01 include: HERNEEDL, COCNEEDL, STNEEDLR, and OTDGNEDL.				
NEDFLG01	1	NEEDLE USE (ANY DRUG) - EVER USED		
		0 = Never Used (Any source var=2,4,81,91,94,97,98)....	54894	98.80
		1 = Ever Used (Any source var=1,3).....	667	1.20
NEDMTH	1	EVER USED A NEEDLE TO INJECT METHAMPHETAMINES		
		0 = No/Unknown (MTHNEEDL=2,4,81,85,91,94,97,98).....	55323	99.57
		1 = YES (MTHNEEDL=1,3).....	238	0.43
HERSMOK2	1	EVER SMOKED HEROIN		
		0 = No/Unknown (HERSMOKE=2,91,94,97,98).....	55319	99.56
		1 = Yes (HERSMOKE=1,3).....	242	0.44
HERSNIF2	1	EVER SNIFFED HEROIN		
		0 = No/Unknown (HERSNIFF=2,91,94,97,98).....	55170	99.30
		1 = Yes (HERSNIFF=1,3).....	391	0.70
NEDHER	1	EVER USED A NEEDLE TO INJECT HEROIN		
		0 = No/Unknown (HERNEEDL=2,91,94,97,98).....	55266	99.47
		1 = Yes (HERNEEDL=1,3).....	295	0.53
NEDCOC	1	EVER USED A NEEDLE TO INJECT COCAINE		
		0 = No/Unknown (COCNEEDL=2,91,94,97,98).....	55235	99.41
		1 = Yes (COCNEEDL=1,3).....	326	0.59

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS			PAGE:	221
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NEDSTM	1	EVER USED A NEEDLE TO INJECT STIMULANT		
		0 = No/Unknown (STNEEDLR=2,81,91,97,98).....	55259	99.46
		1 = Yes (STNEEDLR=1).....	302	0.54

LABEL	LEN	DESCRIPTION	PAGE:	222
-----	----	-----	FREQ	%
(RK01A)		RISK/AVAILABILITY		
		<p>We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.</p> <p>Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.</p> <p>If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.</p> <p>How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?</p>		
RSKPKCIG	2	1RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk.....	968	1.74
		2 = Slight risk.....	3494	6.29
		3 = Moderate risk.....	13720	24.69
		4 = Great risk.....	36968	66.54
		94 = DON'T KNOW.....	315	0.57
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	15	0.03
(RK01B)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?		
RSKMJOCC	2	1RISK SMOKING MARIJUANA ONCE A MONTH		
		1 = No risk.....	6311	11.36
		2 = Slight risk.....	14118	25.41
		3 = Moderate risk.....	14998	26.99
		4 = Great risk.....	19310	34.75
		94 = DON'T KNOW.....	746	1.34
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	15	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY		PAGE:	223
					FREQ	%
(RK01C)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?				
RSKMJREG	2	1RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK				
		1 = No risk.....	3852	6.93		
		2 = Slight risk.....	9562	17.21		
		3 = Moderate risk.....	14521	26.14		
		4 = Great risk.....	26813	48.26		
		94 = DON'T KNOW.....	729	1.31		
		97 = REFUSED.....	69	0.12		
		98 = BLANK (NO ANSWER).....	15	0.03		
(RK01D)		How much do people risk harming themselves physically and in other ways when they try LSD once or twice?				
RKTRYLSD	2	1RISK TRYING LSD ONCE OR TWICE				
		1 = No risk.....	1420	2.56		
		2 = Slight risk.....	6197	11.15		
		3 = Moderate risk.....	10703	19.26		
		4 = Great risk.....	35838	64.50		
		94 = DON'T KNOW.....	1312	2.36		
		97 = REFUSED.....	76	0.14		
		98 = BLANK (NO ANSWER).....	15	0.03		
(RK01E)		How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?				
RKLSDREG	2	1RISK USING LSD ONCE OR TWICE A WEEK				
		1 = No risk.....	574	1.03		
		2 = Slight risk.....	1644	2.96		
		3 = Moderate risk.....	6277	11.30		
		4 = Great risk.....	45783	82.40		
		94 = DON'T KNOW.....	1193	2.15		
		97 = REFUSED.....	75	0.13		
		98 = BLANK (NO ANSWER).....	15	0.03		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	224
-----	----	-----	FREQ	%
(RK01F)		How much do people risk harming themselves physically and in other ways when they try heroin once or twice?		
RKTRYHER	2	1RISK TRYING HEROIN ONCE OR TWICE		
		1 = No risk.....	753	1.36
		2 = Slight risk.....	3814	6.86
		3 = Moderate risk.....	8585	15.45
		4 = Great risk.....	41460	74.62
		94 = DON'T KNOW.....	852	1.53
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	15	0.03
(RK01G)		How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?		
RKHERREG	2	1RISK USING HEROIN ONCE OR TWICE A WEEK		
		1 = No risk.....	463	0.83
		2 = Slight risk.....	938	1.69
		3 = Moderate risk.....	3623	6.52
		4 = Great risk.....	49650	89.36
		94 = DON'T KNOW.....	796	1.43
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	15	0.03
(RK01H)		How much do people risk harming themselves physically and in other ways when they use cocaine once a month?		
RKCOCOCC	2	1RISK USING COCAINE ONCE A MONTH		
		1 = No risk.....	1031	1.86
		2 = Slight risk.....	5088	9.16
		3 = Moderate risk.....	12065	21.71
		4 = Great risk.....	36525	65.74
		94 = DON'T KNOW.....	767	1.38
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	15	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY		PAGE:	225
					FREQ	%
(RK01I)		How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?				
RKCOCREG	2	1RISK USING COCAINE ONCE OR TWICE A WEEK				
		1 = No risk.....	532	0.96		
		2 = Slight risk.....	1357	2.44		
		3 = Moderate risk.....	5169	9.30		
		4 = Great risk.....	47706	85.86		
		94 = DON'T KNOW.....	714	1.29		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	15	0.03		
(RK01J)		How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?				
RK5ALDLY	2	1RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY				
		1 = No risk.....	854	1.54		
		2 = Slight risk.....	4211	7.58		
		3 = Moderate risk.....	13671	24.61		
		4 = Great risk.....	36374	65.47		
		94 = DON'T KNOW.....	360	0.65		
		97 = REFUSED.....	75	0.13		
		98 = BLANK (NO ANSWER).....	16	0.03		
(RK01K)		How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?				
RK5ALWK	2	1RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK				
		1 = No risk.....	2110	3.80		
		2 = Slight risk.....	10241	18.43		
		3 = Moderate risk.....	20026	36.04		
		4 = Great risk.....	22727	40.90		
		94 = DON'T KNOW.....	378	0.68		
		97 = REFUSED.....	63	0.11		
		98 = BLANK (NO ANSWER).....	16	0.03		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY		
LABEL	LEN	DESCRIPTION	PAGE:	226
-----	----	-----	FREQ	%
-----	----	-----	-----	-
(RK02A)		The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.		
		How difficult or easy would it be for you to get some marijuana, if you wanted some?		
RSKDIFMJ	2	1HOW DIFFICULT TO GET MARIJUANA		
		1 = Probably impossible.....	7576	13.64
		2 = Very difficult.....	5666	10.20
		3 = Fairly difficult.....	6756	12.16
		4 = Fairly easy.....	15189	27.34
		5 = Very easy.....	18403	33.12
		94 = DON'T KNOW.....	1794	3.23
		97 = REFUSED.....	160	0.29
		98 = BLANK (NO ANSWER).....	17	0.03
(RK02B)		How difficult or easy would it be for you to get some LSD, if you wanted some?		
RKDIFLSD	2	1HOW DIFFICULT TO GET LSD		
		1 = Probably impossible.....	16262	29.27
		2 = Very difficult.....	11216	20.19
		3 = Fairly difficult.....	11613	20.90
		4 = Fairly easy.....	9174	16.51
		5 = Very easy.....	3969	7.14
		94 = DON'T KNOW.....	3165	5.70
		97 = REFUSED.....	145	0.26
		98 = BLANK (NO ANSWER).....	17	0.03
(RK02C)		How difficult or easy would it be for you to get some cocaine, if you wanted some?		
RKDIFCOC	2	1HOW DIFFICULT TO GET COCAINE		
		1 = Probably impossible.....	14365	25.85
		2 = Very difficult.....	10882	19.59
		3 = Fairly difficult.....	10478	18.86
		4 = Fairly easy.....	10282	18.51
		5 = Very easy.....	6578	11.84
		94 = DON'T KNOW.....	2821	5.08
		97 = REFUSED.....	137	0.25
		98 = BLANK (NO ANSWER).....	18	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	227
-----	----	-----	FREQ	%
(RK02D)		How difficult or easy would it be for you to get some 'crack', if you wanted some?		
RKDIFCRK	2	1HOW DIFFICULT TO GET "CRACK"		
		1 = Probably impossible.....	15683	28.23
		2 = Very difficult.....	11420	20.55
		3 = Fairly difficult.....	9704	17.47
		4 = Fairly easy.....	9101	16.38
		5 = Very easy.....	6572	11.83
		94 = DON'T KNOW.....	2925	5.26
		97 = REFUSED.....	138	0.25
		98 = BLANK (NO ANSWER).....	18	0.03
(RK02E)		How difficult or easy would it be for you to get some heroin, if you wanted some?		
RKDIFHER	2	1HOW DIFFICULT TO GET HEROIN		
		1 = Probably impossible.....	19106	34.39
		2 = Very difficult.....	13186	23.73
		3 = Fairly difficult.....	9840	17.71
		4 = Fairly easy.....	6398	11.52
		5 = Very easy.....	3769	6.78
		94 = DON'T KNOW.....	3103	5.58
		97 = REFUSED.....	141	0.25
		98 = BLANK (NO ANSWER).....	18	0.03
(RK03)		In the past 30 days, has anyone approached you to sell you an illegal drug?		
RSKSELL	2	1APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS		
		1 = Yes.....	6936	12.48
		2 = No.....	48459	87.22
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	18	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY		
LABEL	LEN	DESCRIPTION	PAGE:	228
-----	----	-----	FREQ	%
-----	----	-----	-----	-
(RK04A)		How often do you get a real kick out of doing things that are a little dangerous?		
RKFQDNGR	2	1GET A REAL KICK OUT OF DOING DANGEROUS THINGS		
		1 = Never.....	21718	39.09
		2 = Seldom.....	17484	31.47
		3 = Sometimes.....	13231	23.81
		4 = Always.....	2785	5.01
		94 = DON'T KNOW.....	226	0.41
		97 = REFUSED.....	99	0.18
		98 = BLANK (NO ANSWER).....	18	0.03
(RK04B)		How often do you like to test yourself by doing something a little risky?		
RKFQRSKY	2	1LIKE TO TEST YOURSELF BY DOING RISKY THINGS		
		1 = Never.....	21339	38.41
		2 = Seldom.....	20504	36.90
		3 = Sometimes.....	11539	20.77
		4 = Always.....	1945	3.50
		94 = DON'T KNOW.....	138	0.25
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	18	0.03
(RK04C)		How often do you wear a seatbelt when you ride in the front passenger seat of a car?		
RKFQPBLT	2	1WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR		
		1 = Never.....	2885	5.19
		2 = Seldom.....	4270	7.69
		3 = Sometimes.....	10252	18.45
		4 = Always.....	38051	68.49
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	19	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		RISK/AVAILABILITY	PAGE:	229
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(RK04D)		How often do you wear a seatbelt when you drive a car?		
RKFQDBLT	2	1WEAR A SEATBELT WHEN YOU DRIVE A CAR		
		1 = Never.....	2511	4.52
		2 = Seldom.....	2770	4.99
		3 = Sometimes.....	5909	10.64
		4 = Always.....	31583	56.84
		5 = I don't drive.....	12657	22.78
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	19	0.03
(RK05)		Here is a list of things that you may or may not have done during the past 12 months:		
		Rode with a drunk driver		
		Walked alone after dark through a dangerous neighborhood		
		Rode a bicycle without a helmet		
		Went swimming or played outdoor sports during a lightning storm		
		How many of the things on this list did you do during the past 12 months, that is, since [DATE FILL]?		
RKLISALL	2	1HOW MANY FROM LIST DID YOU DO - PAST 12 MONTHS		
		0 = None of these things.....	26896	48.41
		1 = One of these things.....	16635	29.94
		2 = Two of these things.....	7725	13.90
		3 = Three of these things.....	3183	5.73
		4 = All four of these things.....	960	1.73
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	19	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(RK08) As a means to reduce respondent burden but still capture information regarding risky behaviors, the 2001 NHSDA sample of respondents was randomly divided into 2 subsamples: Random Sample A and Random Sample B. Each subsample was asked specific questions within three modules: Risk/Availability, Social Environment and Youth Experiences. For analytic purposes, each subsample represents roughly 1/2 of the target population and weights should be adjusted accordingly (2X) to calculate population estimates.

Within the Risk/Availability module, the following variables are associated with each subsample:

Random Sample A: RKLISRA1, RKLISRA2
 Random Sample B: RKLISRB1, RKLISRB2

Here is another list of things you may or may not have done during the past 12 months:

- [IF AGE 18 OR OLDER] Drove a car more than 100 miles per hour
- [IF AGE 12-17] Ran away from home and slept on the street
- Gained or lost more than 50 pounds
- [IF AGE 18 OR OLDER] Were injured when you tried to stop a fight or an assault
- [IF AGE 12-17] Were seriously injured in a fight
- Used steroids to become more muscular

How many of the things on this list did you do during the past 12 months, that is, since [DATE FILL]?

RKLISRA1	2	1HOW MANY FROM LIST A1 DID YOU DO - PAST 12 MONTHS		
		0 = None of these things.....	23363	42.05
		1 = One of these things.....	3564	6.41
		2 = Two of these things.....	631	1.14
		3 = Three of these things.....	110	0.20
		4 = All four of these things.....	43	0.08
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	27759	49.96

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	RISK/AVAILABILITY DESCRIPTION	PAGE:	231
-----	----	-----	FREQ	%
-----	----	-----	-----	-

(RK11)

Here is another list of things you may or may not have done during the past 12 months:

- Crossed railroad tracks when a train was coming and almost got hit by the train
- Used laxatives or vomited on purpose in order to keep your weight down
- [IF AGE 18 OR OLDER] Passed another vehicle when you knew it was not safe to pass
- [IF AGE 12 TO 17] Hacked into a government computer system
- Used cocaine, in any form, one or more times
- Was careless and set a large or serious fire with a cigarette or a match

How many of the things on this list did you do during the past 12 months, that is, since [DATE FILL]?

RKLISRA2	2	1HOW MANY FROM LIST A2 DID YOU DO - PAST 12 MONTHS		
		0 = None of these things.....	23628	42.53
		1 = One of these things.....	3368	6.06
		2 = Two of these things.....	571	1.03
		3 = Three of these things.....	101	0.18
		4 = Four of these things.....	25	0.04
		5 = All five of these things.....	23	0.04
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	27759	49.96

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(RK14)

Here is another list of things you may or may not have done during the past 12 months:

- Crossed railroad tracks when a train was coming and almost got hit by the train
- Used laxatives or vomited on purpose in order to keep your weight down
- [IF AGE 18 OR OLDER] Passed another vehicle when you knew it was not safe to pass
- [IF AGE 12-17] Hacked into a government computer system
- Was careless and set a large or serious fire with a cigarette or a match

How many of the things on this list did you do during the past 12 months, that is, since [DATE FILL]?

RKLISRB2	2	1HOW MANY FROM LIST B2 DID YOU DO - PAST 12 MONTHS		
		0 = None of these things.....	23591	42.46
		1 = One of these things.....	3481	6.27
		2 = Two of these things.....	521	0.94
		3 = Three of these things.....	54	0.10
		4 = All four of these things.....	31	0.06
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	27802	50.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(RK17) Here is another list of things you may or may not have done during the past 12 months:

- [IF AGE 18 OR OLDER] Drove a car more than 100 miles per hour
- [IF AGE 12-17] Ran away from home and slept on the street
- Gained or lost more than 50 pounds
- [IF AGE 18 OR OLDER] Were injured when you tried to stop a fight or an assault
- [IF AGE 12-17] Were seriously injured in a fight
- Used cocaine, in any form, one or more times
- Used steroids to become more muscular

How many of the things on this list did you do during the past 12 months, that is, since [DATE FILL]?

RKLIST	LEN	DESCRIPTION	FREQ	%
RKLISTRB1	2	1HOW MANY FROM LIST B1 DID YOU DO - PAST 12 MONTHS		
		0 = None of these things.....	23269	41.88
		1 = One of these things.....	3520	6.34
		2 = Two of these things.....	688	1.24
		3 = Three of these things.....	146	0.26
		4 = Four of these things.....	34	0.06
		5 = All five of these things.....	13	0.02
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	27802	50.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED RISK/AVAILABILITY			PAGE:	234
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED RISK/AVAILABILITY				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
GRSKPKCG	1	GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
		. = Unknown (RSKPKCIG=94,97,98).....	411	0.74
		0 = Otherwise (RSKPKCIG=1,2,3).....	18182	32.72
		1 = Great Risk (RSKPKCIG=4).....	36968	66.54
GRSKCREG	1	GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
		. = Unknown (RKCOCREG=94,97,98).....	797	1.43
		0 = Otherwise (RKCOCREG=1,2,3).....	7058	12.70
		1 = Great Risk (RKCOCREG=4).....	47706	85.86
GRSKCOCC	1	GREAT RISK: USE COCAINE ONCE A MONTH		
		. = Unknown (RKCOCOCC=94,97,98).....	852	1.53
		0 = Otherwise (RKCOCOCC=1,2,3).....	18184	32.73
		1 = Great Risk (RKCOCOCC=4).....	36525	65.74
GRSKMREG	1	GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
		. = Unknown (RSKMJREG=94,97,98).....	813	1.46
		0 = Otherwise (RSKMJREG=1,2,3).....	27935	50.28
		1 = Great Risk (RSKMJREG=4).....	26813	48.26
GRSKMOCC	1	GREAT RISK: USE MARIJUANA ONCE A MONTH		
		. = Unknown (RSKMJOCC=94,97,98).....	824	1.48
		0 = Otherwise (RSKMJOCC=1,2,3).....	35427	63.76
		1 = Great Risk (RSKMJOCC=4).....	19310	34.75
GRSKHTRY	1	GREAT RISK: TRYING HEROIN ONCE OR TWICE		
		. = Unknown (RKTRYHER=94,97,98).....	949	1.71
		0 = Otherwise (RKTRYHER=1,2,3).....	13152	23.67
		1 = Great Risk (RKTRYHER=4).....	41460	74.62
GRSKHREG	1	GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
		. = Unknown (RKHERREG=94,97,98).....	887	1.60
		0 = Otherwise (RKHERREG=1,2,3).....	5024	9.04
		1 = Great Risk (RKHERREG=4).....	49650	89.36
GRSKLTRY	1	GREAT RISK: TRYING LSD ONCE OR TWICE		
		. = Unknown (RKTRYLSD=94,97,98).....	1403	2.53
		0 = Otherwise (RKTRYLSD=1,2,3).....	18320	32.97
		1 = Great Risk (RKTRYLSD=4).....	35838	64.50

RECODED RISK/AVAILABILITY			PAGE:	235
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
GRSKLREG	1	GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
		. = Unknown (RKLSDREG=94,97,98).....	1283	2.31
		0 = Otherwise (RKLSDREG=1,2,3).....	8495	15.29
		1 = Great Risk (RKLSDREG=4).....	45783	82.40
GRSKD4_5	1	GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
		. = Unknown (RK5ALDLY=94,97,98).....	451	0.81
		0 = Otherwise (RK5ALDLY=1,2,3).....	18736	33.72
		1 = Great Risk (RK5ALDLY=4).....	36374	65.47
GRSKD5WK	1	GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
		. = Unknown (RK5ALWK=94,97,98).....	457	0.82
		0 = Otherwise (RK5ALWK=1,2,3).....	32377	58.27
		1 = Great Risk (RK5ALWK=4).....	22727	40.90
RDIFMJ	1	MARIJUANA FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RSKDIFMJ=94,97,98).....	1971	3.55
		0 = Otherwise (RSKDIFMJ=1,2,3).....	19998	35.99
		1 = Fairly or very easy (RSKDIFMJ=4,5).....	33592	60.46
RDIFCOC	1	COCAINE FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCOC=94,97,98).....	2976	5.36
		0 = Otherwise (RKDIFCOC=1,2,3).....	35725	64.30
		1 = Fairly or very easy (RKDIFCOC=4,5).....	16860	30.35
RDIFHER	1	HEROIN FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFHER=94,97,98).....	3262	5.87
		0 = Otherwise (RKDIFHER=1,2,3).....	42132	75.83
		1 = Fairly or very easy (RKDIFHER=4,5).....	10167	18.30
RDIFLSD	1	LSD FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFLSD=94,97,98).....	3327	5.99
		0 = Otherwise (RKDIFLSD=1,2,3).....	39091	70.36
		1 = Fairly or very easy (RKDIFLSD=4,5).....	13143	23.66
RDIFCRK	1	CRACK FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCRK=94,97,98).....	3081	5.55
		0 = Otherwise (RKDIFCRK=1,2,3).....	36807	66.25
		1 = Fairly or very easy (RKDIFCRK=4,5).....	15673	28.21
APPSELDG	1	APPROACHED BY SOMEONE SELLING DRUGS		
		. = Unknown (RSKSELL=85,94,97,98).....	166	0.30
		0 = No (RSKSELL=2).....	48459	87.22
		1 = Yes (RSKSELL=1).....	6936	12.48

SPECIALTY CIGARETTES			PAGE:	236
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(SPCIG01)		SPECIALTY CIGARETTES		

		The next questions are about bidis, or "beedies," which are small brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread.		
		Have you ever smoked part or all of a bidi?		
BIDIEVER	2	1EVER SMOKED A BIDI		
		1 = Yes.....	4112	7.40
		2 = No.....	51308	92.35
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	24	0.04
(SPCIG02)		NOTE: BIDIREC was created from the two questions shown below.		
		Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a bidi?		
		How long has it been since you last smoked part or all of a bidi?		
BIDIREC	2	1TIME SINCE LAST SMOKED BIDI		
		1 = Within the past 30 days.....	437	0.79
		2 = More than 30 days ago but within the past 12 mos..	525	0.94
		3 = More than 12 months ago but within the past 3 yrs.	1331	2.40
		4 = More than 3 years ago.....	1662	2.99
		9 = Used at some point in the lifetime LOG ASSN.....	6	0.01
		11 = Used in the past 30 days (BIDI30US=0).....	100	0.18
		19 = Used more than 30 days ago LOG ASSN.....	51	0.09
		91 = NEVER USED BIDIS.....	51308	92.35
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	99	0.18

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIALTY CIGARETTES			PAGE:	237
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SPCIG04)		During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a bidi?		
BIDI30US	2	1HOW MANY DAYS SMOKED BIDI PAST 30 DAYS		
		RANGE = 1 - 30	432	0.78
		0 = 0 days (BIDIREC=11).....	100	0.18
		91 = NEVER USED BIDIS.....	51308	92.35
		93 = DID NOT USE BIDIS IN THE PAST 30 DAYS.....	3569	6.42
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	105	0.19
(SPCIG05)		The next questions are about clove cigarettes, which are cigarettes containing tobacco and clove flavoring. Some common brands of clove cigarettes are Djarum, Gudang Garam, and Sampoerna.		
		Have you ever smoked part or all of a clove cigarette?		
CLOVEVER	2	1EVER SMOKED A CLOVE CIGARETTE		
		1 = Yes.....	6507	11.71
		2 = No.....	48919	88.05
		94 = DON'T KNOW.....	64	0.12
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	26	0.05

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SPECIALTY CIGARETTES

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

(SPCIG06) NOTE: CLOVREC was created from the two questions shown below.

Now think about the past 30 days, from [DATE FILL] up to and including today. During the past 30 days, have you smoked part or all of a clove cigarette?

How long has it been since you last smoked part or all of a clove cigarette?

LABEL	LEN	DESCRIPTION	FREQ	%
CLOVREC	2	1TIME SINCE LAST SMOKED CLOVE CIGARETTE		
		1 = Within the past 30 days.....	795	1.43
		2 = More than 30 days ago but within the past 12 mos..	980	1.76
		3 = More than 12 months ago but within the past 3 yrs.	1849	3.33
		4 = More than 3 years ago.....	2816	5.07
		9 = Used at some point in the lifetime LOG ASSN.....	2	0.00
		11 = Used in the past 30 days (CLOV30US=0).....	49	0.09
		19 = Used more than 30 days ago LOG ASSN.....	16	0.03
		91 = NEVER USED CLOVE CIGARETTES.....	48919	88.05
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	90	0.16

(SPCIG08) During the past 30 days, that is, since [DATE FILL], on how many days did you smoke part or all of a clove cigarette?

LABEL	LEN	DESCRIPTION	FREQ	%
CLOV30US	2	1HOW MANY DAYS SMOKE CLOVE CIGARETTE PAST 30 DAYS		
		RANGE = 1 - 30	790	1.42
		0 = 0 days (CLOVREC=11).....	49	0.09
		91 = NEVER USED CLOVE CIGARETTES.....	48919	88.05
		93 = DID NOT USE CLOVE CIGARETTES IN THE PAST 30 DAYS..	5661	10.19
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	92	0.17

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIALTY CIGARETTES			PAGE:	239
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED SPECIALTY CIGARETTES				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
BIDIMONR	1	BIDIS - PAST MONTH USE		
		0 = No use Pst Mon/Unk (BIDIREC=2,3,4,9,19,91,97,98)..	55024	99.03
		1 = Used in Past Month (BIDIREC=1,11).....	537	0.97
BIDIYRR	1	BIDIS - PAST YEAR USE		
		0 = No use Pst Yr/Unknown (BIDIREC=3,4,9,19,91,97,98).	54499	98.09
		1 = Used in Past Year (BIDIREC=1,2,11).....	1062	1.91
BIDIFLGR	1	BIDIS - LIFETIME USE		
		0 = Never/Unknown (BIDIREC=91,97,98).....	51449	92.60
		1 = Ever used (BIDIREC=1,2,3,4,9,11,19).....	4112	7.40
CLOVMONR	1	CLOVES - PAST MONTH USE		
		0 = No use Pst Mon/Unk (CLOVREC=2,3,4,9,19,91,97,98)..	54717	98.48
		1 = Used in Past Month (CLOVREC=1,11).....	844	1.52
CLOVYRR	1	CLOVES - PAST YEAR USE		
		0 = No use Pst Yr/Unknown (CLOVREC=3,4,9,19,91,97,98).	53737	96.72
		1 = Used in Past Year (CLOVREC=1,2,11).....	1824	3.28
CLOVFLGR	1	CLOVES - LIFETIME USE		
		0 = Never/Unknown (CLOVREC=91,97,98).....	49054	88.29
		1 = Ever used (CLOVREC=1,2,3,4,9,11,19).....	6507	11.71
SPCGMONR	1	SPECIALTY CIGARETTES - PAST MONTH USE		
		0 = No use Pst Mon/Unknown (BIDIMONR=0 and CLOVMONR=0)	54355	97.83
		1 = Used in Past Month (BIDIMONR=1 or CLOVMONR=1).....	1206	2.17
SPCGYRR	1	SPECIALTY CIGARETTES - PAST YEAR USE		
		0 = No use Pst Yr/Unknown (BIDIYRR=0 and CLOVYRR=0)...	53076	95.53
		1 = Used in Past Year (BIDIYRR=1 or CLOVYRR=1).....	2485	4.47
SPCGFLGR	1	SPECIALTY CIGARETTES - LIFETIME USE		
		0 = Never/Unknown (BIDIFLGR=0 and CLOVFLGR=0).....	47034	84.65
		1 = Ever used (BIDIFLGR=1 or CLOVFLGR=1).....	8527	15.35

NOTE: Respondents who said "Don't know" or refused to answer

- DRALC08 (During the past 12 months, did you want to or try to cut down or stop drinking alcohol?)
- DRCC08 (During the past 12 months, did you want to or try to cut down or stop using COKEFILL?)
- DRHE08 (During the past 12 months, did you want to or try to cut down or stop using heroin?)
- DRPR08 (During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?)
- DRST08 (During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?)
- DRSV08 (During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?)

were supposed to be subsequently routed to the corresponding variable shown below.

- DRALC10 (During the past 12 months, did you cut down or stop drinking at least one time?).
- DRCC10 (During the past 12 months, did you cut down or stop using COKEFILL at least one time?).
- DRHE10 (During the past 12 months, did you cut down or stop using heroin at least one time?).
- DRPR10 (During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?).
- DRST10 (During the past 12 months, did you cut down or stop using prescription stimulants at least one time?).
- DRSV10 (During the past 12 months, did you cut down or stop using prescription sedatives at least one time?).

Due to an error in the CAI program, these respondents were skipping the later questions. This error was corrected on 3/21/01.

Variables affected by this patch are denoted by an '*' to the left of the variable name.

NOTE: Respondents who did not report cigarette use in the past 30 days were asked questions about cigarettes in the SUBSTANCE DEPENDENCE AND ABUSE module if they reported in the SPECIALTY CIGARETTES module that they used bidis or clove cigarettes in the past 30 days.

LABEL	LEN	DESCRIPTION	FREQ	%
		Think about your use of cigarettes during the past 30 days as you answer these next questions.		
		Please think about how true each statement is of you.		
		After not smoking for a while, you need to smoke in order to feel less restless and irritable.		
CIGIRTBL	2	1NEED TO SMOKE TO FEEL LESS IRRITABLE		
		1 = Not at all true.....	4729	8.51
		2 = Somewhat true.....	3963	7.13
		3 = Moderately true.....	2507	4.51
		4 = Very true.....	2442	4.40
		5 = Extremely true.....	1302	2.34
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	167	0.30
(DRCGE02)		When you don't smoke for a few hours, you start to crave cigarettes.		
CIGCRAVE	2	1START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS		
		1 = Not at all true.....	4942	8.89
		2 = Somewhat true.....	3254	5.86
		3 = Moderately true.....	2072	3.73
		4 = Very true.....	2843	5.12
		5 = Extremely true.....	1860	3.35
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	167	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCGE03)		You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.		
CIGCRAGP	2	1CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL		
		1 = Not at all true.....	7122	12.82
		2 = Somewhat true.....	2877	5.18
		3 = Moderately true.....	1988	3.58
		4 = Very true.....	1794	3.23
		5 = Extremely true.....	1178	2.12
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	167	0.30
(DRCGE04)		You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.		
CIGINCTL	2	1FEEL A SENSE OF CONTROL OVER YOUR SMOKING		
		1 = Not at all true.....	4185	7.53
		2 = Somewhat true.....	4037	7.27
		3 = Moderately true.....	2054	3.70
		4 = Very true.....	1927	3.47
		5 = Extremely true.....	2764	4.97
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	167	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	243
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCGE05)		You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.		
CIGAVOID	2	1TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING		
		1 = Not at all true.....	9881	17.78
		2 = Somewhat true.....	2206	3.97
		3 = Moderately true.....	1334	2.40
		4 = Very true.....	862	1.55
		5 = Extremely true.....	671	1.21
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	167	0.30
(DRCGE06A)		Do you have any friends who do not smoke cigarettes?		
CIGFNSMK	2	1HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES		
		1 = Yes.....	13964	25.13
		2 = No.....	1037	1.87
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	167	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	244
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCGE06B)		There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.		
CIGFNLKE 2		1CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE		
		1 = Not at all true.....	11051	19.89
		2 = Somewhat true.....	1504	2.71
		3 = Moderately true.....	658	1.18
		4 = Very true.....	417	0.75
		5 = Extremely true.....	306	0.55
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	177	0.32
		99 = LEGITIMATE SKIP.....	1037	1.87
(DRCGE07)		Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.		
CIGPLANE 2		1RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING		
		1 = Not at all true.....	12684	22.83
		2 = Somewhat true.....	975	1.75
		3 = Moderately true.....	492	0.89
		4 = Very true.....	406	0.73
		5 = Extremely true.....	388	0.70
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	167	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCGE08)		You sometimes worry that you will run out of cigarettes.		
CIGRNOUT	2	1SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS		
		1 = Not at all true.....	7730	13.91
		2 = Somewhat true.....	3135	5.64
		3 = Moderately true.....	1558	2.80
		4 = Very true.....	1510	2.72
		5 = Extremely true.....	1046	1.88
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	167	0.30
(DRCGE09)		You smoke cigarettes fairly regularly throughout the day.		
CIGREGDY	2	1SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY		
		1 = Not at all true.....	5107	9.19
		2 = Somewhat true.....	2634	4.74
		3 = Moderately true.....	1931	3.48
		4 = Very true.....	3100	5.58
		5 = Extremely true.....	2208	3.97
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	167	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCGE10)		You smoke about the same amount on weekends as on weekdays.		
CIGREGWK	2	1SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS		
		1 = Not at all true.....	5656	10.18
		2 = Somewhat true.....	2770	4.99
		3 = Moderately true.....	2018	3.63
		4 = Very true.....	2715	4.89
		5 = Extremely true.....	1789	3.22
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	167	0.30
(DRCGE11)		You smoke just about the same number of cigarettes from day to day.		
CIGREGNM	2	1SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY		
		1 = Not at all true.....	4564	8.21
		2 = Somewhat true.....	2653	4.77
		3 = Moderately true.....	2247	4.04
		4 = Very true.....	3357	6.04
		5 = Extremely true.....	2135	3.84
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	167	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	247
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCGE12)		It's hard to say how many cigarettes you smoke per day because the number often changes.		
CIGNMCHG	2	1NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES		
		1 = Not at all true.....	5750	10.35
		2 = Somewhat true.....	3616	6.51
		3 = Moderately true.....	1940	3.49
		4 = Very true.....	2105	3.79
		5 = Extremely true.....	1526	2.75
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	167	0.30
(DRCGE13)		It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.		
CIGSVLHR	2	1HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER		
		1 = Not at all true.....	7648	13.77
		2 = Somewhat true.....	2816	5.07
		3 = Moderately true.....	1908	3.43
		4 = Very true.....	1650	2.97
		5 = Extremely true.....	910	1.64
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	167	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	248
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCGE14)		The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.		
CIGINFLU	2	1# OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS		
		1 = Not at all true.....	3155	5.68
		2 = Somewhat true.....	2635	4.74
		3 = Moderately true.....	2602	4.68
		4 = Very true.....	3646	6.56
		5 = Extremely true.....	2906	5.23
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	168	0.30
(DRCGE15)		Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.		
CIGNOINF	2	1SMOKING NOT AFFECTED BY OTHER THINGS		
		1 = Not at all true.....	5905	10.63
		2 = Somewhat true.....	3601	6.48
		3 = Moderately true.....	2501	4.50
		4 = Very true.....	1838	3.31
		5 = Extremely true.....	1072	1.93
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	168	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	249
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCGE16)		Since you started smoking, the amount you smoke has increased.		
CIGINCRS	2	1AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING		
		1 = Not at all true.....	5405	9.73
		2 = Somewhat true.....	2813	5.06
		3 = Moderately true.....	1979	3.56
		4 = Very true.....	2598	4.68
		5 = Extremely true.....	2149	3.87
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	168	0.30
(DRCGE17)		Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.		
CIGSATIS	2	1NEED TO SMOKE A LOT MORE TO BE SATISFIED		
		1 = Not at all true.....	7750	13.95
		2 = Somewhat true.....	2729	4.91
		3 = Moderately true.....	1795	3.23
		4 = Very true.....	1529	2.75
		5 = Extremely true.....	1141	2.05
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	168	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	250
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCGE18)		Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.		
CIGLOTMR	2	1SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING		
		1 = Not at all true.....	7987	14.38
		2 = Somewhat true.....	2848	5.13
		3 = Moderately true.....	1844	3.32
		4 = Very true.....	1300	2.34
		5 = Extremely true.....	911	1.64
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	84	0.15
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	168	0.30
(DRCGE19A)		How soon after you wake up do you have your first cigarette?		
		On the days that you smoke, how soon after you wake up do you have your first cigarette?		
CIGWAKE	2	1HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG		
		1 = Within the first 5 minutes after you wake up.....	2635	4.74
		2 = Between 6 and 30 minutes after you wake up.....	3733	6.72
		3 = Between 31 and 60 minutes after you wake up.....	2332	4.20
		4 = More than 60 minutes after you wake up.....	5675	10.21
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	147	0.26
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	22094	39.77
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	18270	32.88
		94 = DON'T KNOW.....	258	0.46
		97 = REFUSED.....	225	0.40
		98 = BLANK (NO ANSWER).....	190	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCIG18)		NOTE: The variables CIG30PKC, CIG30PPK, and CIG30PCR applied to respondents who had used cigarettes in the past 30 days. These variables are analogous to the variables CIGPKCRT, CIGPDPK, and CIGPDCRT that existed in 2000. In 2000, these variables applied to respondents who had used cigarettes in the past 12 months.		
		Do you buy your cigarettes by the pack or by the carton?		
CIG30PKC	2	1BUY CIGARETTES BY PACK OR CARTON		
		1 = Pack.....	9665	17.40
		2 = Carton.....	2502	4.50
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	10760	19.37
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	14682	26.43
		94 = DON'T KNOW.....	246	0.44
		97 = REFUSED.....	187	0.34
		98 = BLANK (NO ANSWER).....	88	0.16
		99 = LEGITIMATE SKIP.....	17428	31.37

(DRCIG19) What was the price you paid for the last pack of cigarettes you bought?

CIG30PPK	2	1PRICE PAID FOR LAST PACK OF CIGS		
		1 = Less than \$1.00.....	186	0.33
		2 = \$1.00 - \$1.50.....	113	0.20
		3 = \$1.51 - \$2.00.....	248	0.45
		4 = \$2.01 - \$2.50.....	669	1.20
		5 = \$2.51 - \$3.00.....	1936	3.48
		6 = \$3.01 - \$3.50.....	2536	4.56
		7 = \$3.51 - \$4.00.....	2269	4.08
		8 = \$4.01 - \$4.50.....	930	1.67
		9 = \$4.51 - \$5.00.....	599	1.08
		10 = More than \$5.00.....	119	0.21
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	10760	19.37
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	14682	26.43
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	193	0.35
		98 = BLANK (NO ANSWER).....	335	0.60
		99 = LEGITIMATE SKIP.....	19930	35.87

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCIG20)		What was the price you paid for the last carton of cigarettes you bought?		
CIG30PCR	2	1PRICE PAID FOR LAST CARTON OF CIGS		
		1 = Less than \$10.00.....	59	0.11
		2 = \$10.00 - \$13.00.....	109	0.20
		3 = \$13.01 - \$16.00.....	123	0.22
		4 = \$16.01 - \$19.00.....	189	0.34
		5 = \$19.01 - \$22.00.....	368	0.66
		6 = \$22.01 - \$25.00.....	540	0.97
		7 = \$25.01 - \$28.00.....	426	0.77
		8 = \$28.01 - \$31.00.....	270	0.49
		9 = \$31.01 - \$34.00.....	182	0.33
		10 = \$34.01 - \$37.00.....	115	0.21
		11 = \$37.01 - \$40.00.....	51	0.09
		12 = \$40.01 - \$43.00.....	27	0.05
		13 = \$43.01 - \$46.00.....	14	0.03
		14 = \$46.01 - \$49.00.....	6	0.01
		15 = More than \$49.00.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	10760	19.37
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	14682	26.43
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	190	0.34
		98 = BLANK (NO ANSWER).....	335	0.60
		99 = LEGITIMATE SKIP.....	27094	48.76

(DRALC01) Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?

ALCLOTMM	2	1SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS		
		1 = Yes.....	4953	8.91
		2 = No.....	21896	39.41
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	404	0.73

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC02)		During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?		
ALCGTOVR	2	1MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS		
		1 = Yes.....	515	0.93
		2 = No.....	21393	38.50
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	404	0.73
		99 = LEGITIMATE SKIP.....	4953	8.91
(DRALC04)		During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?		
ALCLIMIT	2	1SET LIMITS ON ALCOHOL USE PAST 12 MONTHS		
		1 = Yes.....	8540	15.37
		2 = No.....	18274	32.89
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	404	0.73
(DRALC05)		Were you able to keep to the limits you set, or did you often drink more than you intended to?		
ALCKPLMT	2	1ABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS		
		1 = Usually kept to the limits set.....	7424	13.36
		2 = Often drank more than intended.....	1111	2.00
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	462	0.83
		99 = LEGITIMATE SKIP.....	18274	32.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC06)		During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?		
ALCNDMOR	2	1NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	3103	5.58
		2 = No.....	23718	42.69
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	404	0.73
(DRALC07)		During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?		
ALCLSEFX	2	1DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	2468	4.44
		2 = No.....	21178	38.12
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	108	0.19
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	404	0.73
		99 = LEGITIMATE SKIP.....	3103	5.58
(DRALC08)		During the past 12 months, did you want to or try to cut down or stop drinking alcohol?		
ALCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP DRNKG PAST 12 MOS		
		1 = Yes.....	7193	12.95
		2 = No.....	19565	35.21
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	86	0.15
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	404	0.73

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC09)		During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?		
ALCCUTEV	2	1ABLE TO CUT/STOP DRNKG EVERY TIME PAST 12 MOS		
		1 = Yes.....	6086	10.95
		2 = No.....	1095	1.97
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	91	0.16
		98 = BLANK (NO ANSWER).....	493	0.89
		99 = LEGITIMATE SKIP.....	19565	35.21
(DRALC10)		During the past 12 months, did you cut down or stop drinking at least one time?		
*ALCCUT1X	2	1CUT DOWN OR STOP DRNKG AT LEAST ONCE PAST 12 MOS		
		1 = Yes.....	6266	11.28
		2 = No.....	14356	25.84
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		90 = NOT ASKED THE QUESTION Logically assigned.....	36	0.06
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	101	0.18
		97 = REFUSED.....	85	0.15
		98 = BLANK (NO ANSWER).....	404	0.73
		99 = LEGITIMATE SKIP.....	6086	10.95

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
ALCWD2SX 2		1HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	1632	2.94
		2 = No.....	10699	19.26
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	544	0.98
		99 = LEGITIMATE SKIP.....	14356	25.84

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
ALCWDSMT 2		1HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS		
		1 = Yes.....	857	1.54
		2 = No.....	771	1.39
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	555	1.00
		99 = LEGITIMATE SKIP.....	25055	45.09
(DRALC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?		
ALCEMOPB 2		1ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	1770	3.19
		2 = No.....	25042	45.07
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	404	0.73

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC14)		Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?		
ALCEMCTD	2	1CONTD TO DRINK ALC DESPITE EMOT PRBS		
		1 = Yes.....	1030	1.85
		2 = No.....	738	1.33
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	453	0.82
		99 = LEGITIMATE SKIP.....	25042	45.07
(DRALC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?		
ALCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS		
		1 = Yes.....	679	1.22
		2 = No.....	25119	45.21
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	404	0.73
		99 = LEGITIMATE SKIP.....	1030	1.85
(DRALC16)		Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?		
ALCPHCTD	2	1CONTD TO DRINK ALC DESPITE PHYS PRBS		
		1 = Yes.....	272	0.49
		2 = No.....	406	0.73
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	444	0.80
		99 = LEGITIMATE SKIP.....	26149	47.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?		
ALCLSACT 2		1LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS		
		1 = Yes.....	1471	2.65
		2 = No.....	25357	45.64
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	405	0.73
(DRALC18)		Sometimes people who drink alcohol have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?		
ALCSERP 2		1ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	1229	2.21
		2 = No.....	25602	46.08
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	405	0.73

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC19)		During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?		
ALCPDANG	2	1DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	3141	5.65
		2 = No.....	23693	42.64
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	405	0.73
(DRALC20)		During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?		
ALCLAWTR	2	1DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	627	1.13
		2 = No.....	26210	47.17
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	405	0.73
(DRALC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?		
ALCFMFPB	2	1DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	1606	2.89
		2 = No.....	25234	45.42
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	130	0.23
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	405	0.73

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC22)		Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?		
ALCFMCTD	2	1CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	1003	1.81
		2 = No.....	601	1.08
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn..	130	0.23
		91 = NEVER USED ALCOHOL.....	14906	26.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	13188	23.74
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	427	0.77
		99 = LEGITIMATE SKIP.....	25234	45.42
(DRMJ01)		Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?		
MRJLOTTM	2	1SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS		
		1 = Yes.....	2786	5.01
		2 = No.....	3409	6.14
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	88	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
(DRMJ02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?		
MRJGTOVR	2	1MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS		
		1 = Yes.....	97	0.17
		2 = No.....	3313	5.96
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
		99 = LEGITIMATE SKIP.....	2786	5.01

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	262
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRMJ04)		During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?		
MRJLIMIT	2	1SET LIMITS ON MARIJUANA USE PAST 12 MONTHS		
		1 = Yes.....	2144	3.86
		2 = No.....	4046	7.28
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
(DRMJ05)		Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?		
MRJKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS		
		1 = Usually kept to the limits set.....	1680	3.02
		2 = Often used more than intended.....	458	0.82
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	242	0.44
		99 = LEGITIMATE SKIP.....	4046	7.28
(DRMJ06)		During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?		
MRJNDMOR	2	1NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	1519	2.73
		2 = No.....	4670	8.41
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	90	0.16
		98 = BLANK (NO ANSWER).....	232	0.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ07)		During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?		
MRJLSEFX	2	1USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	493	0.89
		2 = No.....	4166	7.50
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	91	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
		99 = LEGITIMATE SKIP.....	1519	2.73
(DRMJ08)		During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?		
MRJCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS		
		1 = Yes.....	2513	4.52
		2 = No.....	3668	6.60
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	232	0.42
(DRMJ09)		During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?		
MRJCUTEV	2	1ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS		
		1 = Yes.....	2126	3.83
		2 = No.....	383	0.69
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	247	0.44
		99 = LEGITIMATE SKIP.....	3668	6.60

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?		
MRJEMOPB	2	1MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	772	1.39
		2 = No.....	5420	9.76
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
(DRMJ14)		Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
MRJEMCTD	2	1CONTD USING MARIJUANA DESPITE EMOT PRBS		
		1 = Yes.....	521	0.94
		2 = No.....	250	0.45
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	242	0.44
		99 = LEGITIMATE SKIP.....	5420	9.76
(DRMJ15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?		
MRJPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS		
		1 = Yes.....	235	0.42
		2 = No.....	5434	9.78
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	232	0.42
		99 = LEGITIMATE SKIP.....	521	0.94

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ16)		Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?		
MRJPHCTD	2	1CONTD TO USE MARIJUANA DESPITE PHYS PRBS		
		1 = Yes.....	114	0.21
		2 = No.....	121	0.22
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	245	0.44
		99 = LEGITIMATE SKIP.....	5955	10.72
(DRMJ17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?		
MRJLSACT	2	1LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS		
		1 = Yes.....	819	1.47
		2 = No.....	5373	9.67
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	232	0.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRMJ18)		Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?		
MRJSERP	2	1MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	648	1.17
		2 = No.....	5541	9.97
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	88	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
(DRMJ19)		During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?		
MRJPDANG	2	1USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	633	1.14
		2 = No.....	5555	10.00
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	232	0.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	267
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRMJ20)		During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?		
MRJLAWTR	2	1USING MJ CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	256	0.46
		2 = No.....	5935	10.68
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
(DRMJ21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?		
MRJFMFPB	2	1USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	636	1.14
		2 = No.....	5551	9.99
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	90	0.16
		98 = BLANK (NO ANSWER).....	232	0.42
(DRMJ22)		Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?		
MRJFMCTD	2	1CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	473	0.85
		2 = No.....	163	0.29
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	52	0.09
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14221	25.60
		97 = REFUSED.....	90	0.16
		98 = BLANK (NO ANSWER).....	244	0.44
		99 = LEGITIMATE SKIP.....	5551	9.99

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC01)		Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?		
COCLOTTM	2	1SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS		
		1 = Yes.....	233	0.42
		2 = No.....	1240	2.23
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	81	0.15
(DRCC02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?		
COCGTOVR	2	1MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS		
		1 = Yes.....	67	0.12
		2 = No.....	1172	2.11
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	233	0.42
(DRCC04)		During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?		
COCLIMIT	2	1SET LIMITS ON COCAINE USE PAST 12 MONTHS		
		1 = Yes.....	485	0.87
		2 = No.....	981	1.77
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	82	0.15

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC05)		Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?		
COCKPLMT	2	TABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS		
		1 = Usually kept to the limits set.....	362	0.65
		2 = Often used more than intended.....	123	0.22
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	84	0.15
		99 = LEGITIMATE SKIP.....	981	1.77
(DRCC06)		During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?		
COCNDMOR	2	1NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	232	0.42
		2 = No.....	1238	2.23
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
(DRCC07)		During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?		
COCLSEFX	2	1USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	73	0.13
		2 = No.....	1159	2.09
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
		99 = LEGITIMATE SKIP.....	232	0.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	270
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRCC08)		During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?		
COCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS		
		1 = Yes.....	647	1.16
		2 = No.....	819	1.47
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
(DRCC09)		During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?		
COCCUTEV	2	1ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS		
		1 = Yes.....	549	0.99
		2 = No.....	98	0.18
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	88	0.16
		99 = LEGITIMATE SKIP.....	819	1.47
(DRCC10)		During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?		
*COCCUT1X	2	1CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS		
		1 = Yes.....	318	0.57
		2 = No.....	595	1.07
		90 = NOT ASKED THE QUESTION Logically assigned.....	2	0.00
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
		99 = LEGITIMATE SKIP.....	549	0.99

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	271
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(DRCC10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?			
COCFLBLU	2	1WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS			
		1 = Yes.....	207	0.37	
		2 = No.....	659	1.19	
		91 = NEVER USED COCAINE.....	49843	89.71	
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	92	0.17	
		99 = LEGITIMATE SKIP.....	595	1.07	
(DRCC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?			
		- Feeling tired or exhausted			
		- Having bad dreams			
		- Having trouble sleeping or sleeping more than you normally do			
		- Feeling hungry more often			
		- Feeling either very slowed down or like you couldn't sit still			
COCWD2SX	2	1HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS			
		1 = Yes.....	159	0.29	
		2 = No.....	48	0.09	
		91 = NEVER USED COCAINE.....	49843	89.71	
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	93	0.17	
		99 = LEGITIMATE SKIP.....	1254	2.26	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]? - Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still		
COCWDSMT	2	1HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS		
		1 = Yes.....	138	0.25
		2 = No.....	21	0.04
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	93	0.17
		99 = LEGITIMATE SKIP.....	1302	2.34
(DRCC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?		
COCEMOPB	2	1COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	220	0.40
		2 = No.....	1245	2.24
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	82	0.15

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC14)		Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
COCEMCTD	2	1CONTD TO USE COC DESPITE EMOT PRBS		
		1 = Yes.....	124	0.22
		2 = No.....	96	0.17
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	1245	2.24
(DRCC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?		
COCPLHPB	2	1ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS		
		1 = Yes.....	59	0.11
		2 = No.....	1282	2.31
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
		99 = LEGITIMATE SKIP.....	124	0.22
(DRCC16)		Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?		
COCPHCTD	2	1CONTD TO USE COC DESPITE PHYS PRBS		
		1 = Yes.....	20	0.04
		2 = No.....	39	0.07
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	1406	2.53

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?		
COCLSACT	2	1LESS ACTIVITIES B/C OF COC USE PAST 12 MOS		
		1 = Yes.....	169	0.30
		2 = No.....	1298	2.34
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
(DRCC18)		Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?		
COCSERP	2	1COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	155	0.28
		2 = No.....	1311	2.36
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	82	0.15

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRCC19)		During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?		
COCPDANG	2	1USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	151	0.27
		2 = No.....	1318	2.37
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
(DRCC20)		During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?		
COCLAWTR	2	1USING COC CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	55	0.10
		2 = No.....	1413	2.54
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	82	0.15
(DRCC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?		
COCFMFPB	2	1USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	157	0.28
		2 = No.....	1312	2.36
		91 = NEVER USED COCAINE.....	49843	89.71
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	82	0.15

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	276
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(DRCC22)		Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?			
COCFMCTD	2	1CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	106	0.19	
		2 = No.....	51	0.09	
		91 = NEVER USED COCAINE.....	49843	89.71	
		93 = DID NOT USE COCAINE PST 12 MOS.....	4132	7.44	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	85	0.15	
		99 = LEGITIMATE SKIP.....	1312	2.36	
(DRHE01)		Think about your use of heroin during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?			
HERLOTTM	2	1SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS			
		1 = Yes.....	45	0.08	
		2 = No.....	105	0.19	
		91 = NEVER USED HEROIN.....	54911	98.83	
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	21	0.04	
(DRHE02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?			
HERGTOVR	2	1MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO			
		1 = Yes.....	12	0.02	
		2 = No.....	93	0.17	
		91 = NEVER USED HEROIN.....	54911	98.83	
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	21	0.04	
		99 = LEGITIMATE SKIP.....	45	0.08	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE04)		During the past 12 months, did you try to set limits on how often or how much heroin you would use?		
HERLIMIT	2	1SET LIMITS ON HEROIN USE PAST 12 MONTHS		
		1 = Yes.....	67	0.12
		2 = No.....	82	0.15
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
(DRHE05)		Were you able to keep to the limits you set, or did you often use heroin more than you intended to?		
HERKPLMT	2	1ABLE TO KEEP LIMT OR USE MORE HEROIN PST 12 MOS		
		1 = Usually kept to the limits set.....	40	0.07
		2 = Often used more than intended.....	27	0.05
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	82	0.15
(DRHE06)		During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?		
HERNDMOR	2	1NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS		
		1 = Yes.....	46	0.08
		2 = No.....	103	0.19
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	21	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE07)		During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?		
HERLSEFX	2	1USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS		
		1 = Yes.....	9	0.02
		2 = No.....	94	0.17
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	46	0.08
(DRHE08)		During the past 12 months, did you want to or try to cut down or stop using heroin?		
HERCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS		
		1 = Yes.....	82	0.15
		2 = No.....	68	0.12
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
(DRHE09)		During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?		
HERCUTEV	2	1ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS		
		1 = Yes.....	55	0.10
		2 = No.....	27	0.05
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	68	0.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE10)		During the past 12 months, did you cut down or stop using heroin at least one time?		
*HERCUT1X	2	1CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS		
		1 = Yes.....	42	0.08
		2 = No.....	52	0.09
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	55	0.10
(DRHE11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
HERWD3SX	2	1HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	63	0.11
		2 = No.....	34	0.06
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	52	0.09

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
HERWDSMT	2	1HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS		
		1 = Yes.....	54	0.10
		2 = No.....	9	0.02
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	86	0.15
(DRHE13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?		
HEREMOPB	2	1HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	54	0.10
		2 = No.....	94	0.17
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE14)		Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		
HEREMCTD	2	1CONTD TO USE HEROIN DESPITE EMOT PRBS		
		1 = Yes.....	34	0.06
		2 = No.....	20	0.04
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	94	0.17
(DRHE15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?		
HERPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS		
		1 = Yes.....	11	0.02
		2 = No.....	104	0.19
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	34	0.06
(DRHE16)		Did you continue to use heroin even though you thought it was causing you to have physical problems?		
HERPHCTD	2	1CONTD TO USE HEROIN DESPITE PHYS PRBS		
		1 = Yes.....	5	0.01
		2 = No.....	6	0.01
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	138	0.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?		
HERLSACT	2	1LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS		
		1 = Yes.....	43	0.08
		2 = No.....	106	0.19
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
(DRHE18)		Sometimes people who use heroin have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?		
HERSERPB	2	1HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	34	0.06
		2 = No.....	114	0.21
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	21	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	283
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRHE19)		During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?		
HERPDANG	2	1 USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes.....	31	0.06
		2 = No.....	118	0.21
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
(DRHE20)		During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?		
HERLAWTR	2	1 USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	16	0.03
		2 = No.....	134	0.24
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
(DRHE21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?		
HERFMFPB	2	1 USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		1 = Yes.....	41	0.07
		2 = No.....	108	0.19
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE22)		Did you continue to use heroin even though you thought it caused problems with family or friends?		
HERFMCTD	2	1CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS		
		1 = Yes.....	31	0.06
		2 = No.....	10	0.02
		91 = NEVER USED HEROIN.....	54911	98.83
		93 = DID NOT USE HEROIN PST 12 MOS.....	462	0.83
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	108	0.19
(DRLS01)		Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?		
HALLOTTM	2	1SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS		
		1 = Yes.....	240	0.43
		2 = No.....	2078	3.74
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	363	0.65
(DRLS02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?		
HALGTOVR	2	1MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO		
		1 = Yes.....	80	0.14
		2 = No.....	1997	3.59
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	363	0.65
		99 = LEGITIMATE SKIP.....	240	0.43

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS04)		During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?		
HALLIMIT	2	1SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS		
		1 = Yes.....	565	1.02
		2 = No.....	1745	3.14
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	363	0.65
(DRLS05)		Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?		
HALKPLMT	2	1ABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS		
		1 = Usually kept to the limits set.....	507	0.91
		2 = Often used more than intended.....	58	0.10
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	372	0.67
		99 = LEGITIMATE SKIP.....	1745	3.14
(DRLS06)		During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?		
HALNDMOR	2	1NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
		1 = Yes.....	201	0.36
		2 = No.....	2108	3.79
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	363	0.65

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS07)		During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?		
HALLSEFX	2	1USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	104	0.19
		2 = No.....	1997	3.59
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	363	0.65
		99 = LEGITIMATE SKIP.....	201	0.36
(DRLS08)		During the past 12 months, did you want to or try to cut down or stop using hallucinogens?		
HALCUTDN	2	1WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS		
		1 = Yes.....	724	1.30
		2 = No.....	1579	2.84
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	363	0.65
(DRLS09)		During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?		
HALCUTEV	2	1ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO		
		1 = Yes.....	690	1.24
		2 = No.....	34	0.06
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP.....	1579	2.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?		
HALEMOPB	2	1HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	270	0.49
		2 = No.....	2036	3.66
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	363	0.65
(DRLS14)		Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
HALEMCTD	2	1CONTD TO USE HALLUC DESPITE EMOT PRBS		
		1 = Yes.....	117	0.21
		2 = No.....	153	0.28
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	374	0.67
		99 = LEGITIMATE SKIP.....	2036	3.66
(DRLS15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?		
HALPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS		
		1 = Yes.....	70	0.13
		2 = No.....	2121	3.82
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	363	0.65
		99 = LEGITIMATE SKIP.....	117	0.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS16)		Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?		
HALPHCTD	2	1CONTD TO USE HALLUC DESPITE PHYS PRBS		
		1 = Yes.....	24	0.04
		2 = No.....	45	0.08
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	373	0.67
		99 = LEGITIMATE SKIP.....	2238	4.03
(DRLS17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?		
HALLSACT	2	1LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS		
		1 = Yes.....	129	0.23
		2 = No.....	2179	3.92
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	363	0.65

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS18)		Sometimes people who use hallucinogens have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?		
HALSERPB	2	1HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	143	0.26
		2 = No.....	2165	3.90
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	363	0.65
(DRLS19)		During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?		
HALPDANG	2	1USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes.....	177	0.32
		2 = No.....	2131	3.84
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	363	0.65

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	290
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRLS20)		During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?		
HALLAWTR	2	1USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	38	0.07
		2 = No.....	2270	4.09
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	363	0.65
(DRLS21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?		
HALFMFPB	2	1USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		1 = Yes.....	121	0.22
		2 = No.....	2182	3.93
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	364	0.66
(DRLS22)		Did you continue to use hallucinogens even though you thought this caused problems with family or friends?		
HALFMCTD	2	1CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS		
		1 = Yes.....	70	0.13
		2 = No.....	51	0.09
		91 = NEVER USED HALLUCINOGENS.....	47719	85.89
		93 = DID NOT USE HALLUCINOGENS PST 12 MOS.....	5137	9.25
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	374	0.67
		99 = LEGITIMATE SKIP.....	2182	3.93

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN01)		Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?		
INHLOTTM	2	1SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS		
		1 = Yes.....	57	0.10
		2 = No.....	975	1.75
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	249	0.45
(DRIN02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?		
INHGTOVR	2	1MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS		
		1 = Yes.....	22	0.04
		2 = No.....	953	1.72
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP.....	57	0.10
(DRIN04)		During the past 12 months, did you try to set limits on how often or how much inhalants you would use?		
INHLIMIT	2	1SET LIMITS ON INHALANT USE PAST 12 MONTHS		
		1 = Yes.....	185	0.33
		2 = No.....	840	1.51
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	249	0.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN05)		Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?		
INHKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS		
		1 = Usually kept to the limits set.....	169	0.30
		2 = Often used more than intended.....	16	0.03
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	256	0.46
		99 = LEGITIMATE SKIP.....	840	1.51
(DRIN06)		During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?		
INHNDMOR	2	1NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	62	0.11
		2 = No.....	968	1.74
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	249	0.45
(DRIN07)		During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?		
INHLSEFX	2	1USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	51	0.09
		2 = No.....	902	1.62
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP.....	62	0.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN08)		During the past 12 months, did you want to or try to cut down or stop using inhalants?		
INH CUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS		
		1 = Yes.....	360	0.65
		2 = No.....	657	1.18
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	249	0.45
(DRIN09)		During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?		
INH CUTEV	2	1ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS		
		1 = Yes.....	332	0.60
		2 = No.....	25	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	260	0.47
		99 = LEGITIMATE SKIP.....	657	1.18
(DRIN13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?		
INH EMOPB	2	1INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	67	0.12
		2 = No.....	959	1.73
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	249	0.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	294
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRIN14)		Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
INHEMCTD	2	1CONTD TO USE INHALANTS DESPITE EMOT PRBS		
		1 = Yes.....	30	0.05
		2 = No.....	37	0.07
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	254	0.46
		99 = LEGITIMATE SKIP.....	959	1.73
(DRIN15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?		
INHPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS		
		1 = Yes.....	19	0.03
		2 = No.....	978	1.76
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	249	0.45
		99 = LEGITIMATE SKIP.....	30	0.05
(DRIN16)		Did you continue to use inhalants even though you thought this was causing you to have physical problems?		
INHPHCTD	2	1CONTD TO USE INHALANTS DESPITE PHYS PRBS		
		1 = Yes.....	3	0.01
		2 = No.....	16	0.03
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	254	0.46
		99 = LEGITIMATE SKIP.....	1008	1.81

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?		
INHLSACT	2	1LESS ACTIVITIES B/C OF INH USE PAST 12 MOS		
		1 = Yes.....	38	0.07
		2 = No.....	991	1.78
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	249	0.45
(DRIN18)		Sometimes people who use inhalants have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?		
INHSERPB	2	1INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	48	0.09
		2 = No.....	979	1.76
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	249	0.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRIN19)		During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?		
INHDPDANG	2	1USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	49	0.09
		2 = No.....	980	1.76
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	249	0.45
(DRIN20)		During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?		
INHDLAWTR	2	1USING INH CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	15	0.03
		2 = No.....	1016	1.83
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	249	0.45
(DRIN21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?		
INHFMFPB	2	1USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	33	0.06
		2 = No.....	997	1.79
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	249	0.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	297
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRIN22)		Did you continue to use inhalants even though you thought this caused problems with family or friends?		
INHFMTD	2	1CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	18	0.03
		2 = No.....	15	0.03
		91 = NEVER USED INHALANTS.....	49826	89.68
		93 = DID NOT USE INHALANTS PST 12 MOS.....	4445	8.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	252	0.45
		99 = LEGITIMATE SKIP.....	997	1.79
(DRPR01)		Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?		
ANLLOTM	2	1SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS		
		1 = Yes.....	424	0.76
		2 = No.....	2653	4.77
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	401	0.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?		
ANLGTOVR	2	1MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS		
		1 = Yes.....	52	0.09
		2 = No.....	2602	4.68
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	402	0.72
		99 = LEGITIMATE SKIP.....	424	0.76
(DRPR04)		During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?		
ANLLIMIT	2	1SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS		
		1 = Yes.....	578	1.04
		2 = No.....	2491	4.48
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	401	0.72
(DRPR05)		Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?		
ANLKPLMT	2	1ABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS		
		1 = Usually kept to the limits set.....	496	0.89
		2 = Often used more than intended.....	82	0.15
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	418	0.75
		99 = LEGITIMATE SKIP.....	2491	4.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR06)		During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?		
ANLNDMOR	2	1NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS		
		1 = Yes.....	349	0.63
		2 = No.....	2715	4.89
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	401	0.72
(DRPR07)		During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?		
ANLLSEFX	2	1USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS		
		1 = Yes.....	144	0.26
		2 = No.....	2565	4.62
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	402	0.72
		99 = LEGITIMATE SKIP.....	349	0.63
(DRPR08)		During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?		
ANLCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS		
		1 = Yes.....	789	1.42
		2 = No.....	2259	4.07
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	401	0.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	300
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(DRPR09)		During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?			
ANLCUTEV	2	TABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO			
		1 = Yes.....		702	1.26
		2 = No.....		85	0.15
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....		76	0.14
		85 = BAD DATA Logically assigned.....		1	0.00
		91 = NEVER USED PAIN RELIEVERS.....		48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....		3286	5.91
		94 = DON'T KNOW.....		2	0.00
		97 = REFUSED.....		23	0.04
		98 = BLANK (NO ANSWER).....		434	0.78
		99 = LEGITIMATE SKIP.....		2259	4.07
(DRPR10)		During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?			
*ANLCUT1X	2	1CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS			
		1 = Yes.....		572	1.03
		2 = No.....		1770	3.19
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....		76	0.14
		85 = BAD DATA Logically assigned.....		3	0.01
		90 = NOT ASKED THE QUESTION Logically assigned.....		12	0.02
		91 = NEVER USED PAIN RELIEVERS.....		48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....		3286	5.91
		94 = DON'T KNOW.....		26	0.05
		97 = REFUSED.....		19	0.03
		98 = BLANK (NO ANSWER).....		402	0.72
		99 = LEGITIMATE SKIP.....		702	1.26

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	301
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRPR11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
ANLWD3SX 2		1HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	382	0.69
		2 = No.....	887	1.60
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	442	0.80
		99 = LEGITIMATE SKIP.....	1770	3.19

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
ANLWDSMT 2		1HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS		
		1 = Yes.....	249	0.45
		2 = No.....	132	0.24
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	444	0.80
		99 = LEGITIMATE SKIP.....	2657	4.78
(DRPR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?		
ANLEMOPB 2		1PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS		
		1 = Yes.....	237	0.43
		2 = No.....	2823	5.08
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	401	0.72

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR14)		Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
ANLEMCTD	2	1CONTD TO USE PN RLVR DESPITE EMOT PRBS		
		1 = Yes.....	135	0.24
		2 = No.....	102	0.18
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	422	0.76
		99 = LEGITIMATE SKIP.....	2823	5.08
(DRPR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?		
ANLPHLPB	2	1ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS		
		1 = Yes.....	57	0.10
		2 = No.....	2880	5.18
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	401	0.72
		99 = LEGITIMATE SKIP.....	135	0.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	304
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRPR16)		Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?		
ANLPHCTD	2	1CONTD TO USE PN RLVR DESPITE PHYS PRBS		
		1 = Yes.....	19	0.03
		2 = No.....	38	0.07
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	414	0.75
		99 = LEGITIMATE SKIP.....	3015	5.43
(DRPR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?		
ANLLSACT	2	1LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS		
		1 = Yes.....	167	0.30
		2 = No.....	2907	5.23
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	401	0.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR18)		Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?		
ANLSERP2	2	1PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	145	0.26
		2 = No.....	2927	5.27
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	401	0.72
(DRPR19)		During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?		
ANLDPDANG	2	1USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes.....	165	0.30
		2 = No.....	2907	5.23
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	401	0.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR20)		During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?		
ANLLAWTR	2	1USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	44	0.08
		2 = No.....	3030	5.45
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	401	0.72
(DRPR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?		
ANLFMFPB	2	1USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		1 = Yes.....	135	0.24
		2 = No.....	2938	5.29
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	401	0.72
(DRPR22)		Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?		
ANLFMCTD	2	1CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS		
		1 = Yes.....	76	0.14
		2 = No.....	59	0.11
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	76	0.14
		91 = NEVER USED PAIN RELIEVERS.....	48693	87.64
		93 = DID NOT USE PAIN RELIEVERS PST 12 MOS.....	3286	5.91
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	414	0.75
		99 = LEGITIMATE SKIP.....	2938	5.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR01)		Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?		
TRNLOTTM	2	1SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS		
		1 = Yes.....	85	0.15
		2 = No.....	1059	1.91
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	187	0.34
(DRTR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?		
TRNGTOVR	2	1MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS		
		1 = Yes.....	16	0.03
		2 = No.....	1043	1.88
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	187	0.34
		99 = LEGITIMATE SKIP.....	85	0.15

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR04)		During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?		
TRNLIMIT	2	1SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS		
		1 = Yes.....	181	0.33
		2 = No.....	957	1.72
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	187	0.34
(DRTR05)		Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?		
TRNKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS		
		1 = Usually kept to the limits set.....	172	0.31
		2 = Often used more than intended.....	9	0.02
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	198	0.36
		99 = LEGITIMATE SKIP.....	957	1.72
(DRTR06)		During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?		
TRNNDMOR	2	1NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	77	0.14
		2 = No.....	1062	1.91
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	187	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR07)		During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?		
TRNLSEFX	2	1USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	39	0.07
		2 = No.....	1024	1.84
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	187	0.34
		99 = LEGITIMATE SKIP.....	77	0.14
(DRTR08)		During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?		
TRNCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS		
		1 = Yes.....	269	0.48
		2 = No.....	867	1.56
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	187	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR09)		During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?		
TRNCUTEV	2	1ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS		
		1 = Yes.....	247	0.44
		2 = No.....	22	0.04
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	196	0.35
		99 = LEGITIMATE SKIP.....	867	1.56
(DRTR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?		
TRNEMOPB	2	1TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	74	0.13
		2 = No.....	1070	1.93
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	187	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR14)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
TRNEMCTD	2	1CONTD TO USE TRN DESPITE EMOT PRBS		
		1 = Yes.....	34	0.06
		2 = No.....	40	0.07
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	192	0.35
		99 = LEGITIMATE SKIP.....	1070	1.93
(DRTR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?		
TRNPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
		1 = Yes.....	21	0.04
		2 = No.....	1087	1.96
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	188	0.34
		99 = LEGITIMATE SKIP.....	34	0.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR16)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?		
TRNPHCTD	2	1CONTD TO USE TRN DESPITE PHYS PRBS		
		1 = Yes.....	7	0.01
		2 = No.....	14	0.03
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	194	0.35
		99 = LEGITIMATE SKIP.....	1121	2.02
(DRTR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family. During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?		
TRNLSACT	2	1LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS		
		1 = Yes.....	41	0.07
		2 = No.....	1099	1.98
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	187	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR18)		Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?		
TRNSERP8	2	1TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	39	0.07
		2 = No.....	1102	1.98
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	187	0.34
(DRTR19)		During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?		
TRNPDANG	2	1USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	56	0.10
		2 = No.....	1086	1.95
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	187	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	314
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRTR20)		During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?		
TRNLAWTR 2		1USING TRN CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	20	0.04
		2 = No.....	1123	2.02
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	187	0.34
(DRTR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?		
TRNFMFPB 2		1USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	37	0.07
		2 = No.....	1106	1.99
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	187	0.34
(DRTR22)		Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?		
TRNFMCTD 2		1CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	23	0.04
		2 = No.....	14	0.03
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	52183	93.92
		93 = DID NOT USE TRANQUILIZERS PST 12 MOS.....	2025	3.64
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	195	0.35
		99 = LEGITIMATE SKIP.....	1106	1.99

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST01)		Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?		
STMLOTTM	2	1SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS		
		1 = Yes.....	107	0.19
		2 = No.....	939	1.69
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	214	0.39
(DRST02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?		
STMGTOVR	2	1MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS		
		1 = Yes.....	22	0.04
		2 = No.....	915	1.65
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	215	0.39
		99 = LEGITIMATE SKIP.....	107	0.19

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	316
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRST04)		During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?		
STMLIMIT 2		1SET LIMITS ON STIMULANT USE PAST 12 MONTHS		
		1 = Yes.....	192	0.35
		2 = No.....	846	1.52
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	214	0.39
(DRST05)		Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?		
STMKPLMT 2		1ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS		
		1 = Usually kept to the limits set.....	160	0.29
		2 = Often used more than intended.....	32	0.06
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	225	0.40
		99 = LEGITIMATE SKIP.....	846	1.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	317
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRST06)		During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?		
STMNDMOR	2	1NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	116	0.21
		2 = No.....	922	1.66
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	214	0.39
(DRST07)		During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?		
STMLSEFX	2	1USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	41	0.07
		2 = No.....	877	1.58
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	215	0.39
		99 = LEGITIMATE SKIP.....	116	0.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	318
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(DRST08)		During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?			
STMCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS			
		1 = Yes.....		288	0.52
		2 = No.....		749	1.35
		81 = NEVER USED STIMULANTS Logically assigned.....		12	0.02
		85 = BAD DATA Logically assigned.....		2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....		1	0.00
		91 = NEVER USED STIMULANTS.....		51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....		2794	5.03
		94 = DON'T KNOW.....		13	0.02
		97 = REFUSED.....		13	0.02
		98 = BLANK (NO ANSWER).....		214	0.39
(DRST09)		During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?			
STMCUTEV	2	1ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS			
		1 = Yes.....		256	0.46
		2 = No.....		32	0.06
		81 = NEVER USED STIMULANTS Logically assigned.....		12	0.02
		85 = BAD DATA Logically assigned.....		1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....		1	0.00
		91 = NEVER USED STIMULANTS.....		51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....		2794	5.03
		97 = REFUSED.....		13	0.02
		98 = BLANK (NO ANSWER).....		228	0.41
		99 = LEGITIMATE SKIP.....		749	1.35

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	319
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(DRST10)		During the past 12 months, did you cut down or stop using prescription stimulants at least one time?		
*STM CUT1X	2	1CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS		
		1 = Yes.....	131	0.24
		2 = No.....	649	1.17
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	5	0.01
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	214	0.39
		99 = LEGITIMATE SKIP.....	256	0.46
(DRST10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?		
STMFLBLU	2	1WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS		
		1 = Yes.....	109	0.20
		2 = No.....	275	0.49
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	231	0.42
		99 = LEGITIMATE SKIP.....	649	1.17

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?		
		- Feeling tired or exhausted		
		- Having bad dreams		
		- Having trouble sleeping or sleeping more than you normally do		
		- Feeling hungry more often		
		- Feeling either very slowed down or like you couldn't sit still		
STMWD2SX 2		1HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	96	0.17
		2 = No.....	13	0.02
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	233	0.42
		99 = LEGITIMATE SKIP.....	924	1.66

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?		
		- Feeling tired or exhausted		
		- Having bad dreams		
		- Having trouble sleeping or sleeping more than you normally do		
		- Feeling hungry more often		
		- Feeling either very slowed down or like you couldn't sit still		
STMWDSMT 2		1HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS		
		1 = Yes.....	81	0.15
		2 = No.....	15	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	233	0.42
		99 = LEGITIMATE SKIP.....	937	1.69
(DRST13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?		
STMEMOPB 2		1STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	114	0.21
		2 = No.....	926	1.67
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	214	0.39

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST14)		Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
STMEMCTD	2	1CONTD TO USE STM DESPITE EMOT PRBS		
		1 = Yes.....	65	0.12
		2 = No.....	49	0.09
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	227	0.41
		99 = LEGITIMATE SKIP.....	926	1.67
(DRST15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?		
STMPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS		
		1 = Yes.....	26	0.05
		2 = No.....	948	1.71
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	214	0.39
		99 = LEGITIMATE SKIP.....	65	0.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	323
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRST16)		Did you continue to use prescription stimulants even though this was causing you to have physical problems?		
STMPHCTD	2	1CONTD TO USE STM DESPITE PHYS PRBS		
		1 = Yes.....	12	0.02
		2 = No.....	14	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	227	0.41
		99 = LEGITIMATE SKIP.....	1013	1.82
(DRST17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?		
STMLSACT	2	1LESS ACTIVITIES B/C OF STM USE PAST 12 MOS		
		1 = Yes.....	60	0.11
		2 = No.....	983	1.77
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	214	0.39

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST18)		Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?		
STMSERP	2	1STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	66	0.12
		2 = No.....	977	1.76
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	214	0.39
(DRST19)		During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?		
STMPDANG	2	1USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	64	0.12
		2 = No.....	977	1.76
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	214	0.39

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST20)		During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?		
STMLAWTR	2	1USING STM CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	21	0.04
		2 = No.....	1024	1.84
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	214	0.39
(DRST21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?		
STMFMFPB	2	1USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	64	0.12
		2 = No.....	980	1.76
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	214	0.39

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRST22)		Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?		
STMFMTD 2		1CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	40	0.07
		2 = No.....	24	0.04
		81 = NEVER USED STIMULANTS Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51475	92.65
		93 = DID NOT USE STIMULANTS PST 12 MOS.....	2794	5.03
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	224	0.40
		99 = LEGITIMATE SKIP.....	980	1.76
(DRSV01)		Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?		
SEDL0TTM 2		1SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS		
		1 = Yes.....	28	0.05
		2 = No.....	189	0.34
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?		
SEDGTOVR	2	1MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS		
		1 = Yes.....	4	0.01
		2 = No.....	184	0.33
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	28	0.05
(DRSV04)		During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?		
SEDLIMIT	2	1SET LIMITS ON SEDATIVE USE PAST 12 MONTHS		
		1 = Yes.....	51	0.09
		2 = No.....	165	0.30
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	134	0.24
(DRSV05)		Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?		
SEDKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS		
		1 = Usually kept to the limits set.....	40	0.07
		2 = Often used more than intended.....	11	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	165	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV06)		During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?		
SEDNDMOR	2	1NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	32	0.06
		2 = No.....	184	0.33
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	134	0.24
(DRSV07)		During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?		
SEDLSEFX	2	1USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	9	0.02
		2 = No.....	174	0.31
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	32	0.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	329
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DRSV08)		During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?		
SEDCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS		
		1 = Yes.....	58	0.10
		2 = No.....	158	0.28
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
(DRSV09)		During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?		
SEDCUTEV	2	1ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS		
		1 = Yes.....	49	0.09
		2 = No.....	9	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	137	0.25
		99 = LEGITIMATE SKIP.....	158	0.28

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV10)		During the past 12 months, did you cut down or stop using prescription sedatives at least one time?		
*SEDCUT1X	2	1CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS		
		1 = Yes.....	38	0.07
		2 = No.....	129	0.23
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		90 = NOT ASKED THE QUESTION Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	49	0.09
(DRSV11)		Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping or sleeping more than you normally do		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
SEDWD1SX	2	1HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS		
		1 = Yes.....	37	0.07
		2 = No.....	49	0.09
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	138	0.25
		99 = LEGITIMATE SKIP.....	129	0.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV12)		Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?		
		- Sweating or feeling that your heart was beating fast		
		- Having your hands tremble		
		- Having trouble sleeping or sleeping more than you normally do		
		- Vomiting or feeling nauseous		
		- Seeing, hearing, or feeling things that weren't really there		
		- Feeling like you couldn't sit still		
		- Feeling anxious		
		- Having seizures or fits		
SEDWDSMT	2	1HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS		
		1 = Yes.....	27	0.05
		2 = No.....	10	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	140	0.25
		99 = LEGITIMATE SKIP.....	178	0.32
(DRSV13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?		
SEDEMOPB	2	1SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		1 = Yes.....	24	0.04
		2 = No.....	193	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV14)		Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		
SEDEMCTD	2	1CONTD TO USE SED DESPITE EMOT PRBS		
		1 = Yes.....	16	0.03
		2 = No.....	8	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	137	0.25
		99 = LEGITIMATE SKIP.....	193	0.35
(DRSV15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?		
SEDPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	194	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	16	0.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV16)		Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?		
SEDPHCTD	2	1CONTD TO USE SED DESPITE PHYS PRBS		
		1 = Yes.....	3	0.01
		2 = No.....	4	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	210	0.38
(DRSV17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?		
SEDLFACT	2	1LESS ACTIVITIES B/C OF SED USE PAST 12 MOS		
		1 = Yes.....	23	0.04
		2 = No.....	194	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV18)		Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:		
		- neglecting their children		
		- missing work or school		
		- doing a poor job at work or school		
		- losing a job or dropping out of school		
		During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?		
SEDSERP	2	1SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	19	0.03
		2 = No.....	197	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
(DRSV19)		During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?		
SEDPDANG	2	1USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	21	0.04
		2 = No.....	196	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV20)		During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?		
SEDLAWTR	2	1 USING SED CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	6	0.01
		2 = No.....	211	0.38
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
(DRSV21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?		
SEDFMFPB	2	1 USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		1 = Yes.....	15	0.03
		2 = No.....	202	0.36
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
(DRSV22)		Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?		
SEDFMCTD	2	1 CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	10	0.02
		2 = No.....	5	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	12	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54188	97.53
		93 = DID NOT USE SEDATIVES PST 12 MOS.....	999	1.80
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	202	0.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE				
NOTE: What follows are the imputation-revised versions of the 17 nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had missing values. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non-integer values into integers) when doing cross-tabulations.				
IRCGIRTB	12	IMP REVISED - NEED TO SMOKE TO FEEL LESS IRRITABLE		
		RANGE = 1 - 5	14969	26.94
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	32	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGIRTB	2	IMPUTATION INDICATOR - IRCGIRTB		
		1 = QUESTIONNAIRE DATA.....	14943	26.89
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	26	0.05
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	226	0.41
IRCGCRV	12	IMP REV - CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS		
		RANGE = 1 - 5	14973	26.95
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	32	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGCRV	2	IMPUTATION INDICATOR - IRCGCRV		
		1 = QUESTIONNAIRE DATA.....	14971	26.95
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	2	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	222	0.40

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
IRCGCRGP	12	IMP REV - CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL		
		RANGE = 1 - 5	14966	26.94
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	35	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGCRGP	2	IMPUTATION INDICATOR - IRCGCRGP		
		1 = QUESTIONNAIRE DATA.....	14959	26.92
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	7	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	229	0.41
IRCGNCTL	12	IMP REVISED - FEEL A SENSE OF CNTRL OVER SMOKING		
		RANGE = 1 - 5	14976	26.95
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	29	0.05
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGNCTL	2	IMPUTATION INDICATOR - IRCGNCTL		
		1 = QUESTIONNAIRE DATA.....	14967	26.94
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	9	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	219	0.39
IRCGAVD	12	IMP REV - TEND TO AVOID PLACES DON'T ALLOW SMOKING		
		RANGE = 1 - 5	14967	26.94
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	32	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
IICGAVD	2	IMPUTATION INDICATOR - IRCGAVD		
		1 = QUESTIONNAIRE DATA.....	14954	26.91
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	13	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	228	0.41
IRCGPLN	12	IMP REVISED - NO TRAVEL BY AIRPLANE B/C NO SMOKING		
		RANGE = 0.8559251105 - 5	14967	26.94
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	31	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGPLN	2	IMPUTATION INDICATOR - IRCGPLN		
		1 = QUESTIONNAIRE DATA.....	14945	26.90
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	22	0.04
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	228	0.41
IRCGROUT	12	IMP REVISED - WORRY THAT YOU WILL RUN OUT OF CIGS		
		RANGE = 1 - 5	14981	26.96
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	30	0.05
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGROUT	2	IMPUTATION INDICATOR - IRCGROUT		
		1 = QUESTIONNAIRE DATA.....	14979	26.96
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	2	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	214	0.39

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
IRCGRGDY	12	IMP REVISED - SMOKE CIGS REGULARLY THROUGH DAY		
		RANGE = 1 - 5	14981	26.96
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGRGDY	2	IMPUTATION INDICATOR - IRCGRGDY		
		1 = QUESTIONNAIRE DATA.....	14980	26.96
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	1	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	214	0.39
IRCGRGWK	12	IMP PREVISD - SMOKE SAME ON WEEKENDS AND WEEKDAYS		
		RANGE = 1 - 5	14960	26.93
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	34	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGRGWK	2	IMPUTATION INDICATOR - IRCGRGWK		
		1 = QUESTIONNAIRE DATA.....	14948	26.90
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	12	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	235	0.42
IRCGRGNM	12	IMP REVISED - SMOKE SAME # OF CIGS FROM DAY TO DAY		
		RANGE = 1 - 5	14963	26.93
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	36	0.06
		98 = BLANK/ DID NOT ANSWER.....	167	0.30

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
IICGRGNM	2	IMPUTATION INDICATOR - IRCGRGNM		
		1 = QUESTIONNAIRE DATA.....	14956	26.92
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	7	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	232	0.42
IRCGNCG	12	IMP REVISED - # CIGS SMOKE PER DAY OFTEN CHANGES		
		RANGE = 1 - 5	14948	26.90
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	41	0.07
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGNCG	2	IMPUTATION INDICATOR - IRCGNCG		
		1 = QUESTIONNAIRE DATA.....	14937	26.88
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	11	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	247	0.44
IRCGSLHR	12	IMP REV - HAVE LOT CIGS IN HR, NO CIGS TIL LATER		
		RANGE = 1 - 5	14950	26.91
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	38	0.07
		98 = BLANK/ DID NOT ANSWER.....	167	0.30
IICGSLHR	2	IMPUTATION INDICATOR - IRCGSLHR		
		1 = QUESTIONNAIRE DATA.....	14932	26.87
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	18	0.03
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	245	0.44

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	341
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRCGINFL	12	IMP REV - # CIGS SMOKE A DAY INFLU BY OTH THINGS		
		RANGE = 1 - 5	14952	26.91
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	42	0.08
		98 = BLANK/ DID NOT ANSWER.....	168	0.30
IICGINFL	2	IMPUTATION INDICATOR - IRCGINFL		
		1 = QUESTIONNAIRE DATA.....	14944	26.90
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	8	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	243	0.44
IRCGNINF	12	IMP REVISED - SMOKING NOT AFFECTED BY OTH THINGS		
		RANGE = 1 - 5	14930	26.87
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	50	0.09
		98 = BLANK/ DID NOT ANSWER.....	168	0.30
IICGNINF	2	IMPUTATION INDICATOR - IRCGNINF		
		1 = QUESTIONNAIRE DATA.....	14917	26.85
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	13	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	265	0.48
IRCGINCR	12	IMP REV - AMT OF SMOKING INCR. SINCE START SMOKING		
		RANGE = 1 - 5	14954	26.91
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	44	0.08
		98 = BLANK/ DID NOT ANSWER.....	168	0.30

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	342
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IICGINCR	2	IMPUTATION INDICATOR - IICGINCR		
		1 = QUESTIONNAIRE DATA.....	14944	26.90
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	10	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	241	0.43
IRCGSAT	12	IMP REV - NEED TO SMOKE A LOT MORE TO BE SATISFIED		
		RANGE = 0.9967264169 - 5	14951	26.91
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	42	0.08
		98 = BLANK/ DID NOT ANSWER.....	168	0.30
IICGSAT	2	IMPUTATION INDICATOR - IRCGSAT		
		1 = QUESTIONNAIRE DATA.....	14944	26.90
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	7	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	244	0.44
IRCGLMR	12	IMP REV - SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING		
		RANGE = 0.9820980533 - 5	14932	26.87
		85 = BAD DATA.....	2	0.00
		91 = NEVER USED.....	22094	39.77
		93 = DID NOT USE CIGARETTES PAST MONTH.....	18270	32.88
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	48	0.09
		98 = BLANK/ DID NOT ANSWER.....	168	0.30
IICGLMR	2	IMPUTATION INDICATOR - IRCGLMR		
		1 = QUESTIONNAIRE DATA.....	14890	26.80
		2 = LOGICALLY ASSN, NOT IMPUTED, <16 NDSS VARS NONMSNG	2	0.00
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	42	0.08
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40364	72.65
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	263	0.47

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED SUBSTANCE DEPENDENCE AND ABUSE				
NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the two preceding sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.				
NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND). The NDSS score, NDSSAVG, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who answered all 17 questions. Respondents who did not have valid responses for all 17 questions were coded as SAS missing. Based on the NDSS score a respondent was defined as having nicotine dependence, NDSSDEP, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale a respondent was defined as having nicotine dependence, FTNDDEP, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked. Based on the NDSS and the FTND a respondent was defined as having nicotine dependence in the past month, DEPNDNIC, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.				
NDSSAVG	12	NDSS SCORE		
		RANGE = 1 - 5	14856	26.74
		. = Unknown (see above comment).....	40705	73.26
NDSSDEP	1	NICOTINE DEPENDENCE BASED ON NDSS SCORE		
		0 = No/Unknown (NDSSAVG<2.75 or missing).....	50298	90.53
		1 = Yes (NDSSAVG>=2.75).....	5263	9.47
FTNDDEP	1	NICOTINE DEPENDENCE BASED ON FTND SCALE		
		0 = No/Unknown (CIGWAKE=3,4,81,83,85,90,91,93,94,97,98)	49193	88.54
		1 = Yes (CIGWAKE=1 or 2).....	6368	11.46
DEPNDNIC	1	NICOTINE (CIG) DEPENDENCE IN THE PAST MONTH		
		0 = No/Unknown (NDSSDEP=0 and FTNDDEP=0).....	47813	86.05
		1 = Yes (NDSSDEP=1 or FTNDDEP=1).....	7748	13.95

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-

NOTE: The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual drug dependence variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPNDRMJ, DEPNDINH, DEPNDHAL, DEPNDTRN) if the respondent reported a positive response to 3 or more of these 6 dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance (XXXLOTTM=1 or XXXGTOVR=1)
- (2) Unable to keep set limits on substance use or used more often than intended (XXXXPLMT=2)
- (3) Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before (XXXNDMOR=1 or XXXLSEFX=1)
- (4) Unable to cut down or stop using the substance every time he or she tried or wanted to (XXXCUTEV=2)
- (5) Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems (XXXEMCTD=1 or XXXPHCTD=1)
- (6) Reduced or gave up participation in important activities due to substance use (XXXLSACT=1)

An additional question pertaining to withdrawal symptoms was asked for the following 6 drugs: alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using. The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, or stimulant dependence (DEPNDALC, DEPNDANL, DEPNDcoc, DEPNDHER, DEPNDSED, DEPNDSTM) if the respondent reported a positive response to 3 or more of the 7 dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).

RECODED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.		
DEPNDALC	1	ALCOHOL DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	53737	96.72
		1 = Yes (See comment above).....	1824	3.28
DEPNDANL	1	PAIN RELIEVER DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55321	99.57
		1 = Yes (See comment above).....	240	0.43
DEPNDCOC	1	COCAINE DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55356	99.63
		1 = Yes (See comment above).....	205	0.37
DEPNDHER	1	HEROIN DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55506	99.90
		1 = Yes (See comment above).....	55	0.10
DEPNDSTM	1	STIMULANT DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55475	99.85
		1 = Yes (See comment above).....	86	0.15
DEPNDSER	1	SEDATIVE DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55534	99.95
		1 = Yes (See comment above).....	27	0.05
DEPNDHAL	1	HALLUCINOGEN DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55440	99.78
		1 = Yes (See comment above).....	121	0.22
DEPNDINH	1	INHALANT DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55522	99.93
		1 = Yes (See comment above).....	39	0.07

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	346
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DEPNDRMJ	1	MARIJUANA DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	54593	98.26
		1 = Yes (See comment above).....	968	1.74
DEPNDRTRN	1	TRANQUILIZER DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55521	99.93
		1 = Yes (See comment above).....	40	0.07
<p>A respondent was defined as having illicit drug dependence, DEPNDILL, if the respondent was classified as dependent (see dependence criteria listed above) on any of these following substances: marijuana (DEPNDRMJ), hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedatives (DEPNDRSED).</p>				
DEPNDRILL	1	ILLICIT DRUG DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	54116	97.40
		1 = Yes (Any source variable listed above=1).....	1445	2.60
<p>A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM, if the respondent was classified as being dependent on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedatives (DEPNDRSED). A respondent's marijuana dependency status is not considered in the creation of this variable.</p>				
DEPNDRIEM	1	ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR		
		0 = No/Unknown (Otherwise).....	54947	98.89
		1 = Yes (Any source variable listed above=1).....	614	1.11

RECODED SUBSTANCE DEPENDENCE AND ABUSE

LABEL	LEN	DESCRIPTION	FREQ	%
		A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ, if the respondent was classified as being not marijuana dependent (DEPNDRMJ=0), but being dependent on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRTRN), cocaine (DEPNDRCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNDRSTM), or sedatives (DEPNDRSED).		
DEPNDRXMJ	1	ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR		
		0 = No/Unknown (Otherwise).....	55084	99.14
		1 = Yes (DEPNDRMRJ=0 and any other source var=1).....	477	0.86
DEPNDRPSY	1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
		0 = No/Unknown (Otherwise).....	55249	99.44
		1 = Yes (DEPNDRTRN, DEPNDRANL, DEPNDRSTM, OR DEPNDRSED=1).	312	0.56
DEPNDRPILL	1	ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR		
		0 = No/Unknown (DEPNDRDILL=0 and DEPNDRDALC=0).....	52670	94.80
		1 = Yes (DEPNDRDILL=1 or DEPNDRDALC=1).....	2891	5.20
DEPNDRPILANAL	1	ILLICIT DRUGS AND ALCOHOL DEPENDENCE IN PAST YR		
		0 = No/Unknown (DEPNDRDILL=0 or DEPNDRDALC=0).....	55183	99.32
		1 = Yes (DEPNDRDILL=1 and DEPNDRDALC=1).....	378	0.68

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

NOTE: The following abuse variables were defined based on the abuse criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual substance abuse variables are provided in Appendix D. A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEHAL, ABUSEINH, ABUSEANL, ABUSETRN, ABUSESTM, ABUSESED) if they reported a positive response to one or more of the following four abuse criteria:

- (1) Respondent reported having serious problems due to substance use at home, work or school (XXXSERPB=1)
- (2) Respondent reported using substance regularly and then did something where substance use might have put them in physical danger (XXXPDANG=1)
- (3) Respondent reporting substance use causing actions that repeatedly got them in trouble with the law (XXXLAWTR=1)
- (4) Respondent reported having problems caused by substance use with family or friends (XXXFMFPB=1) and continued to use substance even though it was thought to be causing problems with family and friends (XXXFMCTD=1)

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in Appendix D.

ABUSEALC	1	ALCOHOL ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	52693	94.84
		1 = Yes (Any one of above criteria and DEPNDALC=0)....	2868	5.16
ABUSEMRJ	1	MARIJUANA ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	54865	98.75
		1 = Yes (Any one of above criteria and DEPNDMRJ=0)....	696	1.25

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	349
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ABUSECOC	1	COCAINE ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55471	99.84
		1 = Yes (Any one of above criteria and DEPNDCOC=0)....	90	0.16
ABUSEHER	1	HEROIN ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55555	99.99
		1 = Yes (Any one of above criteria and DEPNDHER=0)....	6	0.01
ABUSEHAL	1	HALLUCINOGEN ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55375	99.67
		1 = Yes (Any one of above criteria and DEPNDHAL=0)....	186	0.33
ABUSEINH	1	INHALANT ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55506	99.90
		1 = Yes (Any one of above criteria and DEPNDINH=0)....	55	0.10
ABUSEANL	1	PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55430	99.76
		1 = Yes (Any one of above criteria and DEPNDANL=0)....	131	0.24
ABUSETRN	1	TRANQUILIZER ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55508	99.90
		1 = Yes (Any one of above criteria and DEPNDTRN=0)....	53	0.10
ABUSESTM	1	STIMULANT ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55515	99.92
		1 = Yes (Any one of above criteria and DEPNDSTM=0)....	46	0.08
ABUSESED	1	SEDATIVE ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55551	99.98
		1 = Yes (Any one of above criteria and DEPNDSED=0)....	10	0.02
Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).				
ABUSEILL	1	ANY ILLICIT DRUG ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	54686	98.43
		1 = Yes (Any source variable above=1 & DEPNDILL=0)....	875	1.57

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	350
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ABILLALC	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
		0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0).....	52090	93.75
		1 = Yes (ABUSEILL=1 or ABUSEALC=1).....	3471	6.25
ABILANAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
		0 = No/Unknown (Otherwise).....	55289	99.51
		1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0).....	272	0.49
		Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUVESTM), or sedatives (ABUSESED).		
ABUSEPSY	1	NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR		
		0 = No/Unknown (Otherwise).....	55373	99.66
		1 = Yes (Any source variable above=1 & DEPNDPSY=0)....	188	0.34
		Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUVESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.		
ABUSEIEM	1	ANY ILLICIT DRG OTHER THAN MARIJUANA ABUSE-PST YR		
		0 = No/Unknown (Otherwise).....	55182	99.32
		1 = Yes (Any above source var=1 & DEPNDIEM=0).....	379	0.68
		Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs excluding marijuana: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUVESTM), or sedatives (ABUSESED).		
ABUSEXMJ	1	ANY ILLICIT DRG EXCLUDING MARIJUANA ABUSE-PST YR		
		0 = No/Unknown (Otherwise).....	55208	99.36
		1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0)...	353	0.64

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	351
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
NOTE: The following variables were created by using a combination of the abuse and dependence variables. Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in Appendix D.				
ABODALC	1	ALCOHOL ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0).....	50869	91.56
		1 = Yes (ABUSEALC=1 or DEPNDALC=1).....	4692	8.44
ABODMRJ	1	MARIJUANA ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0).....	53897	97.01
		1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1).....	1664	2.99
ABODCOC	1	COCAINE ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSECOC=0 and DEPNDCOC=0).....	55266	99.47
		1 = Yes (ABUSECOC=1 or DEPNDCOC=1).....	295	0.53
ABODHER	1	HEROIN ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0).....	55500	99.89
		1 = Yes (ABUSEHER=1 or DEPNDHER=1).....	61	0.11
ABODHAL	1	HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0).....	55254	99.45
		1 = Yes (ABUSEHAL=1 or DEPNDHAL=1).....	307	0.55
ABODINH	1	INHALANT ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0).....	55467	99.83
		1 = Yes (ABUSEINH=1 or DEPNDINH=1).....	94	0.17
ABODANL	1	PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0).....	55190	99.33
		1 = Yes (ABUSEANL=1 or DEPNDANL=1).....	371	0.67
ABODTRN	1	TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0).....	55468	99.83
		1 = Yes (ABUSETRN=1 or DEPNDTRN=1).....	93	0.17
ABODSTM	1	STIMULANT ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUDESTM=0 and DEPNDSTM=0).....	55429	99.76
		1 = Yes (ABUDESTM=1 or DEPNDSTM=1).....	132	0.24
ABODSED	1	SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSESED=0 and DEPNDSED=0).....	55524	99.93
		1 = Yes (ABUSESED=1 or DEPNDSED=1).....	37	0.07

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	352
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ABODILL	1	ANY ILLICIT DRUG ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0).....	53241	95.82
		1 = Yes (ABUSEILL=1 or DEPNDILL=1).....	2320	4.18
ABODIEM	0	ANY ILL DRG OTHER THAN MRJ ABUSE OR DEP - PST YR		
		0 = No/Unknown (DEPNDIEM=0 and ABUSEIEM=0).....	54568	98.21
		1 = Yes (DEPNDIEM=1 or ABUSEIEM=1).....	993	1.79
ABODPSY	1	PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0).....	55061	99.10
		1 = Yes (ABUSEPSY=1 or DEPNDPSY=1).....	500	0.90
ABODILAL	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR		
		0 = No/Unknown (ABILLALC=0 and DPILLALC=0).....	49643	89.35
		1 = Yes (ABILLALC=1 or DPILLALC=1).....	5918	10.65
ABDILAAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR		
		0 = No/Unknown (ABODILL=0 or ABODALC=0).....	54467	98.03
		1 = Yes (ABODILL=1 and ABODALC=1).....	1094	1.97

		SPECIAL TOPICS	PAGE:	353
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(SP01)		SPECIAL TOPICS ----- The next questions are about encounters with the police or the court system. Not counting minor traffic violations, have you ever been arrested and booked for breaking the law? Being 'booked' means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.		
BOOKED	2	1# EVER ARRESTED AND BOOKED FOR BREAKING THE LAW		
		1 = Yes.....	7208	12.97
		2 = No.....	47516	85.52
		3 = Yes LOGICALLY ASSIGNED.....	582	1.05
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	164	0.30
		98 = BLANK (NO ANSWER).....	30	0.05
(SP02)		Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?		
NOBOOKY2	3	1# TIMES ARRESTED AND BOOKED PAST 12 MONTHS		
		0 = None.....	4618	8.31
		1 = One time.....	1708	3.07
		2 = Two times.....	604	1.09
		3 = Three or more times.....	233	0.42
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	188	0.34
		998 = BLANK (NO ANSWER).....	673	1.21
		999 = LEGITIMATE SKIP (BOOKED=2).....	47516	85.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	354
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03A)		The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.		
		In the past 12 months, were you arrested and booked for motor vehicle theft?		
BKMVTHFT	2	1ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS		
		1 = Yes.....	115	0.21
		2 = No.....	2451	4.41
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	172	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03B)		In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.		
BKLARCNY	2	1ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
		1 = Yes.....	320	0.58
		2 = No.....	2239	4.03
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	173	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03C)		In the past 12 months, were you arrested and booked for burglary or breaking and entering?		
BKBURGL	2	1ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
		1 = Yes.....	155	0.28
		2 = No.....	2408	4.33
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	173	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	355
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03D)		In the past 12 months, were you arrested and booked for aggravated assault?		
BKAGASLT	2	1ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS		
		1 = Yes.....	211	0.38
		2 = No.....	2351	4.23
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	172	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03E)		In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?		
BKSMASLT	2	1ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
		1 = Yes.....	354	0.64
		2 = No.....	2192	3.95
		3 = Yes LOGICALLY ASSIGNED.....	16	0.03
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	173	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03F)		In the past 12 months, were you arrested and booked for robbery?		
BKROB	2	1ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		1 = Yes.....	82	0.15
		2 = No.....	2484	4.47
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	171	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	356
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03G)		In the past 12 months, were you arrested and booked for forcible rape?		
BKRAPE	2	1ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS		
		1 = Yes.....	11	0.02
		2 = No.....	2555	4.60
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	172	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03H)		In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?		
BKMURDER	2	1ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS		
		1 = Yes.....	19	0.03
		2 = No.....	2548	4.59
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	172	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03I)		In the past 12 months, were you arrested and booked for arson?		
BKARSON	2	1ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		1 = Yes.....	23	0.04
		2 = No.....	2544	4.58
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	170	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	357
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03J)		In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?		
BKDRVINF	2	1ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
		1 = Yes.....	375	0.67
		2 = No.....	2191	3.94
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	172	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03K)		In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?		
BKDRUNK	2	1ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
		1 = Yes.....	372	0.67
		2 = No.....	2189	3.94
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	171	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03L)		In the past 12 months, were you arrested and booked for possession of tobacco?		
BKPOSTOB	2	1ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
		1 = Yes.....	51	0.09
		2 = No.....	718	1.29
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	329	0.59
		99 = LEGITIMATE SKIP.....	54428	97.96

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	358
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP03M)		In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?		
BKDRUG	2	1ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
		1 = Yes.....	324	0.58
		2 = No.....	2229	4.01
		3 = Yes LOGICALLY ASSIGNED.....	14	0.03
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	172	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03N)		In the past 12 months, were you arrested and booked for prostitution or commercialized sex?		
BKPROS	2	1ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS		
		1 = Yes.....	21	0.04
		2 = No.....	2549	4.59
		85 = BAD DATA Logically assigned.....	12	0.02
		97 = REFUSED.....	170	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03O)		In the past 12 months, were you arrested and booked for any other sexual offense, excluding rape or prostitution?		
BKSEXOFF	2	1ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS		
		1 = Yes.....	26	0.05
		2 = No.....	2543	4.58
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	170	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	359
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SP03P)		In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?		
BKFRAUD	2	1ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS		
		1 = Yes.....	143	0.26
		2 = No.....	2409	4.34
		3 = Yes LOGICALLY ASSIGNED.....	17	0.03
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	170	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83
(SP03Q)		In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.		
BKOTH	2	1ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS		
		1 = Yes.....	531	0.96
		2 = No.....	1439	2.59
		5 = Offense unknown.....	600	1.08
		85 = BAD DATA Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	171	0.31
		98 = BLANK (NO ANSWER).....	675	1.21
		99 = LEGITIMATE SKIP.....	52134	93.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	
			PAGE:	360
-----	----	-----	FREQ	%
-----	----	-----	----	-
BKOTHOF2	2	10OTHER OFFENSE PAST 12 MONTHS - SPECIFY		
		1 = Motor vehicle theft.....	1	0.00
		2 = Larceny or theft.....	9	0.02
		3 = Burglary or breaking and entering.....	2	0.00
		4 = Aggravated assault.....	3	0.01
		5 = Other assault, such as simple assault or battery..	24	0.04
		6 = Robbery.....	1	0.00
		7 = Forcible rape.....	1	0.00
		9 = Arson.....	2	0.00
		10 = Driving under the influence of alcohol or drugs...	1	0.00
		11 = Drunkenness or other liquor law violation.....	13	0.02
		12 = Possession of tobacco.....	1	0.00
		13 = Possession, manufacture, or sale of drugs.....	20	0.04
		16 = Fraud, possessing stolen goods, vandalism.....	20	0.04
		17 = Some other offense.....	4	0.01
		18 = Weapons law violations.....	22	0.04
		19 = Counterfeiting/Forgery.....	4	0.01
		20 = Violation of court order, parole, probation.....	47	0.08
		21 = Disorderly conduct.....	39	0.07
		22 = Juvenile status offenses.....	10	0.02
		23 = All oth offns: crimes agnst persons/prprty/society	10	0.02
		24 = Traffic violations.....	37	0.07
		25 = Bad checks.....	12	0.02
		26 = Curfew/loitering/vagrancy violations.....	22	0.04
		27 = Trespass of real property.....	20	0.04
		28 = Runaway.....	8	0.01
		29 = Family offenses, nonviolent.....	5	0.01
		31 = Intimidation.....	10	0.02
		36 = Possession of drug paraphernalia.....	3	0.01
		38 = Evading/hindering/obstructing police.....	16	0.03
		39 = False report/statement/alarm.....	3	0.01
		85 = BAD DATA Logically assigned.....	31	0.06
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	183	0.33
		98 = BLANK (NO ANSWER).....	1403	2.53
		99 = LEGITIMATE SKIP.....	53573	96.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	361
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SP04)		Were you on probation at any time during the past 12 months?		
PROBATON	2	10N PROBATION AT ANY TIME PAST 12 MONTHS		
		1 = Yes.....	1837	3.31
		2 = No.....	53497	96.29
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	30	0.05
(SP05)		Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?		
PAROLREL	2	10N PAROLE/SUPRV RELEASE PAST 12 MONTHS		
		1 = Yes.....	507	0.91
		2 = No.....	54857	98.73
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	107	0.19
		98 = BLANK (NO ANSWER).....	30	0.05
(SP06A)		During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?		
DRVALDR	2	1DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS		
		1 = Yes.....	2169	3.90
		2 = No.....	7419	13.35
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	19	0.03
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	542	0.98
		99 = LEGITIMATE SKIP.....	32049	57.68

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	362
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SP06B)		During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?		
DRVAONLY	2	1DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS		
		1 = Yes.....	7107	12.79
		2 = No.....	26068	46.92
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	6	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	408	0.73
		99 = LEGITIMATE SKIP.....	8562	15.41
(SP06C)		During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/illegal drugs only?		
DRVDONLY	2	1DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS		
		1 = Yes.....	2666	4.80
		2 = No.....	8096	14.57
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	10	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	25	0.04
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	945	1.70
		99 = LEGITIMATE SKIP.....	30452	54.81

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED SPECIAL TOPICS				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
Analyses of the following variable, DRIVALC, should be executed with caution. The UNKNOWN category contains respondents coded as UNKNOWN on one or both of two source variables (DRVALDR, DRVAONLY). Depending on the purpose of the analysis, respondents coded as UNKNOWN might be more appropriately recoded as NO.				
DRIVALC	1	DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL		
		1 = Yes (DRVALDR=1 OR DRVAONLY=1).....	7392	13.30
		2 = No (DRVALDR=2 AND DRVAONLY=2).....	5899	10.62
		3 = Unknown (OTHERWISE).....	20390	36.70
		4 = Never/No Use (DRVALDR AND DRVAONLY=81,89,91,99)...	21880	39.38
Analyses of the following variable, DRIVDRG, should be executed with caution. The UNKNOWN category contains respondents coded as UNKNOWN on one or both of two source variables (DRVALDR, DRVDONLY). Depending on the purpose of the analysis, respondents coded as UNKNOWN might be more appropriately recoded as NO.				
DRIVDRG	1	DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS		
		1 = Yes (DRVALDR=1 OR DRVDONLY=1).....	3277	5.90
		2 = No (DRVALDR=2 AND DRVDONLY=2).....	6397	11.51
		3 = Unknown (OTHERWISE).....	2092	3.77
		4 = Never/No Use (DRVALDR AND DRVDONLY=81,89,91,99)...	43795	78.82
Analyses of the following variable, DRIVALD, should be executed with caution. The UNKNOWN category contains respondents coded as UNKNOWN on one or both of two source variables (DRIVALC, DRIVDRG). Depending on the purpose of the analysis, respondents coded as UNKNOWN might be more appropriately recoded as NO.				
DRIVALD	1	DROVE VEHICLE UNDER INFLUENCE OF ALC OR ILL DRUGS		
		1 = Yes (DRIVALC=1 OR DRIVDRG=1).....	8153	14.67
		2 = No (DRIVALC=2 AND DRIVDRG=2).....	5225	9.40
		3 = Unknown (DRIVALC=3 OR DRIVDRG=3).....	21894	39.41
		4 = Never/No Use (DRIVALC=4 AND DRIVDRG=4).....	20289	36.52
PAROL	1	PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
		. = Unknown Status (PAROLREL=85,94,97,98).....	197	0.35
		1 = On Parole/Supervised Release (PAROLREL=1).....	507	0.91
		2 = Not on Parole/Supervised Release (PAROLREL=2).....	54857	98.73

RECODED SPECIAL TOPICS			PAGE:	364
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
PROB	1	PROBATION STATUS IN THE PAST YEAR		
		. = Unknown Probation Status (PROBATON=85,94,97,98)...	227	0.41
		1 = On Probation (PROBATON=1).....	1837	3.31
		2 = Not on Probation (PROBATON=2).....	53497	96.29

MARIJUANA PURCHASES			PAGE:	365
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE01)		MARIJUANA PURCHASES		

		Now think about the last time you used marijuana. How did you get this marijuana?		
MMGETMJ	2	1HOW DID YOU GET LAST MARIJUANA USED		
		1 = You bought it.....	3043	5.48
		2 = You traded something else for it.....	170	0.31
		3 = You got it for free or shared someone else's.....	5045	9.08
		4 = You grew it yourself.....	81	0.15
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	166	0.30
		98 = BLANK (NO ANSWER).....	234	0.42
(MJE02)		How long has it been since you last bought any marijuana?		
MMBTREC1	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA		
		1 = Within the past 30 days, that is since [DATE FILL]	1835	3.30
		2 = More than 30 days ago, but within the past 12 mos.	900	1.62
		3 = More than 12 months ago.....	292	0.53
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	130	0.23
		98 = BLANK (NO ANSWER).....	309	0.56
		99 = LEGITIMATE SKIP.....	5311	9.56
(MJE03)		During the past 12 months, that is, since [DATE FILL], did you buy any marijuana?		
MMBTPYR	2	1BOUGHT MARIJUANA PAST 12 MONTHS		
		1 = Yes.....	1513	2.72
		2 = No.....	3860	6.95
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	234	0.42
		99 = LEGITIMATE SKIP.....	3043	5.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	366
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE04)		How long has it been since you last bought any marijuana?		
MMBTREC2	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA		
		1 = Within the past 30 days, that is since [DATE FILL]	577	1.04
		2 = More than 30 days ago, but within the past 12 mos.	918	1.65
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	131	0.24
		98 = BLANK (NO ANSWER).....	247	0.44
		99 = LEGITIMATE SKIP.....	6903	12.42
(MJE05)		During the past 30 days, that is, since [DATE FILL], on how many days did you buy marijuana?		
MMBT30DY	2	1# DAYS BOUGHT MARIJUANA PAST 30 DAYS		
		RANGE = 1 - 30	2373	4.27
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	138	0.25
		98 = BLANK (NO ANSWER).....	273	0.49
		99 = LEGITIMATE SKIP.....	5970	10.74
(MJE06)		Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?		
MMJNTLOO	2	1LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE		
		1 = You bought joints.....	242	0.44
		2 = You bought the marijuana in loose form.....	4282	7.71
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	143	0.26
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP.....	3794	6.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	367
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE07)		How many joints did you buy the last time you bought marijuana?		
MMJNTNUM	3	1# MARIJUANA JOINTS BOUGHT LAST TIME		
		RANGE = 1 - 500	240	0.43
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	143	0.26
		998 = BLANK (NO ANSWER).....	324	0.58
		999 = LEGITIMATE SKIP.....	8076	14.54
(MJE08)		How much did you pay for the joints/joint you bought this last time?		
MMJNPCTB	2	1AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT		
		1 = less than \$5.00.....	89	0.16
		2 = \$5.00 to \$10.99.....	83	0.15
		3 = \$11.00 to \$20.99.....	31	0.06
		4 = \$21.00 to \$50.99.....	17	0.03
		5 = \$51.00 to \$100.99.....	9	0.02
		6 = \$101.00 to \$150.99.....	1	0.00
		7 = \$151.00 to \$200.99.....	1	0.00
		8 = \$201.00 to \$250.99.....	1	0.00
		10 = \$301.00 to \$500.99.....	1	0.00
		11 = \$501.00 to \$1000.99.....	1	0.00
		12 = More than \$1000.99.....	2	0.00
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	146	0.26
		98 = BLANK (NO ANSWER).....	324	0.58
		99 = LEGITIMATE SKIP.....	8076	14.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJE08)		More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?		
MMJNPCAT	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT		
		1 = Less than \$5.00.....	89	0.16
		2 = \$5.00 to \$10.99.....	83	0.15
		3 = \$11.00 to \$20.99.....	31	0.06
		41 = \$21.00 to \$30.99.....	13	0.02
		42 = \$31.00 to \$40.99.....	1	0.00
		43 = \$41.00 to \$50.99.....	3	0.01
		51 = \$51.00 to \$60.99.....	3	0.01
		52 = \$61.00 to \$70.99.....	1	0.00
		53 = \$71.00 to \$80.99.....	1	0.00
		54 = \$81.00 to \$90.99.....	2	0.00
		55 = \$91.00 to \$100.99.....	2	0.00
		61 = \$101.00 to \$110.99.....	1	0.00
		70 = \$151.00 to \$200.99.....	1	0.00
		80 = \$201.00 to \$250.99.....	1	0.00
		101 = \$301.00 to \$350.99.....	1	0.00
		120 = \$951.00 to \$1000.99.....	1	0.00
		121 = More than \$1000.99.....	2	0.00
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	146	0.26
		998 = BLANK (NO ANSWER).....	324	0.58
		999 = LEGITIMATE SKIP.....	8076	14.54

(MJE14) Now we want to know how much marijuana you bought the last time you bought marijuana.

Do you want to give your answer in grams, ounces, or pounds?

MMLSUNIT	2	1AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS		
		1 = Grams.....	2737	4.93
		2 = Ounces.....	1328	2.39
		3 = Pounds.....	103	0.19
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	70	0.13
		97 = REFUSED.....	187	0.34
		98 = BLANK (NO ANSWER).....	324	0.58
		99 = LEGITIMATE SKIP.....	4036	7.26

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	369
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE15)		The last time you bought marijuana, how many grams did you buy?		
MMLSGMS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS		
		1 = At least 1 but less than 5 grams.....	1382	2.49
		2 = At least 5 but less than 10 grams.....	999	1.80
		3 = 10 grams or more.....	317	0.57
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	196	0.35
		98 = BLANK (NO ANSWER).....	394	0.71
		99 = LEGITIMATE SKIP.....	5467	9.84
(MJE16)		How many grams of marijuana did you buy?		
MMLS10GM	3	1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS		
		RANGE = 10 - 99	304	0.55
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	198	0.36
		998 = BLANK (NO ANSWER).....	424	0.76
		999 = LEGITIMATE SKIP.....	7848	14.13
(MJE17)		The last time you bought marijuana, how many ounces did you buy?		
MMLSOZS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES		
		1 = At least 1/8, but less than 1/4 of an ounce.....	382	0.69
		2 = At least 1/4 but less than 1/3 of an ounce.....	224	0.40
		3 = At least 1/3 but less than 1/2 of an ounce.....	70	0.13
		4 = At least 1/2 but less than 1 ounce.....	261	0.47
		5 = At least 1 but less than 5 ounces.....	310	0.56
		6 = At least 5 but less than 10 ounces.....	40	0.07
		7 = At least 10 but less than 16 ounces.....	25	0.04
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	192	0.35
		98 = BLANK (NO ANSWER).....	394	0.71
		99 = LEGITIMATE SKIP.....	6876	12.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	370
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE18)		The last time you bought marijuana, how many pounds did you buy?		
MMLS1BS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS		
		1 = At least 1 but less than 2 pounds.....	46	0.08
		2 = At least 2 but less than 3 pounds.....	15	0.03
		3 = At least 3 but less than 4 pounds.....	10	0.02
		4 = At least 4 but less than 5 pounds.....	4	0.01
		5 = 5 or more pounds.....	28	0.05
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	187	0.34
		98 = BLANK (NO ANSWER).....	394	0.71
		99 = LEGITIMATE SKIP.....	8101	14.58
(MJE19)		How many pounds of marijuana did you buy?		
MMLS5LBS	3	1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS		
		RANGE = 5 - 90	28	0.05
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		997 = REFUSED.....	187	0.34
		998 = BLANK (NO ANSWER).....	394	0.71
		999 = LEGITIMATE SKIP.....	8176	14.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	371
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE20)		How much did you pay for the marijuana you bought this last time?		
MMLSPCTB 2		1AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME		
		1 = less than \$5.00.....	175	0.31
		2 = \$5.00 to \$10.99.....	783	1.41
		3 = \$11.00 to \$20.99.....	804	1.45
		4 = \$21.00 to \$50.99.....	1433	2.58
		5 = \$51.00 to \$100.99.....	535	0.96
		6 = \$101.00 to \$150.99.....	127	0.23
		7 = \$151.00 to \$200.99.....	61	0.11
		8 = \$201.00 to \$250.99.....	43	0.08
		9 = \$251.00 to \$300.99.....	41	0.07
		10 = \$301.00 to \$500.99.....	54	0.10
		11 = \$501.00 to \$1000.99.....	30	0.05
		12 = More than \$1000.99.....	41	0.07
		90 = NOT ASKED THE QUESTION Logically assigned.....	114	0.21
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	160	0.29
		98 = BLANK (NO ANSWER).....	324	0.58
		99 = LEGITIMATE SKIP.....	4036	7.26

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJE20)		More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?		
MMLSPCAT 3		1PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT		
		1 = Less than \$5.00.....	175	0.31
		2 = \$5.00 to \$10.99.....	783	1.41
		3 = \$11.00 to \$20.99.....	804	1.45
		40 = \$21.00 to \$50.99 (No further detail).....	2	0.00
		41 = \$21.00 to \$30.99.....	659	1.19
		42 = \$31.00 to \$40.99.....	365	0.66
		43 = \$41.00 to \$50.99.....	407	0.73
		50 = \$51.00 to \$100.99 (No further detail).....	1	0.00
		51 = \$51.00 to \$60.99.....	265	0.48
		52 = \$61.00 to \$70.99.....	60	0.11
		53 = \$71.00 to \$80.99.....	74	0.13
		54 = \$81.00 to \$90.99.....	31	0.06
		55 = \$91.00 to \$100.99.....	104	0.19
		60 = \$101.00 to \$150.99 (No further detail).....	1	0.00
		61 = \$101.00 to \$110.99.....	37	0.07
		62 = \$111.00 to \$120.99.....	25	0.04
		63 = \$121.00 to \$130.99.....	26	0.05
		64 = \$131.00 to \$140.99.....	10	0.02
		65 = \$141.00 to \$150.99.....	28	0.05
		70 = \$151.00 to \$200.99.....	61	0.11
		80 = \$201.00 to \$250.99.....	43	0.08
		90 = \$251.00 to \$300.99.....	41	0.07
		101 = \$301.00 to \$350.99.....	23	0.04
		102 = \$351.00 to \$400.99.....	13	0.02
		103 = \$401.00 to \$450.99.....	9	0.02
		104 = \$451.00 to \$500.99.....	9	0.02
		111 = \$501.00 to \$550.99.....	6	0.01
		113 = \$601.00 to \$650.99.....	3	0.01
		114 = \$651.00 to \$700.99.....	3	0.01
		115 = \$701.00 to \$750.99.....	3	0.01
		116 = \$751.00 to \$800.99.....	1	0.00
		117 = \$801.00 to \$850.99.....	3	0.01
		118 = \$851.00 to \$900.99.....	4	0.01
		119 = \$901.00 to \$950.99.....	2	0.00
		120 = \$951.00 to \$1000.99.....	5	0.01
		121 = More than \$1000.99.....	41	0.07
		990 = NOT ASKED THE QUESTIONS Logically assigned.....	114	0.21
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		994 = DON'T KNOW.....	24	0.04
		997 = REFUSED.....	160	0.29
		998 = BLANK (NO ANSWER).....	324	0.58
		999 = LEGITIMATE SKIP.....	4036	7.26

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	373
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE26)		The last time you bought marijuana, who did you buy it from?		
MMBUYWHO	2	1WHO SOLD YOU LAST MARIJUANA BOUGHT		
		1 = A friend.....	3512	6.32
		2 = A relative or family member.....	173	0.31
		3 = Someone I had just met or didn't know well.....	712	1.28
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	249	0.45
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP.....	3794	6.83
(MJE27)		The last time you bought marijuana, where were you when you bought it?		
MMBPLACE	2	1WHERE YOU WERE LAST TIME BOUGHT MARIJUANA		
		1 = Inside a public bldg, such as a store, restaurant.	285	0.51
		2 = Inside a school building.....	178	0.32
		3 = Outside on school property.....	92	0.17
		4 = Inside a home, apartment, or dorm.....	2252	4.05
		5 = Outside in a public area, such as a parking lot...	737	1.33
		6 = Some other place.....	842	1.52
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	252	0.45
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP.....	3794	6.83
(MJE28)		The last time you bought marijuana were you at work at your job or business?		
MMBATJOB	2	1AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA		
		1 = Yes.....	212	0.38
		2 = No.....	3498	6.30
		3 = Do not work at a job or business.....	557	1.00
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	194	0.35
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP.....	3988	7.18

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	374
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE29)		The last time you bought marijuana, where did you buy it?		
MMBCLOSE	2	1HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME		
		1 = Near where you are now living.....	1849	3.33
		2 = Somewhere else.....	2558	4.60
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	245	0.44
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP.....	3794	6.83
(MJE30)		Did you sell any of the marijuana you bought this last time?		
MMBSELL	2	1SELL ANY MARIJUANA BOUGHT LAST TIME		
		1 = Yes.....	558	1.00
		2 = No.....	3925	7.06
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	181	0.33
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP.....	3794	6.83
(MJE31)		Did you give away or share any of the marijuana you bought this last time?		
MMBGIVE	2	1GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME		
		1 = Yes.....	3361	6.05
		2 = No.....	1131	2.04
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	171	0.31
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP.....	3794	6.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	375
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE32)		During the past 12 months, that is, since [DATE FILL], did you trade something for marijuana?		
MMTRADE	2	1TRADED SOMETHING FOR MARIJUANA PAST 12 MOS		
		1 = Yes.....	70	0.13
		2 = No.....	3622	6.52
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	4658	8.38
(MJE33)		During the past 30 days, that is, since [DATE FILL], did you trade something for marijuana?		
MMTRD30D	2	1TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS		
		1 = Yes.....	32	0.06
		2 = No.....	38	0.07
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8280	14.90
(MJE34)		How long has it been since you last traded something for marijuana?		
MMTRDREC	2	1TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA		
		1 = Within the past 30 days, that is since [DATE FILL]	9	0.02
		2 = More than 30 days ago, but within the past 12 mos.	75	0.13
		3 = More than 12 months ago.....	18	0.03
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8248	14.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	376
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(MJE35)		During the past 30 days, that is, since [DATE FILL], on how many days did you trade something for marijuana?		
MMT30FRQ	2	1# DAYS TRADED FOR MARIJUANA PAST 30 DAYS		
		RANGE = 1 - 28	38	0.07
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8309	14.95
(MJE36)		Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?		
MMTJNTLS	2	1LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE		
		1 = You got joints.....	34	0.06
		2 = You got the marijuana in loose form.....	120	0.22
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8196	14.75
(MJE37)		How many joints did you get the last time you traded something for marijuana?		
MMTJNTNM	3	1# MARIJUANA JOINTS TRADED FOR LAST TIME		
		RANGE = 1 - 66	34	0.06
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		997 = REFUSED.....	122	0.22
		998 = BLANK (NO ANSWER).....	313	0.56
		999 = LEGITIMATE SKIP.....	8316	14.97

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJE38)		How much do you think the marijuana in these joints/this joint was worth?		
MMTJWRCB	2	1AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR		
		1 = less than \$5.00.....	14	0.03
		2 = \$5.00 to \$10.99.....	10	0.02
		3 = \$11.00 to \$20.99.....	1	0.00
		4 = \$21.00 to \$50.99.....	5	0.01
		6 = \$101.00 to \$150.99.....	1	0.00
		10 = \$301.00 to \$500.99.....	1	0.00
		12 = More than \$1000.99.....	2	0.00
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8316	14.97
(MJE38)		More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?		
MMTJWRTH	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR		
		1 = Less than \$5.00.....	14	0.03
		2 = \$5.00 to \$10.99.....	10	0.02
		3 = \$11.00 to \$20.99.....	1	0.00
		41 = \$21.00 to \$30.99.....	3	0.01
		42 = \$31.00 to \$40.99.....	1	0.00
		43 = \$41.00 to \$50.99.....	1	0.00
		63 = \$121.00 to \$130.99.....	1	0.00
		102 = \$351.00 to \$400.99.....	1	0.00
		121 = More than \$1000.99.....	2	0.00
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		997 = REFUSED.....	122	0.22
		998 = BLANK (NO ANSWER).....	313	0.56
		999 = LEGITIMATE SKIP.....	8316	14.97

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJE44)		Now we want to know how much marijuana you got the last time you traded something for marijuana.		
		Do you want to give your answer in grams, ounces, or pounds?		
MMTLUNIT	2	1AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS		
		1 = Grams.....	43	0.08
		2 = Ounces.....	67	0.12
		3 = Pounds.....	5	0.01
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8230	14.81
(MJE45)		The last time you traded something for marijuana, how many grams did you get?		
MMTLGMS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS		
		1 = At least 1 but less than 5 grams.....	29	0.05
		2 = At least 5 but less than 10 grams.....	9	0.02
		3 = 10 grams or more.....	5	0.01
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	317	0.57
		99 = LEGITIMATE SKIP.....	8302	14.94
(MJE47)		The last time you traded something for marijuana, how many ounces did you get?		
MMTLOZS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES		
		1 = At least 1/8, but less than 1/4 of an ounce.....	12	0.02
		2 = At least 1/4 but less than 1/3 of an ounce.....	46	0.08
		3 = At least 1/3 but less than 1/2 of an ounce.....	2	0.00
		4 = At least 1/2 but less than 1 ounce.....	2	0.00
		5 = At least 1 but less than 5 ounces.....	2	0.00
		6 = At least 5 but less than 10 ounces.....	1	0.00
		7 = At least 10 but less than 16 ounces.....	2	0.00
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	317	0.57
		99 = LEGITIMATE SKIP.....	8278	14.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	379
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE50)		How much do you think the marijuana you got this last time was worth?		
MMTLWRCB	2	1AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH		
		1 = less than \$5.00.....	13	0.02
		2 = \$5.00 to \$10.99.....	52	0.09
		3 = \$11.00 to \$20.99.....	14	0.03
		4 = \$21.00 to \$50.99.....	12	0.02
		5 = \$51.00 to \$100.99.....	8	0.01
		6 = \$101.00 to \$150.99.....	4	0.01
		7 = \$151.00 to \$200.99.....	1	0.00
		9 = \$251.00 to \$300.99.....	1	0.00
		10 = \$301.00 to \$500.99.....	2	0.00
		11 = \$501.00 to \$1000.99.....	1	0.00
		12 = More than \$1000.99.....	3	0.01
		90 = NOT ASKED THE QUESTION Logically assigned.....	4	0.01
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8230	14.81

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES

LABEL	LEN	DESCRIPTION	FREQ	%
(MJE50)		More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?		
MMTLWRTH	3	1PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR		
		1 = Less than \$5.00.....	13	0.02
		2 = \$5.00 to \$10.99.....	52	0.09
		3 = \$11.00 to \$20.99.....	14	0.03
		41 = \$21.00 to \$30.99.....	4	0.01
		42 = \$31.00 to \$40.99.....	4	0.01
		43 = \$41.00 to \$50.99.....	4	0.01
		51 = \$51.00 to \$60.99.....	6	0.01
		52 = \$61.00 to \$70.99.....	1	0.00
		54 = \$81.00 to \$90.99.....	1	0.00
		61 = \$101.00 to \$110.99.....	2	0.00
		63 = \$121.00 to \$130.99.....	1	0.00
		65 = \$141.00 to \$150.99.....	1	0.00
		70 = \$151.00 to \$200.99.....	1	0.00
		90 = \$251.00 to \$300.99.....	1	0.00
		102 = \$351.00 to \$400.99.....	1	0.00
		104 = \$451.00 to \$500.99.....	1	0.00
		111 = \$501.00 to \$550.99.....	1	0.00
		121 = More than \$1000.99.....	3	0.01
		990 = NOT ASKED THE QUESTIONS Logically assigned.....	4	0.01
		991 = NEVER USED MARIJUANA.....	34767	62.57
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	123	0.22
		998 = BLANK (NO ANSWER).....	313	0.56
		999 = LEGITIMATE SKIP.....	8230	14.81
(MJE56)		The last time you traded something for marijuana, who did you get it from?		
MMTRDWHO	2	1WHO GAVE YOU LAST MARIJUANA TRADED FOR		
		1 = A friend.....	100	0.18
		2 = A relative or family member.....	43	0.08
		3 = Someone I had just met or didn't know well.....	23	0.04
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	127	0.23
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8178	14.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	381
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE57)		The last time you traded something for marijuana, where were you when you got it?		
MMTPLACE	2	1WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA		
		1 = Inside a public bldg, such as a store, restaurant.	25	0.04
		2 = Inside a school building.....	41	0.07
		3 = Outside on school property.....	11	0.02
		4 = Inside a home, apartment, or dorm.....	50	0.09
		5 = Outside in a public area, such as a parking lot...	13	0.02
		6 = Some other place.....	28	0.05
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8178	14.72
(MJE58)		The last time you traded something for marijuana, where did you get it?		
MMTCLOSE	2	1HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME		
		1 = Near where you are now living.....	75	0.13
		2 = Somewhere else.....	93	0.17
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8178	14.72
(MJE59)		The last time you traded something for marijuana, did you keep it all for yourself?		
MMTKEEP	2	1KEEP ALL OF LAST MARIJUANA TRADED FOR		
		1 = Yes.....	52	0.09
		2 = No.....	116	0.21
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8178	14.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	382
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE60)		Did you sell any of the marijuana you got this last time?		
MMTSELL	2	1SELL ANY MARIJUANA YOU TRADED FOR LAST TIME		
		1 = Yes.....	9	0.02
		2 = No.....	107	0.19
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8230	14.81
(MJE61)		Did you give away any of the marijuana you got this last time?		
MMTGIVE	2	1GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME		
		1 = Yes.....	50	0.09
		2 = No.....	66	0.12
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	8230	14.81
(MJE62)		The last time you grew marijuana, did you keep it all for yourself?		
MMGKEEP	2	1KEEP ALL MARIJUANA LAST TIME YOU GREW IT		
		1 = Yes.....	17	0.03
		2 = No.....	21	0.04
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	309	0.56
		99 = LEGITIMATE SKIP.....	8316	14.97

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	383
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE63)		Did you sell any of the marijuana you grew this last time?		
MMGSELL	2	1SELL ANY MARIJUANA LAST TIME YOU GREW IT		
		1 = Yes.....	8	0.01
		2 = No.....	13	0.02
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	309	0.56
		99 = LEGITIMATE SKIP.....	8333	15.00
(MJE64)		The last time you grew marijuana, did you give any of it away for free?		
MMGGIVE	2	1GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT		
		1 = Yes.....	10	0.02
		2 = No.....	11	0.02
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	309	0.56
		99 = LEGITIMATE SKIP.....	8333	15.00
(MJE65)		The last time you got marijuana for free, who did you get it from?		
MMFREWHO	2	1WHO GAVE YOU LAST FREE MARIJUANA		
		1 = A friend.....	2989	5.38
		2 = A relative or family member.....	337	0.61
		3 = Someone I had just met or didn't know well.....	205	0.37
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	166	0.30
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	4766	8.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	384
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE66)		The last time you got marijuana for free, where were you when you got it?		
MMFPLACE	2	1WHERE WERE YOU LAST TIME GOT FREE MARIJUANA		
		1 = Inside a public bldg, such as a store, restaurant.	125	0.22
		2 = Inside a school building.....	54	0.10
		3 = Outside on school property.....	62	0.11
		4 = Inside a home, apartment, or dorm.....	2153	3.88
		5 = Outside in a public area, such as a parking lot,..	372	0.67
		6 = Some other place.....	755	1.36
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	156	0.28
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	4766	8.58
(MJE67)		The last time you got marijuana for free, where did you get it?		
MMFCLOSE	2	1HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA		
		1 = Near where you are now living.....	1470	2.65
		2 = Somewhere else.....	2054	3.70
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	157	0.28
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	4766	8.58
(MJE68)		The last time you got marijuana for free, did you keep it all for yourself?		
MMFKEEP	2	1KEEP ALL MARIJUANA GOT LAST TIME FOR FREE		
		1 = Yes.....	284	0.51
		2 = No.....	3275	5.89
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	136	0.24
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	4766	8.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	385
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MJE69)		Did you sell any of the marijuana you got this last time?		
MMFSELL	2	1SELL ANY MARIJUANA GOT LAST TIME FOR FREE		
		1 = Yes.....	52	0.09
		2 = No.....	3219	5.79
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	139	0.25
		98 = BLANK (NO ANSWER).....	324	0.58
		99 = LEGITIMATE SKIP.....	5050	9.09
(MJE70)		Did you give away any of the marijuana you got this last time?		
MMFGIVE	2	1GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE		
		1 = Yes.....	1332	2.40
		2 = No.....	1918	3.45
		91 = NEVER USED MARIJUANA.....	34767	62.57
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	12009	21.61
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	152	0.27
		98 = BLANK (NO ANSWER).....	324	0.58
		99 = LEGITIMATE SKIP.....	5050	9.09

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, or inhalants, or lifetime use of prescription-type psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXEVER	2	1EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
		1 = Yes.....	2564	4.61
		2 = No.....	39287	70.71
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	252	0.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	387
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TX02)		During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?		
TXYREVER	2	1EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS		
		1 = Yes.....	843	1.52
		2 = No.....	1569	2.82
		3 = Yes LOGICALLY ASSIGNED.....	148	0.27
		4 = No LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	299	0.54
		99 = LEGITIMATE SKIP (TXEVER=2).....	39287	70.71
(TX03)		During the past 12 months when you received treatment was the treatment for alcohol use only, drug use only, or both alcohol and drug use?		
TXYRADG	2	1TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS		
		1 = Alcohol use only.....	285	0.51
		2 = Drug use only.....	185	0.33
		3 = Both alcohol and drug use.....	307	0.55
		5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED...	1	0.00
		11 = Alcohol only (but last tmt for drugs reported)....	29	0.05
		12 = Drugs only (but last tmt for alc reported).....	22	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	97	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	388
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX04A)		During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?		
TXYRHOSP	2	1RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS		
		1 = Yes.....	171	0.31
		2 = No.....	643	1.16
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	14	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX04A1)		Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?		
TXYRHPAD	2	1HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	6	0.01
		2 = Drug use.....	7	0.01
		3 = Both alcohol and drug use.....	52	0.09
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	484	0.87
		99 = LEGITIMATE SKIP.....	41600	74.87
(TX04B)		During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?		
TXYRRFIN	2	1RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
		1 = Yes.....	201	0.36
		2 = No.....	609	1.10
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	22	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	10	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SUBSTANCE TREATMENT DESCRIPTION	PAGE:	389
			FREQ	%
-----	----	-----	----	-
(TX04B1)		Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?		
TXYRINAD	2	1RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	6	0.01
		2 = Drug use.....	3	0.01
		3 = Both alcohol and drug use.....	78	0.14
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	489	0.88
		99 = LEGITIMATE SKIP.....	41573	74.82
(TX04C)		During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?		
TXYRRFOP	2	1RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS		
		1 = Yes.....	328	0.59
		2 = No.....	465	0.84
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	37	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	9	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	97	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	390
LABEL	LEN	DESCRIPTION	FREQ	%
-----		-----	-----	-----
(TX04C1)		Was the treatment you received in a residential drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?		
TXYRPOAD	2	1OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	12	0.02
		2 = Drug use.....	13	0.02
		3 = Both alcohol and drug use.....	108	0.19
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	498	0.90
		99 = LEGITIMATE SKIP.....	41517	74.72
(TX04D)		During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?		
TXYRMHC	2	1RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO		
		1 = Yes.....	198	0.36
		2 = No.....	602	1.08
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	27	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	391
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-----
(TX04D1)		Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?		
TXYRMHAD	2	1MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	5	0.01
		2 = Drug use.....	7	0.01
		3 = Both alcohol and drug use.....	60	0.11
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	488	0.88
		99 = LEGITIMATE SKIP.....	41588	74.85
(TX04E)		During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?		
TXYRTXER	2	1RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
		1 = Yes.....	94	0.17
		2 = No.....	723	1.30
		3 = Yes LOGICALLY ASSIGNED.....	11	0.02
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	392
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX04E1)		Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?		
TXYRERAD	2	1EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	7	0.01
		2 = Drug use.....	10	0.02
		3 = Both alcohol and drug use.....	11	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	481	0.87
		99 = LEGITIMATE SKIP.....	41640	74.94
(TX04F)		During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?		
TXYRDOC	2	1RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
		1 = Yes.....	109	0.20
		2 = No.....	703	1.27
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLTMYN2).....	18	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX04F1)		Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?		
TXYRDCAD	2	1PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	2	0.00
		2 = Drug use.....	10	0.02
		3 = Both alcohol and drug use.....	23	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	480	0.86
		99 = LEGITIMATE SKIP.....	41634	74.93

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	393
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX04G)		During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?		
TXYRJAIL	2	1RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS		
		1 = Yes.....	78	0.14
		2 = No.....	749	1.35
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX04G1)		Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?		
TXYRJLAD	2	1PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	2	0.00
		2 = Drug use.....	5	0.01
		3 = Both alcohol and drug use.....	30	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	471	0.85
		99 = LEGITIMATE SKIP.....	41640	74.94
(TX04H)		During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?		
TXYRSHG	2	1RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS		
		1 = Yes.....	414	0.75
		2 = No.....	370	0.67
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	38	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	11	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	97	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	394
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX04H1)		Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?		
TXYRSGAD	2	1SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	23	0.04
		2 = Drug use.....	14	0.03
		3 = Both alcohol and drug use.....	140	0.25
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	509	0.92
		99 = LEGITIMATE SKIP.....	41462	74.62
(TX04I)		During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?		
TXYRSOP	2	1RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS		
		1 = Yes.....	220	0.40
		2 = No.....	527	0.95
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	77	0.14
		7 = Treatment location unknown, LOG ASSN.....	6	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	10	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	395
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXYROTS2	3	1OTHER PLACE RECEIVED TRMT PAST 12 MONTHS		
		9 = Some other place, not categorized elsewhere.....	7	0.01
		21 = Hospital inpatient overnight.....	2	0.00
		24 = Mental health center or facility as outpatient....	1	0.00
		26 = Private doctor's office.....	2	0.00
		28 = Self-help group.....	12	0.02
		40 = Home, family, friends.....	9	0.02
		41 = School, college.....	25	0.04
		42 = Church/religious/spiritual influence.....	4	0.01
		44 = Halfway house/group home.....	4	0.01
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfd.	8	0.01
		47 = Community/city/county/state program, unspecified..	3	0.01
		48 = Counselor, therapist, psychologist.....	46	0.08
		49 = Court-mandated/sponsored program.....	26	0.05
		51 = Alcohol/drug class, location unspecified.....	6	0.01
		53 = Hospital, patient status unspecified.....	9	0.02
		54 = On the job, Job Corp, EAP.....	3	0.01
		55 = Youth-oriented facility/organization/program.....	3	0.01
		58 = Other individual, relationship unspecified.....	3	0.01
		64 = Methadone clinic/program.....	3	0.01
		65 = Name of facility/program given.....	45	0.08
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		985 = BAD DATA Logically assigned.....	30	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	99	0.18
		998 = BLANK (NO ANSWER).....	505	0.91
		999 = LEGITIMATE SKIP.....	41385	74.49
(TX04I1)		Was the treatment you received in this other place for your alcohol use, your drug use, or both?		
TXYROTAD	2	1OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH		
		1 = Alcohol use.....	4	0.01
		2 = Drug use.....	7	0.01
		3 = Both alcohol and drug use.....	73	0.13
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	503	0.91
		99 = LEGITIMATE SKIP.....	41561	74.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	396
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX05)		During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRVSER 2		1EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
		1 = Yes.....	32	0.06
		2 = No.....	467	0.84
		6 = NEVER USED RELEVANT DRUGS.....	52	0.09
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	99	0.18
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	41143	74.05
(TX06)		During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		
TXYRNME2 3		1# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
		RANGE = 1 - 3	31	0.06
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		997 = REFUSED.....	100	0.18
		998 = BLANK (NO ANSWER).....	450	0.81
		999 = LEGITIMATE SKIP.....	41662	74.98
(TX07)		Are you currently receiving treatment or counseling for your [TXFILL1]?		
TXRCVNOW 2		1CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
		1 = Yes.....	290	0.52
		2 = No.....	541	0.97
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	10	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(TX08) NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMR, NDTXSEDR, NDTXSODR, NDTXDG1R, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

NDTXNEDR 2	1NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS		
	1 = Yes.....	259	0.47
	2 = No.....	40619	73.11
	11 = Yes (TXYREVER=3).....	40	0.07
	12 = No (TXYREVER=3).....	108	0.19
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
	85 = BAD DATA Logically assigned.....	11	0.02
	91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
	94 = DON'T KNOW.....	43	0.08
	97 = REFUSED.....	68	0.12
	98 = BLANK (NO ANSWER).....	252	0.45
	99 = LEGITIMATE SKIP.....	843	1.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	398
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX09)		During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?		
NDTXMORE	2	1NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS		
		1 = Yes.....	51	0.09
		2 = No.....	490	0.88
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	552	0.99
		99 = LEGITIMATE SKIP.....	41148	74.06
(TX10)		During the past 12 months, for which of the following drugs did you need additional treatment or counseling?		
NDTMRALC	2	1NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS		
		1 = Response entered.....	23	0.04
		6 = Response not entered.....	24	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
NDTMRMJ	2	1NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS		
		1 = Response entered.....	18	0.03
		6 = Response not entered.....	29	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SUBSTANCE TREATMENT DESCRIPTION	PAGE:	399
			FREQ	%
NDTMRROC	2	1NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS		
		1 = Response entered.....	10	0.02
		6 = Response not entered.....	37	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
NDTMRHER	2	1NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS		
		1 = Response entered.....	2	0.00
		6 = Response not entered.....	45	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
NDTMRHAL	2	1NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS		
		1 = Response entered.....	4	0.01
		6 = Response not entered.....	43	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
NDTMRINH	2	1NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS		
		1 = Response entered.....	1	0.00
		6 = Response not entered.....	46	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SUBSTANCE TREATMENT DESCRIPTION	PAGE:	400
			FREQ	%
-----	----	-----	----	-
NDTMRANL	2	1NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS		
		1 = Response entered.....	2	0.00
		6 = Response not entered.....	45	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
NDTMRTRN	2	1NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS		
		1 = Response entered.....	1	0.00
		6 = Response not entered.....	46	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
NDTMRSTM	2	1NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS		
		1 = Response entered.....	3	0.01
		6 = Response not entered.....	44	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
NDTMRSED	2	1NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS		
		1 = Response entered.....	1	0.00
		6 = Response not entered.....	45	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	401
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTMROTH	2	1NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS		
		1 = Response entered.....	4	0.01
		6 = Response not entered.....	43	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94
(TX11)		During the past 12 months did you need treatment or counseling for your use of alcohol?		
NDTXALCR	2	1NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS		
		1 = Yes.....	140	0.25
		2 = No.....	110	0.20
		11 = Yes (TXYREVER=3).....	25	0.04
		12 = No (TXYREVER=3).....	12	0.02
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	41799	75.23
(TX12)		During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?		
NDTXMJR	2	1NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS		
		1 = Yes.....	57	0.10
		2 = No.....	160	0.29
		11 = Yes (TXYREVER=3).....	12	0.02
		12 = No (TXYREVER=3).....	19	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	41916	75.44

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SUBSTANCE TREATMENT DESCRIPTION	PAGE:	402
			FREQ	%
----	----	-----	----	-
(TX13)		During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?		
NDTXCOCR	2	1NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS		
		1 = Yes.....	34	0.06
		2 = No.....	98	0.18
		11 = Yes (TXYREVER=3).....	1	0.00
		12 = No (TXYREVER=3).....	19	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	42065	75.71
(TX14)		During the past 12 months, did you need treatment or counseling for your use of heroin?		
NDTXHERR	2	1NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS		
		1 = Yes.....	8	0.01
		2 = No.....	30	0.05
		11 = Yes (TXYREVER=3).....	2	0.00
		12 = No (TXYREVER=3).....	5	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	42185	75.93
(TX15)		During the past 12 months, did you need treatment or counseling for your use of hallucinogens?		
NDTXHALR	2	1NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS		
		1 = Yes.....	14	0.03
		2 = No.....	127	0.23
		11 = Yes (TXYREVER=3).....	5	0.01
		12 = No (TXYREVER=3).....	22	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	95	0.17
		99 = LEGITIMATE SKIP.....	41955	75.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	403
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX16)		During the past 12 months, did you need treatment or counseling for your use of inhalants?		
NDTXINHR	2	1NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS		
		1 = Yes.....	8	0.01
		2 = No.....	111	0.20
		11 = Yes (TXYREVER=3).....	3	0.01
		12 = No (TXYREVER=3).....	11	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP.....	42045	75.67
(TX17)		During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?		
NDTXANLR	2	1NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS		
		1 = Yes.....	23	0.04
		2 = No.....	101	0.18
		11 = Yes (TXYREVER=3).....	5	0.01
		12 = No (TXYREVER=3).....	17	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	109	0.20
		99 = LEGITIMATE SKIP.....	41965	75.53

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	404
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX18)		During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?		
NDTXTRNR	2	NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	74	0.13
		11 = Yes (TXYREVER=3).....	2	0.00
		12 = No (TXYREVER=3).....	12	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	42073	75.72
(TX19)		During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?		
NDTXSTMR	2	NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS		
		1 = Yes.....	11	0.02
		2 = No.....	85	0.15
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		11 = Yes (TXYREVER=3).....	3	0.01
		12 = No (TXYREVER=3).....	11	0.02
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP.....	42062	75.70

SUBSTANCE TREATMENT			PAGE:	405
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX20)		During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?		
NDTXSEDR	2	1NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS		
		1 = Yes.....	5	0.01
		2 = No.....	33	0.06
		12 = No (TXYREVER=3).....	10	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	42124	75.82
(TX21)		During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?		
NDTXSODR	2	1NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS		
		1 = Yes.....	15	0.03
		2 = No.....	197	0.35
		5 = Drug Unknown LOGICALLY ASSIGNED.....	45	0.08
		11 = Yes (TXYREVER=3).....	6	0.01
		12 = No (TXYREVER=3).....	34	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	305	0.55
		99 = LEGITIMATE SKIP.....	41570	74.82
NDTXDG1R	4	1OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1		
		322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.01
		355 = Crystal meth.....	2	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed,he..	2	0.00
		3068 = Mini Two-way Action <OTC>.....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		9985 = BAD DATA Logically assigned.....	7	0.01
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		9997 = REFUSED.....	69	0.12
		9998 = BLANK (NO ANSWER).....	358	0.64
		9999 = LEGITIMATE SKIP.....	41801	75.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	406
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NDTXDG2R	4	1 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2		
		805 = Cocaine, coca, coca8na, coke.....	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		9997 = REFUSED.....	69	0.12
		9998 = BLANK (NO ANSWER).....	367	0.66
		9999 = LEGITIMATE SKIP.....	41801	75.23
NDTXDG3R	4	1 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3		
		3050 = Mini Thins.....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		9994 = DON'T KNOW.....	1	0.00
		9997 = REFUSED.....	69	0.12
		9998 = BLANK (NO ANSWER).....	369	0.66
		9999 = LEGITIMATE SKIP.....	41801	75.23
NDTXDG4R	4	1 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		9997 = REFUSED.....	69	0.12
		9998 = BLANK (NO ANSWER).....	372	0.67
		9999 = LEGITIMATE SKIP.....	41801	75.23
NDTXDG5R	4	1 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5		
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		9997 = REFUSED.....	69	0.12
		9998 = BLANK (NO ANSWER).....	372	0.67
		9999 = LEGITIMATE SKIP.....	41801	75.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	407
-----	----	-----	FREQ	%
(TX22)		NOTE: NDTXEFTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").		
		During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?		
NDTXEFTR	2	1MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS		
		1 = Yes.....	45	0.08
		2 = No.....	207	0.37
		11 = Yes (see note).....	26	0.05
		12 = No (TXYREVER=3).....	16	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	305	0.55
		99 = LEGITIMATE SKIP.....	41570	74.82
(TX23)		During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?		
NDTMREFT	2	1MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS		
		1 = Yes.....	27	0.05
		2 = No.....	23	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	553	1.00
		99 = LEGITIMATE SKIP.....	41638	74.94

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SUBSTANCE TREATMENT DESCRIPTION	PAGE:	408
			FREQ	%
-----	----	-----	----	-
(TX24)		How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?		
TXLASREC 2		1TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT		
		1 = Within the past 30 days -- that is, since DATEFILL	89	0.16
		2 = More than 30 days ago but within the past 12 mos..	487	0.88
		3 = More than 12 months ago.....	1548	2.79
		7 = Still in treatment LOG ASSN (TXRCVNOW=1).....	290	0.52
		8 = Treatment in past year LOGICALLY ASSIGNED.....	125	0.22
		9 = Treatment in lifetime LOGICALLY ASSIGNED.....	2	0.00
		13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	23	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	299	0.54
		99 = LEGITIMATE SKIP.....	39287	70.71

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(TX25)

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?

What is the main place where you are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

TXLTVMN2 3	1MAIN PLACE RCV TRMT LAST TIME/CURRENTLY		
	1 = A hospital overnight as an inpatient.....	46	0.08
	2 = A res drug/alcohol rehab facility overnight.....	92	0.17
	3 = A drug or alcohol rehab facility as an outpatient.	154	0.28
	4 = A mental health center or facility as outpatient..	94	0.17
	5 = An emergency room.....	8	0.01
	6 = A private doctor's office.....	50	0.09
	7 = A prison or jail.....	21	0.04
	8 = A self-help group.....	201	0.36
	9 = Some other place.....	69	0.12
	40 = Home, family, friends.....	6	0.01
	41 = School, college.....	24	0.04
	48 = Counselor, therapist, psychologist.....	21	0.04
	49 = Court-mandated/sponsored program.....	16	0.03
	51 = Alcohol/drug class, location unspecified.....	4	0.01
	54 = On the job, Job Corp, EAP.....	3	0.01
	65 = Name of facility/program given.....	10	0.02
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
	985 = BAD DATA Logically assigned.....	8	0.01
	991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
	994 = DON'T KNOW.....	9	0.02
	997 = REFUSED.....	100	0.18
	998 = BLANK (NO ANSWER).....	449	0.81
	999 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT		PAGE:	410
LABEL	LEN	DESCRIPTION		FREQ	%
----	----	-----		----	-
(TX26)		The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?			
		Are you currently receiving treatment or counseling for your use of alcohol?			
TXLTYALC	2	1LAST/CURRENT TREATMENT FOR ALCOHOL			
		1 = Yes.....	496	0.89	
		2 = No.....	259	0.47	
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01	
		5 = Yes LOG ASSN (TXYRADG = 1).....	59	0.11	
		6 = NEVER USED ALCOHOL (TXEVER = 1).....	20	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05	
		85 = BAD DATA Logically assigned.....	8	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	97	0.17	
		98 = BLANK (NO ANSWER).....	442	0.80	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54	
(TX27)		The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?			
		Are you currently receiving treatment or counseling for your use of marijuana or hashish?			
TXLTYMJ	2	1LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH			
		1 = Yes.....	325	0.58	
		2 = No.....	400	0.72	
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02	
		6 = NEVER USED MARIJUANA (TXEVER = 1).....	133	0.24	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05	
		85 = BAD DATA Logically assigned.....	7	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92	
		97 = REFUSED.....	100	0.18	
		98 = BLANK (NO ANSWER).....	411	0.74	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	411
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TX28)		The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?		
		Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?		
TXLTYCOC	2	1LAST/CURRENT TREATMENT FOR COCAINE/CRACK		
		1 = Yes.....	131	0.24
		2 = No.....	303	0.55
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		6 = NEVER USED COCAINE (TXEVER = 1).....	489	0.88
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	97	0.17
		98 = BLANK (NO ANSWER).....	356	0.64
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54
(TX29)		The last time you entered treatment, did you receive treatment or counseling for your use of heroin?		
		Are you currently receiving treatment or counseling for your use of heroin?		
TXLTYHER	2	1LAST/CURRENT TREATMENT FOR HEROIN		
		1 = Yes.....	55	0.10
		2 = No.....	54	0.10
		6 = NEVER USED HEROIN (TXEVER = 1).....	871	1.57
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	309	0.56
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	412
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TX30)		The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?		
		Are you currently receiving treatment or counseling for your use of hallucinogens?		
TXLTYHAL	2	1LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		1 = Yes.....	104	0.19
		2 = No.....	385	0.69
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	423	0.76
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	99	0.18
		98 = BLANK (NO ANSWER).....	367	0.66
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54
(TX31)		The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?		
		Are you currently receiving treatment or counseling for your use of inhalants?		
TXLTYINH	2	1LAST/CURRENT TREATMENT FOR INHALANTS		
		1 = Yes.....	50	0.09
		2 = No.....	270	0.49
		6 = NEVER USED INHALANTS (TXEVER = 1).....	623	1.12
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	98	0.18
		98 = BLANK (NO ANSWER).....	341	0.61
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	413
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX32)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?		
		Are you currently receiving treatment or counseling for your use of prescription pain relievers?		
TXLTYANL	2	1LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS		
		1 = Yes.....	86	0.15
		2 = No.....	303	0.55
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		6 = NEVER USED PAIN RELIEVERS (TXEVER = 1).....	530	0.95
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	4	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	98	0.18
		98 = BLANK (NO ANSWER).....	362	0.65
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54
(TX33)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?		
		Are you currently receiving treatment or counseling for your use of prescription tranquilizers?		
TXLTYTRN	2	1LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS		
		1 = Yes.....	58	0.10
		2 = No.....	192	0.35
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	698	1.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	334	0.60
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	414
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX34)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?		
		Are you currently receiving treatment or counseling for your use of prescription stimulants?		
TXLTYSTM 2		1LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS		
		1 = Yes.....	49	0.09
		2 = No.....	225	0.40
		3 = Yes LOGICALLY ASSIGNED.....	21	0.04
		6 = NEVER USED STIMULANTS (TXEVER = 1).....	655	1.18
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	336	0.60
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54
(TX35)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?		
		Are you currently receiving treatment or counseling for your use of prescription sedatives?		
TXLTYSED 2		1LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES		
		1 = Yes.....	24	0.04
		2 = No.....	74	0.13
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		6 = NEVER USED SEDATIVES (TXEVER = 1).....	872	1.57
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	321	0.58
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	415
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX36)		The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?		
		Are you currently receiving treatment or counseling for your use of any other drug?		
TXLTYSOD	2	1LAST/CURRENT TRMT FOR SOME OTHER DRUG		
		1 = Yes.....	94	0.17
		2 = No.....	673	1.21
		5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	24	0.04
		7 = Treatment drug/alc unknown LOG ASSN.....	33	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	102	0.18
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX38)		What was the outcome of the treatment or counseling you last received?		
TXLTYOU2	2	1OUTCOME OF LAST/CURRENT TREATMENT		
		1 = You are still in treatment.....	292	0.53
		2 = You successfully completed treatment.....	358	0.64
		3 = You left because you had a problem with program...	31	0.06
		4 = You left b/c you couldn't afford to continue.....	24	0.04
		5 = You left because your family needed you.....	11	0.02
		6 = You left because you began using drugs again.....	19	0.03
		7 = Your last treatment had some other outcome.....	18	0.03
		41 = You left because you didn't need/want treatment...	4	0.01
		44 = You relapsed/program did not work for you.....	7	0.01
		48 = Discontinued treatment, success unknown.....	4	0.01
		49 = Completed treatment, outcome unknown.....	8	0.01
		50 = You had other problems to deal with.....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	34	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	107	0.19
		98 = BLANK (NO ANSWER).....	459	0.83
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	416
-----	----	-----	FREQ	%
(TX39)		<p>How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?</p> <p>How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?</p> <p>How long did you stay in treatment for your alcohol or drug use during your last treatment?</p> <p>How long have you been in treatment for your alcohol or drug use so far?</p> <p>Please indicate whether you want to give your answer in days, months, or years.</p> <p>How many days have you been in treatment for your alcohol or drug use so far?</p> <p>How many days did you stay in treatment for your alcohol or drug use the last time?</p> <p>How many months have you been in treatment for your alcohol or drug use so far?</p> <p>How many months did you stay in treatment for your alcohol or drug use the last time?</p> <p>How many years have you been in treatment for your alcohol or drug use so far?</p> <p>How many years did you stay in treatment for your alcohol or drug use the last time?</p>		

TXLTYDU2	5	1# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE		
		RANGE = 1 - 30	337	0.61
		31 = 31 or more.....	466	0.84
		99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		99985 = BAD DATA Logically assigned.....	8	0.01
		99991 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		99994 = DON'T KNOW.....	13	0.02
		99997 = REFUSED.....	112	0.20
		99998 = BLANK (NO ANSWER).....	449	0.81
		99999 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	417
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX42A)		Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?		
		Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYINS	2	1HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	259	0.47
		2 = No.....	540	0.97
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	105	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX42B)		Did Medicare pay for the last treatment you received, even if it paid only part of the cost?		
		Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCARE	2	1MEDICARE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	116	0.21
		2 = No.....	667	1.20
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	107	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	418
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TX42C)		Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
		Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCAID 2		1MEDICAID PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	115	0.21
		2 = No.....	664	1.20
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	109	0.20
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX42D)		Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?		
		Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYPUBP 2		10TH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	140	0.25
		2 = No.....	633	1.14
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	107	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	419
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TX42E)		Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?		
		Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?		
TXPYSAVE	2	1OWN SAVINGS PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	359	0.65
		2 = No.....	452	0.81
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX42F)		Did family members pay for the last treatment you received, even if they paid only part of the cost?		
		Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?		
TXPYFMLY	2	1FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	231	0.42
		2 = No.....	578	1.04
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	420
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TX42G)		Did the courts pay for the last treatment you received, even if it paid only part of the cost?		
		Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYCORT	2	1COURTS PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	85	0.15
		2 = No.....	717	1.29
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX42H)		Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?		
		Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYMILC	2	1MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	33	0.06
		2 = No.....	762	1.37
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SUBSTANCE TREATMENT	PAGE:	421
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(TX42I)		Did your employer pay for the last treatment you received, even if it paid only part of the cost?		
		Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?		
TXPYEMPL	2	1EMPLOYER PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	48	0.09
		2 = No.....	752	1.35
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54
(TX42J)		Was your last treatment paid for by some other source besides those that have been listed?		
		Will the treatment you are currently receiving, be paid for by some other source besides those that have been listed?		
TXPYSOS	2	1SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT		
		1 = Yes.....	96	0.17
		2 = No.....	672	1.21
		4 = No LOG ASSN (free trmt specified).....	1	0.00
		5 = Yes, payment source not specified LOG ASSN.....	27	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	12	0.02
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	422
LABEL	LEN	DESCRIPTION	FREQ	%
TXPYSP2	2	1OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY		
		1 = Private health insurance.....	11	0.02
		3 = Medicaid.....	1	0.00
		4 = Public assistance program other than Medicaid.....	2	0.00
		5 = Own savings or earnings.....	2	0.00
		6 = Family members.....	4	0.01
		7 = Courts.....	6	0.01
		10 = Free.....	6	0.01
		11 = Some other source.....	3	0.01
		12 = Friend/sponsor.....	3	0.01
		14 = School.....	9	0.02
		15 = Treatment program.....	3	0.01
		19 = Public assistance, unspecified.....	5	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		85 = BAD DATA Logically assigned.....	16	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	530	0.95
		99 = LEGITIMATE SKIP.....	41530	74.75

(TX42K) Was the last treatment you received free?

Is the treatment you are currently receiving free?

TXPYFRE	2	1LAST/CURRENT TREATMENT WAS/IS FREE		
		1 = Yes.....	56	0.10
		2 = No.....	27	0.05
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	102	0.18
		98 = BLANK (NO ANSWER).....	475	0.85
		99 = LEGITIMATE SKIP.....	41576	74.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	423
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(TX43)		Were you enrolled in a treatment program for your alcohol or drug use on October 1, 2000?		
		For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.		
TXENROLL	2	1ENROLLED IN TREATMENT PROGRAM ON OCT.1 2000		
		1 = Yes.....	241	0.43
		2 = No.....	2296	4.13
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	299	0.54
		99 = LEGITIMATE SKIP (TXEVER=2).....	39287	70.71
(TX44)		Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?		
TXYRDTXO	2	1WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS		
		1 = Yes.....	116	0.21
		2 = No.....	545	0.98
		4 = No LOGICALLY ASSIGNED.....	143	0.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	27	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13291	23.92
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	112	0.20
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP.....	40858	73.54

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SUBSTANCE TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

A respondent was classified as receiving treatment in the past year for illicit drug abuse at a specialty facility that is a hospital as an inpatient, a residential rehabilitation facility as an in or outpatient, or a mental health facility (SPECTILL) if they met either of these conditions:

- (1) Reported receiving only illicit drug treatment in the past year (TXYRADG=2,5,12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,3,5 or TXYRRFIN=1,5 or TXYRRFOP=1,5 or TXYRMHC=1,5).
- (2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3) and reported specifically receiving treatment for illicit drug abuse at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2,3 or TXYRINAD=2,3 or TXYRPOAD=2,3 or TXYRMHAD=2,3).

SPECTILL 1	RCVD TRMT AT SPEC FAC FOR ILL DRG-PST YR		
	0 = No/Unknown (Otherwise).....	55233	99.41
	1 = Yes (See comment above).....	328	0.59

RECODED SUBSTANCE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

A respondent was classified as receiving treatment in the past year for alcohol abuse at a specialty facility that is a hospital as an inpatient, a residential rehabilitation facility as an in or outpatient, or at a mental health facility (SPECTALC) if they met either of these conditions:

- (1) Reported receiving only alcohol treatment in the past year (TXYRADG=1,11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,3,5 or TXYRRFIN=1,5 or TXYRRFOP=1,5 or TXYRMHC=1,5).
- (2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3,6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1,3 or TXYRINAD=1,3 or TXYRPOAD=1,3 or TXYRMHAD=1,3).

SPECTALC	1	RCVD TRMT AT SPEC FAC FOR ALC USE-PST YR		
		0 = No/Unknown (Otherwise).....	55202	99.35
		1 = Yes (See comment above).....	359	0.65

A respondent was classified as having received treatment at a specialty facility for illicit drug or alcohol abuse (SPILLALC) if they reported receiving treatment for use of alcohol or any drug in the past year (TXYREVER=1,3) and treatment was received at either a hospital (TXYRHOSP=1,3,5), or a residential rehabilitation facility as in or outpatient (TXYRRFIN=1,5 or TXYRRFOP=1,5), or a mental health facility (TXYRMHC=1,5).

SPILLALC	1	RCVD TRMT SPEC FAC FOR ALC OR DRG-PST YR		
		0 = No/Unknown (Otherwise).....	55016	99.02
		1 = Yes (See comment above).....	545	0.98

RECODED SUBSTANCE TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
<p>A respondent was defined as needing treatment for illicit drug abuse (ILLNEED) if they met any one of the following 3 criteria in the past year:</p> <p>(1) Dependent on any illicit drug (DEPILL=1)</p> <p>(2) Any illicit drug abuse (ABUSEILL=1)</p> <p>(3) Received treatment for illicit drug use at a specialty facility including hospital, rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1)</p>				
ILLNEED	1	NEEDED TRMT FOR ILL DRUG USE-PST YR		
		0 = No/Unknown (Otherwise).....	53110	95.59
		1 = Yes (See comment above).....	2451	4.41
<p>The following variable, TXNOSPEC, is defined as needing illicit drug abuse treatment in the past year, but not receiving illicit drug treatment at a speciality facility. This treatment measure is referred to as "the gap".</p>				
TXNOSPEC	1	NEED ILL DRG TRMT, NOT RCVD TRMT SPC FAC		
		0 = No/Unknown (Otherwise).....	53438	96.18
		1 = Yes (ILLNEED=1 and SPECTILL=0).....	2123	3.82
ALCTRMT	1	RCVD TRMT AT ANY LOC FOR ALC USE-PST YR		
		0 = No/Unknown (TXYRADG=2,5,81,85,91,94,97,99).....	54918	98.84
		1 = Yes (TXYRADG=1,3,11,12).....	643	1.16
ILLTRMT	1	RCVD TRMT ANY LOC FOR ILL DRG USE-PST YR		
		0 = No/Unknown (TXYRADG=1,81,85,91,94,97,98,99).....	55017	99.02
		1 = Yes (TXYRADG=2,3,5,11,12).....	544	0.98
TXILLALC	1	RCVD TRMT ANY LOC FOR ALC OR DRG-PST YR		
		0 = No/Unknown (TXYREVER=2,4,81,85,91,94,97,98,99)....	54570	98.22
		1 = Yes (TXYREVER=1,3).....	991	1.78
TXILANAL	1	RCVD TRMT ANY LOC FOR ALC AND DRG-PST YR		
		0 = No/Unknown (TXYRADG=1,2,5,81,85,91,94,97,98,99)...	55203	99.36
		1 = Yes (TXYRADG=3,11,12).....	358	0.64
TXLTMJ2	1	RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA		
		0 = No/Unknown (TXLTYMJ=2,6,81,85,91,97,98,99).....	55227	99.40
		1 = Yes (TXLTYMJ=1,3).....	334	0.60
TXLTCOC2	1	RECEIVED LAST/CURRENT TREATMENT FOR COCAINE		
		0 = No/Unknown (TXLTYCOC=2,6,81,85,91,94,97,98,99)....	55424	99.75
		1 = Yes (TXLTYCOC=1,3).....	137	0.25

RECODED SUBSTANCE TREATMENT			PAGE:	427
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
TXLTHER2	1	RECEIVED LAST/CURRENT TREATMENT FOR HEROIN		
		0 = No/Unknown (TXLTYHER=2,6,81,85,91,97,98,99).....	55506	99.90
		1 = Yes (TXLTYHER=1).....	55	0.10
TXLTSTM2	1	RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS		
		0 = No/Unknown (TXLTYSTM=2,6,81,85,91,94,97,98,99)....	55491	99.87
		1 = Yes (TXLTYSTM=1,3).....	70	0.13
TXLTSED2	1	RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES		
		0 = No/Unknown (TXLTYSED=2,6,81,91,97,98,99).....	55536	99.96
		1 = Yes (TXLTYSED=1,3).....	25	0.04
TXLTANL2	1	RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
		0 = No/Unknown (TXLTYANL=2,6,81,85,91,94,97,98,99)....	55474	99.84
		1 = Yes (TXLTYANL=1,3).....	87	0.16
TXLTTRN2	1	RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
		0 = No/Unknown (TXLTYTRN=2,6,81,85,91,94,97,98,99)....	55499	99.89
		1 = Yes (TXLTYTRN=1,3).....	62	0.11
TXLTHAL2	1	RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
		0 = No/Unknown (TXLTYHAL=2,6,81,85,91,94,97,98,99)....	55454	99.81
		1 = Yes (TXLTYHAL=1,3).....	107	0.19
TXLTINH2	1	RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS		
		0 = No/Unknown (TXLTYINH=2,6,81,85,91,94,97,98,99)....	55511	99.91
		1 = Yes (TXLTYINH=1).....	50	0.09
TXLTALC2	1	RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
		0 = No/Unknown (TXLTYALC=2,6,81,85,91,94,97,98,99)....	55003	99.00
		1 = Yes (TXLTYALC=1,3,5).....	558	1.00

NOTE: The following recoded variables contain respondent information about receiving last or current treatment for various drugs.

The following variable, TXLTILL2, was created by examination of receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), tranquilizers (TXLTTRN2).

TXLTILL2	1	RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
		0 = No/Unknown (Otherwise).....	55113	99.19
		1 = Yes (ANY SOURCE VARIABLE=1).....	448	0.81

RECODED SUBSTANCE TREATMENT			PAGE:	428
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		NOTE: The following recoded variables contain payment information about respondents last or current treatment.		
TXPINS2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY INSURANCE 0 = No/Unknown (TXPYINS=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYINS=1,3).....	55297 264	99.52 0.48
TXPCARE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE 0 = No/Unknown (TXPYCARE=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYCARE=1).....	55445 116	99.79 0.21
TXPCAID2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY MEDICAID 0 = No/Unknown (TXPYCAID=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYCAID=1,3).....	55445 116	99.79 0.21
TXPPUBP2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXPYPUBP=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYPUBP=1,3).....	55420 141	99.75 0.25
TXPSAVE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXPYSAVE=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYSAVE=1).....	55202 359	99.35 0.65
TXPFMLY2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS 0 = No/Unknown (TXPYFMLY=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYFMLY=1,3).....	55329 232	99.58 0.42
TXPCORT2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY COURTS 0 = No/Unknown (TXPYCORT=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYCORT=1,3).....	55474 87	99.84 0.16
TXPMILC2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HC 0 = No/Unknown (TXPYMILC=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYMILC=1).....	55528 33	99.94 0.06
TXPEMPL2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER 0 = No/Unknown (TXPYEMPL=2,81,85,91,94,97,98,99)..... 1 = Yes (TXPYEMPL=1).....	55513 48	99.91 0.09
ILLPINS	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE 0 = No/Unknown (TXLTILL2=0 OR TXPINS2=0)..... 1 = Yes (TXLTILL2=1 AND TXPINS2=1).....	55395 166	99.70 0.30

RECODED SUBSTANCE TREATMENT			PAGE:	429
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ILLPCARE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
		0 = No/Unknown (TXLTILL2=0 OR TXPCARE2=0).....	55481	99.86
		1 = Yes (TXLTILL2=1 AND TXPCARE2=1).....	80	0.14
ILLPCAID	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY MEDICAID		
		0 = No/Unknown (TXLTILL2=0 OR TXPCAID2=0).....	55483	99.86
		1 = Yes (TXLTILL2=1 AND TXPCAID2=1).....	78	0.14
ILLPPUBP	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
		0 = No/Unknown (TXLTILL2=0 OR TXPPUBP2=0).....	55471	99.84
		1 = Yes (TXLTILL2=1 AND TXPPUBP2=1).....	90	0.16
ILLPSAVE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
		0 = No/Unknown (TXLTILL2=0 OR TXPSAVE2=0).....	55395	99.70
		1 = Yes (TXLTILL2=1 AND TXPSAVE2=1).....	166	0.30
ILLPFMLY	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY FAMLY MEMBR		
		0 = No/Unknown (TXLTILL2=0 OR TXPFMLY2=0).....	55416	99.74
		1 = Yes (TXLTILL2=1 AND TXPFMLY2=1).....	145	0.26
ILLPCORT	1	LAST/CURRENT ILL DRUG TREATMENT PAID FOR BY COURTS		
		0 = No/Unknown (TXLTILL2=0 OR TXPCORT2=0).....	55498	99.89
		1 = Yes (TXLTILL2=1 AND TXPCORT2=1).....	63	0.11
ILLPMILC	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE		
		0 = No/Unknown (TXLTILL2=0 OR TXPMILC2=0).....	55543	99.97
		1 = Yes (TXLTILL2=1 AND TXPMILC2=1).....	18	0.03
ILLPEMPL	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY EMPLOYER		
		0 = No/Unknown (TXLTILL2=0 OR TXPEMPL2=0).....	55542	99.97
		1 = Yes (TXLTILL2=1 AND TXPEMPL2=1).....	19	0.03
ALCPINS	1	LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
		0 = No/Unknown (TXLTALC2=0 OR TXPINS2=0).....	55387	99.69
		1 = Yes (TXLTALC2=1 AND TXPINS2=1).....	174	0.31
ALCPCARE	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
		0 = No/Unknown (TXLTALC2=0 OR TXPCARE2=0).....	55490	99.87
		1 = Yes (TXLTALC2=1 AND TXPCARE2=1).....	71	0.13
ALCPCAID	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
		0 = No/Unknown (TXLTALC2=0 OR TXPCAID2=0).....	55490	99.87
		1 = Yes (TXLTALC2=1 AND TXPCAID2=1).....	71	0.13

RECODED SUBSTANCE TREATMENT			PAGE:	430
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ALCPPUBP	1	LAST/CURRENT ALC TRTMNT PAID FOR BY PUBLIC ASST		
		0 = No/Unknown (TXLTALC2=0 OR TXPPUBP2=0).....	55472	99.84
		1 = Yes (TXLTALC2=1 AND TXPPUBP2=1).....	89	0.16
ALCPSAVE	1	LAST/CURRENT ALC TRTMNT PAID FOR BY OWN SAVINGS		
		0 = No/Unknown (TXLTALC2=0 OR TXPSAVE2=0).....	55299	99.53
		1 = Yes (TXLTALC2=1 AND TXPSAVE2=1).....	262	0.47
ALCPFMLY	1	LAST/CURRENT ALC TRTMNT PAID FOR BY FAMILY MEMBERS		
		0 = No/Unknown (TXLTALC2=0 OR TXPFMLY2=0).....	55424	99.75
		1 = Yes (TXLTALC2=1 AND TXPFMLY2=1).....	137	0.25
ALCPCORT	1	LAST/CURRENT ALCOHOL TREATMENT PAID FOR BY COURTS		
		0 = No/Unknown (TXLTALC2=0 OR TXPCORT2=0).....	55513	99.91
		1 = Yes (TXLTALC2=1 AND TXPCORT2=1).....	48	0.09
ALCPMILC	1	LAST/CURRENT ALC TRT PAID FOR BY MILT HLTH CARE		
		0 = No/Unknown (TXLTALC2=0 OR TXPMILC2=0).....	55543	99.97
		1 = Yes (TXLTALC2=1 AND TXPMILC2=1).....	18	0.03
ALCPEMPL	1	LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
		0 = No/Unknown (TXLTALC2=0 OR TXPEMPL2=0).....	55526	99.94
		1 = Yes (TXLTALC2=1 AND TXPEMPL2=1).....	35	0.06
DRGHOSP	1	RCVD ILL DRUG TREATMENT AT A HOSPITAL IN PAST YEAR		
		0 = No/Unknown (Otherwise).....	55456	99.81
		1 = Yes (TXYRHOSP=1 AND TXYRHPAD=2,3).....	105	0.19
DRGRFIN	1	RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YEAR		
		0 = No/Unknown (Otherwise).....	55428	99.76
		1 = Yes (TXYRRFIN=1 AND TXYRINAD=2,3).....	133	0.24
DRGRFOP	1	RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR		
		0 = No/Unknown (Otherwise).....	55341	99.60
		1 = Yes (TXYRRFOP=1 AND TXYRPOAD=2,3).....	220	0.40
DRGMHC	1	RCVD ILL DRUG TRT AT A MENTAL HLTH CNTR IN PST YR		
		0 = No/Unknown (Otherwise).....	55440	99.78
		1 = Yes (TXYRMHC=1 AND TXYRMHAD=2,3).....	121	0.22
DRGTXER	1	RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR		
		0 = No/Unknown (Otherwise).....	55511	99.91
		1 = Yes (TXYRTXER=1 AND TXYRERAD=2,3).....	50	0.09

RECODED SUBSTANCE TREATMENT			PAGE:	431
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
DRGDOC	1	RECEIVED ILL DRUG TRT AT A DR'S OFFICE IN PAST YR		
		0 = No/Unknown (Otherwise).....	55497	99.88
		1 = Yes (TXYRDOC=1 AND TXYRDCAD=2,3).....	64	0.12
DRGJAIL	1	RECEIVED ILL DRUG TRT AT A PRISON/JAIL IN THE PAST		
		0 = No/Unknown (Otherwise).....	55514	99.92
		1 = Yes (TXYRJAIL=1 AND TXYRJLAD=2,3).....	47	0.08
DRGSHG	1	RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR		
		0 = No/Unknown (Otherwise).....	55312	99.55
		1 = Yes (TXYRSHG=1 AND TXYRSGAD=2,3).....	249	0.45
ALCHOSP	1	RECEIVED ALC TRT AT A HOSPITAL IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55432	99.77
		1 = Yes (TXYRHOSP=1 AND TXYRH PAD=1,3).....	129	0.23
ALCRFIN	1	RCVD ALC TRT AT INP REHAB FAC IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55405	99.72
		1 = Yes (TXYRRFIN=1 AND TXYRINAD=1,3).....	156	0.28
ALCRFOP	1	RCVD ALC TRT AT AN OUTP REHAB FAC IN THE PAST YR		
		0 = No/Unknown (Otherwise).....	55322	99.57
		1 = Yes (TXYRRFOP=1 AND TXYRPOAD=1,3).....	239	0.43
ALCMHC	1	RCVD ALC TRT AT A MENTAL HEALTH CENTER IN PAST YR		
		0 = No/Unknown (Otherwise).....	55408	99.72
		1 = Yes (TXYRMHC=1 AND TXYRMHAD=1,3).....	153	0.28
ALCTXER	1	RCVD ALC TRT AT AN EMERGENCY ROOM IN PAST YR		
		0 = No/Unknown (Otherwise).....	55501	99.89
		1 = Yes (TXYRTXER=1 AND TXYRERAD=1,3).....	60	0.11
ALCDOC	1	RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR		
		0 = No/Unknown (Otherwise).....	55479	99.85
		1 = Yes (TXYRDOC=1 AND TXYRDCAD=1,3).....	82	0.15
ALCJAIL	1	RECEIVED ALC TRT AT A PRISON/JAIL IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	55500	99.89
		1 = Yes (TXYRJAIL=1 AND TXYRJLAD=1,3).....	61	0.11
ALCSHG	1	RCVD ALC TRT AT A SELF-HELP GROUP IN PAST YR		
		0 = No/Unknown (Otherwise).....	55230	99.40
		1 = Yes (TXYRSHG=1 AND TXYRSGAD=1,3).....	331	0.60

RECODED SUBSTANCE TREATMENT			PAGE:	432
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NOTE: The following recoded variables contain information about where respondent received treatment in the past year.				
LOCHOSP	1	RCVD ILL DRUG OR ALC TRT AT A HOSPITAL IN PAST YR 0 = No/Unknown (TXYRHOSP=2,81,85,91,97,98,99)..... 1 = Yes (TXYRHOSP=1,3,5).....	55375 186	99.67 0.33
LOCRFIN	1	RCVD ILL DRUG/ALC TRT AT INP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFIN=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRRFIN=1,3,5).....	55338 223	99.60 0.40
LOCRFOP	1	RCVD ILL DRUG/ALC TRT AT OUTP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFOP=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRRFOP=1,5).....	55196 365	99.34 0.66
LOCMHC	1	RCVD ILL DRUG/ALC TRT AT MNLT HLTH CNTR IN PAST YR 0 = No/Unknown (TXYRMHC=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRMHC=1,5).....	55336 225	99.60 0.40
LOCTXER	1	RCVD ILL DRUG OR ALC TRT AT AN ER IN PAST YR 0 = No/Unknown (TXYRTXER=2,81,85,91,97,98,99)..... 1 = Yes (TXYRTXER=1,3,5).....	55454 107	99.81 0.19
LOCDOC	1	RCVD ILL DRUG OR ALC TRT AT DR'S OFFICE IN PAST YR 0 = No/Unknown (TXYRDOC=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRDOC=1,3,5).....	55433 128	99.77 0.23
LOCJAIL	1	RCVD ILL DRUG OR ALC TRT AT PRISON/JAIL IN PAST YR 0 = No/Unknown (TXYRJAIL=2,81,85,91,97,98,99)..... 1 = Yes (TXYRJAIL=1,5).....	55481 80	99.86 0.14
LOCSHG	1	RCVD ILL DRUG/ALC TRT AT SELF-HELP GRP IN PAST YR 0 = No/Unknown (TXYRSHG=2,81,85,91,97,98,99)..... 1 = Yes (TXYRSHG=1,3,5).....	55103 458	99.18 0.82

PREGNANCY AND HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
(HLTH01)		PREGNANCY AND HEALTH CARE		
		The next questions are about your health and health care.		
		Are you currently pregnant?		
PREGNANT 2		ARE YOU PREGNANT		
		1 = Yes.....	949	1.71
		2 = No.....	23209	41.77
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	31270	56.28
(HLTH03)		During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?		
NMERTMT2 3		# OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS		
		RANGE = 0 - 30	54848	98.72
		31 = 31 or more.....	12	0.02
		985 = BAD DATA Logically assigned.....	13	0.02
		994 = DON'T KNOW.....	503	0.91
		997 = REFUSED.....	151	0.27
		998 = BLANK (NO ANSWER).....	34	0.06
(HLTH04)		During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?		
INHOSPYR 2		STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS		
		1 = Yes.....	4430	7.97
		2 = No.....	50927	91.66
		85 = BAD DATA Logically assigned.....	13	0.02
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	34	0.06

PREGNANCY AND HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
(HLTH05)		During the past 12 months, how many nights were you an inpatient in a hospital?		
NMNGTHS2	3	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 1 - 30	4318	7.77
		31 = 31 or more.....	60	0.11
		985 = BAD DATA Logically assigned.....	4	0.01
		994 = DON'T KNOW.....	43	0.08
		997 = REFUSED.....	92	0.17
		998 = BLANK (NO ANSWER).....	117	0.21
		999 = LEGITIMATE SKIP.....	50927	91.66
(WORKSCHL)		What were you doing most of the past 12 months?		
DOMOSTYR	2	WHAT WERE YOU DOING MOST OF PAST 12 MOS		
		1 = Working at a job or business.....	23732	42.71
		2 = Going to school.....	6671	12.01
		3 = Keeping house.....	5052	9.09
		4 = Doing something else.....	2507	4.51
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(WORKPREV)		Did any physical, mental, or emotional problem prevent you from working at a job or business during most of the past 12 months?		
PBLMWORK	2	PHYS/MENT/EMOT PROB KEPT FROM WORK PAST 12 MOS		
		1 = Yes.....	1234	2.22
		2 = No.....	4302	7.74
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	49914	89.84

PREGNANCY AND HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
(WORKLIM)		Did any physical, mental, or emotional problem limit you in the kind or amount of work you could do during most of the past 12 months?		
LIMITWRK	2	PHYS/MENT/EMOT PROB LIMITED WORK IN PAST 12 MOS		
		1 = Yes.....	2364	4.25
		2 = No.....	25652	46.17
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	27396	49.31
(PROBTYPE)		Was it a physical problem, a mental or emotional problem, or both?		
TYPEPBLM	2	WAS PROB THAT AFFECTED WORK PHYS, MENT, OR BOTH		
		1 = Physical problem.....	2296	4.13
		2 = Mental or emotional problem.....	822	1.48
		3 = Both.....	460	0.83
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	51813	93.25

RECODED PREGNANCY AND HEALTH CARE

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED PREGNANCY AND HEALTH CARE				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
PREG	1	PREGNANT FEMALES AGED 12-44		
		0 = Otherwise.....	54612	98.29
		1 = Pregnant Females Aged 12-44 (PREGNANT=1).....	949	1.71
PREG2	1	PREGNANCY STATUS OF FEMALES AGED 12-44		
		. = Unknown (PREGNANT = 94,97,98).....	133	0.24
		1 = Pregnant (PREGNANT=1).....	949	1.71
		2 = Not Pregnant (PREGNANT=2).....	23209	41.77
		3 = Males/Females not age 12-44 (PREGNANT=99).....	31270	56.28
TRIMEST	1	CURRENT TRIMESTER OF PREGNANCY - FEMALES AGE 12-44		
		. = Unknown.....	8	0.01
		1 = 1st 3 months of pregnancy.....	299	0.54
		2 = 2nd 3 months of pregnancy.....	339	0.61
		3 = Last 3 months of pregnancy.....	303	0.55
		4 = Males/Not Pregnant Females.....	54612	98.29

ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT01)		ADULT MENTAL HEALTH TREATMENT ----- These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use. During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.		
AUINPYR	2	1STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS		
		1 = Yes.....	319	0.57
		2 = No.....	37694	67.84
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(ADMT02)		Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?		
AUINPSYH	2	1MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		1 = Response entered.....	83	0.15
		6 = Response not entered.....	224	0.40
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUINPGEN	2	1MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	99	0.18
		6 = Response not entered.....	208	0.37
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	438
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUINMEDU	2	1MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	70	0.13
		6 = Response not entered.....	237	0.43
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUINAHSP	2	1MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS		
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	290	0.52
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUINRES	2	1MH TRMT IN RESID TRMT CENTER PST 12 MOS		
		1 = Response entered.....	25	0.04
		6 = Response not entered.....	282	0.51
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUINSFAC	2	1MH TRMT IN SOME OTHER FACIL PST 12 MOS		
		1 = Response entered.....	28	0.05
		6 = Response not entered.....	279	0.50
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
(ADMT04)		During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?		
AUNMPSY2	3	1# NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		RANGE = 1 - 21	71	0.13
		31 = 31 or more.....	9	0.02
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	70	0.13
		998 = BLANK (NO ANSWER).....	61	0.11
		999 = LEGITIMATE SKIP.....	55347	99.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT05)		During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?		
AUNMPGE2	3	1# NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		RANGE = 1 - 30	93	0.17
		31 = 31 or more.....	4	0.01
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	71	0.13
		998 = BLANK (NO ANSWER).....	60	0.11
		999 = LEGITIMATE SKIP.....	55331	99.59
		During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?		
AUNMMED2	3	1# NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS		
		RANGE = 1 - 21	61	0.11
		31 = 31 or more.....	1	0.00
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	72	0.13
		998 = BLANK (NO ANSWER).....	61	0.11
		999 = LEGITIMATE SKIP.....	55360	99.64
(ADMT07)		During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?		
AUNMAHSP	3	1# NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS		
		RANGE = 1 - 30	17	0.03
		997 = REFUSED.....	70	0.13
		998 = BLANK (NO ANSWER).....	61	0.11
		999 = LEGITIMATE SKIP.....	55413	99.73
		During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?		
AUNMRES2	3	1# NIGHTS IN RESID TRMT CENTER PST 12 MOS		
		RANGE = 1 - 30	23	0.04
		31 = 31 or more.....	1	0.00
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	70	0.13
		998 = BLANK (NO ANSWER).....	61	0.11
		999 = LEGITIMATE SKIP.....	55405	99.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT09)		During the past 12 months, how many nights did you spend in some other type of facility for mental health care?		
AUNMSFA2	3	1# NIGHTS IN SOME OTHER FACIL PST 12 MOS		
		RANGE = 1 - 30	25	0.04
		31 = 31 or more.....	2	0.00
		997 = REFUSED.....	71	0.13
		998 = BLANK (NO ANSWER).....	61	0.11
		999 = LEGITIMATE SKIP.....	55402	99.71
(ADMT10)		Who paid or will pay for the inpatient mental health care you received during the past 12 months?		
AUPINSLF	2	1INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		1 = Response entered.....	73	0.13
		6 = Response not entered.....	229	0.41
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINOFM	2	1INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		1 = Response entered.....	18	0.03
		6 = Response not entered.....	284	0.51
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINPHI	2	1INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		1 = Response entered.....	70	0.13
		6 = Response not entered.....	232	0.42
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINMCR	2	1INPATIENT MH CARE PAYMENT: MEDICARE		
		1 = Response entered.....	49	0.09
		6 = Response not entered.....	253	0.46
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	441
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPINMCD	2	1INPATIENT MH CARE PAYMENT: MEDICAID		
		1 = Response entered.....	58	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	243	0.44
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINREH	2	1INPAT MH CARE PYMNT: REHABILITATION PROG		
		1 = Response entered.....	5	0.01
		6 = Response not entered.....	297	0.53
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINEMP	2	1INPATIENT MH CARE PAYMENT: EMPLOYER		
		1 = Response entered.....	13	0.02
		6 = Response not entered.....	289	0.52
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINMIL	2	1INPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		1 = Response entered.....	4	0.01
		6 = Response not entered.....	298	0.54
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINPUB	2	1INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	287	0.52
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	442
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPINPRV	2	1INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	10	0.02
		6 = Response not entered.....	292	0.53
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
AUPINFRE	2	1INPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	23	0.04
		6 = Response not entered.....	279	0.50
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	55123	99.21
(ADMT12)		How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		
AUPINAMT	2	1AMT YOU/FAMILY PAID FOR INPAT MH CARE		
		1 = Less than \$100.....	18	0.03
		2 = \$100 to \$200.....	6	0.01
		3 = \$201 to \$500.....	6	0.01
		4 = \$501 to \$900.....	10	0.02
		5 = \$901 to \$1,500.....	9	0.02
		6 = \$1,501 to \$2,000.....	5	0.01
		7 = \$2,001 to \$5,000.....	6	0.01
		8 = More than \$5,000.....	22	0.04
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	55335	99.59

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

(ADMT13) The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.

During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.

- An outpatient mental health clinic or center
- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic
- A doctor's office that was not part of a clinic
- An outpatient medical clinic
- A partial day hospital or day treatment program
- Some other place

LABEL	LEN	DESCRIPTION	FREQ	%
AUOPTYR	2	1RCVD OUTPATIENT MH TRMT PST 12 MOS		
		1 = Yes.....	2483	4.47
		2 = No.....	35480	63.86
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37

(ADMT14) Where did you receive outpatient mental health treatment or counseling during the past 12 months?

LABEL	LEN	DESCRIPTION	FREQ	%
AUOPMENT	2	1MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS		
		1 = Response entered.....	525	0.94
		6 = Response not entered.....	1939	3.49
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	444
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUOPTHER	2	1MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS		
		1 = Response entered.....	1373	2.47
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1090	1.96
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	88	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUOPDOC	2	1MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS		
		1 = Response entered.....	463	0.83
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1999	3.60
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUOPCLNC	2	1MH TRMT IN OUTPAT MED CLINIC PST 12 MOS		
		1 = Response entered.....	148	0.27
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
		6 = Response not entered.....	2309	4.16
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	88	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUOPDTMT	2	1MH TRMT IN DAY TREATMENT PGM PST 12 MOS		
		1 = Response entered.....	55	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2408	4.33
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUOPOTOP	2	1MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS		
		1 = Response entered.....	138	0.25
		6 = Response not entered.....	2326	4.19
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	445
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ADMT15)		You have indicated that during the past 12 months you received outpatient mental health treatment or counseling at a place other than those just listed. Please use the keyboard to type in a description of this place.		
AUOPYRS2	2	10TH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS		
		2 = Non-clinic therapist/psychologist/counselor.....	3	0.01
		3 = A doctor's office that was not part of a clinic...	2	0.00
		4 = An outpatient medical clinic.....	7	0.01
		5 = A partial day hospital or day treatment program...	1	0.00
		6 = Some other place, not categorized elsewhere.....	10	0.02
		9 = School or university setting/clinic/center.....	35	0.06
		10 = Church/clergy/religious influence.....	14	0.03
		11 = Support group/self-help group/group counseling....	4	0.01
		13 = Therapist/psychologist/counselor; locale unspcfd.	4	0.01
		14 = A doctor's office; location unspecified.....	11	0.02
		15 = Work/parents' work/Employee Assistance Program....	5	0.01
		16 = Domestic abuse shelter/victims assistance.....	3	0.01
		17 = Internet/phone/crisis hotline.....	3	0.01
		23 = Hospital; unspecified whether for mental health...	4	0.01
		24 = Clinic/center, type unspecified.....	3	0.01
		27 = Non-profit mental health service grp/organization.	3	0.01
		28 = Social Services/Mental Health.....	3	0.01
		70 = Name of facility/description of facility given....	10	0.02
		85 = BAD DATA Logically assigned.....	11	0.02
		97 = REFUSED.....	94	0.17
		98 = BLANK (NO ANSWER).....	96	0.17
		99 = LEGITIMATE SKIP.....	55235	99.41
(ADMT16)		During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?		
AUNMMEN2	3	1# VISITS TO OUTPATIENT MH CNTR PST 12 MOS		
		RANGE = 1 - 30	472	0.85
		31 = 31 or more.....	36	0.06
		994 = DON'T KNOW.....	17	0.03
		997 = REFUSED.....	92	0.17
		998 = BLANK (NO ANSWER).....	96	0.17
		999 = LEGITIMATE SKIP.....	54848	98.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT17)		During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?		
AUNMTHE2	3	1# VISITS TO PRIV THERAPIST'S OFC PST 12 MOS		
		RANGE = 1 - 30	1259	2.27
		31 = 31 or more.....	88	0.16
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	26	0.05
		997 = REFUSED.....	93	0.17
		998 = BLANK (NO ANSWER).....	95	0.17
		999 = LEGITIMATE SKIP.....	53999	97.19
(ADMT18)		During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?		
AUNMDOC2	3	1# VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS		
		RANGE = 1 - 30	455	0.82
		31 = 31 or more.....	2	0.00
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	94	0.17
		998 = BLANK (NO ANSWER).....	96	0.17
		999 = LEGITIMATE SKIP.....	54908	98.82
(ADMT19)		During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?		
AUNMCLN2	3	1# VISITS TO OUTPAT MED CLINIC PST 12 MOS		
		RANGE = 1 - 30	138	0.25
		31 = 31 or more.....	4	0.01
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	92	0.17
		998 = BLANK (NO ANSWER).....	95	0.17
		999 = LEGITIMATE SKIP.....	55218	99.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT20)		During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?		
AUNMDTM2	3	1# VISITS TO DAY TREATMENT PGM PST 12 MOS		
		RANGE = 1 - 30	52	0.09
		31 = 31 or more.....	4	0.01
		997 = REFUSED.....	92	0.17
		998 = BLANK (NO ANSWER).....	96	0.17
		999 = LEGITIMATE SKIP.....	55317	99.56
(ADMT21)		During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?		
AUNMOTO2	3	1# VISIT OTPT SOME OTHER FACILITY PST 12 MOS		
		RANGE = 1 - 24	127	0.23
		31 = 31 or more.....	7	0.01
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	92	0.17
		998 = BLANK (NO ANSWER).....	96	0.17
		999 = LEGITIMATE SKIP.....	55235	99.41
(ADMT22)		Who paid or will pay for the outpatient mental health care you received during the past 12 months?		
AUPOPSLF	2	1OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		1 = Response entered.....	896	1.61
		6 = Response not entered.....	1550	2.79
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	88	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUPOPOFM	2	1OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		1 = Response entered.....	100	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2345	4.22
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	448
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPOPPHI	2	1OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		1 = Response entered.....	957	1.72
		6 = Response not entered.....	1489	2.68
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	88	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUPOPMCR	2	1OUTPATIENT MH CARE PAYMENT: MEDICARE		
		1 = Response entered.....	151	0.27
		6 = Response not entered.....	2295	4.13
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUPOPMCD	2	1OUTPATIENT MH CARE PAYMENT: MEDICAID		
		1 = Response entered.....	197	0.35
		6 = Response not entered.....	2249	4.05
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUPOPREH	2	1OUPAT MH CARE PYMNT: REHABILITATION PROG		
		1 = Response entered.....	13	0.02
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2432	4.38
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUPOPEMP	2	1OUTPATIENT MH CARE PAYMENT: EMPLOYER		
		1 = Response entered.....	199	0.36
		6 = Response not entered.....	2247	4.04
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	449
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUPOPMIL	2	1OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		1 = Response entered.....	47	0.08
		6 = Response not entered.....	2399	4.32
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUOPPPUB	2	1OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		1 = Response entered.....	72	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2373	4.27
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUOPPPRV	2	1OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	41	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2404	4.33
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23
AUOPPFRE	2	1OUTPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	218	0.39
		6 = Response not entered.....	2228	4.01
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	52909	95.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	450
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ADMT23)		Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?		
AUPOPPOS	2	1PAYMENT FOR MOST OF OUTPATIENT MH CARE		
		1 = Self or a family member living with you.....	120	0.22
		2 = A family member who does not live with you.....	9	0.02
		3 = Private health insurance.....	198	0.36
		4 = Medicare.....	22	0.04
		5 = Medicaid.....	20	0.04
		6 = Rehabilitation program.....	3	0.01
		7 = Employer.....	16	0.03
		8 = VA or other military program.....	3	0.01
		9 = Other public source.....	8	0.01
		10 = Other private source.....	3	0.01
		11 = No one paid because the treatment was free.....	6	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	111	0.20
		99 = LEGITIMATE SKIP.....	54945	98.89
(ADMT24)		How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		
AUPOPAMT	2	1AMT YOU/FAMILY PAID FOR OUPAT MH CARE		
		1 = Less than \$100.....	260	0.47
		2 = \$100 to \$200.....	188	0.34
		3 = \$201 to \$500.....	186	0.33
		4 = \$501 to \$900.....	128	0.23
		5 = \$901 to \$1,500.....	60	0.11
		6 = \$1,501 to \$2,000.....	41	0.07
		7 = \$2,001 to \$5,000.....	39	0.07
		8 = More than \$5,000.....	21	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	100	0.18
		98 = BLANK (NO ANSWER).....	115	0.21
		99 = LEGITIMATE SKIP.....	54372	97.86

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	451
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(ADMT25)		During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?		
AURXYR	2	1TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS		
		1 = Yes.....	3112	5.60
		2 = No.....	34869	62.76
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(ADMT26)		During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?		
AUUNMTYR	2	1NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS		
		1 = Yes.....	2126	3.83
		2 = No.....	35830	64.49
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(ADMT27)		Which of these statements explains why you did not get the mental health treatment or counseling you needed?		
AUUNCAST	2	1NO MH TMT BECAUSE COULDN'T AFFORD COST		
		1 = Response entered.....	773	1.39
		6 = Response not entered.....	1339	2.41
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	452
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUUNNBR	2	1NO MH TMT B/C CONCERN ABOUT OPIN OF NEIGHBRS		
		1 = Response entered.....	220	0.40
		6 = Response not entered.....	1892	3.41
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86
AUUNJOB	2	1NO MH TMT B/C CONCERN ABOUT EFFECT ON JOB		
		1 = Response entered.....	137	0.25
		6 = Response not entered.....	1975	3.55
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86
AUUNNCOV	2	1NO MH TMT BECAUSE HEALTH INSUR DIDN'T COVER		
		1 = Response entered.....	126	0.23
		6 = Response not entered.....	1986	3.57
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86
AUUNENUF	2	1NO MH TMT B/C NOT ENUF HEALTH INSUR COVERAGE		
		1 = Response entered.....	211	0.38
		6 = Response not entered.....	1901	3.42
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86
AUUNWHER	2	1NO MH TMT B/C DIDN'T KNOW WHERE TO GO FOR SVC		
		1 = Response entered.....	331	0.60
		6 = Response not entered.....	1781	3.21
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	453
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
AUUNCFID	2	1NO MH TMT B/C CONCERN ABOUT CONFIDENTIALITY		
		1 = Response entered.....	164	0.30
		6 = Response not entered.....	1948	3.51
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86
AUUNCMIT	2	1NO MH TMT B/C MIGHT BE COMMITTED/TAKE MEDS		
		1 = Response entered.....	162	0.29
		6 = Response not entered.....	1950	3.51
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86
AUUNSOR	2	1NO MH TMT FOR SOME OTHER REASON		
		1 = Response entered.....	1087	1.96
		6 = Response not entered.....	1025	1.84
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	86	0.15
		98 = BLANK (NO ANSWER).....	94	0.17
		99 = LEGITIMATE SKIP.....	53259	95.86

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED ADULT MENTAL HEALTH TREATMENT				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
AMHINP	1	ADULT RCVD INPATIENT MENTAL HEALTH TRT IN PST YR		
		1 = Yes (AUINPYR=1).....	319	0.57
		2 = No (AUINPYR=2).....	37694	67.84
		3 = Unknown (AUINPYR=85,94,97,98).....	119	0.21
		4 = Aged 12-17 (AUINPYR=89,99).....	17429	31.37
AMHOUTP	1	ADULT RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR		
		1 = Yes (AUOPTYR=1).....	2483	4.47
		2 = No (AUOPTYR=2).....	35480	63.86
		3 = Unknown (AUOPTYR=85,94,97,98).....	169	0.30
		4 = Aged 12-17 (AUOPTYR=89,99).....	17429	31.37
AMHRX	1	ADULT RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR		
		1 = Yes (AURXYR=1).....	3112	5.60
		2 = No (AURXYR=2).....	34869	62.76
		3 = Unknown (AURXYR=85,94,97,98).....	151	0.27
		4 = Aged 12-17 (AURXYR=89,99).....	17429	31.37
AMHTXREC	1	ADULT RCVD ANY MENTAL HEALTH TRT IN PST YR		
		1 = Yes (AMHINP=1 OR AMHOUTP=1 OR AMHRX=1).....	4146	7.46
		2 = No (AMHINP=2 AND AMHOUTP=2 AND AMHRX=2).....	33808	60.85
		3 = Unknown (OTHERWISE).....	178	0.32
		4 = Aged 12-17 (AMHINP=4 AND AMHOUTP=4 AND AMHRX=4)...	17429	31.37
The following variable, AMHTRTND, is defined as feeling a perceived need for mental health treatment/counseling, but not receiving mental health treatment. This is often referred to as "Unmet need."				
AMHTRTND	1	ADULT PERCEIVED NEED/DID NOT RCV MH TRT PST YR		
		1 = Yes (AUUNMTYR=1).....	2126	3.83
		2 = No (AUUNMTYR=2).....	35830	64.49
		3 = Unknown (AUUNMTYR=85,94,97,98).....	176	0.32
		4 = Aged 12-17 (AUUNMTYR=89,99).....	17429	31.37

RECODED ADULT MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
<p>NOTE: For the following two variables, the term "Unmet need" is defined as reporting at least one occurrence in the past 12 months of feeling the need for mental health treatment or counseling but not receiving mental health treatment. However, this definition of unmet need does not totally preclude respondents from having received mental health treatment in the past 12 months. Respondents with unmet need may have eventually gotten mental health treatment or counseling, or else they may have received mental health treatment but perceived the need for additional treatment that they did not receive.</p>				
RECNEED	1	ADULT UNMET NEED AND RCVD MH TREATMENT PST YR		
		. = Unknown/Aged 12-17 (AMHTRTND=3,4 or AMHTXREC=3,4).	17661	31.79
		0 = No (Otherwise).....	36938	66.48
		1 = Yes (AMHTRTND=1 and AMHTXREC=1).....	962	1.73
NORECNED	1	ADULT UNMET NEED AND DID NOT RCV MH TRT PST YR		
		. = Unknown/Aged 12-17 (AMHTRTND=3,4 or AMHTXREC=3,4).	17661	31.79
		0 = No (Otherwise).....	36738	66.12
		1 = Yes (AMHTRTND=1 and AMHTXREC=2).....	1162	2.09

		SOCIAL ENVIRONMENT	PAGE:	456
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-----
(SEN03A)		SOCIAL ENVIRONMENT ----- The next questions are about people in the neighborhood where you currently live. How do you think most people in your neighborhood would feel about adults smoking one or more packs of cigarettes per day?		
SNAPKCIG	2	1HOW NGHBRWS WLD FEEL: ADLTS SMOKNG 1+ PACK CIGS/DY		
		1 = Neither approve nor disapprove.....	20537	36.96
		2 = Somewhat disapprove.....	11091	19.96
		3 = Strongly disapprove.....	3946	7.10
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2417	4.35
		97 = REFUSED.....	114	0.21
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN03B)		How do you think most people in your neighborhood would feel about adults trying marijuana or hashish once or twice?		
SNAMJEVR	2	1HOW NGHBRWS WLD FEEL: ADLTS TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	8389	15.10
		2 = Somewhat disapprove.....	10617	19.11
		3 = Strongly disapprove.....	16739	30.13
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2253	4.06
		97 = REFUSED.....	106	0.19
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s).
Items in this section were edited when respondents legitimately skipped out of
these items based on prior answers in the core section(s). Otherwise, non-core
items generally were not edited to make them consistent with core items, and core
items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	457
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN03C)		How do you think most people in your neighborhood would feel about adults having one or two drinks of an alcoholic beverage nearly every day?		
SNAALDLY	2	1HOW NGHBRWS WLD FEEL: ADLTS DRINKING ALC DAILY		
		1 = Neither approve nor disapprove.....	21628	38.93
		2 = Somewhat disapprove.....	10348	18.62
		3 = Strongly disapprove.....	3976	7.16
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2041	3.67
		97 = REFUSED.....	111	0.20
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN03D)		How do you think most people in your neighborhood would feel about adults driving a car after having 1 or 2 drinks of an alcoholic beverage?		
SNAALDRV	2	1HOW NGHBRWS WLD FEEL: ADLTS DRIVING AFT 1-2 DRINKS		
		1 = Neither approve nor disapprove.....	8649	15.57
		2 = Somewhat disapprove.....	12907	23.23
		3 = Strongly disapprove.....	14774	26.59
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1668	3.00
		97 = REFUSED.....	106	0.19
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN04)		How many times have you moved in the past 5 years?		
SNMOV5Y2	3	1# TIMES MOVED IN PAST 5 YEARS		
		0 = None.....	15325	27.58
		1 = One time.....	8603	15.48
		2 = Two times.....	5582	10.05
		3 = Three times.....	4129	7.43
		4 = Four times.....	1796	3.23
		5 = Five times.....	1047	1.88
		6 = Six or more times.....	1381	2.49
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	136	0.24
		997 = REFUSED.....	105	0.19
		998 = BLANK (NO ANSWER).....	28	0.05
		999 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	458
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN05)		Do one or more other people live here with you in this household?		
SNPPHLD	2	1ONE OR MORE OTHER PEOPLE LIVE HERE		
		1 = Yes.....	33028	59.44
		2 = No.....	4981	8.96
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN06A)		For each of the next statements, please indicate how much you agree or disagree.		
		People in your household often insult or yell at each other.		
SNINSULT	2	1PEOP IN HH OFTEN INSULT/YELL AT EACH OTHER		
		1 = Strongly Agree.....	2842	5.12
		2 = Somewhat Agree.....	5251	9.45
		3 = Somewhat Disagree.....	6480	11.66
		4 = Strongly Disagree.....	18142	32.65
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	165	0.30
		97 = REFUSED.....	223	0.40
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP.....	22409	40.33
(SEN06B)		People in your household have serious arguments.		
SNSRARGU	2	1PEOP IN HH HAVE SERIOUS ARGUMENTS		
		1 = Strongly Agree.....	1914	3.44
		2 = Somewhat Agree.....	3901	7.02
		3 = Somewhat Disagree.....	6106	10.99
		4 = Strongly Disagree.....	20835	37.50
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	136	0.24
		97 = REFUSED.....	211	0.38
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP.....	22409	40.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	459
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN06C)		People in your household argue about the same things over and over.		
SNSMARGU	2	1PEOP IN HH ARGUE ABOUT THE SME THING OVER & OVER		
		1 = Strongly Agree.....	3191	5.74
		2 = Somewhat Agree.....	6333	11.40
		3 = Somewhat Disagree.....	5898	10.62
		4 = Strongly Disagree.....	17313	31.16
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	150	0.27
		97 = REFUSED.....	218	0.39
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP.....	22409	40.33
(SEN07)		Are you currently living with a spouse or partner?		
SNSPOUSE	2	1CURRENTLY LIVING WITH A SPOUSE/PARTNER		
		1 = Yes.....	19416	34.95
		2 = No.....	13562	24.41
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	111	0.20
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP.....	22409	40.33
(SEN08A)		How many times during the past 12 months have you and your spouse or partner spent an hour or more together doing an activity that you both enjoyed?		
SNSPACTV	2	1YOU AND SPOUSE SPENT 1+ HR IN ACTIV YOU ENJOY		
		1 = 0 times.....	583	1.05
		2 = 1 or 2 times.....	1026	1.85
		3 = A few times.....	3426	6.17
		4 = Many times.....	14315	25.76
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	143	0.26
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	35971	64.74

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	460
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN08B)		How many times during the past 12 months were you and your spouse or partner angry with each other?		
SNSPANGR	2	1YOU AND SPOUSE WERE ANGRY WITH EACH OTHER		
		1 = 0 times.....	2417	4.35
		2 = 1 or 2 times.....	5300	9.54
		3 = A few times.....	8890	16.00
		4 = Many times.....	2704	4.87
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	169	0.30
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	35971	64.74
(SEN08C)		How many times during the past 12 months did your spouse or partner hit or threaten to hit you?		
SNSPHITU	2	1YOUR SPOUSE/PARTNER HIT/THREATENED TO HIT YOU		
		1 = 0 times.....	18308	32.95
		2 = 1 or 2 times.....	612	1.10
		3 = A few times.....	295	0.53
		4 = Many times.....	123	0.22
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	161	0.29
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	35971	64.74
(SEN08D)		How many times during the past 12 months did you hit or threaten to hit your spouse or partner?		
SNYHITSP	2	1YOU HIT/THREATENED TO HIT YOUR SPOUSE/PARTNER		
		1 = 0 times.....	18514	33.32
		2 = 1 or 2 times.....	586	1.05
		3 = A few times.....	176	0.32
		4 = Many times.....	72	0.13
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	152	0.27
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	35971	64.74

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	461
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN09)		How often is your spouse or partner critical of you?		
SNSPCRIT	2	1HOW OFTEN IS SPOUSE/PARTNER CRITICAL OF YOU		
		1 = Always.....	1065	1.92
		2 = Sometimes.....	4681	8.42
		3 = Seldom.....	7290	13.12
		4 = Never.....	6197	11.15
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	128	0.23
		97 = REFUSED.....	166	0.30
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	35971	64.74
(SEN10)		How often does your spouse or partner show concern for your feelings and problems?		
SNSPCONC	2	1HOW OFTEN SPOUSE/PRTNER SHOWS CONCERN FEELINGS		
		1 = Always.....	13085	23.55
		2 = Sometimes.....	4896	8.81
		3 = Seldom.....	945	1.70
		4 = Never.....	425	0.76
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	147	0.26
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	35971	64.74
(SEN11A)		Not including family members, how many friends do you have who you share personal issues and concerns with?		
SNFRCONC	2	1#FRIENDS WHO YOU SHARE PERS ISSUES/CONCERNS WITH		
		1 = None.....	5678	10.22
		2 = One.....	6330	11.39
		3 = 2 or 3.....	16083	28.95
		4 = 4 to 5.....	4992	8.98
		5 = More than 5.....	4775	8.59
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	91	0.16
		97 = REFUSED.....	154	0.28
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	462
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN11B)		Not including family members, how many friends do you have who you spend time with on shared interests and activities?		
SNFRACTV	2	1#FRIENDS WHO YOU SPEND TIME WITH		
		1 = None.....	4491	8.08
		2 = One.....	5049	9.09
		3 = 2 or 3.....	13446	24.20
		4 = 4 to 5.....	5611	10.10
		5 = More than 5.....	9292	16.72
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	139	0.25
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN11C)		Not including family members, how many friends do you have who really like and care about you?		
SNFRCARE	2	1#FRIENDS WHO REALLY LIKE/CARE ABOUT YOU		
		1 = None.....	2247	4.04
		2 = One.....	3251	5.85
		3 = 2 or 3.....	10368	18.66
		4 = 4 to 5.....	5584	10.05
		5 = More than 5.....	16260	29.27
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	239	0.43
		97 = REFUSED.....	154	0.28
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN12A)		During the past 12 months, how many times have you sold illegal drugs?		
SNYSELL	2	1SOLD ILLEGAL DRUGS		
		1 = 0 times.....	36790	66.22
		2 = 1 or 2 times.....	505	0.91
		3 = 3 to 5 times.....	202	0.36
		4 = 6 to 9 times.....	85	0.15
		5 = 10 or more times.....	325	0.58
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	145	0.26
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	463
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN12B)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
SNYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
		1 = 0 times.....	37291	67.12
		2 = 1 or 2 times.....	428	0.77
		3 = 3 to 5 times.....	100	0.18
		4 = 6 to 9 times.....	42	0.08
		5 = 10 or more times.....	80	0.14
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	120	0.22
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN12C)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
SNYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	36871	66.36
		2 = 1 or 2 times.....	887	1.60
		3 = 3 to 5 times.....	118	0.21
		4 = 6 to 9 times.....	27	0.05
		5 = 10 or more times.....	54	0.10
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	111	0.20
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT

LABEL	LEN	DESCRIPTION	FREQ	%
(SEN12D)		As a means to reduce respondent burden but still capture information regarding risky behaviors, the 2001 NHSDA sample of respondents was randomly divided into 2 subsamples: Random Sample A and Random Sample B. Each subsample was asked specific questions within three modules: Risk/Availability, Social Environment and Youth Experiences. For analytic purposes, each subsample represents roughly 1/2 of the target population and weights should be adjusted accordingly (2X) to calculate population estimates.		
		Within the Social Environment module, the following variables are associated with each subsample:		
		Random Sample A: SNYDFAST, SNY50LBS, SNYINJUR, SNYSTERD		
		Random Sample B: SNYRRXNG, SNYLAXTV, SNYPASNS, SNYFIRE		
		During the past 12 months, that is, since [DATE FILL], have you driven a car more than 100 miles per hour?		
SNYDFAST	2	1DRIVEN CAR > 100 MPH		
		1 = Yes.....	3550	6.39
		2 = No.....	15483	27.87
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	36437	65.58
(SEN12E)		During the past 12 months, have you gained or lost more than 50 pounds?		
SNY50LBS	2	1GAINED OR LOST MORE THAN 50 POUNDS		
		1 = Yes.....	1718	3.09
		2 = No.....	17310	31.15
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	36437	65.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	465
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN12F)		During the past 12 months, have you gotten injured when you tried to stop a fight or an assault?		
SNYINJUR	2	1INJURED WHEN TRIED TO STOP FIGHT OR ASSAULT		
		1 = Yes.....	892	1.61
		2 = No.....	18140	32.65
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	36437	65.58
(SEN12G)		During the past 12 months, have you used steroids to become more muscular?		
SNYSTERD	2	1USED STEROIDS TO BECOME MORE MUSCULAR		
		1 = Yes.....	391	0.70
		2 = No.....	18653	33.57
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	36437	65.58
(SEN12H)		During the past 12 months, have you crossed railroad tracks when a train was coming and almost gotten hit by the train?		
SNYRRXNG	2	1CROSSED RR TRACKS/ALMOST GOTTEN HIT BY A TRAIN		
		1 = Yes.....	1889	3.40
		2 = No.....	17046	30.68
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	36552	65.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	466
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN12I)		During the past 12 months, have you used laxatives or vomited on purpose in order to keep your weight down?		
SNYLAXTV	2	1USED LAXATIVES/VOMITED TO KEEP WEIGHT DOWN		
		1 = Yes.....	1319	2.37
		2 = No.....	17618	31.71
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	36552	65.79
(SEN12J)		During the past 12 months, have you passed another vehicle when you knew it was not safe to pass?		
SNYPASNS	2	1PASSED A VEHICLE WHEN IT WAS NOT SAFE		
		1 = Yes.....	3558	6.40
		2 = No.....	15373	27.67
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	36552	65.79
(SEN12K)		During the past 12 months, have you been careless and set a large or serious fire with a cigarette or match?		
SNYFIRE	2	1CARELESSLY SET A LARGE,SERIOUS FIRE W/CIG/MATCH		
		1 = Yes.....	590	1.06
		2 = No.....	18347	33.02
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	36552	65.79

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	467
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN13A)		How do you feel about adults smoking one or more packs of cigarettes per day?		
SNFACIG	2	1HOW YOU FEEL: ADLTS SMOKING 1+ PK CIGS/DAY		
		1 = Neither approve nor disapprove.....	13035	23.46
		2 = Somewhat disapprove.....	8002	14.40
		3 = Strongly disapprove.....	16676	30.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	269	0.48
		97 = REFUSED.....	120	0.22
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN13B)		How do you feel about adults trying marijuana or hashish once or twice?		
SNFAMJEV	2	1HOW YOU FEEL: ADLTS TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	12627	22.73
		2 = Somewhat disapprove.....	6752	12.15
		3 = Strongly disapprove.....	18304	32.94
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	292	0.53
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN13C)		How do you feel about adults having one or two drinks of an alcoholic beverage nearly every day?		
SNFAALDY	2	1HOW YOU FEEL: ADLTS DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	15717	28.29
		2 = Somewhat disapprove.....	10687	19.23
		3 = Strongly disapprove.....	11313	20.36
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	267	0.48
		97 = REFUSED.....	117	0.21
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	468
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SEN13D)		How do you feel about adults driving a car after having one or two drinks of an alcoholic beverage?		
SNFAALDV	2	1HOW YOU FEEL: ADLTS DRIVING AFT 1-2 DRINKS		
		1 = Neither approve nor disapprove.....	6767	12.18
		2 = Somewhat disapprove.....	9390	16.90
		3 = Strongly disapprove.....	21632	38.93
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	202	0.36
		97 = REFUSED.....	110	0.20
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN14A)		How many of your friends would you say smoke cigarettes?		
SNFDCIG	2	1HOW MANY FRIENDS SMOKE CIGARETTES		
		1 = None of them.....	8348	15.02
		2 = A few of them.....	22019	39.63
		3 = Most of them.....	6658	11.98
		4 = All of them.....	791	1.42
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	176	0.32
		97 = REFUSED.....	108	0.19
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN14B)		How many of your friends would you say use marijuana or hashish?		
SNFDMJ	2	1HOW MANY FRIENDS USE MJ/HASH		
		1 = None of them.....	21352	38.43
		2 = A few of them.....	12727	22.91
		3 = Most of them.....	2640	4.75
		4 = All of them.....	535	0.96
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	699	1.26
		97 = REFUSED.....	146	0.26
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	469
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(SEN14C)		How many of your friends would you say drink alcoholic beverages?		
SNFDALC	2	1HOW MANY FRIENDS DRINK ALCOHOL		
		1 = None of them.....	4217	7.59
		2 = A few of them.....	15849	28.53
		3 = Most of them.....	13510	24.32
		4 = All of them.....	4129	7.43
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	274	0.49
		97 = REFUSED.....	120	0.22
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEN14D)		How many of your friends would you say get drunk at least once a week?		
SNFDDRNK	2	HOW MANY FRIENDS GET DRUNK AT LEAST ONCE A WEEK		
		1 = None of them.....	19549	35.18
		2 = A few of them.....	13607	24.49
		3 = Most of them.....	3289	5.92
		4 = All of them.....	942	1.70
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	582	1.05
		97 = REFUSED.....	130	0.23
		98 = BLANK (NO ANSWER).....	33	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37
(SENRELAT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.		
SNRLGSVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES		
		1 = 0 times.....	13628	24.53
		2 = 1 to 2 times.....	4728	8.51
		3 = 3 to 5 times.....	4047	7.28
		4 = 6 to 24 times.....	5347	9.62
		5 = 25 to 52 times.....	5105	9.19
		6 = More than 52 times.....	4874	8.77
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	130	0.23
		97 = REFUSED.....	229	0.41
		98 = BLANK (NO ANSWER).....	35	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	470
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SENREBE1)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.		
		Your religious beliefs are a very important part of your life.		
SNRLGIMP 2		1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		1 = Strongly Disagree.....	4791	8.62
		2 = Disagree.....	4701	8.46
		3 = Agree.....	13933	25.08
		4 = Strongly Agree.....	14017	25.23
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	271	0.49
		97 = REFUSED.....	383	0.69
		98 = BLANK (NO ANSWER).....	36	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37
(SENREBE2)		Your religious beliefs influence how you make decisions in your life.		
SNRLDCSN 2		1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		1 = Strongly Disagree.....	4793	8.63
		2 = Disagree.....	6628	11.93
		3 = Agree.....	14448	26.00
		4 = Strongly Agree.....	11582	20.85
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	271	0.49
		97 = REFUSED.....	374	0.67
		98 = BLANK (NO ANSWER).....	36	0.06
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	471
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(SENREBE3)		It is important that your friends share your religious beliefs.		
SNRLEFRND 2	1	IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
	1	= Strongly Disagree.....	10392	18.70
	2	= Disagree.....	15000	27.00
	3	= Agree.....	8312	14.96
	4	= Strongly Agree.....	3665	6.60
	89	= LEGITIMATE SKIP Logically assigned.....	1	0.00
	94	= DON'T KNOW.....	338	0.61
	97	= REFUSED.....	389	0.70
	98	= BLANK (NO ANSWER).....	36	0.06
	99	= LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		YOUTH EXPERIENCES		PAGE:	472
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		-----	-
(YE04)		YOUTH EXPERIENCES			

		How many times have you moved in the past 5 years?			
YEMOV5Y2	3	1# TIMES MOVED IN PAST 5 YEARS			
		0 = None.....	9181	16.52	
		1 = One time.....	3979	7.16	
		2 = Two times.....	1802	3.24	
		3 = Three times.....	1092	1.97	
		4 = Four times.....	523	0.94	
		5 = Five times.....	250	0.45	
		6 = Six or more times.....	337	0.61	
		994 = DON'T KNOW.....	225	0.40	
		997 = REFUSED.....	32	0.06	
		998 = BLANK (NO ANSWER).....	8	0.01	
		999 = LEGITIMATE SKIP.....	38132	68.63	
(YE09)		Have you attended any type of school at any time during the past 12 months?			
YEATNDYR	2	1ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS			
		1 = Yes.....	15671	28.21	
		2 = No.....	1657	2.98	
		85 = BAD DATA Logically assigned.....	4	0.01	
		94 = DON'T KNOW.....	68	0.12	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	38132	68.63	
(YE09A)		Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?			
YEHMSLYR	2	1HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS			
		1 = Yes.....	93	0.17	
		2 = No.....	1631	2.94	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	12	0.02	
		99 = LEGITIMATE SKIP.....	53803	96.84	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	473
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE10)		Which of the statements below best describes how you felt overall about going to school during the past 12 months?		
YESCHFLT 2		1HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS		
		1 = You liked going to school a lot.....	4387	7.90
		2 = You kind of liked going to school.....	7936	14.28
		3 = You didn't like going to school very much.....	2350	4.23
		4 = You hated going to school.....	1062	1.91
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE11)		During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?		
YESCHWRK 2		1HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS		
		1 = Always.....	3696	6.65
		2 = Sometimes.....	8354	15.04
		3 = Seldom.....	2813	5.06
		4 = Never.....	855	1.54
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE12)		How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?		
YESCHIMP 2		1HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE		
		1 = Very important.....	7384	13.29
		2 = Somewhat important.....	6384	11.49
		3 = Somewhat unimportant.....	1444	2.60
		4 = Very unimportant.....	510	0.92
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	474
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE13)		How interesting do you think most of your courses at school during the past 12 months have been?		
YESCHINT	2	1HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS		
		1 = Very interesting.....	3407	6.13
		2 = Somewhat interesting.....	8244	14.84
		3 = Somewhat boring.....	3004	5.41
		4 = Very boring.....	1071	1.93
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE14)		During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?		
YETCGJOB	2	1HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS		
		1 = Always.....	4545	8.18
		2 = Sometimes.....	7180	12.92
		3 = Seldom.....	2895	5.21
		4 = Never.....	1107	1.99
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE15)		What were your grades for the last semester or grading period you completed?		
YELSTGRD	2	1GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED		
		1 = An "A+", "A" or "A-minus" average.....	4343	7.82
		2 = A "B+", "B" or "B-minus" average.....	6253	11.25
		3 = A "C+", "C" or "C-minus" average.....	3406	6.13
		4 = A "D" or less than a "D" average.....	1036	1.86
		5 = My school does not give these grades.....	465	0.84
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	166	0.30
		97 = REFUSED.....	110	0.20
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	475
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE16A)		How many of the students in your grade at school would you say smoke cigarettes?		
		Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.		
		How many of the students in your grade at school would you say smoke cigarettes?		
YESTSCIG	2	1HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES		
		1 = None of them.....	1929	3.47
		2 = A few of them.....	7761	13.97
		3 = Most of them.....	5513	9.92
		4 = All of them.....	207	0.37
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	336	0.60
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE16B)		How many of the students in your grade at school would you say use marijuana or hashish?		
YESTSMJ	2	1HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH		
		1 = None of them.....	3788	6.82
		2 = A few of them.....	7786	14.01
		3 = Most of them.....	3367	6.06
		4 = All of them.....	206	0.37
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	590	1.06
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	476
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE16C)		How many of the students in your grade at school would you say drink alcoholic beverages?		
YESTSALC	2	1HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL		
		1 = None of them.....	2389	4.30
		2 = A few of them.....	6145	11.06
		3 = Most of them.....	6109	11.00
		4 = All of them.....	670	1.21
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	428	0.77
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE16D)		How many of the students in your grade at school would you say get drunk at least once a week?		
YESTSDNK	2	1HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY		
		1 = None of them.....	4951	8.91
		2 = A few of them.....	7391	13.30
		3 = Most of them.....	2578	4.64
		4 = All of them.....	201	0.36
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	617	1.11
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		YOUTH EXPERIENCES		PAGE:	477
LABEL	LEN	DESCRIPTION		FREQ	%
-----	----	-----		----	-
(YE06A)		The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.			
		During the past 12 months, how often did your parents provide help with your homework when you needed it?			
YEPCHKHW	2	1PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS			
		1 = Always.....	7287	13.12	
		2 = Sometimes.....	4827	8.69	
		3 = Seldom.....	2155	3.88	
		4 = Never.....	1433	2.58	
		85 = BAD DATA Logically assigned.....	4	0.01	
		94 = DON'T KNOW.....	30	0.05	
		97 = REFUSED.....	47	0.08	
		98 = BLANK (NO ANSWER).....	81	0.15	
		99 = LEGITIMATE SKIP.....	39697	71.45	
(YE06B)		During the past 12 months, how often did your parents provide help with your homework when you needed it?			
YEPHLPHW	2	1PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS			
		1 = Always.....	9113	16.40	
		2 = Sometimes.....	3535	6.36	
		3 = Seldom.....	1653	2.98	
		4 = Never.....	1397	2.51	
		85 = BAD DATA Logically assigned.....	4	0.01	
		94 = DON'T KNOW.....	30	0.05	
		97 = REFUSED.....	51	0.09	
		98 = BLANK (NO ANSWER).....	81	0.15	
		99 = LEGITIMATE SKIP.....	39697	71.45	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	478
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE06C)		During the past 12 months, how often did your parents make you do chores around the house?		
YEPCHORE	2	1PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS		
		1 = Always.....	8570	15.42
		2 = Sometimes.....	6522	11.74
		3 = Seldom.....	1609	2.90
		4 = Never.....	638	1.15
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE06D)		During the past 12 months, how often did your parents limit the amount of time you watched TV?		
YEPLMTTV	2	1PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
		1 = Always.....	1827	3.29
		2 = Sometimes.....	4649	8.37
		3 = Seldom.....	3669	6.60
		4 = Never.....	7168	12.90
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE06E)		During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?		
YEPLMTSN	2	1PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
		1 = Always.....	6502	11.70
		2 = Sometimes.....	4443	8.00
		3 = Seldom.....	2455	4.42
		4 = Never.....	2184	3.93
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	120	0.22
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	479
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE06F)		During the past 12 months, how often did your parents let you know when you'd done a good job?		
YEPGDJOB	2	1PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
		1 = Always.....	9135	16.44
		2 = Sometimes.....	5619	10.11
		3 = Seldom.....	1792	3.23
		4 = Never.....	794	1.43
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE06G)		During the past 12 months, how often did your parents tell you they were proud of you for something you had done?		
YEPPROUD	2	1TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE		
		1 = Always.....	9296	16.73
		2 = Sometimes.....	5460	9.83
		3 = Seldom.....	1758	3.16
		4 = Never.....	818	1.47
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE18A)		During the past 12 months, how many times have you argued or had a fight with at least one of your parents?		
YEYARGUP	2	1ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS		
		1 = 0 times.....	3280	5.90
		2 = 1 or 2 times.....	4744	8.54
		3 = 3 to 5 times.....	3415	6.15
		4 = 6 to 9 times.....	1760	3.17
		5 = 10 or more times.....	4016	7.23
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	112	0.20
		97 = REFUSED.....	90	0.16
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	480
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE18B)		During the past 12 months, how many times have you gotten into a serious fight at school or work?		
YEYFGTSW	2	1GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
		1 = 0 times.....	13984	25.17
		2 = 1 or 2 times.....	2563	4.61
		3 = 3 to 5 times.....	497	0.89
		4 = 6 to 9 times.....	117	0.21
		5 = 10 or more times.....	170	0.31
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE18C)		During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?		
YEYFGTGP	2	1TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
		1 = 0 times.....	14717	26.49
		2 = 1 or 2 times.....	2007	3.61
		3 = 3 to 5 times.....	367	0.66
		4 = 6 to 9 times.....	101	0.18
		5 = 10 or more times.....	143	0.26
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE18D)		During the past 12 months, how many times have you carried a handgun?		
YEYHGUN	2	1CARRIED A HANDGUN		
		1 = 0 times.....	16761	30.17
		2 = 1 or 2 times.....	368	0.66
		3 = 3 to 5 times.....	93	0.17
		4 = 6 to 9 times.....	42	0.08
		5 = 10 or more times.....	80	0.14
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	481
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE18E)		During the past 12 months, how many times have you sold illegal drugs?		
YEYSELL	2	1SOLD ILLEGAL DRUGS		
		1 = 0 times.....	16682	30.02
		2 = 1 or 2 times.....	341	0.61
		3 = 3 to 5 times.....	128	0.23
		4 = 6 to 9 times.....	42	0.08
		5 = 10 or more times.....	147	0.26
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE18F)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
YEYSTOLE	2	1STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50		
		1 = 0 times.....	16632	29.93
		2 = 1 or 2 times.....	503	0.91
		3 = 3 to 5 times.....	110	0.20
		4 = 6 to 9 times.....	37	0.07
		5 = 10 or more times.....	68	0.12
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE18G)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
YEYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	15971	28.74
		2 = 1 or 2 times.....	1125	2.02
		3 = 3 to 5 times.....	144	0.26
		4 = 6 to 9 times.....	35	0.06
		5 = 10 or more times.....	74	0.13
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(YE18H) As a means to reduce respondent burden but still capture information regarding risky behaviors, the 2001 NHSDA sample of respondents was randomly divided into 2 subsamples: Random Sample A and Random Sample B. Each subsample was asked specific questions within three modules: Risk/Availability, Social Environment and Youth Experiences. For analytic purposes, each subsample represents roughly 1/2 of the target population and weights should be adjusted accordingly (2X) to calculate population estimates.

Within the Youth Experiences module, the following variables are associated with each subsample:

Random Sample A: YEYRNAWY, YEY50LBS,
YEYINJUR, YEYSTERD

Random Sample B: YEYRRXNG, YEYLAXTV,
YEYHACK, YEYFIRE

During the past 12 months, that is, since [DATE FILL], have you run away from home and slept on the street?

YEYRNAWY 2	1RUN AWAY AND SLEPT ON THE STREET		
	1 = Yes.....	723	1.30
	2 = No.....	7923	14.26
	85 = BAD DATA Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED.....	18	0.03
	98 = BLANK (NO ANSWER).....	7	0.01
	99 = LEGITIMATE SKIP.....	46882	84.38

(YE18I) During the past 12 months, have you gained or lost more than 50 pounds?

YEY50LBS 2	1GAINED OR LOST MORE THAN 50 POUNDS		
	1 = Yes.....	793	1.43
	2 = No.....	7776	14.00
	85 = BAD DATA Logically assigned.....	2	0.00
	94 = DON'T KNOW.....	75	0.13
	97 = REFUSED.....	26	0.05
	98 = BLANK (NO ANSWER).....	7	0.01
	99 = LEGITIMATE SKIP.....	46882	84.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	483
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE18J)		During the past 12 months, have you been seriously injured in a fight?		
YEYINJUR	2	1SERIOUSLY INJURED IN A FIGHT OR ASSAULT		
		1 = Yes.....	419	0.75
		2 = No.....	8226	14.81
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	46882	84.38
(YE18K)		During the past 12 months, have you used steroids to become more muscular?		
YEYSTERD	2	1USED STEROIDS TO BECOME MORE MUSCULAR		
		1 = Yes.....	268	0.48
		2 = No.....	8378	15.08
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	46882	84.38
(YE18L)		During the past 12 months, have you crossed railroad tracks when a train was coming and almost gotten hit by the train?		
YEYRRXNG	2	1CROSSED RR TRACKS/ALMOST GOTTEN HIT BY A TRAIN		
		1 = Yes.....	844	1.52
		2 = No.....	7880	14.18
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	46811	84.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	484
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE18M)		During the past 12 months, have you used laxatives or vomited on purpose in order to keep your weight down?		
YEYLAXTV	2	1USED LAXATIVES/VOMITED TO KEEP WEIGHT DOWN		
		1 = Yes.....	647	1.16
		2 = No.....	8071	14.53
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	46811	84.25
(YE18N)		During the past 12 months, have you hacked into a government computer system?		
YEYHACK	2	1HACKED INTO A GOVERNMENT SYSTEM		
		1 = Yes.....	404	0.73
		2 = No.....	8308	14.95
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP.....	46811	84.25
(YE18O)		During the past 12 months, have you been careless and set a large or serious fire with a cigarette or match?		
YEYFIRE	2	1CARELESSLY SET A LARGE,SERIOUS FIRE W/CIG/MATCH		
		1 = Yes.....	394	0.71
		2 = No.....	8324	14.98
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP.....	46811	84.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	485
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE07A)		How do you think your parents would feel about you smoking one or more packs of cigarettes per day?		
YEPPKCIG	2	1HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	800	1.44
		2 = Somewhat disapprove.....	1113	2.00
		3 = Strongly disapprove.....	15275	27.49
		94 = DON'T KNOW.....	169	0.30
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE07B)		How do you think your parents would feel about you trying marijuana or hashish once or twice?		
YEPMJEVR	2	1HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
		1 = Neither Approve or Disapprove.....	720	1.30
		2 = Somewhat Disapprove.....	1145	2.06
		3 = Strongly Disapprove.....	15343	27.61
		94 = DON'T KNOW.....	146	0.26
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE07B1)		How do you think your parents would feel about you using marijuana or hashish once a month or more?		
YEPMJMO	2	1HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY		
		1 = Neither Approve or Disapprove.....	602	1.08
		2 = Somewhat Disapprove.....	764	1.38
		3 = Strongly Disapprove.....	15850	28.53
		94 = DON'T KNOW.....	145	0.26
		97 = REFUSED.....	59	0.11
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	486
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE07C)		How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEPALDLY	2	1HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
		1 = Neither Approve or Disapprove.....	649	1.17
		2 = Somewhat Disapprove.....	1245	2.24
		3 = Strongly Disapprove.....	15337	27.60
		94 = DON'T KNOW.....	132	0.24
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE19A)		How do you feel about someone your age smoking one or more packs of cigarettes a day?		
YEGPKCIG	2	1HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
		1 = Neither approve nor disapprove.....	2408	4.33
		2 = Somewhat disapprove.....	2911	5.24
		3 = Strongly disapprove.....	11929	21.47
		94 = DON'T KNOW.....	121	0.22
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE19B)		How do you feel about someone your age trying marijuana or hashish once or twice?		
YEGMJJEVR	2	1HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	3557	6.40
		2 = Somewhat disapprove.....	2874	5.17
		3 = Strongly disapprove.....	10813	19.46
		94 = DON'T KNOW.....	120	0.22
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	487
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE19B1)		How do you feel about someone your age using marijuana once a month or more?		
YEGMJMO	2	1HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY		
		1 = Neither approve nor disapprove.....	3490	6.28
		2 = Somewhat disapprove.....	2710	4.88
		3 = Strongly disapprove.....	11045	19.88
		94 = DON'T KNOW.....	119	0.21
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE19C)		How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?		
YEGALDLY	2	1HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	2822	5.08
		2 = Somewhat disapprove.....	3112	5.60
		3 = Strongly disapprove.....	11318	20.37
		94 = DON'T KNOW.....	117	0.21
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE20A)		How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?		
YEFKPCIG	2	1HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	2880	5.18
		2 = Somewhat disapprove.....	3297	5.93
		3 = Strongly disapprove.....	11031	19.85
		94 = DON'T KNOW.....	162	0.29
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	488
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE20B)		How do you think your close friends would feel about you trying marijuana or hashish once or twice?		
YEFMJEVR	2	1HOW YOU FEEL FRIENDS USING MJ 1X/MO		
		1 = Neither approve nor disapprove.....	3450	6.21
		2 = Somewhat disapprove.....	2846	5.12
		3 = Strongly disapprove.....	10904	19.63
		94 = DON'T KNOW.....	164	0.30
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE20B1)		How do you think your close friends would feel about you using marijuana or hashish once a month or more?		
YEFMJMO	2	1HOW YOU FEEL FRIENDS USING MJ MONTHLY		
		1 = Neither approve nor disapprove.....	3087	5.56
		2 = Somewhat disapprove.....	2654	4.78
		3 = Strongly disapprove.....	11452	20.61
		94 = DON'T KNOW.....	171	0.31
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE20C)		How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEFALDLY	2	1HOW YOU FEEL FRIENDS DRINKING ALC DAILY		
		1 = Neither approve nor disapprove.....	2939	5.29
		2 = Somewhat disapprove.....	3280	5.90
		3 = Strongly disapprove.....	10977	19.76
		94 = DON'T KNOW.....	171	0.31
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
(YE22)		NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.		
		If you wanted to talk to someone about a serious problem, which of the following people would you turn to?		
YETLKNON	2	1THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS		
		1 = Response entered.....	700	1.26
		6 = Response not entered.....	16355	29.44
		11 = Response entered (& other responses entered).....	213	0.38
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
YETLKPAR	2	1MY MOTHER/FATHER/GUARDIAN		
		1 = Response entered.....	10954	19.72
		6 = Response not entered.....	6258	11.26
		11 = Response entered (YETLKNON=11).....	56	0.10
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
YETLKBGF	2	1MY BOYFRIEND/GIRLFRIEND		
		1 = Response entered.....	5218	9.39
		6 = Response not entered.....	11962	21.53
		11 = Response entered (YETLKNON=11).....	88	0.16
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
YETLKOTA	2	1SOME OTHER ADULT		
		1 = Response entered.....	4366	7.86
		6 = Response not entered.....	12824	23.08
		11 = Response entered (YETLKNON=11).....	78	0.14
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	490
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YETLKSOP	2	1SOME OTHER PERSON		
		1 = Response entered.....	6113	11.00
		6 = Response not entered.....	11037	19.86
		11 = Response entered (YETLKNON=11).....	118	0.21
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE08)		Now think about the past 12 months, that is, from DATEFILL through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.		
YEPRTDNG	2	1HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC		
		1 = Yes.....	9752	17.55
		2 = No.....	7477	13.46
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	129	0.23
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE23B)		During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?		
YEPRBSLV	2	1PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR		
		1 = Yes.....	4199	7.56
		2 = No.....	12974	23.35
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	183	0.33
		97 = REFUSED.....	59	0.11
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	491
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE23C)		During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?		
YEVIOPRV	2	1VIOLENCE PREVENTION PROGRAMS		
		1 = Yes.....	3157	5.68
		2 = No.....	14138	25.45
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE23G)		During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?		
YEDGPRGP	2	1ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL		
		1 = Yes.....	2397	4.31
		2 = No.....	14916	26.85
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE23J)		During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?		
YESLFHLP	2	1AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING		
		1 = Yes.....	960	1.73
		2 = No.....	16316	29.37
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	91	0.16
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	492
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE230)		During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?		
YEPRGSTD	2	1PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS		
		1 = Yes.....	2333	4.20
		2 = No.....	14972	26.95
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	55	0.10
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE23P)		During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?		
YESCHACT	2	1# OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS		
		0 = None.....	2918	5.25
		1 = One.....	4338	7.81
		2 = Two.....	4381	7.89
		3 = 3 or more.....	5680	10.22
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE23Q)		During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?		
YECOMACT	2	1# OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS		
		0 = None.....	4968	8.94
		1 = One.....	5030	9.05
		2 = Two.....	3639	6.55
		3 = 3 or more.....	3647	6.56
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	90	0.16
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	493
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE23R)		During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?		
YEFIACT	2	1# OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS		
		0 = None.....	6114	11.00
		1 = One.....	4229	7.61
		2 = Two.....	2472	4.45
		3 = 3 or more.....	4456	8.02
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	91	0.16
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE23S)		During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?		
YEOTHACT	2	1# OF OTHER ACT. PARTIC. IN PAST 12 MONTHS		
		0 = None.....	10045	18.08
		1 = One.....	4182	7.53
		2 = Two.....	1603	2.89
		3 = 3 or more.....	1476	2.66
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE24A)		During the past 12 months have you had a special class about drugs or alcohol in school?		
YEDECLAS	2	1A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL		
		1 = Yes.....	7688	13.84
		2 = No.....	7967	14.34
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	84	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	494
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE24B)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?		
YEDERGLR	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS		
		1 = Yes.....	10702	19.26
		2 = No.....	4952	8.91
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	85	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE24C)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?		
YEDESPCL	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS		
		1 = Yes.....	6383	11.49
		2 = No.....	9234	16.62
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	112	0.20
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	85	0.15
		99 = LEGITIMATE SKIP.....	39697	71.45
(YE25)		During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?		
YEPVNTYR	2	1SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
		1 = Yes.....	14377	25.88
		2 = No.....	2919	5.25
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	78	0.14
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	495
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YERELATT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.		
YERLGSVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES		
		1 = 0 times.....	5322	9.58
		2 = 1 to 2 times.....	2340	4.21
		3 = 3 to 5 times.....	1417	2.55
		4 = 6 to 24 times.....	2188	3.94
		5 = 25 to 52 times.....	2416	4.35
		6 = More than 52 times.....	3421	6.16
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	244	0.44
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YEREBEL1)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.		
		Your religious beliefs are a very important part of your life.		
YERLGIMP	2	1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		1 = Strongly Disagree.....	1652	2.97
		2 = Disagree.....	2313	4.16
		3 = Agree.....	7053	12.69
		4 = Strongly Agree.....	6033	10.86
		94 = DON'T KNOW.....	241	0.43
		97 = REFUSED.....	124	0.22
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	496
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YEREBEL2)		Your religious beliefs influence how you make decisions in your life.		
YERLDCSN	2	1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		1 = Strongly Disagree.....	2010	3.62
		2 = Disagree.....	3354	6.04
		3 = Agree.....	7033	12.66
		4 = Strongly Agree.....	4633	8.34
		94 = DON'T KNOW.....	274	0.49
		97 = REFUSED.....	112	0.20
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63
(YEREBEL3)		It is important that your friends share your religious beliefs.		
YERLFRND	2	1IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
		1 = Strongly Disagree.....	4550	8.19
		2 = Disagree.....	6587	11.86
		3 = Agree.....	4264	7.67
		4 = Strongly Agree.....	1583	2.85
		94 = DON'T KNOW.....	313	0.56
		97 = REFUSED.....	119	0.21
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(YE26) NOTE: Respondents who did not report cigarette use in the past 30 days were asked questions about how they got cigarettes if they reported in the SPECIALTY CIGARETTES module that they used bidis or clove cigarettes in the past 30 days. The SPECIALTY CIGARETTES module was not present in 2000.

These next questions are about how you got the cigarettes you have smoked during the past 30 days.

During the past 30 days, how many times have you gotten cigarettes by having a friend or relative buy them for you?

YECGFRND	2	1# TIMES FRND/RELAT BGT CIGS FOR YOU PAST 30 DAYS		
		1 = 0 times.....	864	1.56
		2 = 1 time.....	357	0.64
		3 = 2 times.....	208	0.37
		4 = 3 to 5 times.....	291	0.52
		5 = 6 to 9 times.....	123	0.22
		6 = 10 or more times.....	513	0.92
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	498
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE27)		During the past 30 days, how many times have you bought cigarettes on your own from a vending machine?		
YECGVEND 2		1# TIMES BOUGHT CIGS FR VENDING MACH PAST 30 DAYS		
		1 = 0 times.....	2033	3.66
		2 = 1 time.....	147	0.26
		3 = 2 times.....	51	0.09
		4 = 3 to 5 times.....	47	0.08
		5 = 6 to 9 times.....	27	0.05
		6 = 10 or more times.....	68	0.12
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE28)		During the past 30 days, how many times have you bought cigarettes through the mail?		
YECGMAI2 2		1# TIMES BOUGHT CIGS THRU MAIL PAST 30 DAYS		
		1 = 0 times.....	2285	4.11
		2 = 1 time.....	66	0.12
		3 = 2 times.....	10	0.02
		4 = 3 to 5 times.....	10	0.02
		5 = 6 or more times.....	9	0.02
		91 = NEVER USED CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	3588	6.46
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	499
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE29)		During the past 30 days, how many times have you bought cigarettes in a store where you pick up the pack or carton and bring it to the check-out counter?		
YECGCHKO	2	1# TIMES BGT CIGS/BROUGHT TO CHKOUT PST 30 DAYS		
		1 = 0 times.....	1894	3.41
		2 = 1 time.....	164	0.30
		3 = 2 times.....	73	0.13
		4 = 3 to 5 times.....	91	0.16
		5 = 6 to 9 times.....	31	0.06
		6 = 10 or more times.....	125	0.22
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE30)		During the past 30 days, how many times have you bought cigarettes in a store where the clerk has to hand you the pack or carton?		
YECGCLRK	2	1# TIMES BGT CIGS WHERE CLERK GAVE PAST 30 DAYS		
		1 = 0 times.....	1689	3.04
		2 = 1 time.....	197	0.35
		3 = 2 times.....	111	0.20
		4 = 3 to 5 times.....	124	0.22
		5 = 6 to 9 times.....	66	0.12
		6 = 10 or more times.....	189	0.34
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	500
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE31)		During the past 30 days, how many times have you bought cigarettes through the Internet?		
YECGINET 2		1# TIMES BOUGHT CIGS THRU INTERNET PAST 30 DAYS		
		1 = 0 times.....	2303	4.14
		2 = 1 time.....	53	0.10
		3 = 2 times.....	12	0.02
		4 = 3 to 5 times.....	7	0.01
		5 = 6 to 9 times.....	3	0.01
		6 = 10 or more times.....	6	0.01
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE32)		During the past 30 days, how many times did you buy cigarettes at a big supermarket?		
YECGSMKT 2		1# TIMES BOUGHT CIGS IN SUPERMKT PAST 30 DAYS		
		1 = 0 times.....	2153	3.88
		2 = 1 time.....	115	0.21
		3 = 2 times.....	41	0.07
		4 = 3 to 5 times.....	35	0.06
		5 = 6 to 9 times.....	10	0.02
		6 = 10 or more times.....	29	0.05
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	501
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE33)		During the past 30 days, how many times did you buy cigarettes at a drug store?		
YECGDSTO	2	1# TIMES BOUGHT CIGS IN DRUG STORE PST 30 DAYS		
		1 = 0 times.....	2158	3.88
		2 = 1 time.....	104	0.19
		3 = 2 times.....	43	0.08
		4 = 3 to 5 times.....	32	0.06
		5 = 6 to 9 times.....	17	0.03
		6 = 10 or more times.....	30	0.05
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE34)		During the past 30 days, how many times did you buy cigarettes at a small grocery store, a convenience store or at a gas station?		
YECGCONV	2	1# TIMES BGT CIGS SML GROC/CONV ST PST 30 DAYS		
		1 = 0 times.....	1699	3.06
		2 = 1 time.....	201	0.36
		3 = 2 times.....	88	0.16
		4 = 3 to 5 times.....	134	0.24
		5 = 6 to 9 times.....	67	0.12
		6 = 10 or more times.....	189	0.34
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	502
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE35)		During the past 30 days, how many times have you bought cigarettes from an individual, such as a friend, a relative, or someone at school?		
YECGINDV	2	1# TIMES BOUGHT CIGS FROM INDIV PAST 30 DAYS		
		1 = 0 times.....	1690	3.04
		2 = 1 time.....	256	0.46
		3 = 2 times.....	132	0.24
		4 = 3 to 5 times.....	118	0.21
		5 = 6 to 9 times.....	45	0.08
		6 = 10 or more times.....	132	0.24
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	83	0.15
		99 = LEGITIMATE SKIP.....	38132	68.63
(YE36)		The last time you tried to buy cigarettes in a store or gas station, were you asked for proof of your age -- that is, did you have to show some type of ID?		
YECGPRUF	2	1ASKED FOR ID LAST TIME TRIED TO BUY CIGS		
		1 = Yes.....	293	0.53
		2 = No.....	554	1.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	105	0.19
		99 = LEGITIMATE SKIP.....	39657	71.38
(YE37)		The last time you tried to buy cigarettes in a store or gas station, were you successful?		
YECGSUCC	2	1SUCCESSFUL LAST TIME TRIED TO BUY CIGS		
		1 = Yes.....	655	1.18
		2 = No.....	193	0.35
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	105	0.19
		99 = LEGITIMATE SKIP.....	39657	71.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	503
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE38)		Do you buy your cigarettes by the pack or by the carton?		
YEPKCRTN	2	1BUY CIGS BY PACK OR CARTON		
		1 = Pack.....	1112	2.00
		2 = Carton.....	117	0.21
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	123	0.22
		99 = LEGITIMATE SKIP.....	39242	70.63
(YE39)		What was the price you paid for the last pack of cigarettes you bought?		
YEPDPACK	2	1PRICE PAID FOR LAST PACK OF CIGS		
		1 = Less than \$1.00.....	39	0.07
		2 = \$1.00 - \$1.50.....	18	0.03
		3 = \$1.51 - \$2.00.....	34	0.06
		4 = \$2.01 - \$2.50.....	70	0.13
		5 = \$2.51 - \$3.00.....	184	0.33
		6 = \$3.01 - \$3.50.....	310	0.56
		7 = \$3.51 - \$4.00.....	261	0.47
		8 = \$4.01 - \$4.50.....	112	0.20
		9 = \$4.51 - \$5.00.....	62	0.11
		10 = More than \$5.00.....	14	0.03
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	137	0.25
		99 = LEGITIMATE SKIP.....	39359	70.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	504
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YE40)		What was the price you paid for the last carton of cigarettes you bought?		
YEPDCRTN	2	1PRICE PAID FOR LAST CARTON OF CIGS		
		1 = Less than \$10.00.....	16	0.03
		2 = \$10.00 - \$13.00.....	23	0.04
		3 = \$13.01 - \$16.00.....	6	0.01
		4 = \$16.01 - \$19.00.....	6	0.01
		5 = \$19.01 - \$22.00.....	11	0.02
		6 = \$22.01 - \$25.00.....	21	0.04
		7 = \$25.01 - \$28.00.....	6	0.01
		8 = \$28.01 - \$31.00.....	11	0.02
		9 = \$31.01 - \$34.00.....	6	0.01
		10 = \$34.01 - \$37.00.....	3	0.01
		11 = \$37.01 - \$40.00.....	1	0.00
		12 = \$40.01 - \$43.00.....	1	0.00
		14 = \$46.01 - \$49.00.....	1	0.00
		15 = More than \$49.00.....	1	0.00
		91 = NEVER USED CIGARETTES/SPECIALTY CIGARETTES.....	11334	20.40
		93 = DID NOT USE CIGS/SPECIALTY CIGS IN THE PAST 30 DYS	3588	6.46
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	137	0.25
		99 = LEGITIMATE SKIP.....	40354	72.63
(YE41)		Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is called a "blunt" or sometimes a "blob."		
		Have you ever smoked part or all of a cigar with marijuana in it?		
YEBLNTEV	2	1EVER SMOKED CIGAR WITH MJ		
		1 = Yes.....	1854	3.34
		2 = No.....	15456	27.82
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	505
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YE42)		Now think about the past 30 days -- that is, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigar with marijuana in it?		
YEBLNT30	2	1SMOKED CIGAR WITH MJ PAST 30 DAYS		
		1 = Yes.....	790	1.42
		2 = No.....	1014	1.83
		11 = Yes (YEBL30FQ=0).....	40	0.07
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	53	0.10
		99 = LEGITIMATE SKIP.....	53588	96.45
(YE43)		On how many of the past 30 days, that is, since DATEFILL, did you smoke part or all of a cigar with marijuana in it?		
YEBL30FQ	2	1# DAYS SMKD CIGAR WITH MJ PAST 30 DAYS		
		RANGE = 1 - 30	771	1.39
		0 = 0 days (YEBLNT30=11).....	40	0.07
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	73	0.13
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	54602	98.27
(YE44)		Earlier you reported that you had smoked part or all of a cigar during the past 30 days. Did you replace any of the tobacco in these cigars with marijuana?		
YECGRWMJ	2	1REPLACE TOBACCO WITH MJ IN CIGAR PAST 30 DAYS		
		1 = Yes.....	229	0.41
		2 = No.....	518	0.93
		91 = NEVER USED CIGARS.....	14511	26.12
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	2136	3.84
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED YOUTH EXPERIENCES			PAGE:	506
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
RECODED YOUTH EXPERIENCES				

NOTE: The variables in this section are				
recoded variables that were created from				
one or more of the edited variables from				
the preceding section.				
MVIN5YR2	1	NUM OF TIMES YOUTH MOVED IN PAST 5 YRS		
		. = Otherwise (YEMOV5YR=994,997,998,999).....	38397	69.11
		1 = More than 1 time (YEMOV5YR=2 to 90).....	4004	7.21
		2 = None or one time (YEMOV5YR=0,1).....	13160	23.69
PRPKCIG2	1	YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY		
		. = Otherwise (YEPPKCIG=94,97,98,99).....	38373	69.06
		1 = Strongly disapprove (YEPPKCIG=3).....	15275	27.49
		2 = Somewhat disapprove or neither (YEPPKCIG=1,2).....	1913	3.44
PRMJEV2	1	YTH THINK: PARENTS FEEL ABT YTH TRY MJ/HASH		
		. = Otherwise (YEPMJEV2=94,97,98,99).....	38353	69.03
		1 = Strongly disapprove (YEPMJEV2=3).....	15343	27.61
		2 = Somewhat disapprove or neither (YEPMJEV2=1,2).....	1865	3.36
PRALDLY2	1	YTH THINK: PARNTS FEEL ABT YTH DRNK 1+ ALC BEV/DAY		
		. = Otherwise (YEPALDLY=94,97,98,99).....	38330	68.99
		1 = Strongly disapprove (YEPALDLY=3).....	15337	27.60
		2 = Somewhat disapprove or neither (YEPALDLY=1,2).....	1894	3.41
PRTALK3	1	TALKED W/PARENT ABT DANGER TOB/ALC/DRG		
		. = Otherwise (YEPRTDNG=85,94,97,98,99).....	38332	68.99
		1 = Yes (YEPRTDNG=1).....	9752	17.55
		2 = No (YEPRTDNG=2).....	7477	13.46
YOFIGHT2	1	YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK		
		. = Otherwise (YEYFGTSW=85,94,97,98,99).....	38230	68.81
		1 = One or more times (YEYFGTSW=2,3,4,5).....	3347	6.02
		2 = None (YEYFGTSW=1).....	13984	25.17
YOGRPFT2	1	YOUTH FOUGHT W/GROUP VS OTHER GROUP		
		. = Otherwise (YEYFGTGP=85,94,97,98,99).....	38226	68.80
		1 = One or more times (YEYFGTGP=2,3,4,5).....	2618	4.71
		2 = None (YEYFGTGP=1).....	14717	26.49
YOHGUN2	1	YOUTH CARRIED A HANDGUN		
		. = Otherwise (YEYHGUN=85,94,97,98,99).....	38217	68.78
		1 = One or more times (YEYHGUN=2,3,4,5).....	583	1.05
		2 = None (YEYHGUN=1).....	16761	30.17

RECODED YOUTH EXPERIENCES			PAGE:	507
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
YOSELL2	1	YOUTH SOLD ILLEGAL DRUGS		
		. = Otherwise (YEYSELL=85,94,97,98,99).....	38221	68.79
		1 = One or more times (YEYSELL=2,3,4,5).....	658	1.18
		2 = None (YEYSELL=1).....	16682	30.02
YOSTOLE2	1	YOUTH STOLE/TRIED TO STEAL ITEM >\$50		
		. = Otherwise (YEYSTOLE=85,94,97,98,99).....	38211	68.77
		1 = One or more times (YEYSTOLE=2,3,4,5).....	718	1.29
		2 = None (YEYSTOLE=1).....	16632	29.93
YOATTAK2	1	YOUTH ATTACKED W/INTENT TO SERIOUSLY HARM		
		. = Otherwise (YEYATTAK=85,94,97,98,99).....	38212	68.77
		1 = One or more times (YEYATTAK=2,3,4,5).....	1378	2.48
		2 = None (YEYATTAK=1).....	15971	28.74
YFLPKCG2	1	HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
		. = Otherwise (YEGPKCIG=94,97,98,99).....	38313	68.96
		1 = Somewhat or strongly disapprove (YEGPKCIG=2,3)....	14840	26.71
		2 = Neither approve or disapprove (YEGPKCIG=1).....	2408	4.33
YFLTMRJ2	1	HOW YTH FEELS: PEERS TRY MJ/HASH		
		. = Otherwise (YEGMJEVVR=94,97,98,99).....	38317	68.96
		1 = Somewhat or strongly disapprove (YEGMJEVVR=2,3)....	13687	24.63
		2 = Neither approve or disapprove (YEGMJEVVR=1).....	3557	6.40
YFLADLY2	1	HOW YTH FEELS: PEERS DRNK 1+ALC BEV/DAY		
		. = Otherwise (YEGALDLY=94,97,98,99).....	38309	68.95
		1 = Somewhat or strongly disapprove (YEGALDLY=2,3)....	14430	25.97
		2 = Neither approve or disapprove (YEGALDLY=1).....	2822	5.08
PRBSOLV2	1	PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP		
		. = Otherwise (YEPRBSLV=85,94,97,98,99).....	38388	69.09
		1 = Yes (YEPRBSLV=1).....	4199	7.56
		2 = No (YEPRBSLV=2).....	12974	23.35
PREVIOL2	1	PARTICIPATED IN VIOLENCE PREVENTION PROGRAM		
		. = Otherwise (YEVIOPRV=85,94,97,98,99).....	38266	68.87
		1 = Yes (YEVIOPRV=1).....	3157	5.68
		2 = No (YEVIOPRV=2).....	14138	25.45
PRVDRGO2	1	PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL		
		. = OTHERWISE (YEDGPRGP=85,94,97,98,99).....	38248	68.84
		1 = YES (YEDGPRGP=1).....	2397	4.31
		2 = NO (YEDGPRGP=2).....	14916	26.85

RECODED YOUTH EXPERIENCES			PAGE:	508
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
GRPCNSL2	1	PARTICIPATED IN PROGRAM TO HELP DRUG ABUSE		
		. = Otherwise (YESLFHLP=85,94,97,98,99).....	38285	68.91
		1 = Yes (YESLFHLP=1).....	960	1.73
		2 = No (YESLFHLP=2).....	16316	29.37
PREGPGM2	1	PARTICIPATED IN PREG/STD PREV PROGRAM		
		. = Otherwise (YEPRGSTD=85,94,97,98,99).....	38256	68.85
		1 = Yes (YEPRGSTD=1).....	2333	4.20
		2 = No (YEPRGSTD=2).....	14972	26.95
<p>NOTE: The skip logic used for administering the questions which are the source of the following 3 variables, DGSPCLS2, DGRGCLS2, and DRGLECT2, was revised in 2001. For DGSPCLS2, rather than asking all youth respondents the questions about participation in school-coordinated drug prevention programs, the skip logic was revised so that only youth respondents enrolled in school (YEATNDYR=1) or who reported being home-schooled (YEHMSLYR=1) were asked these questions. For DGRGCLS2 and DRGLECT2, the new skip logic was intended to ask these questions not only to youth respondents enrolled in school (YEATNDYR=1), but additionally to youth respondents who reported being home-schooled (YEHMSLYR=1). DGSPCLS2, DGRGCLS2, and DRGLECT2 are not considered comparable with DGSPCLS2, DGRGCLS2, and DRGLECT2 from the 2000 NHSDA.</p>				
DGSPCLS2	1	YOUTH TAKEN SPECIAL CLASS ABOUT DRUGS		
		. = Otherwise (YEDECLAS=85,94,97,98,99).....	39906	71.82
		1 = Yes (YEDECLAS=1).....	7688	13.84
		2 = No (YEDECLAS=2).....	7967	14.34
DGRGCLS2	1	YOUTH DRUG EDUC IN REGULAR CLASS		
		. = Otherwise (YEDERGLR=85,94,97,98,99).....	39907	71.83
		1 = Yes (YEDERGLR=1).....	10702	19.26
		2 = No (YEDERGLR=2).....	4952	8.91
DRGLECT2	1	YOUTH DRUG EDUC OUTSIDE REG CLASS		
		. = Otherwise (YEDESPCL=85,94,97,98,99).....	39944	71.89
		1 = Yes (YEDESPCL=1).....	6383	11.49
		2 = No (YEDESPCL=2).....	9234	16.62

RECODED YOUTH EXPERIENCES			PAGE:	509
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
DRPRVME3	1	YOUTH SEEN DRUG PREV MSG OUTSIDE SCH		
		. = Otherwise (YEPVNTYR=85,94,97,98,99).....	38265	68.87
		1 = Yes (YEPVNTYR=1).....	14377	25.88
		2 = No (YEPVNTYR=2).....	2919	5.25
<p>The following variable, ANYEDUC3, is not considered comparable with the same variable from the 2000 NHSDA due to changes in the 2001 skip logic. See the note above the source variables, DGSPCLS2, DGRGCLS2, and DRGLECT2 for further details.</p>				
ANYEDUC3	1	YOUTH HAD ANY DRUG EDUC IN SCHOOL		
		. = OTHERWISE.....	39897	71.81
		1 = Yes (DGSPCLS2=1 OR DGRGCLS2=1 OR DRGLECT2=1).....	12269	22.08
		2 = No (DGSPCLS2=2 & DGRGCLS2=2 & DRGLECT2=2).....	3395	6.11
CIGFRND	1	FRIEND OR RELATIVE BOUGHT YOUTH CIG IN PAST MONTH		
		. = Aged 18 or Older (YECGFRND=99).....	38132	68.63
		0 = Otherwise (YECGFRND=1,91,93,94,97,98).....	15937	28.68
		1 = Yes (YECGFRND=2,3,4,5,6).....	1492	2.69
CIGVEND	1	YOUTH BOUGHT CIG AT VENDING MACH IN PAST MONTH		
		. = Aged 18 or Older (YECGVEND=99).....	38132	68.63
		0 = Otherwise (YECGVEND=1,91,93,94,97,98).....	17089	30.76
		1 = Yes (YECGVEND=2,3,4,5,6).....	340	0.61
CIGMAIL	1	YOUTH BOUGHT CIGARETTES THROUGH MAIL IN PAST MONTH		
		. = Aged 18 or Older (YECGMAI2=99).....	38132	68.63
		0 = Otherwise (YECGMAI2=1,91,93,94,97,98).....	17334	31.20
		1 = Yes (YECGMAI2=2,3,4,5).....	95	0.17
CIGCKOUT	1	YOUTH TOOK CIG TO COUNTER FOR PURCH IN PAST MON		
		. = Aged 18 or Older (YECGCHKO=99).....	38132	68.63
		0 = Otherwise (YECGCHKO=1,91,93,94,97,98).....	16945	30.50
		1 = Yes (YECGCHKO=2,3,4,5,6).....	484	0.87
CIGCLERK	1	YTH BOUGHT CIG WHERE CLERK HANDS THEM IN PAST MON		
		. = Aged 18 or Older (YECGCLRK=99).....	38132	68.63
		0 = Otherwise (YECGCLRK=1,91,93,94,97,98).....	16742	30.13
		1 = Yes (YECGCLRK=2,3,4,5,6).....	687	1.24
CIGINET	1	YOUTH BOUGHT CIG THROUGH INTERNET IN PAST MONTH		
		. = Aged 18 or Older (YECGINET=99).....	38132	68.63
		0 = Otherwise (YECGINET=1,91,93,94,97,98).....	17348	31.22
		1 = Yes (YECGINET=2,3,4,5,6).....	81	0.15

RECODED YOUTH EXPERIENCES			PAGE:	510
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
CIGSMKT	1	YTH BOUGHT CIG AT A BIG SUPERMARKET IN PAST MONTH		
		. = Aged 18 or Older (YECGSMKT=99).....	38132	68.63
		0 = Otherwise (YECGSMKT=1,91,93,94,97,98).....	17199	30.96
		1 = Yes (YECGSMKT=2,3,4,5,6).....	230	0.41
CIGDSTO	1	YOUTH BOUGHT CIGARETTES AT DRUG STORE IN PAST MON		
		. = Aged 18 or Older (YECGDSTO=99).....	38132	68.63
		0 = Otherwise (YECGDSTO=1,91,93,94,97,98).....	17203	30.96
		1 = Yes (YECGDSTO=2,3,4,5,6).....	226	0.41
CIGCONV	1	YTH BOUGHT CIG AT CONVENIENCE STORE IN PAST MONTH		
		. = Aged 18 or Older (YECGCONV=99).....	38132	68.63
		0 = Otherwise (YECGCONV=1,91,93,94,97,98).....	16750	30.15
		1 = Yes (YECGCONV=2,3,4,5,6).....	679	1.22
CIGINDIV	1	YOUTH BOUGHT CIG FROM AN INDIVIDUAL IN PAST MONTH		
		. = Aged 18 or Older (YECGINDV=99).....	38132	68.63
		0 = Otherwise (YECGINDV=1,91,93,94,97,98).....	16746	30.14
		1 = Yes (YECGINDV=2,3,4,5,6).....	683	1.23
<p>The following variable, YTHBGHT, was created by examination of various sources that youth were asked about for buying cigarettes: vending machines (CIGVEND), through the mail (CIGMAIL), store where you take cigarettes to the counter (CIGCKOUT), store where clerk hands you the cigarettes (CIGCLERK), internet (CIGINET), supermarket (CIGSMKT), drug store (CIGDSTO), convenience store (CIGCONV), and from another individual (CIGINDIV).</p>				
YTHBGHT	1	YOUTH PERSONALLY BOUGHT CIGARETTES IN PAST MONTH		
		. = Aged 18 or Older (ALL SOURCE VARIABLES=.).....	38132	68.63
		0 = Otherwise.....	16177	29.12
		1 = Yes (ANY SOURCE VARIABLE=1).....	1252	2.25
RLGATTD	1	NUM TIMES ATTEND RELIG SERVICES IN PST YR		
		. = Otherwise (YERLGSVC=85,94,97,98,99).....	38457	69.22
		1 = 25 or more (YERLGSVC=5,6).....	5837	10.51
		2 = Less than 25 (YERLGSVC=1,2,3,4).....	11267	20.28
RLGIMPT	1	RELIG BELIEFS VERY IMPORTANT IN LIFE		
		. = Otherwise (YERLGIMP=94,97,98,99).....	38510	69.31
		1 = Agree/Strongly Agree (YERLGIMP=3,4).....	13086	23.55
		2 = Disagree/Strongly Disagree (YERLGIMP=1,2).....	3965	7.14

RECODED YOUTH EXPERIENCES			PAGE:	511
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
RLGDCSN	1	RELIG BELIEFS INFLUENCE LIFE DECISIONS		
		. = Otherwise (YERLDCSN=94,97,98,99).....	38531	69.35
		1 = Agree/Strongly Agree (YERLDCSN=3,4).....	11666	21.00
		2 = Disagree/Strongly Disagree (YERLDCSN=1,2).....	5364	9.65
RLGFRND	1	IMPT FOR FRNDS TO SHARE RELIG BELIEFS		
		. = Otherwise (YERLFRND=94,97,98,99).....	38577	69.43
		1 = Agree/Strongly Agree (YERLFRND=3,4).....	5847	10.52
		2 = Disagree/Strongly Disagree (YERLFRND=1,2).....	11137	20.04
SCHFELT	1	HOW YTH FELT: ABT GOING TO SCHL IN PAST YR		
		. = Otherwise (YESCHFLT=85,94,97,98,99).....	39826	71.68
		1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	12323	22.18
		2 = Didn't Like Very Much/Hated (YESCHFLT=3,4).....	3412	6.14
SCHWRK	1	HOW YTH FELT: SCHL WORK IMPT IN PST YR		
		. = Otherwise (YESCHWRK=85,94,97,98,99).....	39843	71.71
		1 = Always/Sometimes (YESCHWRK=1,2).....	12050	21.69
		2 = Seldom/Never (YESCHWRK=3,4).....	3668	6.60
SCHIMPT	1	HOW YTH FELT: THINGS LEARNED IN PST YR IMP IN LIFE		
		. = Otherwise (YESCHIMP=85,94,97,98,99).....	39839	71.70
		1 = Very/Somewhat Important (YESCHIMP=1,2).....	13768	24.78
		2 = Very/Somewhat Unimportant (YESCHIMP=3,4).....	1954	3.52
SCHINTST	1	HOW YTH FELT: CLASS AT SCHL INTERST IN PST YR		
		. = Otherwise (YESCHINT=85,94,97,98,99).....	39835	71.70
		1 = Very/Somewhat Interesting (YESCHINT=1,2).....	11651	20.97
		2 = Very/Somewhat Boring (YESCHINT=3,4).....	4075	7.33
TCHGJOB	1	TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR		
		. = Otherwise (YETCGJOB=85,94,97,98,99).....	39834	71.69
		1 = Always/Sometimes (YETCGJOB=1,2).....	11725	21.10
		2 = Seldom/Never (YETCGJOB=3,4).....	4002	7.20
STNDSCIG	1	STUDENTS IN YTH GRADE SMOKE CIGARETTES		
		. = Otherwise (YESTSCIG=85,94,97,98,99).....	40151	72.26
		1 = All/Most (YESTSCIG=3,4).....	5720	10.29
		2 = Few/None (YESTSCIG=1,2).....	9690	17.44
STNDSMJ	1	STUDENTS IN YTH GRADE USE MJ/HASHISH		
		. = Otherwise (YESTSMJ=85,94,97,98,99).....	40414	72.74
		1 = All/Most (YESTSMJ=3,4).....	3573	6.43
		2 = Few/None (YESTSMJ=1,2).....	11574	20.83

RECODED YOUTH EXPERIENCES			PAGE:	512
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
STNDALC	1	STUDENTS IN YTH GRADE DRINK ALC BEVERAGES		
		. = Otherwise (YESTSALC=85,94,97,98,99).....	40248	72.44
		1 = All/Most (YESTSALC=3,4).....	6779	12.20
		2 = Few/None (YESTSALC=1,2).....	8534	15.36
STNDDNK	1	STUDENTS IN YTH GRADE GET DRUNK ONCE/WK		
		. = Otherwise (YESTSDNK=85,94,97,98,99).....	40440	72.78
		1 = All/Most (YESTSDNK=3,4).....	2779	5.00
		2 = None/Few (YESTSDNK=1,2).....	12342	22.21
PARCHKHW	1	PARENTS CHECK IF HMWK DONE IN PST YR		
		. = Otherwise (YEPCHKHW=85,94,97,98,99).....	39859	71.74
		1 = Always/Sometimes (YEPCHKHW=1,2).....	12114	21.80
		2 = Seldom/Never (YEPCHKHW=3,4).....	3588	6.46
PARHLPHW	1	PARENTS HELP W/ HMWK IN PST YR		
		. = Otherwise (YEPHLPHW=85,94,97,98,99).....	39863	71.75
		1 = Always/Sometimes (YEPHLPHW=1,2).....	12648	22.76
		2 = Seldom/Never (YEPHLPHW=3,4).....	3050	5.49
PRCHORE2	1	PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR		
		. = Otherwise (YEPCHORE=85,94,97,98,99).....	38222	68.79
		1 = Always/Sometimes (YEPCHORE=1,2).....	15092	27.16
		2 = Seldom/Never (YEPCHORE=3,4).....	2247	4.04
PRLMTTV2	1	PARENTS LIMIT AMT OF TV IN PST YR		
		. = Otherwise (YEPLMTTV=85,94,97,98,99).....	38248	68.84
		1 = Always/Sometimes (YEPLMTTV=1,2).....	6476	11.66
		2 = Seldom/Never (YEPLMTTV=3,4).....	10837	19.50
PARLMTSN	1	PARENTS LIMIT TIME OUT ON SCH NIGHT IN PST YR		
		. = Otherwise (YEPLMTSN=85,94,97,98,99).....	39977	71.95
		1 = Always/Sometimes (YEPLMTSN=1,2).....	10945	19.70
		2 = Seldom/Never (YEPLMTSN=3,4).....	4639	8.35
PRGDJOB2	1	PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR		
		. = Otherwise (85,94,97,98,99).....	38221	68.79
		1 = Always/Sometimes (YEPGDJOB=1,2).....	14754	26.55
		2 = Seldom/Never (YEPGDJOB=3,4).....	2586	4.65
PRPROUD2	1	PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR		
		. = Otherwise (85,94,97,98,99).....	38229	68.81
		1 = Always/Sometimes (YEPPROUD=1,2).....	14756	26.56
		2 = Seldom/Never (YEPPROUD=3,4).....	2576	4.64

RECODED YOUTH EXPERIENCES			PAGE:	513
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
ARGUPAR	1	TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR		
		. = Otherwise (YEYARGUP=85,94,97,98,99).....	38346	69.02
		1 = 9 or Fewer (YEYARGUP=1,2,3,4).....	13199	23.76
		2 = 10 or More (YEYARGUP=5).....	4016	7.23
PRMJMO	1	YTH THINK: PARENTS FEEL ABT YTH USE MJ/HASH MNTHLY		
		. = Otherwise (YEPMJMO=94,97,98,99).....	38345	69.01
		1 = Strongly Disapprove (YEPMJMO=3).....	15850	28.53
		2 = Somewhat Dis/Neither App Nor Dis (YEPMJMO=1,2)....	1366	2.46
YFLMJMO	1	HOW YTH FEELS: PEERS USING MJ/HASH MONTHLY		
		. = Otherwise (YEPMJMO=94,97,98,99).....	38316	68.96
		1 = Strongly/Somewhat Disapprove (YEPMJMO=2,3).....	13755	24.76
		2 = Neither Approve Nor Disapprove (YEPMJMO=1).....	3490	6.28
FRDPCIG2	1	YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY		
		. = Otherwise (YEFKPCIG=94,97,98,99).....	38353	69.03
		1 = Strongly/Somewhat Disapprove (YEFKPCIG=2,3).....	14328	25.79
		2 = Neither Approve Nor Disapprove (YEFKPCIG=1).....	2880	5.18
FRDMEVR2	1	YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MJ/HASH		
		. = Otherwise (YEFMJEVR=94,97,98,99).....	38361	69.04
		1 = Strongly/Somewhat Disapprove (YEFMJEVR=2,3).....	13750	24.75
		2 = Neither Approve Nor Disapprove (YEFMJEVR=1).....	3450	6.21
FRDMJMON	1	YTH THINK: CLSE FRNDS FEEL ABT YTH USE MJ/HASH MON		
		. = Otherwise (YEFMJMO=94,97,98,99).....	38368	69.06
		1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3).....	14106	25.39
		2 = Neither Approve Nor Disapprove (YEFMJMO=1).....	3087	5.56
FRDADLY2	1	YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY		
		. = Otherwise (YEFALDLY=94,97,98,99).....	38365	69.05
		1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3).....	14257	25.66
		2 = Neither Approve Nor Disapprove (YEFALDLY=1).....	2939	5.29

RECODED YOUTH EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		<p>The youth activity questions in the 2001 NHSDA differ from those in the 2000 NHSDA. The following variable, YTHACT2 was created by counting the number of positive responses reported over the following 4 youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in 2 or more activities were included in the two or more category regardless of how many other activity questions were answered. Youth respondents who did not answer 2 or more of the 4 youth activity questions with a "yes" or "no" response were coded as SAS missing. To be included in the zero or one category, a youth respondent must have answered 2 or more of the activity questions and reported they participated in either zero or one activity. YTHACT2 is not considered comparable with YOUTHACT from the 2000 NHSDA.</p>		
YTHACT2	1	YTH PARTICPATED IN YOUTH ACTIVITIES		
		. = Otherwise (See comment above).....	38210	68.77
		1 = None or 1 Activity (See comment above).....	2511	4.52
		2 = 2 or More Activities (2 or more source vars=1)....	14840	26.71

ADULT MENTAL HEALTH			PAGE:	515
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(PNATTACK)		ADULT MENTAL HEALTH ----- The next questions are about problems with your emotions, nerves, or mental health in the past 12 months. During the past 12 months, did you have a sudden attack of fear when out of the blue you became very frightened, anxious, or uneasy?		
PANATAK	2	1HAD SUDDEN ATTACK OF FEAR PAST 12 MONTHS		
		1 = Yes.....	5362	9.65
		2 = No.....	32525	58.54
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	71	0.13
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37
(PNREACT)		Attacks like this often cause physical reactions like sweating, shortness of breath, a racing heart, or dizziness. During the past 12 months, did you have physical reactions like these when you had a sudden attack of fear?		
PANREAC	2	1PHYS RXNS WHEN HAVING ATTACKS PAST 12 MONTHS		
		1 = Yes.....	3878	6.98
		2 = No.....	1476	2.66
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	128	0.23
		98 = BLANK (NO ANSWER).....	117	0.21
		99 = LEGITIMATE SKIP.....	49954	89.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	516
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PNATKNUM)		About how many of these sudden attacks of fear did you have in the past 12 months? If you can't remember the exact number, just give your best estimate.		
PANATKN2	3	1NUMBER OF ATTACKS OF FEAR PAST 12 MONTHS		
		1 = 1-10 times.....	3174	5.71
		2 = 11-12 times.....	106	0.19
		3 = 13-20 times.....	216	0.39
		4 = 21-30 times.....	128	0.23
		5 = 31-40 times.....	45	0.08
		6 = 41-52 times.....	63	0.11
		7 = 53-60 times.....	11	0.02
		8 = 61-100 times.....	36	0.06
		9 = 101-200 times.....	13	0.02
		10 = 201-300 times.....	12	0.02
		11 = 301-365 times.....	7	0.01
		12 = 366 or more times.....	3	0.01
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	56	0.10
		997 = REFUSED.....	136	0.24
		998 = BLANK (NO ANSWER).....	124	0.22
		999 = LEGITIMATE SKIP.....	51430	92.56
(DEFEEL)		During the past 12 months, did you have a period of time lasting two weeks or longer when most of the time you felt sad, empty, or depressed?		
MDEDP2WK	2	1FELT DEPRESSED FOR 2+ WKS IN PAST 12 MONTHS		
		1 = Yes.....	7774	13.99
		2 = No.....	30118	54.21
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	131	0.24
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

(DEWEEK1) NOTE: For the question pertaining to MDEDPWKR, respondents were asked to report the number of weeks that they felt depressed. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they felt depressed in order to be asked to report the number of weeks they felt depressed. Thus, there are no responses of "1 week" in MDEDPWKR.

During the past 12 months, about how many weeks did you feel sad, empty, or depressed?

If you can't remember the exact number, just give your best estimate.

MDEDPWKR 2	1# OF WEEKS FELT DEPRESSED IN PAST 12 MONTHS		
	1 = 2-4 weeks.....	3660	6.59
	2 = 5-8 weeks.....	1555	2.80
	3 = 9-12 weeks.....	929	1.67
	4 = 13-16 weeks.....	256	0.46
	5 = 17-18 weeks.....	32	0.06
	6 = 19-20 weeks.....	237	0.43
	7 = 21-22 weeks.....	16	0.03
	8 = 23-24 weeks.....	69	0.12
	9 = 25-26 weeks.....	148	0.27
	10 = 27-36 weeks.....	281	0.51
	11 = 37-44 weeks.....	108	0.19
	12 = 45-51 weeks.....	150	0.27
	13 = All 52 weeks.....	134	0.24
	85 = BAD DATA Logically assigned.....	5	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	168	0.30
	97 = REFUSED.....	162	0.29
	98 = BLANK (NO ANSWER).....	104	0.19
	99 = LEGITIMATE SKIP.....	47546	85.57

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	518
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DEDAYS)		During those [DEWEEK1 FILL] weeks, did you feel sad or depressed nearly every day, or just some days?		
MDEDAYFQ	2	1HOW OFT FELT DEPRESSED IN THOSE WKS, PST 12 MOS		
		1 = Nearly every day.....	2874	5.17
		2 = Just some days.....	4697	8.45
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	164	0.30
		98 = BLANK (NO ANSWER).....	272	0.49
		99 = LEGITIMATE SKIP.....	47546	85.57
(DEDAYSAD)		On the days you felt sad or depressed, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?		
MDEDAYLN	2	1HOW MUCH OF DAY FELT DEPRESSED PAST 12 MONTHS		
		1 = All day long.....	781	1.41
		2 = Most of the day.....	1495	2.69
		3 = About half the day.....	474	0.85
		4 = Less then half the day.....	125	0.22
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	164	0.30
		98 = BLANK (NO ANSWER).....	275	0.49
		99 = LEGITIMATE SKIP.....	52244	94.03
(DEFEEELPR)		During those [DEWEEK1 FILL] weeks when you felt sad or depressed, did you also have any changes in sleep, energy, appetite, or the ability to concentrate?		
MDECHNGS	2	1ANY CHANGES WHEN FELT DEPRESSED PAST 12 MONTHS		
		1 = Yes.....	2565	4.62
		2 = No.....	183	0.33
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	164	0.30
		98 = BLANK (NO ANSWER).....	276	0.50
		99 = LEGITIMATE SKIP.....	52369	94.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	519
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(DELOST)		During the past 12 months, did you have a period of time lasting two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy?		
MDELOSIN 2		1LOST INTEREST IN THINGS 2+ WKS IN PAST 12 MOS		
		1 = Yes.....	3797	6.83
		2 = No.....	31328	56.38
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	137	0.25
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	20178	36.32

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(DEWEEK2)		NOTE: For the question pertaining to MDELIWK2, respondents were asked to report the number of weeks that they lost interest in things. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they lost interest in order to be asked to report the number of weeks they lost interest in things. Thus, there are no responses of "1 week" in MDELIWK2.		
		During the past 12 months, about how many weeks did you lose interest in most things? If you can't remember the exact number, just give your best estimate.		
MDELIWK2	2	1# OF WEEKS LOST INTEREST IN THINGS PAST 12 MOS		
		1 = 2-4 weeks.....	2363	4.25
		2 = 5-8 weeks.....	552	0.99
		3 = 9-12 weeks.....	373	0.67
		4 = 13-16 weeks.....	90	0.16
		5 = 17-18 weeks.....	6	0.01
		6 = 19-20 weeks.....	68	0.12
		7 = 21-22 weeks.....	10	0.02
		8 = 23-24 weeks.....	16	0.03
		9 = 25-26 weeks.....	32	0.06
		10 = 27-36 weeks.....	65	0.12
		11 = 37-44 weeks.....	20	0.04
		12 = 45-51 weeks.....	17	0.03
		13 = All 52 weeks.....	18	0.03
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	151	0.27
		97 = REFUSED.....	153	0.28
		98 = BLANK (NO ANSWER).....	119	0.21
		99 = LEGITIMATE SKIP.....	51507	92.70

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	521
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(DEDAYS2)		During those [DEWEEK2 FILL] weeks, did you lack interest in most things nearly every day, or just some days?		
MDELIFQ	2	1HOW OFT LOST INTEREST IN THOSE WKS, PST 12 MOS		
		1 = Nearly every day.....	603	1.09
		2 = Just some days.....	3025	5.44
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	153	0.28
		98 = BLANK (NO ANSWER).....	270	0.49
		99 = LEGITIMATE SKIP.....	51507	92.70
(DEDAYLST)		On the days you lost interest, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?		
MDELILN	2	1HOW MUCH OF DAY LOST INTEREST PAST 12 MONTHS		
		1 = All day long.....	164	0.30
		2 = Most of the day.....	316	0.57
		3 = About half the day.....	82	0.15
		4 = Less than half the day.....	42	0.08
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	153	0.28
		98 = BLANK (NO ANSWER).....	271	0.49
		99 = LEGITIMATE SKIP.....	54532	98.15
(DELOSTPR)		During those [DEWEEK2 FILL] weeks when you lost interest in things, did you also have any changes in sleep, energy, appetite, or your ability to concentrate?		
MDELICHG	2	1ANY CHANGES WHEN LOST INTEREST PAST 12 MONTHS		
		1 = Yes.....	494	0.89
		2 = No.....	67	0.12
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	153	0.28
		98 = BLANK (NO ANSWER).....	272	0.49
		99 = LEGITIMATE SKIP.....	54574	98.22

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	522
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MAFEEL)		During the past 12 months, were there at least four days in a row when you were so excited or hyper that you either got into trouble or people worried about your being so excited, or a doctor said you were manic?		
MNCHYPER	2	1FELT HYPER FOR 4+ DAYS IN A ROW IN PAST 12 MOS		
		1 = Yes.....	834	1.50
		2 = No.....	37054	66.69
		4 = No LOGICALLY ASSIGNED (MNCEVER = 2).....	27	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	124	0.22
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37
(MASLEEP)		During the time when you were extremely excited or hyper, did you find that you could hardly sleep at all but still you didn't feel tired?		
MNCNOSLP	2	1COULDN'T SLEEP WHEN FELT HYPER		
		1 = Yes.....	610	1.10
		2 = No.....	223	0.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	124	0.22
		98 = BLANK (NO ANSWER).....	93	0.17
		99 = LEGITIMATE SKIP.....	54510	98.11
(MAPWRS)		During the time when you were extremely excited or hyper, did you feel that you had special powers or that you could do things people really cannot do?		
MNCSPWRS	2	1FEELING OF SPECIAL POWERS WHEN FELT HYPER		
		1 = Yes.....	204	0.37
		2 = No.....	625	1.12
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	125	0.22
		98 = BLANK (NO ANSWER).....	93	0.17
		99 = LEGITIMATE SKIP.....	54510	98.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(MAFEELEV)		In your entire life, did you ever have a time lasting at least 4 days in a row when you were so excited or hyper that you either got into trouble or people worried about your being so excited or a doctor said you were manic?		
MNCEVER	2	1EVER FELT HYPER FOR 4+ DAYS IN A ROW		
		1 = Yes.....	822	1.48
		2 = No.....	36215	65.18
		5 = Yes LOGICALLY ASSIGNED (MNCHYPER = 1).....	834	1.50
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	88	0.16
		97 = REFUSED.....	132	0.24
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37
(MAMED)		During the past 12 months, did you take any prescription medication to prevent another one of these manic episodes from occurring?		
		NOTE: Respondents who reported feeling hyper in the past 12 months (MNCHYPER=1) were not asked whether they took medications to prevent manic episodes from occurring in the past 12 months.		
MNCMEDS	2	1TOOK MEDS TO PREVENT MANIC EPISODE PST 12 MOS		
		1 = Yes.....	121	0.22
		2 = No.....	698	1.26
		5 = Hyper in past 12 mos LOG ASSN (MNCHYPER = 1).....	834	1.50
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	132	0.24
		98 = BLANK (NO ANSWER).....	129	0.23
		99 = LEGITIMATE SKIP.....	53644	96.55

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	524
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PHSOCIAL)		Are you much more nervous, anxious, or fearful than most people would be about social or performance situations, like giving a speech, meeting new people, going to parties, speaking up at a meeting, or being in a dating situation?		
PHBSOCL	2	1MORE NERVOUS THAN MOST PEOPLE ABOUT SOC SITNS		
		1 = Yes.....	7693	13.85
		2 = No.....	30123	54.22
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	131	0.24
		97 = REFUSED.....	144	0.26
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37
(PHUPSET1)		Thinking about the social or performance situation that you fear the most, how strong is your fear when you find yourself in that situation?		
PHBLEVEL	2	1STRENGTH OF FEAR IN SOC SITN FEARED THE MOST		
		1 = Your fear is mild.....	2107	3.79
		2 = Your fear is moderate.....	4169	7.50
		3 = Your fear is severe.....	1398	2.52
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	151	0.27
		98 = BLANK (NO ANSWER).....	172	0.31
		99 = LEGITIMATE SKIP.....	47552	85.59
(PHAVOID1)		How often do you try to avoid this type of social or performance situation?		
PHBAVOID	2	1HOW OFTEN TRY TO AVOID FEARED SOC SITN		
		1 = Often.....	2484	4.47
		2 = Sometimes.....	2347	4.22
		3 = Rarely.....	629	1.13
		4 = Never.....	97	0.17
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	151	0.27
		98 = BLANK (NO ANSWER).....	184	0.33
		99 = LEGITIMATE SKIP.....	49659	89.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	525
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PHLIFE1)		How much does your fear or avoidance of this social or performance situation interfere with your everyday life or activities?		
PHBINTFR	2	1HOW MUCH FEAR OF SOC SITN INTERFERES W/LIFE		
		1 = Not at all.....	1857	3.34
		2 = A little.....	2353	4.23
		3 = Some.....	964	1.74
		4 = A lot.....	384	0.69
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	152	0.27
		98 = BLANK (NO ANSWER).....	184	0.33
		99 = LEGITIMATE SKIP.....	49659	89.38
(PHCROWD)		Are you much more nervous, anxious, or fearful than most people would be about being in crowds?		
PHBCRWDS	2	1MORE NERVOUS THAN MOST PEOPLE ABOUT CROWDS		
		1 = Yes.....	3796	6.83
		2 = No.....	34017	61.22
		3 = Yes LOGICALLY ASSIGNED (PHBWRSFR=1).....	33	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	108	0.19
		97 = REFUSED.....	137	0.25
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37
(PHPUBLIC)		Are you much more nervous, anxious, or fearful than most people would be about going to public places?		
PHBPUBPL	2	1MORE NERVOUS THN MOST PPL ABOUT PUBLIC PLACES		
		1 = Yes.....	2133	3.84
		2 = No.....	35707	64.27
		3 = Yes LOGICALLY ASSIGNED (PHBWRSFR=2).....	20	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	137	0.25
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	526
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PHTRAVL)		Are you much more nervous, anxious, or fearful than most people would be about traveling in a bus, train, or car?		
PHBTRAVL	2	1MORE NERVOUS THAN MOST PPL ABOUT TRAVELING		
		1 = Yes.....	1514	2.72
		2 = No.....	36356	65.43
		3 = Yes LOGICALLY ASSIGNED (PHBWRSFR=3).....	13	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	128	0.23
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37
(PHAWAY)		Are you much more nervous, anxious, or fearful than most people would be about being away from home alone?		
PHBAWYHM	2	1MORE NERVOUS THAN MOST PPL BEING AWAY FROM HOME		
		1 = Yes.....	2764	4.97
		2 = No.....	35080	63.14
		3 = Yes LOGICALLY ASSIGNED (PHBWRSFR=4).....	29	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	88	0.16
		97 = REFUSED.....	130	0.23
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	17428	31.37
(PHWORST)		Think about your fears of [PHOFILL1, PHOFILL2, and PHOFILL UNTIL ALL PHOFILLS INSERTED]. Which of these fears is the strongest?		
PHBWRSFR	2	1WHICH FEAR IS THE STRONGEST/WORST		
		1 = Being in crowds.....	1222	2.20
		2 = Going to public places.....	412	0.74
		3 = Traveling in a bus, train, or car.....	276	0.50
		4 = Being away from home alone.....	731	1.32
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	161	0.29
		99 = LEGITIMATE SKIP.....	52626	94.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	527
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(PHFEAR)		How strong is your fear when you find yourself [WSTFILL]?		
PHBWSST	2	1STRENGTH OF FEAR IN SITN WHERE FEAR IS WORST		
		1 = Your fear is mild.....	2460	4.43
		2 = Your fear is moderate.....	2724	4.90
		3 = Your fear is severe.....	723	1.30
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	205	0.37
		99 = LEGITIMATE SKIP.....	49289	88.71
(PHAVD)		How often do you try to avoid [WSTFILL]?		
PHBWSAV	2	1HOW OFTEN TRY TO AVOID WORST FEAR		
		1 = Often.....	1442	2.60
		2 = Sometimes.....	1405	2.53
		3 = Rarely.....	426	0.77
		4 = Never.....	168	0.30
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	127	0.23
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	51749	93.14
(PHINT)		How much does your fear or avoidance of [WSTFILL] interfere with your everyday life or activities?		
PHBWSIN	2	1HOW MUCH WORST FEAR INTERFERES W/LIFE		
		1 = Not at all.....	1116	2.01
		2 = A little.....	1360	2.45
		3 = Some.....	668	1.20
		4 = A lot.....	297	0.53
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	127	0.23
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	51749	93.14

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	528
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(GAWORRY)		People differ a lot in how much they worry. In general, would you say you worry more than, about the same as, or less than most other people worry about everyday problems?		
GADWORMR	2	1HOW MUCH WORRY ABOUT EVERYDAY PROBLEMS		
		1 = More.....	5746	10.34
		2 = About the same.....	22348	40.22
		3 = Less.....	9483	17.07
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	335	0.60
		97 = REFUSED.....	178	0.32
		98 = BLANK (NO ANSWER).....	42	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(GAWORLOT)		Do you worry a lot more, somewhat more, or only a little more than most other people?		
GADWORLT	2	1WORRY A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS		
		1 = A lot more.....	2336	4.20
		2 = Somewhat more.....	2517	4.53
		3 = A little more.....	875	1.57
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	132	0.24
		98 = BLANK (NO ANSWER).....	424	0.76
		99 = LEGITIMATE SKIP.....	49260	88.66
(GANERV)		In general, would you say you are more nervous or anxious than most other people?		
GADNRVOS	2	1MORE NERVOUS OR ANXIOUS THAN MOST OTHER PEOPLE		
		1 = Yes.....	2054	3.70
		2 = No.....	29944	53.89
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	200	0.36
		97 = REFUSED.....	145	0.26
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	23174	41.71

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	529
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(GANRVLOT)		Are you a lot more, somewhat more, or only a little more nervous or anxious than most other people?		
GADNRVLT	2	1NERVOUS A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS		
		1 = A lot more.....	212	0.38
		2 = Somewhat more.....	1162	2.09
		3 = A little more.....	671	1.21
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	146	0.26
		98 = BLANK (NO ANSWER).....	245	0.44
		99 = LEGITIMATE SKIP.....	53119	95.60
(GAWEEK1)		During the past 12 months, about how many weeks did you worry more than most other people? If you can't remember the exact number, just give your best estimate.		
		During the past 12 months, about how many weeks did you feel more nervous or anxious than most other people? If you can't remember the exact number, just give your best estimate.		
GADWKS2	2	1# WKS WORRY/NERVOUS MORE THAN OTHERS, PST 12 MOS		
		1 = 1-4 weeks.....	557	1.00
		2 = 5-8 weeks.....	289	0.52
		3 = 9-12 weeks.....	354	0.64
		4 = 13-16 weeks.....	93	0.17
		5 = 17-18 weeks.....	7	0.01
		6 = 19-20 weeks.....	131	0.24
		7 = 21-22 weeks.....	11	0.02
		8 = 23-24 weeks.....	44	0.08
		9 = 25-26 weeks.....	74	0.13
		10 = 27-36 weeks.....	205	0.37
		11 = 37-44 weeks.....	134	0.24
		12 = 45-51 weeks.....	177	0.32
		13 = All 52 weeks.....	333	0.60
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	123	0.22
		97 = REFUSED.....	161	0.29
		98 = BLANK (NO ANSWER).....	268	0.48
		99 = LEGITIMATE SKIP.....	52598	94.67

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	530
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(GANUMWOR)		During those [GAWEEK1 FILL] weeks, did you worry about one or two particular things or about a number of different things?		
		During those [GAWEEK1 FILL] weeks, were you nervous or anxious about one or two particular things or about a number of different things?		
GADNMWOR 2		1# THINGS WORRIED/NERVOUS ABOUT IN THOSE WKS		
		1 = One or two particular things.....	146	0.26
		2 = A number of different things.....	714	1.29
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	161	0.29
		98 = BLANK (NO ANSWER).....	392	0.71
		99 = LEGITIMATE SKIP.....	54146	97.45
(GAWORSTR)		During those [GAWEEK1 FILL] weeks, how often was your worry so strong that you couldn't put it out of your mind?		
		During those [GAWEEK1 FILL] weeks, how often was your nervousness or anxiety so strong that you couldn't put it out of your mind?		
GADSTRON 2		1HOW OFTEN WAS WORRY/ANXIETY STRONG IN THOSE WKS		
		1 = All of the time.....	112	0.20
		2 = Most of the time.....	240	0.43
		3 = Some of the time.....	286	0.51
		4 = A little of the time.....	65	0.12
		5 = Never.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		97 = REFUSED.....	161	0.29
		98 = BLANK (NO ANSWER).....	393	0.71
		99 = LEGITIMATE SKIP.....	54292	97.72

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		ADULT MENTAL HEALTH	PAGE:	531
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(GAPROB)		During those [GAWEEK1 FILL] weeks when you were so worried, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?		
		During those [GAWEEK1 FILL] weeks when you were so nervous or anxious, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?		
GADOPROB	2	1HAD OTHER PROBS IN THOSE WKS WHEN WORRIED/NERVOS		
		1 = Yes.....	616	1.11
		2 = No.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		97 = REFUSED.....	161	0.29
		98 = BLANK (NO ANSWER).....	393	0.71
		99 = LEGITIMATE SKIP.....	54303	97.74
(PTEXPER)		The next questions are about reactions people have after extremely stressful experiences. In your life, have you ever had an extremely stressful experience such as being in combat, being involved in a life-threatening accident, being involved in a disaster, being physically beaten or sexually abused, or any other event which was extremely upsetting or stressful for you?		
PTSEVER	2	1EVER HAD EXTREMELY STRESSFUL EXPERIENCE		
		1 = Yes.....	12835	23.10
		2 = No.....	24943	44.89
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	111	0.20
		97 = REFUSED.....	200	0.36
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(PTREACT)		After experiences like this, people sometimes have reactions like memories that are upsetting, feeling emotionally distant from other people, trouble sleeping or concentrating, and feeling jumpy or easily startled.		
		During the past 12 months, did you have any of these reactions to any extremely stressful experience, even if the experience was long ago?		
PTSPYEAR	2	1HAD RXNS TO STRESSFUL EXPERIENCE, PAST 12 MONTHS		
		1 = Yes.....	5296	9.53
		2 = No.....	7519	13.53
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	205	0.37
		98 = BLANK (NO ANSWER).....	154	0.28
		99 = LEGITIMATE SKIP.....	42372	76.26
(PTWORST)		Think of the time during the past 12 months when those reactions were the worst. How often did you have those reactions during that time?		
PTSWRSFQ	2	1HOW OFTEN HAD RXNS WHEN WORST IN PAST 12 MONTHS		
		1 = Several times a day.....	654	1.18
		2 = Once or twice a day.....	806	1.45
		3 = Several times a week.....	868	1.56
		4 = Once or twice a week.....	1019	1.83
		5 = Less than once a week.....	1896	3.41
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	215	0.39
		98 = BLANK (NO ANSWER).....	165	0.30
		99 = LEGITIMATE SKIP.....	49891	89.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	533
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(PTWEEK1)		During the past 12 months, in about how many weeks did you have reactions like this at least several times a week? If you can't remember the exact number, just give your best estimate.		
PTSWKS2	2	1# WKS HAD RXNS SEVERAL TIMES A WK, PAST 12 MOS		
		1 = 1-4 weeks.....	1084	1.95
		2 = 5-8 weeks.....	391	0.70
		3 = 9-12 weeks.....	226	0.41
		4 = 13-16 weeks.....	79	0.14
		5 = 17-18 weeks.....	11	0.02
		6 = 19-20 weeks.....	74	0.13
		7 = 21-22 weeks.....	6	0.01
		8 = 23-24 weeks.....	36	0.06
		9 = 25-26 weeks.....	56	0.10
		10 = 27-36 weeks.....	89	0.16
		11 = 37-44 weeks.....	54	0.10
		12 = 45-51 weeks.....	61	0.11
		13 = All 52 weeks.....	77	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	73	0.13
		97 = REFUSED.....	226	0.41
		98 = BLANK (NO ANSWER).....	211	0.38
		99 = LEGITIMATE SKIP.....	52806	95.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(NPVOICE)		The next questions are about unusual experiences that some people have. When you answer these questions, please do not include times when you were dreaming or half asleep, had a high fever, or were under the influence of illegal drugs or alcohol.		
		During the past 12 months, have you heard voices - that is, voices that other people said did not exist, voices coming from inside your head, or voices coming out of the air when there was no one around?		
DELVOICE 2		1HEARD VOICES THAT DID NOT EXIST, PAST 12 MONTHS		
		1 = Yes.....	1139	2.05
		2 = No.....	36688	66.03
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	78	0.14
		97 = REFUSED.....	174	0.31
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(NPFORCE)		During the past 12 months, have you felt that a force was taking over your mind and trying to make you do things you didn't want to do?		
		Remember, please do not include times when you were dreaming or half asleep, had a high fever, or were under the influence of illegal drugs or alcohol.		
DELFORCE 2		1FELT A FORCE TAKING OVER YOUR MIND, PST 12 MOS		
		1 = Yes.....	511	0.92
		2 = No.....	37333	67.19
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	70	0.13
		97 = REFUSED.....	165	0.30
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(NPXRAY)		During the past 12 months, have you felt that some force was inserting thoughts directly into your head by means of x-rays or laser beams or other methods?		
		Remember, please do not include times when you were dreaming or half asleep, had a high fever, or were under the influence of illegal drugs or alcohol.		
DELXRAY	2	1FELT A FORCE INSERT THOTS INTO HEAD, PST 12 MOS		
		1 = Yes.....	251	0.45
		2 = No.....	37598	67.67
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	158	0.28
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(NPTHGHTS)		During the past 12 months, have you felt that your own thoughts were being stolen out of your mind by someone or something you did not have control over?		
		Remember, please do not include times when you were dreaming or half asleep, had a high fever, or were under the influence of illegal drugs or alcohol.		
DELTHOTS	2	1FELT A FORCE STEAL THOTS FROM HEAD, PST 12 MOS		
		1 = Yes.....	393	0.71
		2 = No.....	37456	67.41
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	161	0.29
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(NPCOMM)		During the past 12 months, have you felt that some force was trying to communicate directly with you by sending special signs or signals that only you could understand?		
		Remember, please do not include times when you were dreaming or half asleep, had a high fever, or were under the influence of illegal drugs or alcohol.		
DELSIGNL	2	1FELT A FORCE USING SPECIAL SIGNALS, PST 12 MOS		
		1 = Yes.....	799	1.44
		2 = No.....	37031	66.65
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	78	0.14
		97 = REFUSED.....	170	0.31
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(NPPLLOT)		During the past 12 months, have you believed that there was an unfair plot going on to harm you or to have people follow you - when your family and friends did not believe that this was happening?		
		Remember, please do not include times when you were dreaming or half asleep, had a high fever, or were under the influence of illegal drugs or alcohol.		
DELPLLOT	2	1BELIEVED THERE WAS PLOT TO HARM YOU, PST 12 MOS		
		1 = Yes.....	529	0.95
		2 = No.....	37296	67.13
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	176	0.32
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(NPVISION)		During the past 12 months, have you seen a vision - that is, something that other people could not see?		
		Remember, please do not include times when you were dreaming or half asleep, had a high fever, or were under the influence of illegal drugs or alcohol.		
DELVISION	2	1SAW A VISION OTHERS COULDN'T SEE, PAST 12 MOS		
		1 = Yes.....	1033	1.86
		2 = No.....	36801	66.24
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	172	0.31
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(SEEDR)		NOTE: The variable MHSEEDR was assigned a code of 11 when respondents reported that they saw a doctor or mental health professional in the past 12 months but they reported not being hospitalized overnight and reported zero outpatient visits. When the variable MHSEEDR was assigned a code of 11, the overnight hospitalization variable MHHOSPOV was assigned a code of 12.		
		During the past 12 months, did you see a doctor or mental health professional for any problem with your emotions, nerves, or mental health?		
MHSEEDR	2	1SAW DR FOR PROB WITH EMOTIONS, PAST 12 MONTHS		
		1 = Yes.....	2742	4.94
		2 = No.....	34863	62.75
		11 = Yes (MHOPNUM2 = 0 & MHHOSPOV = 12).....	262	0.47
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	164	0.30
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	538
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HOSPTEL)		During the past 12 months, were you hospitalized overnight for problems with your emotions, nerves, or mental health?		
MHHOSPOV	2	1HOSP OVERNITE FOR PROB W/EMOTIONS, PST 12 MOS		
		1 = Yes.....	252	0.45
		2 = No.....	2487	4.48
		12 = No (MHSEEDR = 11 & MHOPNUM2 = 0).....	262	0.47
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	166	0.30
		98 = BLANK (NO ANSWER).....	99	0.18
		99 = LEGITIMATE SKIP.....	52292	94.12
(DRVISITS)		During the past 12 months, not counting when you were hospitalized, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?		
		During the past 12 months, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?		
MHOPNUM2	3	1# OUTPAT VISIT FOR PROB W/EMOTIONS, PST 12 MOS		
		RANGE = 1 - 30	2537	4.57
		0 = No visits.....	295	0.53
		31 = 31 or more.....	131	0.24
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	33	0.06
		997 = REFUSED.....	172	0.31
		998 = BLANK (NO ANSWER).....	99	0.18
		999 = LEGITIMATE SKIP.....	52292	94.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	539
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(MEDS)		During the past 12 months, were you prescribed any medicine for problems with your emotions, nerves, or mental health?		
MHMEDS	2	1PRESCRIBED ANY MEDS FOR EMOT PROB, PST 12 MOS		
		1 = Yes.....	2131	3.84
		2 = No.....	866	1.56
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	169	0.30
		98 = BLANK (NO ANSWER).....	99	0.18
		99 = LEGITIMATE SKIP.....	52292	94.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(MEDWEEK)		NOTE: Respondents who reported that they were prescribed medication for problems with their emotions, nerves, or mental health (MHMEDS=1) were asked to report the number of weeks that they took prescribed medication. Indications that respondents were prescribed medication do not necessarily imply that respondents took the medication. Therefore, responses of "0 weeks" in MHMEDWK2 were considered to be valid values.		
		During the past 12 months, about how many weeks did you take medicine that was prescribed for mental health problems?		
MHMEDWK2	2	1# WKS TOOK MEDS FOR MENT HLTH PROB, PST 12 MOS		
		0 = 0 weeks.....	73	0.13
		1 = 1-4 weeks.....	422	0.76
		2 = 5-8 weeks.....	247	0.44
		3 = 9-12 weeks.....	180	0.32
		4 = 13-16 weeks.....	78	0.14
		5 = 17-18 weeks.....	10	0.02
		6 = 19-20 weeks.....	72	0.13
		7 = 21-22 weeks.....	5	0.01
		8 = 23-24 weeks.....	57	0.10
		9 = 25-26 weeks.....	47	0.08
		10 = 27-36 weeks.....	123	0.22
		11 = 37-44 weeks.....	53	0.10
		12 = 45-51 weeks.....	104	0.19
		13 = All 52 weeks.....	611	1.10
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	173	0.31
		98 = BLANK (NO ANSWER).....	101	0.18
		99 = LEGITIMATE SKIP.....	53158	95.68

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(DSNERV1)		Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.		
		During that month, how often did you feel nervous?		
DSTNRVOS	2	1HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS		
		1 = All of the time.....	793	1.43
		2 = Most of the time.....	3470	6.25
		3 = Some of the time.....	6321	11.38
		4 = A little of the time.....	13124	23.62
		5 = None of the time.....	13844	24.92
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	293	0.53
		97 = REFUSED.....	233	0.42
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(DSNERV2)		During that same month when you were at your worst emotionally...		
		how often did you feel so nervous that nothing could calm you down?		
DSTNCALM	2	1HOW OFTEN COULDN'T CALM DOWN IN WORST MONTH		
		1 = All of the time.....	434	0.78
		2 = Most of the time.....	1398	2.52
		3 = Some of the time.....	2422	4.36
		4 = A little of the time.....	5441	9.79
		5 = None of the time.....	13957	25.12
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	242	0.44
		98 = BLANK (NO ANSWER).....	341	0.61
		99 = LEGITIMATE SKIP.....	31273	56.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(DSTIRED)		During that same month when you were at your worst emotionally...		
		how often did you feel tired out for no good reason?		
DSTTIRE	2	1HOW OFTEN TIRED OUT IN WORST MONTH		
		1 = All of the time.....	1420	2.56
		2 = Most of the time.....	3554	6.40
		3 = Some of the time.....	6397	11.51
		4 = A little of the time.....	9913	17.84
		5 = None of the time.....	16265	29.27
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	287	0.52
		97 = REFUSED.....	241	0.43
		98 = BLANK (NO ANSWER).....	46	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(DSHOPE)		During that same month when you were at your worst emotionally...		
		how often did you feel hopeless?		
DSTHOPLS	2	1HOW OFTEN FELT HOPELESS IN WORST MONTH		
		1 = All of the time.....	963	1.73
		2 = Most of the time.....	2171	3.91
		3 = Some of the time.....	3846	6.92
		4 = A little of the time.....	6471	11.65
		5 = None of the time.....	24134	43.44
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	247	0.44
		97 = REFUSED.....	245	0.44
		98 = BLANK (NO ANSWER).....	46	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(DSFIDG)		During that same month when you were at your worst emotionally...		
		how often did you feel restless or fidgety?		
DSTRSTLS	2	1HOW OFTEN FELT RESTLESS IN WORST MONTH		
		1 = All of the time.....	816	1.47
		2 = Most of the time.....	2147	3.86
		3 = Some of the time.....	5548	9.99
		4 = A little of the time.....	9874	17.77
		5 = None of the time.....	19191	34.54
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	252	0.45
		97 = REFUSED.....	248	0.45
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	17428	31.37
(DSSITSTL)		During that same month when you were at your worst emotionally...		
		how often did you feel so restless or fidgety that you could not sit still?		
DSTSITST	2	1HOW OFTEN COULDN'T SIT STILL IN WORST MONTH		
		1 = All of the time.....	488	0.88
		2 = Most of the time.....	1249	2.25
		3 = Some of the time.....	3004	5.41
		4 = A little of the time.....	5927	10.67
		5 = None of the time.....	7702	13.86
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	251	0.45
		98 = BLANK (NO ANSWER).....	301	0.54
		99 = LEGITIMATE SKIP.....	36619	65.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(DSDEPR)		During that same month when you were at your worst emotionally...		
		how often did you feel sad or depressed?		
DSTDEPRS	2	1HOW OFTEN FELT DEPRESSED IN WORST MONTH		
		1 = All of the time.....	1400	2.52
		2 = Most of the time.....	3540	6.37
		3 = Some of the time.....	6159	11.09
		4 = A little of the time.....	10844	19.52
		5 = None of the time.....	15659	28.18
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	229	0.41
		97 = REFUSED.....	243	0.44
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP.....	17428	31.37
(DSNOCHR)		During that same month when you were at your worst emotionally...		
		how often did you feel so sad or depressed that nothing could cheer you up?		
DSTCHEER	2	1HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH		
		1 = All of the time.....	779	1.40
		2 = Most of the time.....	1950	3.51
		3 = Some of the time.....	3469	6.24
		4 = A little of the time.....	6002	10.80
		5 = None of the time.....	9721	17.50
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	253	0.46
		98 = BLANK (NO ANSWER).....	281	0.51
		99 = LEGITIMATE SKIP.....	33087	59.55

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(DSEFFORT)		During that same month when you were at your worst emotionally...		
		how often did you feel that everything was an effort?		
DSTEFFRT 2		1HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON		
		1 = All of the time.....	1253	2.26
		2 = Most of the time.....	2595	4.67
		3 = Some of the time.....	4848	8.73
		4 = A little of the time.....	9029	16.25
		5 = None of the time.....	19778	35.60
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	317	0.57
		97 = REFUSED.....	254	0.46
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP.....	17428	31.37
(DSDOWN)		During that same month when you were at your worst emotionally...		
		how often did you feel down on yourself, no good, or worthless?		
DSTNGOOD 2		1HOW OFTEN FELT NO GOOD IN WORST MONTH		
		1 = All of the time.....	1078	1.94
		2 = Most of the time.....	2220	4.00
		3 = Some of the time.....	3820	6.88
		4 = A little of the time.....	7142	12.85
		5 = None of the time.....	23347	42.02
		85 = BAD DATA Logically assigned.....	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	221	0.40
		97 = REFUSED.....	246	0.44
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP.....	17428	31.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		ADULT MENTAL HEALTH	PAGE:	546
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LITHINK)		The next questions are about how much your emotions, nerves, or mental health caused you to have difficulties in daily activities over the past 12 months.		
		In answering, think of one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities. If you had several months like this, please think of the most recent month.		
		During that month, how much difficulty did you have in thinking clearly?		
IMPTHINK 2		1HOW MUCH PROB THINKING IN WORST MON, PST 12 MOS		
		1 = No difficulty.....	11274	20.29
		2 = Mild difficulty.....	6868	12.36
		3 = Moderate difficulty.....	2152	3.87
		4 = Severe difficulty.....	505	0.91
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	106	0.19
		97 = REFUSED.....	85	0.15
		98 = BLANK (NO ANSWER).....	841	1.51
		99 = LEGITIMATE SKIP.....	33722	60.69
(LIUNDRST)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have understanding what was going on around you?		
IMPUNDST 2		1HOW MUCH PROB UNDERSTANDING IN WORST MONTH		
		1 = No difficulty.....	16012	28.82
		2 = Mild difficulty.....	3605	6.49
		3 = Moderate difficulty.....	974	1.75
		4 = Severe difficulty.....	228	0.41
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	92	0.17
		97 = REFUSED.....	79	0.14
		98 = BLANK (NO ANSWER).....	841	1.51
		99 = LEGITIMATE SKIP.....	33722	60.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(LIREMEM)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have remembering to do things you needed to do?		
IMPREMBR	2	1HOW MUCH PROB REMEMBERING IN WORST MONTH		
		1 = No difficulty.....	10063	18.11
		2 = Mild difficulty.....	7929	14.27
		3 = Moderate difficulty.....	2320	4.18
		4 = Severe difficulty.....	515	0.93
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	88	0.16
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	841	1.51
		99 = LEGITIMATE SKIP.....	33722	60.69
(LICONCEN)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have concentrating on doing something important when other things were going on around you?		
IMPCONC	2	1HOW MUCH PROB CONCENTRATING IN WORST MONTH		
		1 = No difficulty.....	9915	17.85
		2 = Mild difficulty.....	7903	14.22
		3 = Moderate difficulty.....	2426	4.37
		4 = Severe difficulty.....	570	1.03
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	98	0.18
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	841	1.51
		99 = LEGITIMATE SKIP.....	33722	60.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(LIMONEY1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have managing money on your own, such as keeping track of expenses or remembering to pay bills?		
IMPMONY	2	1HOW MUCH PROB MANAGING MONEY IN WORST MONTH		
		1 = No difficulty.....	13182	23.73
		2 = Mild difficulty.....	4527	8.15
		3 = Moderate difficulty.....	1900	3.42
		4 = Severe difficulty.....	736	1.32
		5 = You didn't manage money on your own.....	471	0.85
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	91	0.16
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LIMONEY2)		Did problems with your emotions, nerves, or mental health keep you from managing your own money?		
IMPMONYM	2	1PROB WITH EMOTIONS KEPT R FROM MANAGING MONEY		
		1 = Yes.....	86	0.15
		2 = No.....	383	0.69
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	939	1.69
		99 = LEGITIMATE SKIP.....	54068	97.31

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(LILEARN1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have learning a new task?		
IMPLERN	2	1HOW MUCH PROB LEARNING A TASK IN WORST MONTH		
		1 = No difficulty.....	13441	24.19
		2 = Mild difficulty.....	4898	8.82
		3 = Moderate difficulty.....	1348	2.43
		4 = Severe difficulty.....	309	0.56
		5 = You didn't try to learn a new task.....	793	1.43
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	120	0.22
		97 = REFUSED.....	79	0.14
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LILEARN2)		Did problems with your emotions, nerves, or mental health keep you from learning a new task?		
IMPLERNM	2	1PROB WITH EMOTIONS KEPT R FROM LEARNING A TASK		
		1 = Yes.....	122	0.22
		2 = No.....	652	1.17
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	79	0.14
		98 = BLANK (NO ANSWER).....	969	1.74
		99 = LEGITIMATE SKIP.....	53719	96.68

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	550
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LIWASH1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have washing, dressing, and feeding yourself on your own?		
IMPWASH	2	1HOW MUCH PROB WASHING/DRESSING/FEEDING, WORS MO		
		1 = No difficulty.....	18719	33.69
		2 = Mild difficulty.....	1438	2.59
		3 = Moderate difficulty.....	490	0.88
		4 = Severe difficulty.....	136	0.24
		5 = You didn't wash,dress,or feed yourself on your own	50	0.09
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LIWASH2)		Did problems with your emotions, nerves, or mental health keep you from washing, dressing, or feeding yourself on your own?		
IMPWASHM	2	1PROB W/EMOTIONS KEPT R FROM WASH/DRESS/FEEDING		
		1 = Yes.....	15	0.03
		2 = No.....	35	0.06
		97 = REFUSED.....	75	0.13
		98 = BLANK (NO ANSWER).....	930	1.67
		99 = LEGITIMATE SKIP.....	54506	98.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	551
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LIGOOUT1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have going out of the house and getting around on your own?		
IMPGO	2	1HOW MUCH PROB LEAVING HOUSE IN WORST MONTH		
		1 = No difficulty.....	17383	31.29
		2 = Mild difficulty.....	2210	3.98
		3 = Moderate difficulty.....	784	1.41
		4 = Severe difficulty.....	305	0.55
		5 = You didn't leave the house on your own.....	150	0.27
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	79	0.14
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LIGOOUT2)		Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?		
IMPGOM	2	1PROB WITH EMOTIONS KEPT R FROM LEAVING HOUSE		
		1 = Yes.....	75	0.13
		2 = No.....	75	0.13
		85 = BAD DATA Logically assigned.....	1	0.00
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	928	1.67
		99 = LEGITIMATE SKIP.....	54405	97.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	552
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LISTRAN1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have dealing with people you did not know well?		
IMPDLP	2	1HOW MUCH PROB DEALING W/PEOPLE IN WORST MONTH		
		1 = No difficulty.....	13646	24.56
		2 = Mild difficulty.....	4824	8.68
		3 = Moderate difficulty.....	1534	2.76
		4 = Severe difficulty.....	463	0.83
		5 = You didn't deal with people you did not know well.	358	0.64
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	89	0.16
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LISTRAN2)		Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?		
IMPDLP	2	1PROB W/EMOTIONS KEPT R FROM DEALING W/PEOPLE		
		1 = Yes.....	152	0.27
		2 = No.....	205	0.37
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	74	0.13
		98 = BLANK (NO ANSWER).....	938	1.69
		99 = LEGITIMATE SKIP.....	54190	97.53

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(LISOC1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have participating in social activities, like visiting friends or going to parties?		
IMPSOCL	2	1HOW MUCH PROB PARTICIPATNG IN SOC ACTIVS,WRST MON		
		1 = No difficulty.....	12626	22.72
		2 = Mild difficulty.....	4962	8.93
		3 = Moderate difficulty.....	1968	3.54
		4 = Severe difficulty.....	698	1.26
		5 = You didn't participate in social activities.....	584	1.05
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	79	0.14
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LISOC2)		Did problems with your emotions, nerves, or mental health keep you from participating in social activities?		
IMPSOCLM	2	1PROB W/EMOTIONS KEPT R FROM SOCIAL ACTIVITIES		
		1 = Yes.....	289	0.52
		2 = No.....	292	0.53
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	928	1.67
		99 = LEGITIMATE SKIP.....	53977	97.15

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(LIPRSNL)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have getting along with people in your personal life?		
IMPGTALG 2		1HOW MUCH PROB W/PEOP IN PERS LIFE, WORST MONTH		
		1 = No difficulty.....	12487	22.47
		2 = Mild difficulty.....	6021	10.84
		3 = Moderate difficulty.....	1827	3.29
		4 = Severe difficulty.....	494	0.89
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LIEMOTNS)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have controlling your emotions when you were around people?		
IMPCTRLE 2		1HOW MUCH PROB CONTROLLING EMOT, WORST MONTH		
		1 = No difficulty.....	13257	23.86
		2 = Mild difficulty.....	5631	10.13
		3 = Moderate difficulty.....	1505	2.71
		4 = Severe difficulty.....	435	0.78
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	843	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(LIRELAX)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have doing things to relax at home?		
IMPRELAX 2		1HOW MUCH PROB RELAXING AT HOME, WORST MONTH		
		1 = No difficulty.....	12626	22.72
		2 = Mild difficulty.....	5745	10.34
		3 = Moderate difficulty.....	1859	3.35
		4 = Severe difficulty.....	605	1.09
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	73	0.13
		97 = REFUSED.....	79	0.14
		98 = BLANK (NO ANSWER).....	844	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69
(LIHHRES1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have taking care of household responsibilities?		
IMPHRSP 2		1HOW MUCH PROB W/HOUSEHOLD RESPONSIBILTY, WRST MON		
		1 = No difficulty.....	12680	22.82
		2 = Mild difficulty.....	5499	9.90
		3 = Moderate difficulty.....	1819	3.27
		4 = Severe difficulty.....	578	1.04
		5 = You didn't take care of household responsibilities	258	0.46
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	844	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	556
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(LIHHRES2)		Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?		
IMPHRSPM 2		1PROB W/EMOTIONS KEPT R FROM HOUSEHOLD RESPONS		
		1 = Yes.....	111	0.20
		2 = No.....	146	0.26
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	923	1.66
		99 = LEGITIMATE SKIP.....	54299	97.73
(LIWKRES1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have taking care of your daily responsibilities at work or school?		
IMPDLRSP 2		1HOW MUCH PROB W/DAILY RESPONS IN WORST MONTH		
		1 = No difficulty.....	13295	23.93
		2 = Mild difficulty.....	4862	8.75
		3 = Moderate difficulty.....	1383	2.49
		4 = Severe difficulty.....	458	0.82
		5 = You didn't work or go to school.....	825	1.48
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	844	1.52
		99 = LEGITIMATE SKIP.....	33722	60.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH

LABEL	LEN	DESCRIPTION	FREQ	%
(LIWKQUIC)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have getting your daily work done as quickly as needed?		
IMPDLWRK	2	1HOW MUCH PROB W/DAILY RESPONSIBILITY IN WORST MON		
		1 = No difficulty.....	11525	20.74
		2 = Mild difficulty.....	6423	11.56
		3 = Moderate difficulty.....	1595	2.87
		4 = Severe difficulty.....	461	0.83
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	846	1.52
		99 = LEGITIMATE SKIP.....	34547	62.18
(IMWEEK1)		During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.		
IMPWKS2	2	1# WEEKS HAD THESE DIFFICULTIES, PAST 12 MONTHS		
		1 = 1-4 weeks.....	5091	9.16
		2 = 5-8 weeks.....	1280	2.30
		3 = 9-12 weeks.....	737	1.33
		4 = 13-16 weeks.....	245	0.44
		5 = 17-18 weeks.....	29	0.05
		6 = 19-20 weeks.....	194	0.35
		7 = 21-22 weeks.....	18	0.03
		8 = 23-24 weeks.....	74	0.13
		9 = 25-26 weeks.....	133	0.24
		10 = 27-36 weeks.....	216	0.39
		11 = 37-44 weeks.....	100	0.18
		12 = 45-51 weeks.....	92	0.17
		13 = All 52 weeks.....	161	0.29
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	281	0.51
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	1059	1.91
		99 = LEGITIMATE SKIP.....	45758	82.36

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	558
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(IMDAYS)		During (that [IMWEEK1FILL] week/those [IMWEEK1 FILL] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?		
IMPDAYFQ	2	1HOW OFTEN HAD THESE DIFFICULTIES IN THOSE WKS		
		1 = Every day.....	726	1.31
		2 = Most days.....	3232	5.82
		3 = Only one or two days a week.....	4385	7.89
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	1340	2.41
		99 = LEGITIMATE SKIP.....	45758	82.36
(IMHELP)		You mentioned earlier in the interview that you saw a professional or received prescription medications for your emotional problems in the past 12 months. How much did the counseling or medicine improve your ability to manage daily activities like those asked about in the previous questions?		
MHSVCHLP	2	1HOW MUCH DID MH SVCS IMPROV ABIL TO MANAG ACTIVS		
		1 = None.....	758	1.36
		2 = A little.....	693	1.25
		3 = Some.....	883	1.59
		4 = A lot.....	1118	2.01
		5 = A great deal.....	1043	1.88
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	83	0.15
		98 = BLANK (NO ANSWER).....	322	0.58
		99 = LEGITIMATE SKIP.....	50623	91.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED ADULT MENTAL HEALTH				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables in the preceding section.				
NOTE: The following recoded serious mental illness variables, SMI_SUM and SMI, were defined based on data collected from a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during the one month in the past year when they were at their worst emotionally. The symptoms of distress are felt nervous (DSTNRVOS), felt hopeless (DSTHOPLS), felt restless or fidgety (DSTRSTLS), felt so sad or depressed that nothing could cheer you up (DSTCHEER), felt everything was an effort (DSTEFFRT), and felt no good or worthless (DSTNGOOG). Specific details about the variables, SMI_SUM and SMI, are provided in the Recoded Adult Mental Health: Serious Mental Illness Variable Documentation Appendix.				
The variable, SMI_SUM, is a score from 0 to 24 indicating the level of serious mental illness (SMI). For adults, this score was calculated by assigning a value of 0 to 4 to each reported response regarding the frequency a respondent experienced symptoms of psychological distress (see above), subsequently these assigned values were summed to calculate a total score.				
SMI_SUM	2	SCORE INDICATING LEVEL OF SERIOUS MENTAL ILLNESS		
		RANGE = 0 - 24	38132	68.63
		. = Aged 12-17.....	17429	31.37
SMI	1	SERIOUS MENTAL ILLNESS INDICATOR		
		. = Aged 12-17.....	17429	31.37
		0 = No (SMI_SUM<13).....	34560	62.20
		1 = Yes (SMI_SUM>=13).....	3572	6.43

YOUTH MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
(YSU01)		YOUTH MENTAL HEALTH TREATMENT ----- These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs. During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUHOSPYR 2		1STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	255	0.46
		2 = No.....	17037	30.66
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU02)		During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUHOSPN2 3		1# NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS		
		RANGE = 1 - 30	234	0.42
		31 = 31 or more.....	9	0.02
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	65	0.12
		998 = BLANK (NO ANSWER).....	73	0.13
		999 = LEGITIMATE SKIP.....	55169	99.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	561
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU03)		Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
YUHOSUIC	2	1STAYED IN HOSP BEC THOUGHT/TRIED TO KILL SELF		
		1 = Response entered.....	110	0.20
		6 = Response not entered.....	133	0.24
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	55169	99.29
YUHODEPR	2	1STAYED IN HOSP BEC YOU FELT DEPRESSED		
		1 = Response entered.....	72	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	170	0.31
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	55169	99.29
YUHOFEAR	2	1STAYED IN HOSP BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	25	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	216	0.39
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	55169	99.29
YUHOBKRU	2	1STAYED IN HOSP BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	32	0.06
		6 = Response not entered.....	211	0.38
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	55169	99.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	562
LABEL	LEN	DESCRIPTION	FREQ	%
YUHOEATP	2	1STAYED IN HOSP BEC YOU HAD EATING PROBS		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	228	0.41
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	55169	99.29
YUHOSOR	2	1STAYED IN HOSP FOR SOME OTHER REASON		
		1 = Response entered.....	94	0.17
		6 = Response not entered.....	149	0.27
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	55169	99.29
(YSU04)		During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDYR	2	1STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	155	0.28
		2 = No.....	17141	30.85
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU05)		During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDN2	3	1# NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		RANGE = 1 - 30	137	0.25
		31 = 31 or more.....	12	0.02
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	64	0.12
		998 = BLANK (NO ANSWER).....	71	0.13
		999 = LEGITIMATE SKIP.....	55273	99.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	563
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU06)		Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
YURSSUIC	2	1STAYED IN RESID CTR BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	73	0.13
		6 = Response not entered.....	74	0.13
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	55273	99.48
YURSDEPR	2	1STAYED IN RESID CTR BEC YOU FELT DEPRESSED		
		1 = Response entered.....	57	0.10
		6 = Response not entered.....	90	0.16
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	55273	99.48
YURSFEAR	2	1STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	13	0.02
		6 = Response not entered.....	134	0.24
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	55273	99.48
YURSBKRU	2	1STAYED IN RESID CTR BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	26	0.05
		6 = Response not entered.....	121	0.22
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	55273	99.48
YURSEATP	2	1STAYED IN RESID CTR BEC YOU HAD EATING PROBS		
		1 = Response entered.....	12	0.02
		6 = Response not entered.....	135	0.24
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	55273	99.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
YURSSOR	2	1STAYED IN RESID CTR FOR SOME OTHER REASON		
		1 = Response entered.....	33	0.06
		6 = Response not entered.....	114	0.21
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	55273	99.48
(YSU07)		During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCARYR	2	1SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	100	0.18
		2 = No.....	17195	30.95
		4 = No LOGICALLY ASSIGNED.....	54	0.10
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU08)		During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCARN2	3	1# NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS		
		RANGE = 1 - 30	81	0.15
		31 = 31 or more.....	12	0.02
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED.....	42	0.08
		998 = BLANK (NO ANSWER).....	39	0.07
		999 = LEGITIMATE SKIP.....	55381	99.68

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	565
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU09)		Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?		
YUFCSUIC	2	1STAYED IN FOST CARE BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	41	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	55	0.10
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	55381	99.68
YUFCDEPR	2	1STAYED IN FOST CARE BEC YOU FELT DEPRESSED		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	76	0.14
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	55381	99.68
YUFCFEAR	2	1STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	5	0.01
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	91	0.16
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	55381	99.68
YUFCBKRU	2	1STAYED IN FOST CARE BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	16	0.03
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	80	0.14
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	55381	99.68

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
YUFCEATP	2	1STAYED IN FOST CARE BEC YOU HAD EATING PROBS		
		1 = Response entered.....	3	0.01
		6 = Response not entered.....	94	0.17
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	55381	99.68
YUFCSOR	2	1STAYED IN FOST CARE FOR SOME OTHER REASON		
		1 = Response entered.....	31	0.06
		6 = Response not entered.....	66	0.12
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	55381	99.68
(YSU10)		During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUDYTXYR	2	1SPENT TIME IN DAY TRMT PROG PAST 12 MOS		
		1 = Yes.....	266	0.48
		2 = No.....	17019	30.63
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU11)		During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUDYTXN2	3	1# TIMES VISITED DAY TRMT PROG PAST 12 MOS		
		RANGE = 1 - 30	247	0.44
		31 = 31 or more.....	5	0.01
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	70	0.13
		998 = BLANK (NO ANSWER).....	76	0.14
		999 = LEGITIMATE SKIP.....	55151	99.26

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	567
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU12)		Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUDYSUIC	2	1VISITED DAY TRMT BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	90	0.16
		6 = Response not entered.....	169	0.30
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55151	99.26
YUDYDEPR	2	1VISITED DAY TRMT BEC YOU FELT DEPRESSED		
		1 = Response entered.....	122	0.22
		6 = Response not entered.....	137	0.25
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55151	99.26
YUDYFEAR	2	1VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	40	0.07
		6 = Response not entered.....	219	0.39
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55151	99.26
YUDYBKRU	2	1VISITED DAY TRMT BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	55	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	201	0.36
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55151	99.26

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	568
LABEL	LEN	DESCRIPTION	FREQ	%
YUDYEATP	2	1VISITED DAY TRMT BEC YOU HAD EATING PROBS		
		1 = Response entered.....	18	0.03
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	240	0.43
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55151	99.26
YUDYSOR	2	1VISITED DAY TRMT FOR SOME OTHER REASON		
		1 = Response entered.....	101	0.18
		6 = Response not entered.....	158	0.28
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55151	99.26
(YSU13)		During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUMHCRYR	2	1RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS		
		1 = Yes.....	375	0.67
		2 = No.....	16915	30.44
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU14)		During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUMHCRN2	3	1# TIMES VISITED MENT HLTH CLNC PST 12 MOS		
		RANGE = 1 - 30	345	0.62
		31 = 31 or more.....	14	0.03
		994 = DON'T KNOW.....	14	0.03
		997 = REFUSED.....	74	0.13
		998 = BLANK (NO ANSWER).....	67	0.12
		999 = LEGITIMATE SKIP.....	55047	99.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	569
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU15)		Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUMHSUIC	2	1VISITED MH CLNC BEC THOUGHT/TRIED TO KILL SELF		
		1 = Response entered.....	124	0.22
		6 = Response not entered.....	240	0.43
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	55047	99.07
YUMHDEPR	2	1VISITED MH CLNC BEC YOU FELT DEPRESSED		
		1 = Response entered.....	188	0.34
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	174	0.31
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	55047	99.07
YUMHFEAR	2	1VISITED MH CLNC BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	55	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	307	0.55
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	55047	99.07
YUMHBKRU	2	1VISITED MH CLNC BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	77	0.14
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	281	0.51
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	55047	99.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	570
LABEL	LEN	DESCRIPTION	FREQ	%
YUMHEATP	2	1VISITED MH CLNC BEC YOU HAD EATING PROBS		
		1 = Response entered.....	26	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	337	0.61
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	55047	99.07
YUMHSOR	2	1VISITED MH CLNC FOR SOME OTHER REASON		
		1 = Response entered.....	129	0.23
		6 = Response not entered.....	235	0.42
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	55047	99.07
(YSU16)		During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTYR	2	1RCVD EMOT TRMT FROM THERAPIST PST 12 MOS		
		1 = Yes.....	1439	2.59
		2 = No.....	15838	28.51
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU17)		During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTN2	3	1# TIMES VISITED THERAPIST PAST 12 MONTHS		
		RANGE = 1 - 30	1282	2.31
		31 = 31 or more.....	67	0.12
		985 = BAD DATA Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	84	0.15
		997 = REFUSED.....	83	0.15
		998 = BLANK (NO ANSWER).....	74	0.13
		999 = LEGITIMATE SKIP.....	53970	97.14

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	571
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(YSU18)		Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUTPSUIC	2	1VISITED THERAPIST BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	247	0.44
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1163	2.09
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	53970	97.14
YUTPDEPR	2	1VISITED THERAPIST BEC YOU FELT DEPRESSED		
		1 = Response entered.....	636	1.14
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01
		6 = Response not entered.....	767	1.38
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	53970	97.14
YUTPFEAR	2	1VISITED THERAPIST BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	196	0.35
		3 = Response entered LOGICALLY ASSIGNED.....	12	0.02
		6 = Response not entered.....	1203	2.17
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	75	0.13
		99 = LEGITIMATE SKIP.....	53970	97.14
YUTPBKRU	2	1VISITED THERAPIST BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	257	0.46
		3 = Response entered LOGICALLY ASSIGNED.....	24	0.04
		6 = Response not entered.....	1130	2.03
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	75	0.13
		99 = LEGITIMATE SKIP.....	53970	97.14

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	572
LABEL	LEN	DESCRIPTION	FREQ	%
YUTPEATP	2	1VISITED THERAPIST BEC YOU HAD EATING PROBS		
		1 = Response entered.....	102	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1307	2.35
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	75	0.13
		99 = LEGITIMATE SKIP.....	53970	97.14
YUTPSOR	2	1VISITED THERAPIST FOR SOME OTHER REASON		
		1 = Response entered.....	734	1.32
		6 = Response not entered.....	677	1.22
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	92	0.17
		98 = BLANK (NO ANSWER).....	75	0.13
		99 = LEGITIMATE SKIP.....	53970	97.14
(YSU19)		During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPYR	2	1RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS		
		1 = Yes.....	445	0.80
		2 = No.....	16830	30.29
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	59	0.11
		97 = REFUSED.....	77	0.14
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU20)		During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPN2	2	1# TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS		
		RANGE = 1 - 30	398	0.72
		31 = 31 or more.....	16	0.03
		994 = DON'T KNOW.....	27	0.05
		997 = REFUSED.....	81	0.15
		998 = BLANK (NO ANSWER).....	77	0.14
		999 = LEGITIMATE SKIP.....	54962	98.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	573
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU21)		Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?		
YUIHSUIC	2	1SAW IN HOME COUNS BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	74	0.13
		6 = Response not entered.....	354	0.64
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	77	0.14
		99 = LEGITIMATE SKIP.....	54962	98.92
YUIHDEPR	2	1SAW IN HOME COUNS BEC YOU FELT DEPRESSED		
		1 = Response entered.....	178	0.32
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	244	0.44
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	77	0.14
		99 = LEGITIMATE SKIP.....	54962	98.92
YUIHFEAR	2	1SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	46	0.08
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	381	0.69
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	77	0.14
		99 = LEGITIMATE SKIP.....	54962	98.92
YUIHBKRU	2	1SAW IN HOME COUNS BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	73	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
		6 = Response not entered.....	348	0.63
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	77	0.14
		99 = LEGITIMATE SKIP.....	54962	98.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	574
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
YUIHEATP	2	1SAW IN HOME COUNS BEC YOU HAD EATING PROBS		
		1 = Response entered.....	20	0.04
		6 = Response not entered.....	408	0.73
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	77	0.14
		99 = LEGITIMATE SKIP.....	54962	98.92
YUIHSOR	2	1SAW IN HOME COUNS FOR SOME OTHER REASON		
		1 = Response entered.....	188	0.34
		6 = Response not entered.....	240	0.43
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	77	0.14
		99 = LEGITIMATE SKIP.....	54962	98.92
(YSU22)		During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFDOCYR	2	1RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS		
		1 = Yes.....	448	0.81
		2 = No.....	16824	30.28
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63
(YSU23)		During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFDOCN2	3	1# TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS		
		RANGE = 1 - 30	410	0.74
		31 = 31 or more.....	3	0.01
		994 = DON'T KNOW.....	33	0.06
		997 = REFUSED.....	72	0.13
		998 = BLANK (NO ANSWER).....	87	0.16
		999 = LEGITIMATE SKIP.....	54956	98.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	575
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU24)		Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUFDSUIC	2	1SAW FAMLY DOC BEC THOUGHT/TRIED TO KILL SELF		
		1 = Response entered.....	66	0.12
		6 = Response not entered.....	351	0.63
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	54956	98.91
YUFDDEPR	2	1SAW FAMLY DOC BEC YOU FELT DEPRESSED		
		1 = Response entered.....	160	0.29
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	253	0.46
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	54956	98.91
YUFDFEAR	2	1SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	38	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	375	0.67
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	54956	98.91
YUFD BKRU	2	1SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	44	0.08
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	368	0.66
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	54956	98.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	576
LABEL	LEN	DESCRIPTION	FREQ	%
YUFDEATP	2	1SAW FAMLY DOC BEC YOU HAD EATING PROBS		
		1 = Response entered.....	63	0.11
		6 = Response not entered.....	354	0.64
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	54956	98.91
YUFDSOR	2	1SAW FAMLY DOC FOR SOME OTHER REASON		
		1 = Response entered.....	182	0.33
		6 = Response not entered.....	235	0.42
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	54956	98.91
(YSU25)		During the past 12 months, did you receive special education services while in your regular classroom or have you been placed in a special classroom, a special program, or a special school because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUSPEDYR	2	1SPECIAL EDUC SVCS FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	639	1.15
		2 = No.....	14925	26.86
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39789	71.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	577
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU26)		During the past 12 months, did you talk to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs?		
YUSHCNYR	2	1TALKED W/SCH COUNS FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	1488	2.68
		2 = No.....	14076	25.33
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	39789	71.61
(YSU27)		Think about the last time you talked to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs. What was the reason for your talk?		
YUSHSUIC	2	1TLKED W/SCH COUNS BEC THOT/TRIED TO KILL SELF		
		1 = Response entered.....	147	0.26
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1305	2.35
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	53865	96.95
YUSHDEPR	2	1TLKED W/SCH COUNS BEC YOU FELT DEPRESSED		
		1 = Response entered.....	544	0.98
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	900	1.62
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	53865	96.95

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	578
LABEL	LEN	DESCRIPTION	FREQ	%
YUSHFEAR	2	1TLKED W/SCH COUNS BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	175	0.31
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	1268	2.28
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	53865	96.95
YUSHBKRU	2	1TLKED W/SCH COUNS BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	264	0.48
		3 = Response entered LOGICALLY ASSIGNED.....	20	0.04
		6 = Response not entered.....	1169	2.10
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	53865	96.95
YUSHEATP	2	1TLKED W/SCH COUNS BEC YOU HAD EATING PROBS		
		1 = Response entered.....	69	0.12
		6 = Response not entered.....	1384	2.49
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	53865	96.95
YUSHSOR	2	1TLKED W/SCH COUNS FOR SOME OTHER REASON		
		1 = Response entered.....	817	1.47
		6 = Response not entered.....	636	1.14
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	89	0.16
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	53865	96.95
(YSU28)		Have you ever been in jail or in a detention center?		
YUJAILEV	2	1EVER BEEN IN JAIL OR DETENTION CENTER		
		1 = Yes.....	907	1.63
		2 = No.....	16403	29.52
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	579
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(YSU29)		Have you ever been in foster care?		
YUFCAREV 2		1EVER BEEN IN FOSTER CARE		
		1 = Yes.....	381	0.69
		2 = No.....	16852	30.33
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	100	0.18
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP.....	38132	68.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	FREQ	%
RECODED YOUTH MENTAL HEALTH TREATMENT				
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
The following recoded variables contain information about whether youths received treatment or counseling in the past year from each of 10 specific sources for problems with behaviors or emotions that were not caused by alcohol or drugs.				
YHOSP	1	STAY OVNT IN HOSP FOR EMOT TRMT PST YR		
		. = Unknown/Aged 18+ (YUHOSPYR=85,94,97,98,99).....	38269	68.88
		0 = No (YUHOSPYR=2).....	17037	30.66
		1 = Yes (YUHOSPYR=1).....	255	0.46
YRESID	1	STAYED IN RESID CTR FOR EMOT TRMT PST YR		
		. = Unknown/Aged 18+ (YURSIDYR=85,94,97,98,99).....	38265	68.87
		0 = No (YURSIDYR=2).....	17141	30.85
		1 = Yes (YURSIDYR=1).....	155	0.28
NOTE: The following variable, YFOST, was revised after the report titled Results from the 2001 National Household Survey on Drug Abuse was published. The frequency distribution for YFOST displayed in this codebook is different from the version of this variable used in the Volume III Detailed Tables of this report.				
YFOST	1	SPENT TIME IN FOST CARE FOR EMOT PROB PST YR		
		. = Unknown/Aged 18+ (YUFCARYR=94,97,98,99).....	38212	68.77
		0 = No (YUFCARYR=2,4).....	17249	31.05
		1 = Yes (YUFCARYR=1).....	100	0.18
YDAYTRT	1	SPENT TIME IN DAY TRMT PROG FOR EMOT PROB PST YR		
		. = Unknown/Aged 18+ (YUDYTXYR=85,94,97,98,99).....	38276	68.89
		0 = No (YUDYTXYR=2).....	17019	30.63
		1 = Yes (YUDYTXYR=1).....	266	0.48
YCLIN	1	RCVD EMOT TRMT IN MENT HLTH CLNC PST YR		
		. = Unknown/Aged 18+ (YUMHCRYR=85,94,97,98,99).....	38271	68.88
		0 = No (YUMHCRYR=2).....	16915	30.44
		1 = Yes (YUMHCRYR=1).....	375	0.67

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	581
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
YOTHER	1	RCVD EMOT TRMT FROM THERAPIST PST YR		
		. = Unknown/Aged 18+ (YUTPSTYR=85,94,97,98,99).....	38284	68.90
		0 = No (YUTPSTYR=2).....	15838	28.51
		1 = Yes (YUTPSTYR=1).....	1439	2.59
YHOME	1	RCVD EMOT TRMT FROM IN HOME COUNS PST YR		
		. = Unknown/Aged 18+ (YUIHTPYR=85,94,97,98,99).....	38286	68.91
		0 = No (YUIHTPYR=2).....	16830	30.29
		1 = Yes (YUIHTPYR=1).....	445	0.80
YPED	1	RCVD EMOT TRMT FROM FAMLY DOC PST YR		
		. = Unknown/Aged 18+ (YUFDOCYR=85,94,97,98,99).....	38289	68.91
		0 = No (YUFDOCYR=2).....	16824	30.28
		1 = Yes (YUFDOCYR=1).....	448	0.81
YSPED	1	SPECIAL EDUC SVCS FOR EMOT PROB PST YR		
		. = Unknown/Aged 18+ (Otherwise).....	38340	69.01
		0 = No (YUSPEDYR=2 OR [AGE2<7 AND YUSPEDYR=99]).....	16582	29.84
		1 = Yes (YUSPEDYR=1).....	639	1.15
YSCHL	1	TALKED W/SCH COUNS FOR EMOT PROB PST YR		
		. = Unknown/Aged 18+ (Otherwise).....	38340	69.01
		0 = No (YUSHCNYR=2 OR [AGE2<7 AND YUSHCNYR=99]).....	15733	28.32
		1 = Yes (YUSHCNYR=1).....	1488	2.68

LABEL	LEN	DESCRIPTION	FREQ	%
		<p>The following variable, ANYTRT10, indicates whether a youth reported receiving treatment or counseling in the past year from any of 10 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2) to the following 10 source of treatment or counseling questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), through special education (YUSPEDYR), and school counselor (YUSHCNYR). Youths who reported a positive response to one or more of the 10 questions were included in the yes category regardless of how many of the 10 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 10 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 10 questions, and adults were included in the unknown category.</p>		
ANYTRT10	2	RCVD MH TRT FROM ANY OF 10 SOURCES IN PST YR		
		. = Unknown/Aged 18+ (See comment above).....	38236	68.82
		0 = No (See comment above).....	14078	25.34
		1 = Yes (Any above source variables=1).....	3247	5.84

RECODED YOUTH MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
		<p>The following variable, ANYTRT9, indicates whether a youth reported receiving treatment or counseling in the past year from any of 9 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2) to the following 9 source of treatment or counseling questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), and school counselor (YUSHCNYR). This variable was created in the same manner as ANYTRT10 (see above), except that the source of treatment or counseling question about special education (YUSPEDYR) was not included as a source variable. This variable was omitted because CAI did not include a follow-up question about the reasons for receiving mental health treatment or counseling at this source of treatment. Youths who reported a positive response to one or more of the 9 questions were included in the yes category regardless of how many of the 9 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 9 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 9 questions, and adults were included in the unknown category.</p>		
ANYTRT9	2	RCVD MH TRT FROM ANY OF 9 SOURCES IN PST YR		
		. = Unknown/Aged 18+ (See comment above).....	38243	68.83
		0 = No (See comment above).....	14356	25.84
		1 = Yes (Any above source variables=1).....	2962	5.33

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

NOTE: For each reported source of treatment or counseling for problems with behavior or emotions that were not caused by alcohol or drugs (see ANYTRT9), the respondent was asked to report which of 5 specific reasons was the reason for the last time he/she received treatment or counseling from this source. In addition, the respondent could also answer "other". If a respondent reported "other", than he/she was asked to list the other reason (or reasons). A respondent was allowed to enter up to 5 additional reasons for treatment from each source. The 5 specific reasons were: thought about or tried suicide, felt depressed, felt afraid or tense, acting out or breaking rules, and eating problems. Multiple reasons could be reported for each source of treatment or counseling, thus the response categories are not mutually exclusive. For each of the 9 sources of treatment or counseling there are 5 variables that contain data about the 5 specific reasons for treatment, resulting in 45 variables that include data about the specific reasons. In addition, for each of the 9 sources there are 5 variables that contain data about the other specified reasons, resulting in 45 additional variables. The following recoded variables indicate the reasons youth reported for receiving treatment or counseling across all the reported sources of treatment in the past year. Note that these variables are only defined for youth who received treatment or counseling from one or more of the 9 sources and reported at least one reason for treatment.

The following variable, REASSUIC, indicates whether respondents received treatment or counseling from at least one source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: YUHOSUIC, YURSSUIC, YUFCSUIC, YUDYSUIC, YUMHSUIC, YUTPSUIC, YUIHSUIC, YUFDSUIC, and YUSHSUIC. Adults, youth that did not report receiving treatment or counseling in the past year, and youth that reported receiving treatment or counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASSUIC	DESCRIPTION	FREQ	%
1	RCVD MENTAL HLTH TRT IN PST YR B/C TRIED SUICIDE		
.	= Unknown/Aged 18+ (See comment above).....	52791	95.01
0	= Reason not indicated (Otherwise).....	2298	4.14
1	= Reason indicated (Any above source variable=1,3)..	472	0.85

LABEL	LEN	DESCRIPTION	FREQ	%
		<p>The following variable, REASDEPR, indicates whether respondents received treatment or counseling from at least one source in the past year because they felt depressed. This recode was created by examination of the following source variables: YUHODEPR, YURSDEPR, YUFCDEPR, YUDYDEPR, YUMHDEPR, YUTPDEPR, YUIHDEPR, YUFDDEPR, and YUSHDEPR. Adults, youth that did not report receiving treatment or counseling in the past year, and youth that reported receiving treatment or counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.</p>		
REASDEPR	1	RCVD MENTAL HLTH TRT IN PST YR B/C DEPRESSED		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Reason not indicated (Otherwise).....	1506	2.71
		1 = Reason indicated (Any above source variable=1,3)..	1264	2.27

The following variable, REASFEAR, indicates whether respondents received treatment or counseling from at least one source in the past year because they felt very afraid or tense. This recode was created by examination of the following source variables: YUHOFEAR, YURSFEAR, YUFCFEAR, YUDYFEAR, YUMHFEAR, YUTPFEAR, YUIHFEAR, YUFDFEAR, and YUSHFEAR. Adults, youth that did not report receiving treatment or counseling in the past year, and youth that reported receiving treatment or counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

REASFEAR	1	RCVD MENTAL HLTH TRT IN PST YR B/C AFRAID/TENSE		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Reason not indicated (Otherwise).....	2331	4.20
		1 = Reason indicated (Any above source variable=1,3)..	439	0.79

RECODED YOUTH MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

The following variable, REASBRK, indicates whether respondents received treatment or counseling from at least one source in the past year because they were breaking rules and "acting out." This recode was created by examination of the following source variables: YUHOBKRU, YURSBKRU, YUFCBKRU, YUDYBKRU, YUMHBKRU, YUTPBKRU, YUIHBKRU, YUFDBKRU, and YUSHBKRU. Adults, and youth that reported receiving treatment or counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

LABEL	LEN	DESCRIPTION	FREQ	%
REASBRK	1	RCVD MENTAL HLTH TRT IN PST YR B/C BREAKING RULES		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Reason not indicated (Otherwise).....	2181	3.93
		1 = Reason indicated (Any above source variable=1,3)..	589	1.06

The following variable, REASEATP, indicates whether respondents received treatment or counseling from at least one source in the past year because they had eating problems. This recode was created by examination of the following source variables: YUHOEATP, YURSEATP, YUFCEATP, YUDYEATP, YUMHEATP, YUTPEATP, YUIHEATP, YUFDEATP, and YUSHEATP. Adults, youth that did not report receiving treatment or counseling in the past year, and youth that reported receiving treatment or counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.

LABEL	LEN	DESCRIPTION	FREQ	%
REASEATP	1	RCVD MENTAL HLTH TRT IN PST YR B/C EATING PROBLEMS		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Reason not indicated (Otherwise).....	2556	4.60
		1 = Reason indicated (Any above source variable=1,3)..	214	0.39

RECODED YOUTH MENTAL HEALTH TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
<p>The following 4 recoded variables indicate whether a youth reported some other reason as the reason he/she received treatment or counseling from any one of the reported sources in the past year. These recodes were created by examining the other specify data and consolidating the other reported responses into four broad categories: family problems, social problems, problems at school, and other than family, social, or school problems. Adults, youth that did not report receiving treatment or counseling in the past year, and youth that reported receiving treatment or counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.</p>				
REASFAM	1	RCVD MENTAL HLTH TRT IN PST YR B/C FAMILY PROBLEMS		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Reason not specified (Otherwise).....	2418	4.35
		1 = Reason specified (See comment above).....	352	0.63
REASSOC	1	RCVD MENTAL HLTH TRT IN PST YR B/C SOCIAL PROBLEMS		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Reason not specified (Otherwise).....	2598	4.68
		1 = Reason specified (See comment above).....	172	0.31
REASSCH	1	RCVD MENTAL HLTH TRT IN PST YR B/C SCHOOL ISSUES		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Reason not specified (Otherwise).....	2479	4.46
		1 = Reason specified (See comment above).....	291	0.52
REASOTH	1	RCVD MENTAL HLTH TRT IN PST YR B/C OTHER REASONS		
		. = Unknown/Aged 18+ (See comment above).....	52791	95.01
		0 = Other reason not specified (Otherwise).....	1855	3.34
		1 = Other reason specified (See comment above).....	915	1.65

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	588
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HOUSEHOLD COMPOSITION (ROSTER)				

IMOTHER	1	MOTHER IN HH		
		1 = R is 12-17, mother in hh.....	15922	28.66
		2 = R is 12-17, no mother in hh.....	1437	2.59
		3 = R is 12-17, don't know whether mother is in hh....	70	0.13
		4 = R is 18 or older.....	38132	68.63
IFATHER	1	FATHER IN HH		
		1 = R is 12-17, father in hh.....	12811	23.06
		2 = R is 12-17, no father in hh.....	4522	8.14
		3 = R is 12-17, don't know whether father is in hh....	96	0.17
		4 = R is 18 or older.....	38132	68.63
NRCH17_2	1	RECODED # RÆs CHILDREN < 18 IN HOUSEHOLD		
		RANGE = 0 - 2	53002	95.39
		. = Missing.....	238	0.43
		3 = 3 or more.....	2321	4.18
IRHHSIZ2	1	RECODE - IMPUTATION-REVISED # PERSONS IN HH		
		1 = One person in household.....	4176	7.52
		2 = Two people in household.....	12599	22.68
		3 = Three people in household.....	13221	23.80
		4 = Four people in household.....	13789	24.82
		5 = Five people in household.....	7195	12.95
		6 = 6 to 25 people in household.....	4581	8.24
IIHHSIZ2	1	IRHHSIZ2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55405	99.72
		3 = Statistically imputed data.....	156	0.28
IRHH65_2	1	REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65		
		1 = No people 65 or older in household.....	50682	91.22
		2 = One person 65 or older in household.....	3293	5.93
		3 = Two or more people 65 or older in household.....	1586	2.85
IIHH65_2	1	IRHH65_2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55174	99.30
		3 = Statistically imputed data.....	387	0.70

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	589
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRKI17_2	1	RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
		1 = No children under 18.....	21849	39.32
		2 = One child under 18.....	13248	23.84
		3 = Two children under 18.....	12202	21.96
		4 = Three or more children under 18.....	8262	14.87
IIKI17_2	1	IRKI17_2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55262	99.46
		3 = Statistically imputed data.....	299	0.54

INCOME AND INSURANCE			PAGE:	590
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(HASJOIN)		INCOME AND INSURANCE		

		HAS THE PERSON'S [QP02 FILL] JOINED R?		
PROXANS2	2	IS PROXY ANSWERING INSURANCE/INCOME QS		
		1 = Yes.....	15112	27.20
		2 = No.....	116	0.21
		7 = Unclear LOGICALLY ASSIGNED.....	446	0.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	230	0.41
		99 = LEGITIMATE SKIP (Respondent answering).....	39641	71.35
		NOTE: The variables which immediately follow refer to questions about the kinds and amounts of income received. Only imputed variables are included since other variables do not provide any additional analytic utility. Users can differentiate between imputed and non-imputed values using the imputation indicators. Questions about income from the questionnaire are not reproduced since the variables below do not correspond exactly to those questions. Edited and imputed health insurance variables, with the accompanying questionnaire questions, follow the income variables.		
IRPSOC	1	IMP. REVISED - RESP RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	4268	7.68
		2 = No.....	51293	92.32
IIPSOC	1	IRPSOC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55082	99.14
		3 = Statistically imputed data.....	479	0.86
IRFAMSOC	1	IMP. REVISED - FAM RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	7169	12.90
		2 = No.....	48392	87.10
IIFAMSOC	1	IRFAMSOC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54622	98.31
		3 = Statistically imputed data.....	939	1.69
IRPSSI	1	IMP. REVISED - RESP RECEIVE SSI		
		1 = Yes.....	1474	2.65
		2 = No.....	54087	97.35

INCOME AND INSURANCE			PAGE:	591
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIPSSI	1	IRPSSI - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54971	98.94
		3 = Statistically imputed data.....	590	1.06
IRFAMSSI	1	IMP. REVISED - FAM RECEIVE SSI		
		1 = Yes.....	2999	5.40
		2 = No.....	52562	94.60
IIFAMSSI	1	IRFAMSSI - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54507	98.10
		3 = Statistically imputed data.....	1054	1.90
IRFSTAMP	1	IMP. REVISED - RESP/OTH FAM MEM REC FOOD STAMPS		
		1 = Yes.....	4074	7.33
		2 = No.....	51487	92.67
IIFSTAMP	1	IRFSTAMP - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55118	99.20
		3 = Statistically imputed data.....	443	0.80
IRPPMT	1	IMP. REVISED - RESP RECEIVE PUBLIC ASSIST		
		1 = Yes.....	1478	2.66
		2 = No.....	54083	97.34
IIPPMT	1	IRPPMT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55089	99.15
		3 = Statistically imputed data.....	472	0.85
IRFAMPMT	1	IMP. REVISED - FAM RECEIVE PUBLIC ASSIST		
		1 = Yes.....	1982	3.57
		2 = No.....	53579	96.43
IIFAMPMT	1	IRFAMPMT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54863	98.74
		3 = Statistically imputed data.....	698	1.26
IRPSVC	1	IMP. REVISED - RESP REC WELFARE/JOB PL/CHILD CARE		
		1 = Yes.....	1517	2.73
		2 = No.....	54044	97.27
IIPSVCS	1	IRPSVC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55123	99.21
		3 = Statistically imputed data.....	438	0.79

INCOME AND INSURANCE			PAGE:	592
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRFAMSVC	1	IMP. REVISED - FAM REC WELFARE/JOB PL/CHILDCARE		
		1 = Yes.....	2199	3.96
		2 = No.....	53362	96.04
IIFAMSVC	1	IRFAMSVC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54899	98.81
		3 = Statistically imputed data.....	662	1.19
IRWELMOS	2	IMP. REVISED - NO.OF MONTHS ON WELFARE		
		RANGE = 1 - 12	3213	5.78
		99 = LEGITIMATE SKIP.....	52348	94.22
IIRWELMOS	1	IRWELMOS - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	3044	5.48
		3 = Statistically imputed data.....	889	1.60
		9 = Legitimate skip.....	51628	92.92
IRPINT	1	IMP. REVISED - RESP REC INTEREST SAVING/DIVIDEND		
		1 = Yes.....	32278	58.09
		2 = No.....	23283	41.91
IIPINT	1	IRPINT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54586	98.25
		3 = Statistically imputed data.....	975	1.75
IRFAMINT	1	IMP. REV - FAM REC INTEREST SAVING/DIVIDEND		
		1 = Yes.....	39146	70.46
		2 = No.....	16415	29.54
IIFAMINT	1	IRFAMINT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	53816	96.86
		3 = Statistically imputed data.....	1745	3.14
IRPCHD	1	IMP. REVISED - RESP REC CHILD SUPPORT PAYMENTS		
		1 = Yes.....	2438	4.39
		2 = No.....	53123	95.61
IIPCHD	1	IRPCHD - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55188	99.33
		3 = Statistically imputed data.....	373	0.67
IRFAMCHD	1	IMP. REVISED - FAM REC CHILD SUPPORT PAYMENTS		
		1 = Yes.....	5809	10.46
		2 = No.....	49752	89.54

INCOME AND INSURANCE			PAGE:	593
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIFAMCHD	1	IRFAMCHD - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55012	99.01
		3 = Statistically imputed data.....	549	0.99
IRPWAG	1	IMP. REVISED - RESP RECEIVE INCOME FROM JOB		
		1 = Yes.....	36464	65.63
		2 = No.....	19097	34.37
IIPWAG	1	IRPWAG - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55259	99.46
		3 = Statistically imputed data.....	302	0.54
IRFAMWAG	1	IMP. REVISED - FAM REC INCOME FROM JOB		
		1 = Yes.....	50785	91.40
		2 = No.....	4776	8.60
IIFAMWAG	1	IRFAMWAG - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55204	99.36
		3 = Statistically imputed data.....	357	0.64
IRPOTH	1	IMP. REVISED - RESP REC OTH INCOME FROM OTH SOURCE		
		1 = Yes.....	2848	5.13
		2 = No.....	52713	94.87
IIPOTH	1	IRPOTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55087	99.15
		3 = Statistically imputed data.....	474	0.85
IRFAMOTH	1	IMP. REVISED - FAM REC OTH INC FR OTH SOURCE		
		1 = Yes.....	5946	10.70
		2 = No.....	49615	89.30
IIFAMOTH	1	IRFAMOTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54609	98.29
		3 = Statistically imputed data.....	952	1.71
IRPINC3	1	RECODE - IMP.REVISED-RESP'S TOT INC		
		1 = \$0 - \$9,999 (Including Loss).....	29655	53.37
		2 = \$10,000 - \$19,999.....	8950	16.11
		3 = \$20,000 - \$29,999.....	6274	11.29
		4 = \$30,000 - \$39,999.....	4066	7.32
		5 = \$40,000 - \$49,999.....	2473	4.45
		6 = \$50,000 - \$74,999.....	2334	4.20
		7 = \$75,000 or more.....	1809	3.26

INCOME AND INSURANCE			PAGE:	594
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIPINC3	1	IRPINC3 - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52231	94.01
		3 = Statistically imputed data.....	3330	5.99
IRFAMIN3	1	RECODE - IMP.REVISED - TOT FAM INCOME		
		1 = \$0 - \$9,999 (Including Loss).....	5071	9.13
		2 = \$10,000 - \$19,999.....	7249	13.05
		3 = \$20,000 - \$29,999.....	7549	13.59
		4 = \$30,000 - \$39,999.....	7315	13.17
		5 = \$40,000 - \$49,999.....	6908	12.43
		6 = \$50,000 - \$74,999.....	10143	18.26
		7 = \$75,000 or more.....	11326	20.38
IIFAMIN3	1	IRFAMIN3 - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	47236	85.02
		3 = Statistically imputed data.....	8325	14.98
(QHI01)		The next questions are about SAMPLE MEMBER'S health insurance coverage and the kinds and amounts of income that SAMPLE MEMBER and other people in your family receive.		
		(Are you/Is SAMPLE MEMBER) covered by Medicare? Medicare is a health insurance program for persons 65 and older and for certain disabled persons.		
MEDICARE	2	COVERED BY MEDICARE		
		1 = Yes.....	3681	6.63
		2 = No.....	51466	92.63
		94 = DON'T KNOW.....	236	0.42
		97 = REFUSED.....	99	0.18
		98 = BLANK (NO ANSWER).....	79	0.14

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years.		
		(Are you / Is SAMPLE MEMBER) currently covered by Medicaid or Medical Assistance? Medicaid or Medical Assistance is a public assistance program that pays for medical care. The FIPE4 FILL Medicaid or Medical Assistance program is also called: MEDIFILL.		
		(Are you/Is SAMPLE MEMBER) currently covered by [CHIPFILL]?		
CAIDCHIP	2	COVERED BY MEDICAID/CHIP		
		1 = Yes.....	6272	11.29
		2 = No.....	48519	87.33
		85 = BAD DATA Logically assigned.....	50	0.09
		94 = DON'T KNOW.....	526	0.95
		97 = REFUSED.....	113	0.20
		98 = BLANK (NO ANSWER).....	81	0.15
(QHI03)		(Are you/Is SAMPLE MEMBER) currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?		
		These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.		
CHAMPUS	2	COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY		
		1 = Yes.....	1578	2.84
		2 = No.....	53457	96.21
		94 = DON'T KNOW.....	341	0.61
		97 = REFUSED.....	105	0.19
		98 = BLANK (NO ANSWER).....	80	0.14

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI06)		Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company.		
		(Are you/Is SAMPLE MEMBER) currently covered by private health insurance?		
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE		
		1 = Yes.....	39746	71.54
		2 = No.....	15121	27.22
		94 = DON'T KNOW.....	508	0.91
		97 = REFUSED.....	106	0.19
		98 = BLANK (NO ANSWER).....	80	0.14
(QHI07)		(Was your/SAMPLE MEMBER'S) private health insurance obtained through work, such as through an employer, union, or professional association?		
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes.....	36609	65.89
		2 = No.....	3024	5.44
		94 = DON'T KNOW.....	111	0.20
		97 = REFUSED.....	108	0.19
		98 = BLANK (NO ANSWER).....	588	1.06
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15121	27.22
(QHI08)		Does (your/SAMPLE MEMBER'S) private health insurance include coverage for treatment for any of the following conditions?		
		Alcohol abuse or alcoholism?		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes.....	19273	34.69
		2 = No.....	4281	7.71
		94 = DON'T KNOW.....	16156	29.08
		97 = REFUSED.....	142	0.26
		98 = BLANK (NO ANSWER).....	588	1.06
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15121	27.22

INCOME AND INSURANCE			PAGE:	597
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QHI09)		Drug abuse?		
HLTINDRG	2	DRUG ABUSE		
		1 = Yes.....	19094	34.37
		2 = No.....	4376	7.88
		94 = DON'T KNOW.....	16245	29.24
		97 = REFUSED.....	137	0.25
		98 = BLANK (NO ANSWER).....	588	1.06
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15121	27.22
(QHI10)		Mental or emotional problems?		
HLTIMMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes.....	25541	45.97
		2 = No.....	3038	5.47
		94 = DON'T KNOW.....	11143	20.06
		97 = REFUSED.....	130	0.23
		98 = BLANK (NO ANSWER).....	588	1.06
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	15121	27.22
(QHI11)		(Are you/Is SAMPLE MEMBER) currently covered by any kind of health insurance, that is any policy or program that provides or pays for medical care?		
HLTINNO	2	COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)		
		1 = Yes.....	900	1.62
		2 = No.....	7313	13.16
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	47240	85.02
(QHI13)		During the past 12 months, was there any time when (you/SAMPLE MEMBER) did not have any kind of health insurance or coverage?		
HLCNOTYR	2	ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS		
		1 = Yes.....	3947	7.10
		2 = No.....	42791	77.02
		85 = BAD DATA Logically assigned.....	4	0.01
		90 = NOT ASKED THE QUESTION Logically assigned.....	548	0.99
		94 = DON'T KNOW.....	230	0.41
		97 = REFUSED.....	120	0.22
		98 = BLANK (NO ANSWER).....	608	1.09
		99 = LEGITIMATE SKIP.....	7313	13.16

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI14)		During the past 12 months, about how many months were (you/SAMPLE MEMBER) without any kind of health insurance or coverage?		
HLCNOTMO	2	PAST 12 MOS, HOW MANY MOS W/O COVERAGE		
		RANGE = 1 - 12	3917	7.05
		90 = NOT ASKED THE QUESTION Logically assigned.....	548	0.99
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	842	1.52
		99 = LEGITIMATE SKIP.....	50104	90.18
(QHI15)		About how long has it been since (you/SAMPLE MEMBER) last had any kind of health coverage?		
HLCLAST	2	TIME SINCE LAST HAD HEALTH CARE COVERAGE		
		1 = Within the past 6 months.....	1420	2.56
		2 = More than 6 months ago, but within the past year..	949	1.71
		3 = More than 1 year ago, but within the past 3 years.	1642	2.96
		4 = More than 3 years ago.....	1595	2.87
		5 = Never had coverage.....	1620	2.92
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	119	0.21
		98 = BLANK (NO ANSWER).....	612	1.10
		99 = LEGITIMATE SKIP.....	47522	85.53

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
(QHI17)		Which of the reasons on this card is the main reason why (you/SAMPLE MEMBER) stopped being covered by health insurance?		
HLLOSRSN	2	MAIN REASON STOPPED COVERED BY HEALTH INSURANCE		
		1 = Pers in family w/health ins lost job/chng employer	1242	2.24
		2 = Lost Medicaid/Med Assist b/c new job/incr income.	367	0.66
		3 = Lost Medicaid/Med Assist some other reason.....	315	0.57
		4 = Cost is too high/can't afford premiums.....	1379	2.48
		5 = Became ineligible because of age or leaving school	895	1.61
		6 = Employer does not offer coverage, or not eligible.	540	0.97
		7 = Got divorced or separated from person w/insurance.	91	0.16
		8 = Death of spouse or parent.....	32	0.06
		9 = Insurance company refused coverage.....	40	0.07
		10 = Don't need it.....	146	0.26
		11 = Received Medicaid/med insur only while pregnant...	130	0.23
		12 = Some other reason.....	450	0.81
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	612	1.10
		99 = LEGITIMATE SKIP.....	49142	88.45
(QHI18)		Which of the reasons on this card describe why (you/SAMPLE MEMBER) have never had health insurance coverage?		
HLNVCOST	2	COST TOO HIGH		
		1 = Response entered.....	949	1.71
		6 = Response not entered.....	656	1.18
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	650	1.17
		99 = LEGITIMATE SKIP.....	53177	95.71
HLNVOFFR	2	EMPLOYER DOESN'T OFFER		
		1 = Response entered.....	338	0.61
		6 = Response not entered.....	1267	2.28
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	650	1.17
		99 = LEGITIMATE SKIP.....	53177	95.71

INCOME AND INSURANCE			PAGE:	600
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
HLNVREF	2	INSURANCE COMPANY REFUSED COVERAGE		
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	1588	2.86
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	650	1.17
		99 = LEGITIMATE SKIP.....	53177	95.71
HLNVNEED	2	DON'T NEED IT		
		1 = Response entered.....	225	0.40
		6 = Response not entered.....	1380	2.48
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	650	1.17
		99 = LEGITIMATE SKIP.....	53177	95.71
HLNVSOR	2	NEVER HAD HLTH INS SOME OTHER REASON		
		1 = Response entered.....	157	0.28
		6 = Response not entered.....	1448	2.61
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	650	1.17
		99 = LEGITIMATE SKIP.....	53177	95.71
The following variable, IRPINSUR, is the imputation revised version of the edited variable PRVHLTIN.				
IRPINSUR	1	IMPUTATION - REVISED PRIVATE HEALTH INSURANCE		
		1 = Yes, respondent does have private health insurance	40227	72.40
		2 = No, respondent does not have private health insur.	15334	27.60
IIPINSUR	1	IMPUTATION - INDICATOR IRPINSUR		
		1 = Questionnaire data.....	54867	98.75
		3 = Statistically imputed data.....	694	1.25

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		For IRINSUR, a respondent is classified as having any health insurance (IRINSUR=1) if he/she satisfied ANY of the following conditions. (1) Covered by Private Health Insurance (PRVHLTIN=1) (2) Covered by Medicare (MEDICARE=1) (3) Covered by Medicaid (answered question QHI02 as yes) (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1) A respondent is classified as NOT having any health insurance (IRINSUR=2) if he/she met EVERY one of the following conditions. (1) Not covered by Private Health Insurance (PRVHLTIN=2) (2) Not covered by Medicare (MEDICARE=2) (3) Not covered by Medicaid (answered question QHI02 as no) (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2) Responses to question QHI02 were used in part to create the variable CAIDCHIP. However, CAIDCHIP took into account responses to another question that was not used to create IRINSUR. If the respondent is not classified as having or not having any health insurance according to the respondent's answers to questions about private health insurance, Medicare, Medicaid, or military health coverage, then he/she is imputed to either of these two categories, where consistency is maintained between IRINSUR, IRINSUR3, and IRPINSUR.		
IRINSUR	1	IMPUTATION - REVISED HEALTH INSURANCE		
		1 = Yes, respondent does have health insurance.....	46623	83.91
		2 = No, respondent does not have health insurance.....	8938	16.09
IIINSUR	1	IMPUTATION - INDICATOR IRINSUR		
		1 = Questionnaire data.....	54852	98.72
		2 = Logically edited data.....	8	0.01
		3 = Statistically imputed data.....	701	1.26

INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

The IRINSUR3 variable is similar to IRINSUR. The only difference is that it uses the variable CAIDCHIP (Covered by Medicaid or state health insurance programs for children) instead of QHI02 (Covered by Medicaid), and it uses an additional variable, HLTINNOS (covered by any other health insurance). This results from changes in the 2001 questionnaire when compared to previous years.

For IRINSUR3, a respondent is classified as having any health insurance (IRINSUR3=1) if he/she satisfied ANY of the following conditions.

- (1) Covered by Private Health Insurance (PRVHLTIN=1)
- (2) Covered by Medicare (MEDICARE=1)
- (3) Covered by Medicaid or state health insurance programs for children (CAIDCHIP=1)
- (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1)
- (5) Covered by any type of health insurance (not otherwise specified) (HLTINNOS=1)

A respondent is classified as NOT having any health insurance (IRINSUR3=2) if he/she met EVERY one of the following conditions.

- (1) Not covered by Private Health Insurance (PRVHLTIN=2)
- (2) Not covered by Medicare (MEDICARE=2)
- (3) Not covered by Medicaid or state health insurance programs for children (CAIDCHIP=2)
- (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)
- (5) Not covered by any type of health insurance (not otherwise specified) (HLTINNOS=2)

If the respondent is not classified as having or not having any health insurance according to PRVHLTIN, MEDICARE, CAIDCHIP, CHAMPUS, and HLTINNOS, then he/she is imputed to either of these categories, where consistency is maintained between IRINSUR, IRINSUR3, and IRPINSUR.

IRINSUR3	1	IMPUTATION - REVISED HEALTH INSURANCE	FREQ	%
	1	= Yes, respondent does have health insurance.....	48112	86.59
	2	= No, respondent does not have health insurance.....	7449	13.41

INCOME AND INSURANCE			PAGE:	603
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIINSUR3	1	IMPUTATION - INDICATOR IRINSUR3		
		1 = Questionnaire data.....	54827	98.68
		2 = Logically edited data.....	8	0.01
		3 = Statistically imputed data.....	726	1.31

RECODED INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

RECODED INCOME AND INSURANCE

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the preceding section.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSV).

GOVTPROG	1	PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS		
		1 = YES (ANY SOURCE VARIABLE=1).....	7250	13.05
		2 = NO (ALL SOURCE VARIABLES=2).....	48311	86.95

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

HLCALLFG	2	FLAG IF EVERY FORM OF HEALTH INS REPORTED		
		1 = Answered yes to all current health insurance Qs...	48	0.09
		98 = BLANK (NO ANSWER).....	55513	99.91

HLCALL99	2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN		
		1 = Yes (see comment above).....	49	0.09
		98 = BLANK (NO ANSWER).....	55512	99.91

RECODED INCOME AND INSURANCE

LABEL	LEN	DESCRIPTION	FREQ	%
		NOTE: The following variable, ANYHLTI2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.		
ANYHLTI2	2	COVERED BY ANY HEALTH INSURANCE - RECODE		
		1 = Yes.....	47522	85.53
		2 = No.....	7313	13.16
		94 = DON'T KNOW.....	528	0.95
		97 = REFUSED.....	114	0.21
		98 = OTHER MISSING.....	84	0.15
		The following variable, INSCDCH2, was created to be as comparable as possible to the variable INSCDCHP that was created in 2000. However, because of the addition of a new question about by the Children's Health Insurance Program (CHIP), a variable that was exactly the same as INSCDCHP could not be created in 2001.		
INSCDCH2	1	INDICATED MEDICAID AND/OR CHIP COVERAGE		
		1 = Yes (CAIDCHIP=1).....	6272	11.29
		2 = No/Unknown (CAIDCHIP=2,85,94,97,98).....	49289	88.71
		The following variable, INSOTHR2, was created to be as comparable as possible to the variable INSOTHER that was created in 2000. However, because of the addition of the new variable HLTINNOS, which indicates coverage by some other health insurance, a variable that was exactly the same as INSOTHER could not be created in 2001.		
INSOTHR2	4	INDICATED OTHER HEALTH INSURANCE		
		1 = Yes (MEDICARE=1, CHAMPUS=1 or HLTINNOS=1).....	5879	10.58
		2 = No/Unknown (Otherwise).....	49682	89.42

INTERVIEW INFORMATION			PAGE:	606
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		INTERVIEW INFORMATION		

LANGVER	1	LANGUAGE VERSION		
		1 = English.....	53768	96.77
		2 = Spanish.....	1793	3.23
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1.....	13606	24.49
		2 = Quarter 2.....	13899	25.02
		3 = Quarter 3.....	13834	24.90
		4 = Quarter 4.....	14222	25.60
GQTYPE	1	TYPE OF GROUP QUARTER		
		= Not a Group Quarter.....	54516	98.12
		B = Boarding House.....	1	0.00
		C = College Dorm.....	933	1.68
		O = Other.....	90	0.16
		S = Shelter.....	10	0.02
		1 = Halfway House.....	11	0.02

CORE DEMOGRAPHICS			PAGE:	607
LABEL	LEN	DESCRIPTION	FREQ	%
(AGE1)		CORE DEMOGRAPHICS		
		NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.		
AGE2	2	RECODE - FINAL EDITED AGE		
		1 = Respondent is 12 years old.....	2786	5.01
		2 = Respondent is 13 years old.....	3047	5.48
		3 = Respondent is 14 years old.....	3042	5.48
		4 = Respondent is 15 years old.....	2911	5.24
		5 = Respondent is 16 years old.....	2952	5.31
		6 = Respondent is 17 years old.....	2691	4.84
		7 = Respondent is 18 years old.....	2425	4.36
		8 = Respondent is 19 years old.....	2277	4.10
		9 = Respondent is 20 years old.....	2133	3.84
		10 = Respondent is 21 years old.....	2182	3.93
		11 = Respondent is 22 or 23 years old.....	4368	7.86
		12 = Respondent is 24 or 25 years old.....	4276	7.70
		13 = Respondent is between 26 and 29 years old.....	2600	4.68
		14 = Respondent is between 30 and 34 years old.....	3505	6.31
		15 = Respondent is between 35 and 49 years old.....	8690	15.64
		16 = Respondent is between 50 and 64 years old.....	3237	5.83
		17 = Respondent is 65 years old or older.....	2439	4.39
(QD08)		How many times have you been married?		
NOMARR2	2	NUMBER OF TIMES MARRIED		
		1 = One time.....	16657	29.98
		2 = Two or more times.....	4120	7.42
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	47	0.08
		99 = LEGITIMATE SKIP.....	34730	62.51

CORE DEMOGRAPHICS			PAGE:	608
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD09)		Have you ever been in the United States' armed forces?		
SERVICE	2	EVER BEEN IN THE US ARMED FORCES		
		1 = Yes.....	2963	5.33
		2 = No.....	37857	68.14
		97 = REFUSED.....	3	0.01
		99 = LEGITIMATE SKIP.....	14738	26.53
(QD10)		Are you currently on active duty in the armed forces, in a reserves component, or now separated or retired from either reserves or active duty?		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component.....	255	0.46
		3 = Now separated/retired from reserves/active duty...	2708	4.87
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	1	0.00
		99 = LEGITIMATE SKIP.....	52595	94.66
(QD12)		This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?		
HEALTH	2	OVERALL HEALTH		
		1 = Excellent.....	18354	33.03
		2 = Very good.....	20586	37.05
		3 = Good.....	12683	22.83
		4 = Fair.....	3268	5.88
		5 = Poor.....	649	1.17
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	4	0.01

IMPUTED DEMOGRAPHICS			PAGE:	609
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IMPUTED DEMOGRAPHICS				

IRSEX	1	IMPUTATION REVISED GENDER		
		1 = Male.....	26641	47.95
		2 = Female.....	28920	52.05
IISEX	1	IMPUTATION REVISED GENDER INDICATOR		
		1 = Sex from questionnaire.....	55561	100.0
IRMARIT	2	IMPUTATION REVISED MARITAL STATUS		
		1 = Married.....	16586	29.85
		2 = Widowed.....	1091	1.96
		3 = Divorced or Separated.....	3147	5.66
		4 = Never Been Married.....	25862	46.55
		99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	8875	15.97
IIMARIT	1	IMPUTATION REVISED MARITAL STATUS INDICATOR		
		1 = Marital status from questionnaire.....	46668	83.99
		3 = Marital status statistically imputed.....	18	0.03
		9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	8875	15.97
IREduc2	2	RECODE - IMPUTATION REVISED EDUCATION		
		1 = Fifth grade or less.....	1427	2.57
		2 = Sixth grade.....	3071	5.53
		3 = Seventh grade.....	3223	5.80
		4 = Eighth grade.....	3752	6.75
		5 = Ninth grade.....	3867	6.96
		6 = Tenth grade.....	4053	7.29
		7 = Eleventh grade.....	4126	7.43
		8 = Twelfth grade.....	13284	23.91
		9 = Freshman/13th year.....	3989	7.18
		10 = Sophomore/14th year or Junior/15th year.....	6790	12.22
		11 = Senior/16th year or GradProf School (or higher)...	7979	14.36
IIEduc2	1	IMPUTATION REVISED EDUCATION INDICATOR		
		1 = Education from questionnaire.....	55543	99.97
		3 = Education statistically imputed.....	18	0.03

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QD13)		NON-CORE DEMOGRAPHICS		
		For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.		
		How many times in the past 12 months have you moved?		
MOVESPY2	3	# TIMES MOVED PAST 12 MONTHS		
		0 = None.....	39583	71.24
		1 = One time.....	10063	18.11
		2 = Two times.....	3298	5.94
		3 = Three or more times.....	2484	4.47
		994 = DON'T KNOW.....	29	0.05
		997 = REFUSED.....	33	0.06
		998 = BLANK (NO ANSWER).....	71	0.13
(QD17)		NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.		
		The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.		
SCHENRL	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes.....	25414	45.74
		2 = No.....	29998	53.99
		3 = Yes LOGICALLY ASSIGNED (LFSCWH2=778).....	4	0.01
		4 = No LOGICALLY ASSIGNED.....	9	0.02
		5 = Yes LOGICALLY ASSIGNED (LFSCWH2=601).....	20	0.04
		11 = Yes (SCHDSKIP = 30).....	10	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	78	0.14

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QD18)		NOTE: This variable corresponds to the variable EDUCNOW2 from 1999 and 2000.		
		What grade or year of school are you now attending? Please tell me the number from the card.		
		What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.		
EDUCATN2	2	WHAT GRADE IN NOW/WILL BE IN		
		1 = 5th Grade or lower.....	93	0.17
		2 = 6th Grade.....	1027	1.85
		3 = 7th Grade.....	2797	5.03
		4 = 8th Grade.....	3051	5.49
		5 = 9th Grade.....	3113	5.60
		6 = 10th Grade.....	2888	5.20
		7 = 11th Grade.....	2769	4.98
		8 = 12th Grade.....	2427	4.37
		9 = College or university/1st year.....	2114	3.80
		10 = College or university/2nd Year, 3rd year.....	3095	5.57
		11 = College or university/4th Year, 5th or higher year	2002	3.60
		12 = Missing.....	178	0.32
		13 = LEGITIMATE SKIP.....	30007	54.01
(QD19)		Are you a full-time student or a part-time student?		
STUDNT	2	FULL OR PART TIME		
		1 = Full-time.....	23122	41.62
		2 = Part-time.....	2291	4.12
		89 = LEGITIMATE SKIP Logically assigned.....	9	0.02
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	105	0.19
		99 = LEGITIMATE SKIP.....	29998	53.99

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QD20)		During the past 30 days, that is from DATEFILL up to and including today, how many whole days of school did you miss because you were sick or injured?		
SCHDSICK	2	HOW MANY DAYS MISSED SCHOOL FROM SICK		
		RANGE = 1 - 30	7154	12.88
		0 = None.....	13363	24.05
		85 = BAD DATA Logically assigned.....	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		90 = SCHOOL NOT IN SESSION.....	2516	4.53
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	116	0.21
		99 = LEGITIMATE SKIP.....	32293	58.12
(QD21)		During the past 30 days, that is since DATEFILL, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SCHDSKIP	2	HOW MANY DAYS MISSED SCHOOL FROM SKIPPING		
		RANGE = 1 - 30	3450	6.21
		0 = None.....	17119	30.81
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	116	0.21
		99 = LEGITIMATE SKIP.....	34809	62.65
(QD22)		Have you received a high school diploma?		
HSDIPLMA	2	RECEIVED DIPLOMA		
		1 = Yes.....	4511	8.12
		2 = No.....	2577	4.64
		3 = Yes LOG ASSN.....	6	0.01
		4 = No LOGICALLY ASSIGNED.....	73	0.13
		89 = LEGITIMATE SKIP Logically assigned.....	24	0.04
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	48318	86.96

NON-CORE DEMOGRAPHICS			PAGE:	613
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
(QD23)		Have you received a GED certificate of high school completion?		
HSGED	2	RECEIVED GED		
		1 = Yes.....	463	0.83
		2 = No.....	2118	3.81
		3 = Yes LOG ASSN (LFSCWHH2=606).....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	24	0.04
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	115	0.21
		99 = LEGITIMATE SKIP.....	52829	95.08

NON-CORE DEMOGRAPHICS			PAGE:	614
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD24)		Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.		
LFSCHWH2	3	WHY YOU LEFT SCHOOL		
		1 = School was boring or I didn't want to be there....	466	0.84
		2 = I got pregnant.....	314	0.57
		3 = I got in trouble or expelled for selling drugs....	6	0.01
		4 = I got in trouble or expelled for using drugs.....	20	0.04
		5 = I got in trouble or expelled for some other reason	159	0.29
		6 = I often got into trouble.....	128	0.23
		7 = I had to get a job (or work more hours).....	447	0.80
		8 = I was getting bad grades.....	114	0.21
		9 = I wasn't learning anything.....	81	0.15
		10 = I got married (or moved in with my boy/girlfriend)	128	0.23
		11 = I moved here from another country/didn't enroll...	117	0.21
		12 = I was treated badly at school.....	102	0.18
		13 = I became ill (or injured).....	46	0.08
		14 = I went to jail/prison.....	19	0.03
		15 = I had responsibilities at home/personal problems..	235	0.42
		16 = Other reason.....	31	0.06
		41 = Family member became ill/sick/died.....	8	0.01
		43 = Parents/guardian/partner wouldn't allow me to....	5	0.01
		46 = Learning disabled.....	8	0.01
		49 = Afraid of gangs/fear of violence/crime.....	5	0.01
		50 = Moved away/didn't re-enroll.....	19	0.03
		51 = Skipping school/excessive absenteeism.....	6	0.01
		52 = Too expensive/couldn't afford.....	11	0.02
		54 = No transportation/school too far away.....	5	0.01
		56 = Grade,credit discrepancies/lacked credits/document	14	0.03
		58 = All the schooling/preferred that was available....	5	0.01
		59 = Wasn't required/didn't have to go/not needed/custo	17	0.03
		63 = I was stupid/foolish/lazy.....	3	0.01
		66 = Too old.....	3	0.01
		67 = Got job/apprenticeship, necessity unspecified....	4	0.01
		69 = Just quit; reason unspecified.....	8	0.01
		71 = Didn't pass/take end of grade/school test.....	9	0.02
		601 = Home schooled.....	20	0.04
		602 = Went to technical school/community college.....	4	0.01
		603 = Graduated/finished high school in another country.	3	0.01
		605 = Completed HS/certificate, general.....	4	0.01
		606 = Received GED.....	5	0.01
		607 = Pursuing GED/proficiency exam/re-enrolling.....	9	0.02
		778 = I am still in school.....	4	0.01
		985 = BAD DATA Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	13	0.02
		998 = BLANK (NO ANSWER).....	117	0.21
		999 = LEGITIMATE SKIP.....	52829	95.08

NON-CORE DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
(QD25)		How old were you when you stopped attending school?		
LFTSCHA2	3	AGE WHEN STOPPED ATTENDING SCHOOL		
		RANGE = 11 - 18	2286	4.11
		10 = Left at age 10 or younger.....	19	0.03
		19 = Left at age 19 or older.....	98	0.18
		985 = BAD DATA Logically assigned.....	34	0.06
		989 = LEGITIMATE SKIP Logically assigned.....	9	0.02
		990 = NOT ASKED THE QUESTION Logically assigned.....	137	0.25
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	117	0.21
		999 = LEGITIMATE SKIP.....	52844	95.11

EMPLOYMENT AND WORKPLACE

LABEL	LEN	DESCRIPTION	FREQ	%
		EMPLOYMENT AND WORKPLACE		
		NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work.		
JBSTATR2	3	WORK SITUATION IN PAST WEEK - RECODE		
		1 = Worked at full-time job, past week.....	21648	38.96
		2 = Worked at part time job, past week.....	7996	14.39
		3 = Has job or volunteer worker, did not work past wk.	2001	3.60
		4 = Unemployed/on layoff, looking for work.....	1647	2.96
		5 = Disabled.....	941	1.69
		6 = Keeping house full-time.....	2394	4.31
		7 = In school/training.....	5804	10.45
		8 = Retired.....	2264	4.07
		9 = Does not have a job, some other reason.....	1892	3.41
		10 = MISSING.....	99	0.18
		11 = LEGITIMATE SKIP.....	8875	15.97
(QD27)		Even though you did not work at any time last week, did you have a job or business?		
WRKHAVJB	2	DID YOU HAVE A JOB OR BUSINESS		
		1 = Yes.....	2045	3.68
		2 = No.....	14870	26.76
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	38544	69.37

EMPLOYMENT AND WORKPLACE

LABEL	LEN	DESCRIPTION	FREQ	%
(QD28)		How many hours did you work last week at all jobs or businesses?		
WRKHRSWK	3	HOW MANY HOURS WORKED LAST WEEK		
		RANGE = 1 - 120	29615	53.30
		994 = DON'T KNOW.....	40	0.07
		997 = REFUSED.....	49	0.09
		998 = BLANK (NO ANSWER).....	67	0.12
		999 = LEGITIMATE SKIP.....	25790	46.42

NOTE: For the following two questions, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the armed forces.

Which of these categories best describes the business or industry you work in?

WRKINDU2	3	TYPE OF BUSINESS OR INDUSTRY	FREQ	%
		1 = Agriculture, Forestry, and Fisheries.....	966	1.74
		2 = Mining.....	114	0.21
		3 = Construction.....	2333	4.20
		4 = Manufacturing - Nondurable Goods.....	1212	2.18
		5 = Manufacturing - Durable Goods.....	2362	4.25
		6 = Trans/Commun/and Other Public Utilities.....	1746	3.14
		7 = Wholesale Trade - Durable Goods.....	444	0.80
		8 = Wholesale Trade - Nondurable Goods.....	548	0.99
		9 = Retail Trade.....	7764	13.97
		10 = Finance, Insurance, and Real Estate.....	1626	2.93
		11 = Business and Repair Services.....	2355	4.24
		12 = Personal Services.....	1000	1.80
		13 = Entertainment and Recreation Services.....	934	1.68
		14 = Professional and Related Services.....	6837	12.31
		15 = Public Administration.....	1337	2.41
		16 = Military Duty.....	3	0.01
		985 = BAD DATA Logically assigned.....	89	0.16
		992 = Last worked 1984 or earlier.....	25	0.04
		997 = REFUSED.....	35	0.06
		998 = BLANK (NO ANSWER).....	85	0.15
		999 = LEGITIMATE SKIP.....	23746	42.74

EMPLOYMENT AND WORKPLACE			PAGE:	618
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
		What kind of work do you do? That is, what is your job title?		
WRKOCCU2	3	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial Occupations...	3331	6.00
		2 = Professional Specialty Occupations.....	4304	7.75
		3 = Technicians and Related Support Occupations.....	1331	2.40
		4 = Sales Occupations.....	4418	7.95
		5 = Administrative Support Occupations, Inc Clerical..	4222	7.60
		6 = Private Household Occupations.....	202	0.36
		7 = Protective Service Occupations.....	571	1.03
		8 = Service Occups, Except Protective/Private Househol	4991	8.98
		9 = Farming, Forestry, and Fishing occupations.....	904	1.63
		10 = Mechanics and repairers.....	965	1.74
		11 = Construction trades.....	1429	2.57
		12 = Extractive Occupations.....	674	1.21
		13 = Machine Operators, Assemblers, and Inspectors.....	1488	2.68
		14 = Transportation and Material Moving Occupations....	1067	1.92
		15 = Handlers/Equipment Cleaners/Helpers/Laborers.....	1653	2.98
		16 = Military.....	3	0.01
		909 = Last worked 1984 or earlier.....	29	0.05
		985 = BAD DATA Logically assigned.....	113	0.20
		997 = REFUSED.....	35	0.06
		998 = BLANK (NO ANSWER).....	85	0.15
		999 = LEGITIMATE SKIP.....	23746	42.74
		Which of these categories best describes the business in which you work?		
WRKBZCA2	2	CATEG THAT BEST DESCR BUSINESS YOU WORK IN		
		1 = Private for-profit company or business.....	23132	41.63
		2 = Private not-for-profit company or business.....	2110	3.80
		3 = Local government (city, county, etc.).....	1825	3.28
		4 = State government.....	1611	2.90
		5 = Federal/Foreign government or international.....	753	1.36
		6 = Self-employed in an incorporated business.....	656	1.18
		7 = Self-employed in an unincorporated business.....	1190	2.14
		8 = Working without pay in a family business/farm.....	109	0.20
		94 = DON'T KNOW.....	255	0.46
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	124	0.22
		99 = LEGITIMATE SKIP.....	23746	42.74

EMPLOYMENT AND WORKPLACE			PAGE:	619
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD33)		Now, think about the past 12 months, from DATEFILL through today. Did you work at a job or business at any time during the past 12 months?		
WRKEDYR	2	PAST 12 MOS, WORKED AT ANY JOB		
		1 = Yes.....	5216	9.39
		2 = No.....	9651	17.37
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	40589	73.05
(QD34)		Have you been self-employed at any time during the past 12 months?		
WRKSLFEM	2	PAST 12 MOS, SELF EMPLOYED		
		1 = Yes.....	4885	8.79
		2 = No.....	31617	56.91
		3 = Yes LOGICALLY ASSIGNED (raw var not blank).....	274	0.49
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	132	0.24
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP.....	18526	33.34
(QD35)		How many different employers, including yourself, have you had in the past 12 months?		
WRKJOBS2	2	PAST 12 MOS, HOW MANY EMPLOYERS		
		1 = One.....	23998	43.19
		2 = Two.....	9041	16.27
		3 = Three.....	2531	4.56
		4 = Four or more.....	1300	2.34
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP.....	18526	33.34

EMPLOYMENT AND WORKPLACE			PAGE:	620
LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
(QD37)		During the past 12 months, was there ever a time when you did not have at least one job or business?		
WRKUNEMP	2	PAST 12 MOS, TIME WITH NO JOB		
		1 = Yes.....	6094	10.97
		2 = No.....	25592	46.06
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QD38)		In how many weeks during the past 12 months did you not have at least one job or business?		
WRKUNWKS	2	HOW MANY WKS W/O JOB IN PAST 12 MOS		
		RANGE = 1 - 52	6001	10.80
		85 = BAD DATA Logically assigned.....	21	0.04
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	49338	88.80
(QD39A)		NOTE: Due to a change in the instrumentation in 2001, respondents who never worked and those who did not know the year in which they last worked were assigned the same code in their unedited data. Consequently, the code of 9991 in the variable WRKLSTY2 in 2001 could include some respondents who did not know when they last worked (if at all), as well as respondents who never worked. Examination of similar data from 2000 suggests that more than 90 percent of such respondents in 2001 would fall into the "never worked" category. Nevertheless, caution is advised in drawing inferences from these data in 2001.		
		In what year did you last work at a job or business?		
WRKLSTY2	4	WHAT YEAR LAST WORKED		
		RANGE = 1960 - 2001	10209	18.37
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER WORKED/DON'T KNOW.....	4641	8.35
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	100	0.18
		9999 = LEGITIMATE SKIP.....	40589	73.05

EMPLOYMENT AND WORKPLACE			PAGE:	621
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		Which of these categories best describes the business or industry you worked in?		
WRKINDY2	3	TYPE OF BUSINESS OR INDUSTRY		
		1 = Agriculture, Forestry, and Fisheries.....	234	0.42
		2 = Mining.....	14	0.03
		3 = Construction.....	379	0.68
		4 = Manufacturing - Nondurable Goods.....	152	0.27
		5 = Manufacturing - Durable Goods.....	240	0.43
		6 = Trans/Commun/and Other Public Utilities.....	189	0.34
		7 = Wholesale Trade - Durable Goods.....	51	0.09
		8 = Wholesale Trade - Nondurable Goods.....	74	0.13
		9 = Retail Trade.....	1868	3.36
		10 = Finance, Insurance, and Real Estate.....	134	0.24
		11 = Business and Repair Services.....	311	0.56
		12 = Personal Services.....	238	0.43
		13 = Entertainment and Recreation Services.....	307	0.55
		14 = Professional and Related Services.....	864	1.56
		15 = Public Administration.....	137	0.25
		16 = Military Duty.....	4	0.01
		985 = BAD DATA Logically assigned.....	10	0.02
		992 = Last worked 1984 or earlier.....	9	0.02
		997 = REFUSED.....	40	0.07
		998 = BLANK (NO ANSWER).....	66	0.12
		999 = LEGITIMATE SKIP.....	50240	90.42

EMPLOYMENT AND WORKPLACE			PAGE:	622
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		What kind of work do you do? That is, what is your job title?		
WRKOCCY2	3	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial Occupations...	231	0.42
		2 = Professional Specialty Occupations.....	417	0.75
		3 = Technicians and Related Support Occupations.....	127	0.23
		4 = Sales Occupations.....	1004	1.81
		5 = Administrative Support Occupations, Inc Clerical..	642	1.16
		6 = Private Household Occupations.....	54	0.10
		7 = Protective Service Occupations.....	105	0.19
		8 = Service Occups, Except Protective/Private Househol	1226	2.21
		9 = Farming, Forestry, and Fishing occupations.....	262	0.47
		10 = Mechanics and repairers.....	59	0.11
		11 = Construction trades.....	177	0.32
		12 = Extractive Occupations.....	64	0.12
		13 = Machine Operators, Assemblers, and Inspectors.....	221	0.40
		14 = Transportation and Material Moving Occupations....	106	0.19
		15 = Handlers/Equipment Cleaners/Helpers/Laborers.....	497	0.89
		16 = Military.....	1	0.00
		909 = Last worked 1984 or earlier.....	10	0.02
		985 = BAD DATA Logically assigned.....	12	0.02
		997 = REFUSED.....	40	0.07
		998 = BLANK (NO ANSWER).....	66	0.12
		999 = LEGITIMATE SKIP.....	50240	90.42
		Which of these categories best describes the business in which you worked?		
WRKBZCY2	2	CATEG THAT BEST DESCR BUSINESS YOU WORKED		
		1 = Private for-profit company or business.....	4008	7.21
		2 = Private not-for-profit company or business.....	275	0.49
		3 = Local government (city, county, etc.).....	336	0.60
		4 = State government.....	181	0.33
		5 = Federal/Foreign government or international.....	90	0.16
		6 = Self-employed in an incorporated business.....	54	0.10
		7 = Self-employed in an unincorporated business.....	169	0.30
		8 = Working without pay in a family business/farm.....	35	0.06
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	69	0.12
		99 = LEGITIMATE SKIP.....	50240	90.42

EMPLOYMENT AND WORKPLACE

LABEL	LEN	DESCRIPTION	FREQ	%
(QD40)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	7307	13.15
		0 = None.....	24322	43.78
		85 = BAD DATA Logically assigned.....	25	0.04
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QD41)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30	3818	6.87
		0 = None.....	27828	50.09
		85 = BAD DATA Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	55	0.10
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QD42)		Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?		
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
		1 = Less than 10 people.....	8952	16.11
		2 = 10-24 people.....	6616	11.91
		3 = 25-99 people.....	7396	13.31
		4 = 100-499 people.....	5171	9.31
		5 = 500 people or more.....	3412	6.14
		94 = DON'T KNOW.....	136	0.24
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74

EMPLOYMENT AND WORKPLACE			PAGE:	624
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD43)		At your workplace, is there a written policy about employee use of alcohol or drugs?		
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		1 = Yes.....	21988	39.57
		2 = No.....	8005	14.41
		94 = DON'T KNOW.....	1695	3.05
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QD44)		Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		1 = Only alcohol.....	457	0.82
		2 = Only drugs.....	747	1.34
		3 = Both alcohol and drugs.....	20407	36.73
		94 = DON'T KNOW.....	376	0.68
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	1762	3.17
		99 = LEGITIMATE SKIP.....	31751	57.15
(QD45)		At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?		
WKDRGED	2	AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		1 = Yes.....	11130	20.03
		2 = No.....	18851	33.93
		3 = Don't remember.....	1359	2.45
		94 = DON'T KNOW.....	350	0.63
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74

EMPLOYMENT AND WORKPLACE			PAGE:	625
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD46)		Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?		
DRGPRGM	2	ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		1 = Yes.....	12596	22.67
		2 = No.....	14906	26.83
		94 = DON'T KNOW.....	4175	7.51
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QD47)		Does your workplace ever test its employees for alcohol use?		
USALCTST	2	WORKPLACE TESTS FOR ALCOHOL USAGE		
		1 = Yes.....	8503	15.30
		2 = No.....	21559	38.80
		94 = DON'T KNOW.....	1621	2.92
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QD48)		Does your workplace ever test its employees for drug use?		
USDRGTST	2	WORKPLACE TESTS FOR DRUG USAGE		
		1 = Yes.....	12121	21.82
		2 = No.....	18151	32.67
		94 = DON'T KNOW.....	1414	2.54
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QD49)		Does your workplace test its employees for drug or alcohol use as part of the hiring process?		
TSTHIRE	2	TEST FOR DRUG/ALC AS HIRING PROCESS		
		1 = Yes.....	10055	18.10
		2 = No.....	2053	3.70
		94 = DON'T KNOW.....	196	0.35
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	1563	2.81
		99 = LEGITIMATE SKIP.....	41632	74.93

EMPLOYMENT AND WORKPLACE			PAGE:	626
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD50)		Does your workplace test its employees for drug or alcohol use on a random basis?		
TSTRAND	2	TEST ON RANDOM BASIS		
		1 = Yes.....	6854	12.34
		2 = No.....	4792	8.62
		94 = DON'T KNOW.....	658	1.18
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	1563	2.81
		99 = LEGITIMATE SKIP.....	41632	74.93
(QD51)		According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?		
FIRSTPOS	2	WHAT HAPPENS FIRST TIME CAUGHT		
		1 = Handled on indiv basis/policy does not spec what..	1921	3.46
		2 = Employee is fired.....	5066	9.12
		3 = Employee is referred for treatment or counseling..	2754	4.96
		4 = Nothing happens.....	51	0.09
		5 = Something else happens.....	503	0.91
		94 = DON'T KNOW.....	2000	3.60
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	1563	2.81
		99 = LEGITIMATE SKIP.....	41632	74.93
(QD52)		Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?		
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE		
		1 = More likely.....	11658	20.98
		2 = Less likely.....	1920	3.46
		3 = Would it make no difference to you.....	18029	32.45
		94 = DON'T KNOW.....	76	0.14
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74

EMPLOYMENT AND WORKPLACE			PAGE:	627
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
(QD53)		Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?		
WORKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		1 = More likely.....	10172	18.31
		2 = Less likely.....	3260	5.87
		3 = Would make no difference.....	18174	32.71
		94 = DON'T KNOW.....	78	0.14
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	23746	42.74
(QI24)		The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO2	2	# OF TELEPHONE LINES IN HOUSEHOLD		
		0 = None.....	2125	3.82
		1 = One.....	42293	76.12
		2 = Two or more.....	10914	19.64
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	82	0.15
		A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school, enrolled at the college level, and if they were a full-time or part-time student. Otherwise a respondent was defined as not enrolled in college or as an "Other Person Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).		
COLLEGE2	1	COLLEGE ENROLLMENT		
		. = Unknwn Enrollment, Aged 18-22 (ENROLED=94,97,98)..	13	0.02
		1 = Full-Time College Student Aged 18-22.....	4109	7.40
		2 = Part-Time College Student Aged 18-22.....	696	1.25
		3 = Not Enrolled (ENROLED=2).....	5226	9.41
		4 = Others Persons Aged 18-22.....	1166	2.10
		5 = Persons Aged 12-17, or 23 or Older.....	44351	79.82

EMPLOYMENT AND WORKPLACE

LABEL	LEN	DESCRIPTION	FREQ	%
		<p>The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR2 for more details.) EMPSTATY differs from EMPSTAT3 in three ways. First, its levels were derived without regard to the other-specify answers to QD30 and QD31 in the 1999 and 2000 questionnaires. Second, its levels were mapped so that they were closer to the definition of "unemployed" in the Current Population Survey. Third, it has meaningful values for 15-17 year old respondents instead of a skip code. The main difference in the definition of "unemployed" between EMPSTATY and the CPS is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.</p>		
EMPSTATY	1	IMPUTATION REVISED EMPLOYMENT STATUS		
		1 = Employed full time.....	22662	40.79
		2 = Employed part time.....	8981	16.16
		3 = Unemployed.....	1922	3.46
		4 = Other (incl. not in labor force).....	13121	23.62
		5 = 12-14 year olds.....	8875	15.97
IIEMPSTY	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	46557	83.79
		3 = Employment statistically imputed.....	129	0.23
		4 = 12-14 years old.....	8875	15.97
		<p>EMPSTAT4 is a recode of EMPSTATY and AGE2. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.</p>		
EMPSTAT4	1	IMPUTATION REVISED EMPLOYMENT STATUS		
		1 = Employed full time.....	22216	39.98
		2 = Employed part time.....	6229	11.21
		3 = Unemployed.....	1404	2.53
		4 = Other (incl. not in labor force).....	8283	14.91
		5 = 12-17 year olds.....	17429	31.37

EMPLOYMENT AND WORKPLACE			PAGE:	629
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IIEMPST4	1	IMPUTATION REVISED EMPLOYMENT STATUS INDICATOR		
		1 = Employment status from questionnaire.....	38011	68.41
		3 = Employment statistically imputed.....	121	0.22
		4 = 12-17 years old.....	17429	31.37

RECODED DEMOGRAPHICS			PAGE:	630
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 Years Old.....	17429	31.37
		2 = 18-25 Years Old.....	17661	31.79
		3 = 26-34 Years Old.....	6105	10.99
		4 = 35 or Older.....	14366	25.86
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 Years Old.....	17429	31.37
		2 = 18-25 Years Old.....	17661	31.79
		3 = 26 or Older.....	20471	36.84
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 Years Old.....	17429	31.37
		2 = 18-25 Years Old.....	17661	31.79
		3 = 26-34 Years Old.....	6105	10.99
		4 = 35-49 Years Old.....	8690	15.64
		5 = 50 or Older.....	5676	10.22
CATAG7	1	AGE CATEGORY RECODE (7 LEVELS)		
		1 = 12-13 Years Old.....	5833	10.50
		2 = 14-15 Years Old.....	5953	10.71
		3 = 16-17 Years Old.....	5643	10.16
		4 = 18-20 Years Old.....	6835	12.30
		5 = 21-25 Years Old.....	10826	19.48
		6 = 26-34 Years Old.....	6105	10.99
		7 = 35 or Older.....	14366	25.86
PREGAGE2	1	PREGNANCY AGE CATEGORY RECODE		
		1 = 15-17 Years Old.....	8554	15.40
		2 = 18-25 Years Old.....	17661	31.79
		3 = 26-44 Years Old.....	12021	21.64
		4 = Otherwise (12-14, 45 or Older).....	17325	31.18
NEWRA2	1	RACE/HISPANICITY RECODE (7 LEVELS)		
		1 = NonHisp White.....	38787	69.81
		2 = NonHisp Black/Afr Am.....	6508	11.71
		3 = NonHisp Native Am/AK Native.....	572	1.03
		4 = NonHisp Native HI/Other Pac Isl.....	243	0.44
		5 = NonHisp Asian.....	1755	3.16
		6 = NonHisp more than one race.....	783	1.41
		7 = Hispanic.....	6913	12.44

RECODED DEMOGRAPHICS			PAGE:	631
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school.....	6271	11.29
		2 = High school graduate.....	13116	23.61
		3 = Some college.....	10767	19.38
		4 = College graduate.....	7978	14.36
		5 = 12 to 17 year olds (1<=AGE2<=6).....	17429	31.37
MRJYDAYS	1	# OF DAYS USED MARIJUANA IN PAST YEAR		
		1 = 1-11 Days (IRMJFY=1-11).....	2934	5.28
		2 = 12-49 Days (IRMJFY=12-49).....	1671	3.01
		3 = 50-99 Days (IRMJFY=50-99).....	954	1.72
		4 = 100-299 Days (IRMJFY=100-299).....	2059	3.71
		5 = 300-365 Days (IRMJFY=300-365).....	1020	1.84
		6 = No Past Year Use (IRMJFY=991,993).....	46923	84.45
COCYDAYS	1	# OF DAYS USED COCAINE IN PAST YEAR		
		1 = 1-11 Days (IRCOCFY=1-11).....	817	1.47
		2 = 12-49 Days (IRCOCFY=12-49).....	334	0.60
		3 = 50-99 Days (IRCOCFY=50-99).....	162	0.29
		4 = 100-299 Days (IRCOCFY=100-299).....	173	0.31
		5 = 300-365 Days (IRCOCFY=300-365).....	26	0.05
		6 = No Past Year Use (IRCOCFY=991,993).....	54049	97.28
HALYDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST YEAR		
		1 = 1-11 Days (IRHALFY=1-11).....	1601	2.88
		2 = 12-49 Days (IRHALFY=12-49).....	511	0.92
		3 = 50-99 Days (IRHALFY=50-99).....	165	0.30
		4 = 100-299 Days (IRHALFY=100-299).....	118	0.21
		5 = 300-365 Days (IRHALFY=300-365).....	13	0.02
		6 = No Past Year Use (IRHALFY=991,993).....	53153	95.67
INHVDAYS	1	# OF DAYS USED INHALANTS IN PAST YEAR		
		1 = 1-11 Days (IRINHFY=1-11).....	698	1.26
		2 = 12-49 Days (IRINHFY=12-49).....	217	0.39
		3 = 50-99 Days (IRINHFY=50-99).....	98	0.18
		4 = 100-299 Days (IRINHFY=100-299).....	85	0.15
		5 = 300-365 Days (IRINHFY=300-365).....	5	0.01
		6 = No Past Year Use (IRINHFY=991,993).....	54458	98.01
ALCYDAYS	1	# OF DAYS USED ALCOHOL IN PAST YEAR		
		1 = 1-11 Days (IRALCFY=1-11).....	9056	16.30
		2 = 12-49 Days (IRALCFY=12-49).....	9360	16.85
		3 = 50-99 Days (IRALCFY=50-99).....	5357	9.64
		4 = 100-299 Days (IRALCFY=100-299).....	8560	15.41
		5 = 300-365 Days (IRALCFY=300-365).....	1243	2.24
		6 = No Past Year Use (IRALCFY=991,993).....	21985	39.57

RECODED DEMOGRAPHICS			PAGE:	632
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MRJMDAYS	1	# OF DAYS USED MARIJUANA PAST MONTH		
		1 = 1-2 Days (IRMJFM=1-2).....	1292	2.33
		2 = 3-5 Days (IRMJFM=3-5).....	898	1.62
		3 = 6-19 Days (IRMJFM=6-19).....	1161	2.09
		4 = 20-30 Days (IRMJFM=20-30).....	1599	2.88
		5 = No Past Month Use (IRMJFM=91,93).....	50611	91.09
COCMDAYS	1	# OF DAYS USED COCAINE IN PAST MONTH		
		1 = 1-2 Days (IRCOCFM=1-2).....	248	0.45
		2 = 3-5 Days (IRCOCFM=3-5).....	131	0.24
		3 = 6-19 Days (IRCOCFM=6-19).....	111	0.20
		4 = 20-30 Days (IRCOCFM=20-30).....	30	0.05
		5 = No Past Month Use (IRCOCFM=91,93).....	55041	99.06
HALMDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST MONTH		
		1 = 1-2 Days (IRHALFM=1-2).....	482	0.87
		2 = 3-5 Days (IRHALFM=3-5).....	98	0.18
		3 = 6-19 Days (IRHALFM=6-19).....	79	0.14
		4 = 20-30 Days (IRHALFM=20-30).....	21	0.04
		5 = No Past Month Use (IRHALFM=91,93).....	54881	98.78
INHMDAYS	1	# OF DAYS USED INHALANTS IN PAST MONTH		
		1 = 1-2 Days (IRINHFM=1-2).....	188	0.34
		2 = 3-5 Days (IRINHFM=3-5).....	49	0.09
		3 = 6-19 Days (IRINHFM=6-19).....	45	0.08
		4 = 20-30 Days (IRINHFM=20-30).....	9	0.02
		5 = No Past Month Use (IRINHFM=91,93).....	55270	99.48
ALCMDAYS	1	# OF DAYS USED ALCOHOL IN PAST MONTH		
		1 = 1-2 Days (IRALCFM=1-2).....	7917	14.25
		2 = 3-5 Days (IRALCFM=3-5).....	6796	12.23
		3 = 6-19 Days (IRALCFM=6-19).....	7059	12.70
		4 = 20-30 Days (IRALCFM=20-30).....	2766	4.98
		5 = No Past Month Use (IRALCFM=91,93).....	31023	55.84
CIGMDAYS	1	# OF DAYS USED CIG IN PAST MONTH		
		1 = 1-2 Days (IRCIGFM=1-2).....	1797	3.23
		2 = 3-5 Days (IRCIGFM=3-5).....	1227	2.21
		3 = 6-19 Days (IRCIGFM=6-19).....	1743	3.14
		4 = 20-29 Days (IRCIGFM=20-29).....	1735	3.12
		5 = 30 Days (IRCIGFM=30).....	8284	14.91
		6 = No Past Month Use (IRCIGFM=91,93).....	40775	73.39

RECODED DEMOGRAPHICS			PAGE:	633
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
CIGPDAY	1	# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS		
		1 = Fewer Than 6 (CIG30AV=1,2,3 AND IRCIGFM=30).....	1623	2.92
		2 = 6-15 (CIG30AV=4 AND IRCIGFM=30).....	2856	5.14
		3 = 16-25 (CIG30AV=5 AND IRCIGFM=30).....	2760	4.97
		4 = 26 or More (CIG30AV=6,7 AND IRCIGFM=30).....	1018	1.83
		5 = Not Reported (CIG30AV=85,94,97,98 AND IRCIGFM=30).	27	0.05
		6 = No Daily Use (CIG30AV=91,93 OR IRCIGFM=1-29,91,93).	47277	85.09

GEOGRAPHIC			PAGE:	634
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		GEOGRAPHIC		

		The variable PDEN is based on the 1990 Census.		
PDEN	1	POPULATION DENSITY		
		1 = Segment in a MSA with 1 million or more persons...	19873	35.77
		2 = Segment in a MSA with fewer than 1 million persons	20691	37.24
		3 = Segment not in a MSA.....	14997	26.99

SAMPLE WEIGHTING AND ESTIMATION VARS			PAGE:	635
LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		SAMPLE WEIGHTING AND ESTIMATION VARS		

VESTR	5	ANALYSIS STRATUM		
VEREP	2	ANALYSIS REPLICATE		
ANALWT_C	8	FIN PRSN-LEVEL SMPLE WGHT		

VARIABLE NAME	PAGE
-----	----
ABDILAAL.....	352
ABILANAL.....	350
ABILLALC.....	350
ABODALC.....	351
ABODANL.....	351
ABODCOC.....	351
ABODHAL.....	351
ABODHER.....	351
ABODIEM.....	352
ABODILAL.....	352
ABODILL.....	352
ABODINH.....	351
ABODMRJ.....	351
ABODPSY.....	352
ABODSED.....	351
ABODSTM.....	351
ABODTRN.....	351
ABUSEALC.....	348
ABUSEANL.....	349
ABUSECOC.....	349
ABUSEHAL.....	349
ABUSEHER.....	349
ABUSEIEM.....	350
ABUSEILL.....	349
ABUSEINH.....	349
ABUSEMRJ.....	348
ABUSEPSY.....	350
ABUSESED.....	349
ABUSESTM.....	349
ABUSETRN.....	349
ABUSEXMJ.....	350
AEROS.....	67
AEROS2.....	168
AGE2.....	607
AL30EST.....	29
ALBSTWAY.....	28
ALCAFU.....	176
ALCCUT1X.....	255
ALCCUTDN.....	254
ALCCUTEV.....	255
ALCDAYS.....	29
ALCDOC.....	431
ALCEMCTD.....	258
ALCEMOPB.....	257
ALCEVER.....	25

VARIABLE NAME -----	PAGE ----
ALCFLAG.....	161
ALCFMCTD.....	261
ALCFMFPB.....	260
ALCGTOVR.....	253
ALCHOSP.....	431
ALCJAIL.....	431
ALCKPLMT.....	253
ALCLAWTR.....	260
ALCLIMIT.....	253
ALCLOTTM.....	252
ALCLSACT.....	259
ALCLSEFX.....	254
ALCMDAYS.....	632
ALCMFU.....	26
ALCMHC.....	431
ALCMON.....	161
ALCNDMOR.....	254
ALCPCAID.....	429
ALCPCARE.....	429
ALCPCORT.....	430
ALCPDANG.....	260
ALCPEMPL.....	430
ALCPFMLY.....	430
ALCPHCTD.....	258
ALCPHLPB.....	258
ALCPINS.....	429
ALCPMILC.....	430
ALCPPUBP.....	430
ALCPSAVE.....	430
ALCREC.....	27
ALCRFIN.....	431
ALCRFOP.....	431
ALCSERP.....	259
ALCSHG.....	431
ALCTRMT.....	426
ALCTRY.....	25
ALCTXER.....	431
ALCWD2SX.....	256
ALCWDSMT.....	257
ALCYDAYS.....	631
ALCYFU.....	26
ALCYR.....	161
ALCYRTOT.....	27
ALDAYPMO.....	28
ALDAYPWK.....	29

VARIABLE NAME -----	PAGE ----
ALDAYPYR.....	28
ALDYSFG.....	29
ALFQFLG.....	27
ALFRAME3.....	184
ALLAST3.....	183
ALMONAVE.....	185
ALRECDK.....	183
ALRECRE.....	184
ALTOTFG.....	27
ALWKAVE.....	185
ALYRAVE.....	184
AMHINP.....	454
AMHOUTP.....	454
AMHRX.....	454
AMHTRTND.....	454
AMHTXREC.....	454
AMYLNIT.....	64
AMYLNIT2.....	168
AMYTAL.....	127
AMYTAL2.....	173
ANALAGE.....	90
ANALMFU.....	91
ANALNEWA.....	83
ANALNEWB.....	86
ANALNEWC.....	88
ANALNEWD.....	89
ANALNEWE.....	89
ANALREC.....	92
ANALWT_C.....	635
ANALYFU.....	91
ANLAFU.....	177
ANLCARD.....	77
ANLCUT1X.....	300
ANLCUTDN.....	299
ANLCUTEV.....	300
ANLEMCTD.....	303
ANLEMOPB.....	302
ANLEVER.....	90
ANLFLAG.....	164
ANLFMCTD.....	306
ANLFMFPB.....	306
ANLGTOVR.....	298
ANLKPLMT.....	298
ANLLAWTR.....	306
ANLLIMIT.....	298

VARIABLE NAME -----	PAGE ----
ANLLOTTM.....	297
ANLLSACT.....	304
ANLLSEFX.....	299
ANLMON.....	164
ANLNDMOR.....	299
ANLNOLST.....	82
ANLPDANG.....	305
ANLPHCTD.....	304
ANLPHLPB.....	303
ANLSERP.....	305
ANLWD3SX.....	301
ANLWDSMT.....	302
ANLYR.....	164
ANLYRTOT.....	92
ANYEDUC3.....	509
ANYHLTI2.....	605
ANYTRT10.....	582
ANYTRT9.....	583
APPSELDG.....	235
ARGUPAR.....	513
ATARAX.....	96
ATARAX2.....	170
AUINAHSP.....	438
AUINMEDU.....	438
AUINPGEN.....	437
AUINPSYH.....	437
AUINPYR.....	437
AUINRESD.....	438
AUINSFAC.....	438
AUNMAHSP.....	439
AUNMCLN2.....	446
AUNMDOC2.....	446
AUNMDTM2.....	447
AUNMMED2.....	439
AUNMMEN2.....	445
AUNMOTO2.....	447
AUNMPGE2.....	439
AUNMPSY2.....	438
AUNMRES2.....	439
AUNMSFA2.....	440
AUNMTHE2.....	446
AUOPCLNC.....	444
AUOPDOC.....	444
AUOPDTMT.....	444
AUOPMENT.....	443

VARIABLE NAME -----	PAGE ----
AUOPOTOP.....	444
AUOPTHER.....	444
AUOPTYR.....	443
AUOPYRS2.....	445
AUPINAMT.....	442
AUPINEMP.....	441
AUPINFRE.....	442
AUPINMCD.....	441
AUPINMCR.....	440
AUPINMIL.....	441
AUPINOFM.....	440
AUPINPHI.....	440
AUPINPRV.....	442
AUPINPUB.....	441
AUPINREH.....	441
AUPINSLF.....	440
AUPOPAMT.....	450
AUPOPEMP.....	448
AUPOPFRE.....	449
AUPOPMCD.....	448
AUPOPMCR.....	448
AUOPMIL.....	449
AUOPMOS.....	450
AUPOPOFM.....	447
AUPOPPHI.....	448
AUOPPRV.....	449
AUOPPPUB.....	449
AUOPPREH.....	448
AUOPPSLF.....	447
AURXYR.....	451
AUUNCFID.....	453
AUUNCMIT.....	453
AUUNCOST.....	451
AUUNENUF.....	452
AUUNJOB.....	452
AUUNMTYR.....	451
AUUNNBR.....	452
AUUNNCOV.....	452
AUUNSOR.....	453
AUUNWHER.....	452
BIDI3OUS.....	237
BIDIEVER.....	236
BIDIFLGR.....	239
BIDIMONR.....	239
BIDIREC.....	236

VARIABLE NAME -----	PAGE ----
BIDIYRR.....	239
BINGEDRK.....	167
BINGEHVY.....	167
BKAGASLT.....	355
BKARSON.....	356
BKBURGL.....	354
BKDRUG.....	358
BKDRUNK.....	357
BKDRVINF.....	357
BKFRAUD.....	359
BKLARCNY.....	354
BKMURDER.....	356
BKMVTHFT.....	354
BKOTH.....	359
BKOTHOF2.....	360
BKPOSTOB.....	357
BKPROS.....	358
BKRAPE.....	356
BKROB.....	355
BKSEXOFF.....	358
BKSMASLT.....	355
BOOKED.....	353
BUSPAR.....	97
BUSPAR2.....	170
BUTISOL.....	127
BUTISOL2.....	173
CAIDCHIP.....	595
CATAG2.....	630
CATAG3.....	630
CATAG7.....	630
CATAGE.....	630
CC30EST.....	39
CCBSTWAY.....	38
CCDAYPMO.....	39
CCDAYPWK.....	39
CCDAYPYR.....	38
CCFQFLG.....	38
CCFRAME3.....	188
CCLAST3.....	187
CCMONAVE.....	189
CCRECDK.....	187
CCRECRE.....	188
CCTOTFG.....	37
CCWKAVE.....	189
CCYRAVE.....	188

VARIABLE NAME -----	PAGE ----
CG05.....	179
CG06.....	179
CG06DK.....	179
CG06RE.....	180
CG19.....	181
CG20.....	181
CG20DK.....	181
CG20RE.....	182
CG27.....	180
CG28.....	180
CG28DK.....	180
CG28RE.....	181
CG30EST.....	6
CG36.....	182
CG37.....	182
CG37DK.....	182
CG37RE.....	183
CG43.....	183
CGR30BR2.....	23
CGR30USE.....	22
CGRAFU.....	177
CGRBRND3.....	175
CGRFLAG.....	160
CGRMON.....	160
CGRYR.....	160
CH30EST.....	16
CHAMPUS.....	595
CHEWEVER.....	14
CHEWMFU.....	15
CHEWREC.....	16
CHEWTRY.....	15
CHEWYFU.....	15
CHHYD.....	127
CHHYD2.....	173
CHW30BR2.....	17
CHW30USE.....	16
CHWFLAG.....	160
CHWMON.....	161
CHWYR.....	161
CI30EST.....	22
CIG100LF.....	10
CIG30AV.....	6
CIG30BR2.....	7
CIG30MEN.....	9
CIG30PCR.....	252

VARIABLE NAME -----	PAGE ----
CIG30PKC.....	251
CIG30PPK.....	251
CIG30RO2.....	9
CIG30TYP.....	9
CIG30USE.....	6
CIGAFU.....	177
CIGAGE.....	10
CIGAREVR.....	20
CIGARMFU.....	21
CIGARREC.....	21
CIGARTRY.....	20
CIGARYFU.....	20
CIGAVOID.....	243
CIGBRND3.....	175
CIGCKOUT.....	509
CIGCLERK.....	509
CIGCMPNY.....	176
CIGCONV.....	510
CIGCRAGP.....	242
CIGCRAVE.....	241
CIGDLYMO.....	10
CIGDSTO.....	510
CIGEVER.....	3
CIGFLAG.....	160
CIGFNLKE.....	244
CIGFNSMK.....	243
CIGFRND.....	509
CIGINCRS.....	249
CIGINCTL.....	242
CIGINDIV.....	510
CIGINET.....	509
CIGINFLU.....	248
CIGIRTLB.....	241
CIGLOTMR.....	250
CIGMAIL.....	509
CIGMDAYS.....	632
CIGMFU.....	5
CIGMON.....	160
CIGNMCHG.....	247
CIGNOINF.....	248
CIGOFRSM.....	4
CIGPDAY.....	633
CIGPLANE.....	244
CIGREC.....	5
CIGREGDY.....	245

VARIABLE NAME	PAGE
-----	----
CIGREGNM.....	246
CIGREGWK.....	246
CIGRNOUT.....	245
CIGSATIS.....	249
CIGSMKT.....	510
CIGSVLHR.....	247
CIGTRY.....	4
CIGVEND.....	509
CIGWAKE.....	250
CIGWILYR.....	4
CIGYFU.....	4
CIGYR.....	160
CKFRAME3.....	190
CKLAST3.....	189
CKMONAVE.....	190
CKRECDK.....	189
CKRECRE.....	189
CKWKAVE.....	190
CKYRAVE.....	190
CLEFLU.....	65
CLEFLU2.....	168
CLOV30US.....	238
CLOVEVER.....	237
CLOVFLGR.....	239
CLOVMONR.....	239
CLOVREC.....	238
CLOVYRR.....	239
COCAFU.....	176
COCAGE.....	36
COCCUT1X.....	270
COCCUTDN.....	270
COCCUTEV.....	270
COCEMCTD.....	273
COCEMOPB.....	272
COCEVER.....	36
COCFLAG.....	162
COCFLBLU.....	271
COCFMCTD.....	276
COCFMFPB.....	275
COCGTOVR.....	268
COCKPLMT.....	269
COCLAWTR.....	275
COCLIMIT.....	268
COCLOTTM.....	268
COCLSACT.....	274

VARIABLE NAME -----	PAGE ----
COCLSEFX.....	269
COCMDAYS.....	632
COCMFU.....	37
COCMON.....	162
COCNDMOR.....	269
COCNEEDL.....	213
COCPDANG.....	275
COCPHCTD.....	273
COCPLPB.....	273
COCREC.....	37
COCSERP.....	274
COCUS30A.....	39
COCWD2SX.....	271
COCWDSMT.....	272
COCYDAYS.....	631
COCYFU.....	36
COCYR.....	162
COCYRTOT.....	37
CODEINE.....	78
CODEINE2.....	169
COLLEGE2.....	627
CONDLREC.....	213
CR30EST.....	43
CRAKREC.....	41
CRBSTWAY.....	42
CRDAYPMO.....	42
CRDAYPWK.....	43
CRDAYPYR.....	42
CRFQFLG.....	42
CRKAGE.....	40
CRKEVER.....	40
CRKFLAG.....	162
CRKMFU.....	41
CRKMON.....	162
CRKUS30A.....	43
CRKYFU.....	40
CRKYR.....	162
CRKYRTOT.....	41
CRTOTFG.....	41
CYLERT.....	110
CYLERT2.....	172
DALMANE.....	127
DALMANE2.....	173
DARVTYL2.....	168
DARVTYLC.....	76

VARIABLE NAME -----	PAGE ----
DELFORCE.....	534
DELPLOT.....	536
DELSIGNL.....	536
DELTHOTS.....	535
DELVISION.....	537
DELVOICE.....	534
DELXRAY.....	535
DEMEROL.....	78
DEMEROL2.....	169
DEPNALC.....	345
DEPNANL.....	345
DEPNDCOC.....	345
DEPNHAL.....	345
DEPNHER.....	345
DEPNDIEM.....	346
DEPNDILL.....	346
DEPNDINH.....	345
DEPNMRJ.....	346
DEPNNIC.....	343
DEPNPSY.....	347
DEPNSED.....	345
DEPNSTM.....	345
DEPNTRN.....	346
DEPNXMJ.....	347
DETAMP.....	111
DETAMP2.....	172
DEXED.....	110
DEXED2.....	172
DGRGCLS2.....	508
DGSPCLS2.....	508
DIDREX.....	111
DIDREX2.....	172
DIETPIL2.....	171
DIETPILS.....	109
DILAUD.....	78
DILAUD2.....	169
DOMOSTYR.....	434
DPILANAL.....	347
DPILLALC.....	347
DR5DAY.....	30
DRGDOC.....	431
DRGHOSP.....	430
DRGJAIL.....	431
DRGLECT2.....	508
DRGMHC.....	430

VARIABLE NAME -----	PAGE ----
DRGPLCY.....	624
DRGPRGM.....	625
DRGRFIN.....	430
DRGRFOP.....	430
DRGSHG.....	431
DRGTXER.....	430
DRIVALC.....	363
DRIVALD.....	363
DRIVDRG.....	363
DRPRVME3.....	509
DRVALDR.....	361
DRVAONLY.....	362
DRVDONLY.....	362
DSTCHEER.....	544
DSTDEPRS.....	544
DSTEFFRT.....	545
DSTHOPLS.....	542
DSTNCALM.....	541
DSTNGOOD.....	545
DSTNRVOS.....	541
DSTRSTLS.....	543
DSTSITST.....	543
DSTTIRE.....	542
ECSAGE.....	62
ECSFLAG.....	163
ECSMFU.....	63
ECSMON.....	163
ECSREC.....	63
ECSTASY.....	50
ECSTASY2.....	167
ECSYFU.....	62
ECSYR.....	163
EDUCATN2.....	611
EDUCCAT2.....	631
EMPSTAT4.....	628
EMPSTATY.....	628
EQUANIL.....	97
EQUANIL2.....	170
ESKAT.....	111
ESKAT2.....	172
ETHER.....	65
ETHER2.....	168
FIORICET.....	78
FIORICT2.....	169
FIORINAL.....	79

VARIABLE NAME	PAGE
-----	----
FIORINL2.....	169
FIRSTPOS.....	626
FLEXERIL.....	97
FLEXERL2.....	170
FRDADLY2.....	513
FRDMEVR2.....	513
FRDMJMON.....	513
FRDPCIG2.....	513
FTNDDEP.....	343
GADNMWOR.....	530
GADNRVLT.....	529
GADNRVOS.....	528
GADOPROB.....	531
GADSTRON.....	530
GADWKS2.....	529
GADWORLT.....	528
GADWORMR.....	528
GAS.....	65
GAS2.....	168
GLUE.....	65
GLUE2.....	168
GNNDCLEN.....	217
GNNDGET2.....	218
GNNDLSH1.....	217
GNNDLSH2.....	218
GNNDREUS.....	217
GOVTPROG.....	604
GQTYPE.....	606
GRPCNSL2.....	508
GRPHLTIN.....	596
GRSKCOCC.....	234
GRSKCREG.....	234
GRSKD4_5.....	235
GRSKD5WK.....	235
GRSKHREG.....	234
GRSKHTRY.....	234
GRSKLREG.....	235
GRSKLTRY.....	234
GRSKMOCC.....	234
GRSKMREG.....	234
GRSKPKCG.....	234
HAL30USE.....	59
HALAFU.....	177
HALCION.....	128
HALCION2.....	173

VARIABLE NAME -----	PAGE ----
HALCUTDN.....	286
HALCUTEV.....	286
HALEMCTD.....	287
HALEMOPB.....	287
HALFLAG.....	162
HALFMCTD.....	290
HALFMFPB.....	290
HALGTOVR.....	284
HALKPLMT.....	285
HALLAGE.....	56
HALLAWTR.....	290
HALLIMIT.....	285
HALLOTTM.....	284
HALLREC.....	57
HALLSACT.....	288
HALLSEFX.....	286
HALMDAYS.....	632
HALMFU.....	57
HALMON.....	163
HALNDMOR.....	285
HALNEWA.....	51
HALNEWB.....	54
HALNEWC.....	55
HALNEWD.....	56
HALNEWE.....	56
HALNOLST.....	50
HALPDANG.....	289
HALPHCTD.....	288
HALPHLPB.....	287
HALSERPB.....	289
HALYDAYS.....	631
HALYFU.....	56
HALYR.....	162
HALYRTOT.....	57
HEALTH.....	608
HEFRAME3.....	191
HELAST3.....	191
HEMONAVE.....	192
HEOTNDL.....	209
HEOTOTH.....	210
HEOTSMK.....	209
HEOTSNF.....	209
HEOTSP.....	210
HER30USE.....	47
HERAFU.....	176

VARIABLE NAME -----	PAGE ----
HERAGE.....	44
HERCUT1X.....	279
HERCUTDN.....	278
HERCUTEV.....	278
HERECDK.....	191
HERECRE.....	191
HEREMCTD.....	281
HEREMOPB.....	280
HEREVER.....	44
HERFLAG.....	162
HERFMCTD.....	284
HERFMFPB.....	283
HERGTOVR.....	276
HERKPLMT.....	277
HERLAWTR.....	283
HERLIMIT.....	277
HERLOTTM.....	276
HERLSACT.....	282
HERLSEFX.....	278
HERMFU.....	45
HERMON.....	162
HERNDMOR.....	277
HERNEEDL.....	209
HERPDANG.....	283
HERPHCTD.....	281
HERPHLPB.....	281
HERREC.....	45
HERSERPB.....	282
HERSMOK2.....	220
HERSMOKE.....	207
HERSNIF2.....	220
HERSNIFF.....	208
HERWD3SX.....	279
HERWDSMT.....	280
HERYFU.....	44
HERYR.....	162
HERYRTOT.....	45
HEWKAVE.....	192
HEYRAVE.....	192
HL30EST.....	59
HLBSTWAY.....	58
HLCALL99.....	604
HLCALLFG.....	604
HLCLAST.....	598
HLCNOTMO.....	598

VARIABLE NAME -----	PAGE ----
HLCNOTYR.....	597
HLDAYPMO.....	58
HLDAYPWK.....	59
HLDAYPYR.....	58
HLFQFLG.....	58
HLLOSRSN.....	599
HLNVCOST.....	599
HLNVNEED.....	600
HLNVOFFR.....	599
HLNVREF.....	600
HLNVSOR.....	600
HLTINALC.....	596
HLTINDRG.....	597
HLTINMNT.....	597
HLTINNOS.....	597
HLTOTFG.....	57
HR30EST.....	47
HRBSTWAY.....	46
HRDAYPMO.....	46
HRDAYPWK.....	47
HRDAYPYR.....	46
HRFQFLG.....	45
HRNDLREC.....	210
HRSMKREC.....	208
HRSNFREC.....	208
HRTOTFG.....	45
HSDIPLMA.....	612
HSGED.....	613
HVYDRK2.....	167
HYDROCD2.....	169
HYDROCOD.....	79
IEMFLAG.....	166
IEMMON.....	166
IEMYR.....	166
IFATHER.....	588
II2ALCD5.....	150
II2ALCFM.....	150
II2ALCFY.....	145
II2ALCRC.....	139
II2ANLFY.....	147
II2ANLRC.....	143
II2CGRFM.....	149
II2CGRRC.....	137
II2CHWFM.....	149
II2CHWRC.....	138

VARIABLE NAME -----	PAGE ----
II2CIGFM.....	149
II2CIGRC.....	137
II2COCFM.....	151
II2COCFY.....	145
II2COCRC.....	140
II2CRKFM.....	151
II2CRKFY.....	146
II2CRKRC.....	140
II2ECSRC.....	142
II2HALFM.....	152
II2HALFY.....	146
II2HALRC.....	141
II2HERFM.....	152
II2HERFY.....	146
II2HERRC.....	141
II2INHFM.....	152
II2INHFY.....	146
II2INHRC.....	142
II2LSDRC.....	141
II2MJFM.....	151
II2MJFY.....	145
II2MJRC.....	140
II2MTHFY.....	148
II2MTHRC.....	144
II2PCPRC.....	142
II2SEDFY.....	148
II2SEDRC.....	144
II2SLTRC.....	138
II2SNFFM.....	150
II2SNFRC.....	139
II2STMFY.....	147
II2STMRC.....	144
II2TRNFY.....	147
II2TRNRC.....	143
IIALCAGE.....	155
IIALCD5.....	150
IIALCFM.....	150
IIALCFY.....	145
IIALCRC.....	139
IIALCYFU.....	155
IIANLAGE.....	158
IIANLFY.....	147
IIANLRC.....	143
IIANLYFU.....	158
IICDUAGE.....	153

VARIABLE NAME -----	PAGE ----
IICDUYFU.....	153
IICGAVD.....	338
IICGCRGP.....	337
IICGCRV.....	336
IICGINCR.....	342
IICGINFL.....	341
IICGIRTB.....	336
IICGLMR.....	342
IICGNCG.....	340
IICGNCTL.....	337
IICGNINF.....	341
IICGPLN.....	338
IICGRAGE.....	153
IICGRFM.....	149
IICGRGDY.....	339
IICGRGNM.....	340
IICGRGWK.....	339
IICGROUT.....	338
IICGRRC.....	137
IICGRYFU.....	154
IICGSAT.....	342
IICGSLHR.....	340
IICHWAGE.....	154
IICHWFM.....	149
IICHWRC.....	138
IICHWYFU.....	154
IICIGAGE.....	153
IICIGFM.....	149
IICIGRC.....	137
IICIGYFU.....	153
IICOCAGE.....	155
IICOCFM.....	151
IICOCFY.....	145
IICOCRC.....	140
IICOCYFU.....	155
IICRKAGE.....	156
IICRKFM.....	151
IICRKFY.....	146
IICRKRC.....	140
IICRKYFU.....	156
IIECSAGE.....	157
IIECSRC.....	142
IIECSYFU.....	157
IIEDUC2.....	609
IIEPST4.....	629

VARIABLE NAME -----	PAGE ----
IIEMPSTY.....	628
IIFAMCHD.....	593
IIFAMIN3.....	594
IIFAMINT.....	592
IIFAMOTH.....	593
IIFAMPMT.....	591
IIFAMSOC.....	590
IIFAMSSI.....	591
IIFAMSVL.....	592
IIFAMWAG.....	593
IIFSTAMP.....	591
IIHALAGE.....	156
IIHALFM.....	152
IIHALFY.....	146
IIHALRC.....	141
IIHALYFU.....	156
IIHERAGE.....	156
IIHERFM.....	152
IIHERFY.....	146
IIHERRC.....	141
IIHERYFU.....	156
IIHH65_2.....	588
IIHHSIZ2.....	588
IIINHAGE.....	157
IIINHFM.....	152
IIINHfy.....	146
IIINHRC.....	142
IIINHYFU.....	158
IIINSUR.....	601
IIINSUR3.....	603
IIKI17_2.....	589
IILSDAGE.....	156
IILSDRC.....	141
IILSDYFU.....	157
IIMARIT.....	609
IIMJAGE.....	155
IIMJFM.....	151
IIMJFY.....	145
IIMJRC.....	139
IIMJYFU.....	155
IIMTHAGE.....	159
IIMTHFY.....	148
IIMTHRC.....	144
IIMTHYFU.....	159
IIPCHD.....	592

VARIABLE NAME	PAGE
-----	----
IIPCPAGE.....	157
IIPCPRC.....	142
IIPCPYFU.....	157
IIPINC3.....	594
IIPINSUR.....	600
IIPINT.....	592
IIPPLF.....	138
IIPPMN.....	138
IIPOTH.....	593
IIPPMT.....	591
IIPSOC.....	590
IIPSSI.....	591
IIPSVL.....	591
IIPWAG.....	593
IISEDAGE.....	159
IISEDYFU.....	148
IISEDRC.....	144
IISEDYFU.....	159
IISEX.....	609
IISLTAGE.....	154
IISLTRC.....	138
IISLTYFU.....	154
IISNFAGE.....	154
IISNFFM.....	150
IISNFRC.....	139
IISNFYFU.....	154
IISTMAGE.....	159
IISTMFY.....	147
IISTMRC.....	143
IISTMYFU.....	159
IITRNAGE.....	158
IITRNFY.....	147
IITRNRC.....	143
IITRNYFU.....	158
IIWELMOS.....	592
ILLNEED.....	426
ILLPCAID.....	429
ILLPCARE.....	429
ILLPCORT.....	429
ILLPEMPL.....	429
ILLPFMLY.....	429
ILLPINS.....	428
ILLPMILC.....	429
ILLPPUBP.....	429
ILLPSAVE.....	429

VARIABLE NAME -----	PAGE ----
ILLTRMT.....	426
IMOTHER.....	588
IMPCONC.....	547
IMPCTRLE.....	554
IMPDAYFQ.....	558
IMPDLPP.....	552
IMPDLPPM.....	552
IMPDLRSP.....	556
IMPDLWRK.....	557
IMPGO.....	551
IMPGOM.....	551
IMPGTALG.....	554
IMPHRSP.....	555
IMPHRSPM.....	556
IMPLERN.....	549
IMPLERNM.....	549
IMPMONY.....	548
IMPMONYM.....	548
IMPRELAX.....	555
IMPREMBR.....	547
IMPSOCL.....	553
IMPSOCLM.....	553
IMPTHINK.....	546
IMPUNDST.....	546
IMPWASH.....	550
IMPWASHM.....	550
IMPWKS2.....	557
IN30EST.....	75
INBSTWAY.....	74
INDAYPMO.....	74
INDAYPWK.....	75
INDAYPYR.....	74
INFQFLG.....	73
INFRAME3.....	196
INHAFU.....	177
INHAGE.....	71
INHCUTDN.....	293
INHCUTEV.....	293
INHDY30A.....	75
INHEMCTD.....	294
INHEMOPB.....	293
INHEVER.....	71
INHFLAG.....	163
INHFMCTD.....	297
INHFMFPB.....	296

VARIABLE NAME -----	PAGE ----
INHGTOVR.....	291
INHKLMT.....	292
INHLOWTR.....	296
INHLIMIT.....	291
INHLOWTM.....	291
INHLSACT.....	295
INHLSAFX.....	292
INHMDAYS.....	632
INHMFU.....	72
INHMON.....	163
INHNDMOR.....	292
INHNEWA.....	68
INHNEWB.....	69
INHNEWC.....	70
INHNEWD.....	70
INHNEWE.....	70
INHNLST.....	67
INHOSPYR.....	433
INHPODANG.....	296
INHPOCTD.....	294
INHPOLPB.....	294
INHREC.....	73
INHSERPB.....	295
INHVDAYS.....	631
INHVFU.....	72
INHVR.....	163
INHVRTOT.....	73
INLAST.....	195
INMONAVE.....	196
INRECDK.....	195
INRECRE.....	195
INSCDCH2.....	605
INSOTHR2.....	605
INTOTFG.....	73
INWKAVE.....	196
INYRAVE.....	196
IONAMIN.....	111
IONAMIN2.....	172
IRALCAGE.....	155
IRALCD5.....	150
IRALCFM.....	150
IRALCFY.....	145
IRALCRC.....	139
IRALCYFU.....	155
IRANLAGE.....	158

VARIABLE NAME -----	PAGE ----
IRANLFY.....	147
IRANLRC.....	143
IRANLYFU.....	158
IRCDUAGE.....	153
IRCDUYFU.....	153
IRCGAVD.....	337
IRCGCRGP.....	337
IRCGCRV.....	336
IRCGINCR.....	341
IRCGINFL.....	341
IRCGIRTB.....	336
IRCGLMR.....	342
IRCGNCG.....	340
IRCGNCTL.....	337
IRCGNINF.....	341
IRCGPLN.....	338
IRCGRAGE.....	153
IRCGRFM.....	149
IRCGRGDY.....	339
IRCGRGNM.....	339
IRCGRGWK.....	339
IRCGROUT.....	338
IRCGRRC.....	137
IRCGRYFU.....	153
IRCGSAT.....	342
IRCGSLHR.....	340
IRCHWAGE.....	154
IRCHWFM.....	149
IRCHWRC.....	138
IRCHWYFU.....	154
IRCI GAGE.....	153
IRCI GFM.....	149
IRCI GRC.....	137
IRCI GYFU.....	153
IRCO CAGE.....	155
IRCO CFM.....	151
IRCO CFY.....	145
IRCO CRC.....	140
IRCO CYFU.....	155
IRCR KAGE.....	155
IRCR KFM.....	151
IRCR KFY.....	145
IRCR KR C.....	140
IRCR KYFU.....	156
IRECSAGE.....	157

VARIABLE NAME	PAGE
-----	----
IRECSRC.....	142
IRECSYFU.....	157
IREDC2.....	609
IRFAMCHD.....	592
IRFAMIN3.....	594
IRFAMINT.....	592
IRFAMOTH.....	593
IRFAMPMT.....	591
IRFAMSOC.....	590
IRFAMSSI.....	591
IRFAMSVC.....	592
IRFAMWAG.....	593
IRFSTAMP.....	591
IRHALAGE.....	156
IRHALFM.....	152
IRHALFY.....	146
IRHALRC.....	141
IRHALYFU.....	156
IRHERAGE.....	156
IRHERFM.....	151
IRHERFY.....	146
IRHERRC.....	140
IRHERYFU.....	156
IRHH65_2.....	588
IRHHSIZ2.....	588
IRINHAGE.....	157
IRINHFM.....	152
IRINHFY.....	146
IRINHRC.....	142
IRINHYFU.....	158
IRINSUR.....	601
IRINSUR3.....	602
IRKI17_2.....	589
IRLSDAGE.....	156
IRLSDRC.....	141
IRLSDYFU.....	157
IRMARIT.....	609
IRMJAGE.....	155
IRMJFM.....	151
IRMJFY.....	145
IRMJRC.....	139
IRMJYFU.....	155
IRMTHAGE.....	159
IRMTHFY.....	148
IRMTHRC.....	144

VARIABLE NAME	PAGE
-----	----
IRMTHYFU.....	159
IRPCHD.....	592
IRPCPAGE.....	157
IRPCPRC.....	141
IRPCPYFU.....	157
IRPINC3.....	593
IRPINSUR.....	600
IRPINT.....	592
IRPIPLF.....	137
IRPIPMN.....	138
IRPOTH.....	593
IRPPMT.....	591
IRPSOC.....	590
IRPSSI.....	590
IRPSVC.....	591
IRPWAG.....	593
IRSEDAGE.....	159
IRSEDFY.....	148
IRSEDRC.....	144
IRSEDFYFU.....	159
IRSEX.....	609
IRSLTAGE.....	154
IRSLTRC.....	138
IRSLTYFU.....	154
IRSNFAGE.....	154
IRSNFFM.....	150
IRSNFRC.....	139
IRSNFYFU.....	154
IRSTMAGE.....	158
IRSTMFY.....	147
IRSTMRC.....	143
IRSTMYFU.....	159
IRTRNAGE.....	158
IRTRNFY.....	147
IRTRNRC.....	143
IRTRNYFU.....	158
IRWELMOS.....	592
JBSTATR2.....	616
KLONOPI2.....	170
KLONOPIN.....	95
LANGVER.....	606
LFSCHWH2.....	614
LFTSCHA2.....	615
LGAS.....	66
LGAS2.....	168

VARIABLE NAME -----	PAGE ----
LIBRIUM.....	97
LIBRIUM2.....	171
LIMBTRL2.....	171
LIMBTROL.....	97
LIMITWRK.....	435
LOCDOC.....	432
LOCHOSP.....	432
LOCJAIL.....	432
LOCMHC.....	432
LOCRFIN.....	432
LOCRFOP.....	432
LOCSHG.....	432
LOCSIZE.....	623
LOCTXER.....	432
LS10.....	194
LS16.....	194
LS22.....	194
LSD.....	48
LSDAGE.....	59
LSDFLAG.....	163
LSDMFU.....	60
LSDMON.....	163
LSDREC.....	60
LSDYFU.....	60
LSDYR.....	163
LSFRAME3.....	193
LSLAST.....	192
LSMONAVE.....	194
LSRECDK.....	192
LSRECRE.....	193
LSWKAVE.....	194
LSYRAVE.....	193
MAZANOR.....	111
MAZANOR2.....	172
MDECHNGS.....	518
MDEDAYFQ.....	518
MDEDAYLN.....	518
MDEDP2WK.....	516
MDEDPWKR.....	517
MDELICHG.....	521
MDELIFQ.....	521
MDELILN.....	521
MDELIWK2.....	520
MDELOSIN.....	519
MEDICARE.....	594

VARIABLE NAME	PAGE
-----	----
MEPROB.....	98
MEPROB2.....	171
MESC.....	49
MESC2.....	167
METHAGE.....	121
METHAQ.....	125
METHAQ2.....	173
METHDES.....	109
METHDES2.....	171
METHDON.....	79
METHDON2.....	169
METHMFU.....	122
METHREC.....	122
METHYFU.....	122
MHHOSPOV.....	538
MHMEDS.....	539
MHMEDWK2.....	540
MHOPNUM2.....	538
MHSEEDR.....	537
MHSVCHLP.....	558
MILSTAT.....	608
MILTOWN.....	98
MILTOWN2.....	171
MJAFU.....	176
MJAGE.....	31
MJDAY30A.....	34
MJEVER.....	31
MJFQFLG.....	33
MJFRAME3.....	186
MJLAST3.....	185
MJMFU.....	32
MJMONAVE.....	187
MJOFLAG.....	166
MJOMON2.....	166
MJOYR2.....	166
MJREC.....	32
MJRECDK.....	185
MJRECRE.....	186
MJWKAVE.....	187
MJYFU.....	31
MJYRAVE.....	186
MJYRTOT.....	32
MMBATJOB.....	373
MMBCLOSE.....	374
MMBGIVE.....	374

VARIABLE NAME -----	PAGE ----
MMBPLACE.....	373
MMBSELL.....	374
MMBT30DY.....	366
MMBTPIR.....	365
MMBTREC1.....	365
MMBTREC2.....	366
MMBUYWHO.....	373
MMFCLOSE.....	384
MMFGIVE.....	385
MMFKEEP.....	384
MMFPLACE.....	384
MMFREWHO.....	383
MMFSELL.....	385
MMGETMJ.....	365
MMGGIVE.....	383
MMGKEEP.....	382
MMGSELL.....	383
MMJNPCAT.....	368
MMJNPCTB.....	367
MMJNTLOO.....	366
MMJNTNUM.....	367
MMLS10GM.....	369
MMLS5LBS.....	370
MMLSGMS.....	369
MMLSLBS.....	370
MMLSOZS.....	369
MMLSPCAT.....	372
MMLSPCTB.....	371
MMLSUNIT.....	368
MMT30FRQ.....	376
MMTCLOSE.....	381
MMTGIVE.....	382
MMTJNTLS.....	376
MMTJNTNM.....	376
MMTJWRCB.....	377
MMTJWRTH.....	377
MMTKEEP.....	381
MMTLGMS.....	378
MMTLOZS.....	378
MMTLUNIT.....	378
MMTLWRCB.....	379
MMTLWRTH.....	380
MMTPLACE.....	381
MMTRADE.....	375
MMTRD30D.....	375

VARIABLE NAME -----	PAGE ----
MMTRDREC.....	375
MMTRDWHO.....	380
MMTSELL.....	382
MNCEVER.....	523
MNCHYPER.....	522
MNCMEDS.....	523
MNCNOSLP.....	522
MNCSPWRS.....	522
MORPHIN2.....	169
MORPHINE.....	79
MOVESPY2.....	610
MR30EST.....	35
MRBSTWAY.....	33
MRDAYPMO.....	34
MRDAYPWK.....	34
MRDAYPYR.....	33
MRJCUTDN.....	263
MRJCUTEV.....	263
MRJEMCTD.....	264
MRJEMOPB.....	264
MRJFLAG.....	161
MRJFMCTD.....	267
MRJFMFPB.....	267
MRJGTOVR.....	261
MRJKPLMT.....	262
MRJLAWTR.....	267
MRJLIMIT.....	262
MRJLOTTM.....	261
MRJLSACT.....	265
MRJLSEFX.....	263
MRJMDAYS.....	632
MRJMON.....	162
MRJNDMOR.....	262
MRJPDANG.....	266
MRJPHCTD.....	265
MRJPHLPB.....	264
MRJSERP.....	266
MRJYDAYS.....	631
MRJYR.....	162
MRTOTFG.....	32
MTBSTWAY.....	123
MTDAYPMO.....	124
MTDAYPWK.....	124
MTDAYPYR.....	124
MTFQFLG.....	123

VARIABLE NAME -----	PAGE ----
MTHFLAG.....	164
MTHMON.....	164
MTHNEEDL.....	211
MTHYR.....	164
MTHYRTOT.....	123
MTNDLREC.....	211
MTTOTFG.....	123
MVIN5YR2.....	506
NDSSAVG.....	343
NDSSDEP.....	343
NDTMRALC.....	398
NDTMRANL.....	400
NDTMRCOC.....	399
NDTMREFT.....	407
NDTMRHAL.....	399
NDTMRHER.....	399
NDTMRINH.....	399
NDTMRMJ.....	398
NDTMROTH.....	401
NDTMRSED.....	400
NDTMRSTM.....	400
NDTMRTRN.....	400
NDTXALCR.....	401
NDTXANLR.....	403
NDTXCOCR.....	402
NDTXDG1R.....	405
NDTXDG2R.....	406
NDTXDG3R.....	406
NDTXDG4R.....	406
NDTXDG5R.....	406
NDTXEFTR.....	407
NDTXHALR.....	402
NDTXHERR.....	402
NDTXINHR.....	403
NDTXMJR.....	401
NDTXMORE.....	398
NDTXNEDR.....	397
NDTXSEDR.....	405
NDTXSODR.....	405
NDTXSTM.....	404
NDTXTRNR.....	404
NEDCOC.....	220
NEDFLG01.....	220
NEDHER.....	220
NEDLRECR.....	220

VARIABLE NAME -----	PAGE ----
NEDMTH.....	220
NEDSTM.....	221
NEMBBAR2.....	173
NEMBBARB.....	126
NEWRACE2.....	630
NITOXID.....	66
NITOXID2.....	168
NMERTMT2.....	433
NMNGTHS2.....	434
NOBOOKY2.....	353
NODR30A.....	30
NOMARR2.....	607
NORECNED.....	455
NRCH17_2.....	588
OBLA.....	112
OBLA2.....	172
OSTNEEDL.....	212
OSTNLREC.....	212
OTDGNDLA.....	214
OTDGNDLB.....	215
OTDGNDLC.....	216
OTDGNDLD.....	216
OTDGNDLE.....	216
OTDGNEDL.....	213
OTHANL.....	170
OTHSED.....	173
OTHSTM.....	172
OTHTRN.....	171
OXYCONT2.....	169
OXYCONTN.....	80
PANATAK.....	515
PANATKN2.....	516
PANREAC.....	515
PARCHKHW.....	512
PARHLPHW.....	512
PARLMTSN.....	512
PAROL.....	363
PAROLREL.....	361
PBLMWORK.....	434
PCP.....	49
PCPAGE.....	61
PCPFLAG.....	163
PCPMFU.....	61
PCPMON.....	163
PCPREC.....	62

VARIABLE NAME -----	PAGE ----
PCPYFU.....	61
PCPYR.....	163
PDEN.....	634
PERCTYL2.....	168
PERCTYLX.....	77
PEYOTE.....	49
PEYOTE2.....	167
PHBAVOID.....	524
PHBAWYHM.....	526
PHBCRWDS.....	525
PHBINTFR.....	525
PHBLEVEL.....	524
PHBPUBPL.....	525
PHBSOCL.....	524
PHBTRAVL.....	526
PHBWRSV.....	527
PHBWRSFR.....	526
PHBWRSIN.....	527
PHBWRSST.....	527
PHENCOD.....	80
PHENCOD2.....	169
PHENOBAR.....	128
PHENOB2.....	173
PIPE30DY.....	24
PIPEVER.....	24
PIPFLAG.....	160
PIPMON.....	160
PLACIDY2.....	173
PLACIDYL.....	128
PLCYCOV.....	624
PLEGINE.....	112
PLEGINE2.....	172
PR09.....	197
PR10.....	198
PR11.....	198
PR12.....	198
PR13.....	199
PRALDLY2.....	506
PRBSOLV2.....	507
PRBSTWAY.....	93
PRCHORE2.....	512
PRDAYPMO.....	94
PRDAYPWK.....	94
PRDAYPYR.....	93
PREG.....	436

VARIABLE NAME -----	PAGE ----
PREG2.....	436
PREGAGE2.....	630
PREGNANT.....	433
PREGPGM2.....	508
PRELUDIN.....	112
PRELUDN2.....	172
PREVIOL2.....	507
PRFQFLG.....	92
PRGDJOB2.....	512
PRLMTTV2.....	512
PRMJEV2.....	506
PRMJMO.....	513
PROB.....	364
PROBATON.....	361
PROPOXY.....	80
PROPOXY2.....	169
PROXANS2.....	590
PRPKCIG2.....	506
PRPROUD2.....	512
PRRECDK.....	197
PRRECRE.....	197
PRTALK3.....	506
PRTOTFG.....	92
PRVDRGO2.....	507
PRVHLTIN.....	596
PSILCY.....	49
PSILCY2.....	167
PSYFLAG2.....	165
PSYMON2.....	165
PSYYR2.....	165
PTSEVER.....	531
PTSPYEAR.....	532
PTSWKS2.....	533
PTSWRSFQ.....	532
QUARTER.....	606
QUESTID.....	1
RDIFCOC.....	235
RDIFCRK.....	235
RDIFHER.....	235
RDIFLSD.....	235
RDIFMJ.....	235
REASBRK.....	586
REASDEPR.....	585
REASEATP.....	586
REASFAM.....	587

VARIABLE NAME -----	PAGE ----
REASFEAR.....	585
REASOTH.....	587
REASSCH.....	587
REASSOC.....	587
REASSUIC.....	584
RECNEED.....	455
RESTTMA2.....	173
RESTTMAZ.....	126
RITMPHE2.....	171
RITMPHEN.....	109
RK5ALDLY.....	225
RK5ALWK.....	225
RKCOCOCC.....	224
RKCOCREG.....	225
RKDIFCOC.....	226
RKDIFCRK.....	227
RKDIFHER.....	227
RKDIFLSD.....	226
RKFQDBLT.....	229
RKFQDNDR.....	228
RKFQPBLT.....	228
RKFQRSKY.....	228
RKHERREG.....	224
RKLISALL.....	229
RKLISRA1.....	230
RKLISRA2.....	231
RKLISRB1.....	233
RKLISRB2.....	232
RKLSDREG.....	223
RKTRYHER.....	224
RKTRYLSD.....	223
RLGATTD.....	510
RLGDCSN.....	511
RLGFRND.....	511
RLGIMPT.....	510
ROHYPNL2.....	171
ROHYPNOL.....	98
RSKDIFMJ.....	226
RSKMJOCC.....	222
RSKMJREG.....	223
RSKPKCIG.....	222
RSKSELL.....	227
SANOREX.....	112
SANOREX2.....	172
SCHDSICK.....	612

VARIABLE NAME -----	PAGE ----
SCHDSKIP.....	612
SCHENRL.....	610
SCHFELT.....	511
SCHIMPT.....	511
SCHINTST.....	511
SCHWORK.....	511
SEDAFU.....	177
SEDAGE.....	132
SEDCARD.....	126
SEDCUT1X.....	330
SEDCUTDN.....	329
SEDCUTEV.....	329
SEDEMCTD.....	332
SEDEMOPB.....	331
SEDEVER.....	132
SEDFLAG.....	164
SEDFMCTD.....	335
SEDFMFPB.....	335
SEDGTOVR.....	327
SEDKPLMT.....	327
SEDLAWTR.....	335
SEDLIMIT.....	327
SEDLOTTM.....	326
SEDLFACT.....	333
SEDLSEFX.....	328
SEDMFU.....	133
SEDMON.....	165
SEDNDMOR.....	328
SEDNEWA.....	130
SEDNEWB.....	131
SEDNEWC.....	131
SEDNEWD.....	131
SEDNEWE.....	131
SEDNOLST.....	129
SEDPDANG.....	334
SEDPHCTD.....	333
SEDPHLPB.....	332
SEDREC.....	134
SEDSERP.....	334
SEDWD1SX.....	330
SEDWDSMT.....	331
SEDYFU.....	133
SEDYR.....	165
SEDYRTOT.....	134
SERAX.....	98

VARIABLE NAME	PAGE
-----	----
SERAX2.....	171
SERVICE.....	608
SK65A.....	80
SK65A2.....	169
SLT30BR2.....	19
SLT30FAV.....	19
SLTAFU.....	178
SLTMFU.....	18
SLTREC.....	18
SLTTRY.....	17
SLTYFU.....	18
SMI.....	559
SMI_SUM.....	559
SMKBRND3.....	175
SMKFLAG.....	160
SMKMON.....	160
SMKYR.....	160
SN30EST.....	13
SNAALDLY.....	457
SNAALDRV.....	457
SNAMJEVR.....	456
SNAPKCIG.....	456
SNF30BR2.....	14
SNF30USE.....	13
SNFAALDV.....	468
SNFAALDY.....	467
SNFACIG.....	467
SNFAMJEV.....	467
SNFDALC.....	469
SNFDCIG.....	468
SNFDDRNK.....	469
SNFDMJ.....	468
SNFEVER.....	11
SNFFLAG.....	161
SNFMON.....	161
SNFRACTV.....	462
SNFRCARE.....	462
SNFRCONC.....	461
SNFREC.....	12
SNFYR.....	161
SNINSULT.....	458
SNMOV5Y2.....	457
SNPPHLD.....	458
SNRLDCSN.....	470
SNRLFRND.....	471

VARIABLE NAME -----	PAGE ----
SNRLGIMP.....	470
SNRLGSVC.....	469
SNSMARGU.....	459
SNSPACTV.....	459
SNSPANGR.....	460
SNSPCONC.....	461
SNSPCRIT.....	461
SNSPHITU.....	460
SNSPOUSE.....	459
SNSRARGU.....	458
SNUFMFU.....	12
SNUFTRY.....	11
SNUFYFU.....	11
SNY50LBS.....	464
SNYATTAK.....	463
SNYDFAST.....	464
SNYFIRE.....	466
SNYHITSP.....	460
SNYINJUR.....	465
SNYLAXTV.....	466
SNYPASNS.....	466
SNYRRXNG.....	465
SNYSELL.....	462
SNYSTERD.....	465
SNYSTOLE.....	463
SOLVENT.....	66
SOLVENT2.....	168
SOMA.....	99
SOMA2.....	171
SPCGFLGR.....	239
SPCGMONR.....	239
SPCGYRR.....	239
SPECTALC.....	425
SPECTILL.....	424
SPILLALC.....	425
SPPAINT.....	66
SPPAINT2.....	168
ST09.....	201
ST10.....	202
ST11.....	202
ST12.....	203
ST13.....	203
ST19.....	203
ST20.....	203
ST21.....	204

VARIABLE NAME -----	PAGE ----
ST22.....	204
ST23.....	204
STADOL.....	80
STADOL2.....	169
STBSTWAY.....	120
STDAYPMO.....	121
STDAYPWK.....	121
STDAYPYR.....	120
STFQFLG.....	119
STIMAGE.....	117
STIMMFU.....	118
STIMNEWA.....	114
STIMNEWB.....	115
STIMNEWC.....	116
STIMNEWD.....	116
STIMNEWE.....	116
STIMREC.....	119
STIMYFU.....	118
STMAFU.....	177
STMCARD.....	110
STMCUT1X.....	319
STMCUTDN.....	318
STMCUTEV.....	318
STMEMCTD.....	322
STMEMOPB.....	321
STMEVER.....	117
STMFLAG.....	164
STMFLBLU.....	319
STFMCTD.....	326
STFMFPB.....	325
STMGTOVR.....	315
STMKPLMT.....	316
STMLAWTR.....	325
STMLIMIT.....	316
STMLOTTM.....	315
STMLSACT.....	323
STMLSEFX.....	317
STMMON.....	164
STMNDMOR.....	317
STMNOLST.....	113
STMPDANG.....	324
STMPHCTD.....	323
STMPHLPB.....	322
STMSERP.....	324
STMWD2SX.....	320

VARIABLE NAME -----	PAGE ----
STMWDSMT.....	321
STMYR.....	164
STMYRTOT.....	119
STNDALC.....	512
STNDDNK.....	512
STNDSCIG.....	511
STNDSMJ.....	511
STNEEDLR.....	219
STNLRECR.....	219
STRECDK.....	201
STRECRE.....	202
STTOTFG.....	119
STUDNT.....	611
SUMFLAG.....	165
SUMMON.....	165
SUMYR.....	165
SV09.....	204
SV10.....	205
SV11.....	206
SV12.....	206
SV13.....	206
SVBSTWAY.....	135
SVDAYPMO.....	136
SVDAYPWK.....	136
SVDAYPYR.....	135
SVFQFLG.....	134
SVRECDK.....	205
SVRECRE.....	205
SVTOTFG.....	134
TALACEN.....	81
TALACEN2.....	170
TALWIN.....	81
TALWIN2.....	170
TALWINNX.....	81
TALWINX2.....	170
TCHGJOB.....	511
TELNO2.....	627
TENUATE.....	112
TENUATE2.....	172
TOBFLAG.....	161
TOBMON.....	161
TOBYR.....	161
TOTCOKE.....	188
TOTCRACK.....	190
TOTDRINK.....	184

VARIABLE NAME -----	PAGE ----
TOTHALL.....	193
TOTHERO.....	191
TOTINHAL.....	195
TOTMJ.....	186
TR09.....	199
TR10.....	200
TR11.....	200
TR12.....	201
TR13.....	201
TRAMADL2.....	170
TRAMADOL.....	81
TRANAGE.....	103
TRANMFU.....	104
TRANREC.....	105
TRANXEN2.....	171
TRANXENE.....	99
TRANYFU.....	104
TRBSTWAY.....	106
TRDAYPMO.....	107
TRDAYPWK.....	107
TRDAYPYR.....	106
TRFQFLG.....	105
TRIMEST.....	436
TRNAFU.....	177
TRNCARD.....	96
TRNCUTDN.....	309
TRNCUTEV.....	310
TRNEMCTD.....	311
TRNEMOPB.....	310
TRNEVER.....	103
TRNEWA.....	100
TRNEWB.....	101
TRNEWC.....	102
TRNEWD.....	102
TRNEWE.....	102
TRNFMCTD.....	314
TRNFMFPB.....	314
TRNGTOVR.....	307
TRNKPLMT.....	308
TRNLAWTR.....	314
TRNLIMIT.....	308
TRNLOTTM.....	307
TRNLSACT.....	312
TRNLSEFX.....	309
TRNNDMOR.....	308

VARIABLE NAME -----	PAGE ----
TRNOLST.....	99
TRNPDANG.....	313
TRNPHCTD.....	312
TRNPHLPB.....	311
TRNSERPB.....	313
TRNYRTOT.....	105
TRQFLAG.....	164
TRQMON.....	164
TRQYR.....	164
TRRECDK.....	199
TRRECRE.....	200
TRTOTFG.....	105
TSTHIRE.....	625
TSTRAND.....	626
TUINAL.....	128
TUINAL2.....	173
TXENROLL.....	423
TXEVER.....	386
TXILANAL.....	426
TXILLALC.....	426
TXLASREC.....	408
TXLTALC2.....	427
TXLTANL2.....	427
TXLTCOC2.....	426
TXLTHAL2.....	427
TXLTHER2.....	427
TXLTILL2.....	427
TXLTINH2.....	427
TXLTMJ2.....	426
TXLTSED2.....	427
TXLTSTM2.....	427
TXLTTRN2.....	427
TXLTYALC.....	410
TXLTYANL.....	413
TXLTYCOC.....	411
TXLTYDU2.....	416
TXLTYHAL.....	412
TXLTYHER.....	411
TXLTYINH.....	412
TXLTYMJ.....	410
TXLTYMN2.....	409
TXLTYOU2.....	415
TXLTYSED.....	414
TXLTYSED.....	415
TXLTYSTM.....	414

VARIABLE NAME -----	PAGE ----
TXLTYTRN.....	413
TXNOSPEC.....	426
TXPCAID2.....	428
TXPCARE2.....	428
TXPCORT2.....	428
TXPEMPL2.....	428
TXPFMLY2.....	428
TXPINS2.....	428
TXPMILC2.....	428
TXPPUBP2.....	428
TXPSAVE2.....	428
TXPYCAID.....	418
TXPYCARE.....	417
TXPYCORT.....	420
TXPYEMPL.....	421
TXPYFMLY.....	419
TXPYFRE.....	422
TXPYINS.....	417
TXPYMILC.....	420
TXPYPUBP.....	418
TXPYSAVE.....	419
TXPYSOS.....	421
TXPYSP2.....	422
TXRCVNOW.....	396
TXYRADG.....	387
TXYRDCAD.....	392
TXYRDOC.....	392
TXYRDXO.....	423
TXYRERAD.....	392
TXYREVER.....	387
TXYRHOSP.....	388
TXYRHPAD.....	388
TXYRINAD.....	389
TXYRJAIL.....	393
TXYRJLAD.....	393
TXYRMHAD.....	391
TXYRMHC.....	390
TXYRNME2.....	396
TXYROTAD.....	395
TXYROTS2.....	395
TXYRPOAD.....	390
TXYRRFIN.....	388
TXYRRFOP.....	389
TXYRSGAD.....	394
TXYRSHG.....	393

VARIABLE NAME -----	PAGE ----
TXYRSOP.....	394
TXYRTXER.....	391
TXYRVSER.....	396
TYPEPBLM.....	435
ULTRAM.....	82
ULTRAM2.....	170
USALCTST.....	625
USDRGTST.....	625
VALMDIA2.....	170
VALMDIAZ.....	96
VEREP.....	635
VESTR.....	635
VICOLOR.....	77
VICOLOR2.....	168
VISTAR.....	99
VISTAR2.....	171
WKDRGED.....	624
WORKBLAH.....	623
WORKDAYS.....	623
WORKRAND.....	627
WRKBZCA2.....	618
WRKBZCY2.....	622
WRKEDYR.....	619
WRKHAVJB.....	616
WRKHIRE.....	626
WRKHSWK.....	617
WRKINDU2.....	617
WRKINDY2.....	621
WRKJOBS2.....	619
WRKLSTY2.....	620
WRKOCCU2.....	618
WRKOCCY2.....	622
WRKSLFEM.....	619
WRKUNEMP.....	620
WRKUNWKS.....	620
XNAXATV2.....	170
XNAXATVN.....	95
YCLIN.....	580
YDAYTRT.....	580
YEATNDYR.....	472
YEBL30FQ.....	505
YEBLNT30.....	505
YEBLNTEV.....	504
YECGCHKO.....	499
YECGCLRK.....	499

VARIABLE NAME	PAGE
-----	----
YECGCONV.....	501
YECGDSTO.....	501
YECGFRND.....	497
YECGINDV.....	502
YECGINET.....	500
YECGMAI2.....	498
YECGPRUF.....	502
YECGRWMJ.....	505
YECGSMKT.....	500
YECGSUCC.....	502
YECGVEND.....	498
YECOMACT.....	492
YEDECLAS.....	493
YEDERGLR.....	494
YEDESPCL.....	494
YEDGPRGP.....	491
YEFIACT.....	493
YEFALDLY.....	488
YEFMJEVR.....	488
YEFMJMO.....	488
YEFPKCIG.....	487
YEGALDLY.....	487
YEGMJEVR.....	486
YEGMJMO.....	487
YEGPKCIG.....	486
YEHMSLYR.....	472
YELSTGRD.....	474
YEMOV5Y2.....	472
YEOTHACT.....	493
YEPALDLY.....	486
YEPCHKHW.....	477
YEPCHORE.....	478
YEPDCRTN.....	504
YEPDPACK.....	503
YEPGDJOB.....	479
YEPHLPHW.....	477
YEPKCRTN.....	503
YEPLMTSN.....	478
YEPLMTTV.....	478
YEPMJEVR.....	485
YEPMJMO.....	485
YEPKPCIG.....	485
YEPPROUD.....	479
YEPRBSLV.....	490
YEPRGSTD.....	492

VARIABLE NAME -----	PAGE ----
YEPRTDNG.....	490
YEPVNTYR.....	494
YERLDCSN.....	496
YERLFRND.....	496
YERLGIMP.....	495
YERLGSVC.....	495
YESCHACT.....	492
YESCHFLT.....	473
YESCHIMP.....	473
YESCHINT.....	474
YESCHWRK.....	473
YESLFHLP.....	491
YESTSALC.....	476
YESTSCIG.....	475
YESTSDNK.....	476
YESTSMJ.....	475
YETCGJOB.....	474
YETLKBGF.....	489
YETLKNON.....	489
YETLKOTA.....	489
YETLKPAR.....	489
YETLKSOP.....	490
YEVIOPRV.....	491
YEY50LBS.....	482
YEYARGUP.....	479
YEYATTAK.....	481
YEYFGTGP.....	480
YEYFGTSW.....	480
YEYFIRE.....	484
YEYHACK.....	484
YEYHGUN.....	480
YEYINJUR.....	483
YEYLAXTV.....	484
YEYRNAWY.....	482
YEYRRXNG.....	483
YEYSELL.....	481
YEYSTERD.....	483
YEYSTOLE.....	481
YFLADLY2.....	507
YFLMJMO.....	513
YFLPKCG2.....	507
YFLTMRJ2.....	507
YFOST.....	580
YHOME.....	581
YHOSP.....	580

VARIABLE NAME -----	PAGE ----
YOATTAK2.....	507
YOFIGHT2.....	506
YOGRPFT2.....	506
YOHGUN2.....	506
YOSELL2.....	507
YOSTOLE2.....	507
YPED.....	581
YRESID.....	580
YSCHL.....	581
YSPED.....	581
YTHACT2.....	514
YTHBGHT.....	510
YTHER.....	581
YUDYBKRU.....	567
YUDYDEPR.....	567
YUDYEATP.....	568
YUDYFEAR.....	567
YUDYSOR.....	568
YUDYSUIC.....	567
YUDYTXN2.....	566
YUDYTXYR.....	566
YUFCAREV.....	579
YUFCARN2.....	564
YUFCARYR.....	564
YUFCBKRU.....	565
YUFCDEPR.....	565
YUFCDEATP.....	566
YUFCFEAR.....	565
YUFCSOR.....	566
YUFCSUIC.....	565
YUFDBKRU.....	575
YUFDDEPR.....	575
YUFDEATP.....	576
YUFDFEAR.....	575
YUFDOCN2.....	574
YUFDOCYR.....	574
YUFDSOR.....	576
YUFDSUIC.....	575
YUHOBKRU.....	561
YUHODEPR.....	561
YUHOEATP.....	562
YUHOFEAR.....	561
YUHOSOR.....	562
YUHOSPN2.....	560
YUHOSPYR.....	560

VARIABLE NAME -----	PAGE ----
YUHOSUIC.....	561
YUIHBKRU.....	573
YUIHDEPR.....	573
YUIHEATP.....	574
YUIHFEAR.....	573
YUIHSOR.....	574
YUIHSUIC.....	573
YUIHTPN2.....	572
YUIHTPYR.....	572
YUJAILEV.....	578
YUMHBKRU.....	569
YUMHCRN2.....	568
YUMHCRYR.....	568
YUMHDEPR.....	569
YUMHEATP.....	570
YUMHFEAR.....	569
YUMHSOR.....	570
YUMHSUIC.....	569
YURSBKRU.....	563
YURSDEPR.....	563
YURSEATP.....	563
YURSFEAR.....	563
YURSIDN2.....	562
YURSIDYR.....	562
YURSSOR.....	564
YURSSUIC.....	563
YUSHBKRU.....	578
YUSHCNYR.....	577
YUSHDEPR.....	577
YUSHEATP.....	578
YUSHFEAR.....	578
YUSHSOR.....	578
YUSHSUIC.....	577
YUSPEDYR.....	576
YUTPBKRU.....	571
YUTPDEPR.....	571
YUTPEATP.....	572
YUTPFEAR.....	571
YUTPSOR.....	572
YUTPSTN2.....	570
YUTPSTYR.....	570
YUTPSUIC.....	571

VARIABLE NAME	PAGE
-----	----
QUESTID.....	1
CIGEVER.....	3
CIGOFRSM.....	4
CIGWILYR.....	4
CIGTRY.....	4
CIGYFU.....	4
CIGMFU.....	5
CIGREC.....	5
CIG30USE.....	6
CG30EST.....	6
CIG30AV.....	6
CIG30BR2.....	7
CIG30TYP.....	9
CIG30MEN.....	9
CIG30RO2.....	9
CIGDLYMO.....	10
CIGAGE.....	10
CIG100LF.....	10
SNFEVER.....	11
SNUFTRY.....	11
SNUFYFU.....	11
SNUFMFU.....	12
SNFREC.....	12
SNF30USE.....	13
SN30EST.....	13
SNF30BR2.....	14
CHEWEVER.....	14
CHEWTRY.....	15
CHEWYFU.....	15
CHEWMFU.....	15
CHEWREC.....	16
CHW30USE.....	16
CH30EST.....	16
CHW30BR2.....	17
SLTTRY.....	17
SLTYFU.....	18
SLTMFU.....	18
SLTREC.....	18
SLT30BR2.....	19
SLT30FAV.....	19
CIGAREVR.....	20
CIGARTRY.....	20
CIGARYFU.....	20
CIGARMFU.....	21
CIGARREC.....	21

VARIABLE NAME -----	PAGE ----
CGR30USE.....	22
CI30EST.....	22
CGR30BR2.....	23
PIPEVER.....	24
PIPE30DY.....	24
ALCEVER.....	25
ALCTRY.....	25
ALCYFU.....	26
ALCMFU.....	26
ALCREC.....	27
ALCYRTOT.....	27
ALTOTFG.....	27
ALFQFLG.....	27
ALBSTWAY.....	28
ALDAYPYR.....	28
ALDAYPMO.....	28
ALDAYPWK.....	29
ALCDAYS.....	29
AL30EST.....	29
ALDYSFG.....	29
NODR30A.....	30
DR5DAY.....	30
MJEVER.....	31
MJAGE.....	31
MJYFU.....	31
MJMFU.....	32
MJREC.....	32
MJYRTOT.....	32
MRTOTFG.....	32
MJFQFLG.....	33
MRBSTWAY.....	33
MRDAYPYR.....	33
MRDAYPMO.....	34
MRDAYPWK.....	34
MJDAY30A.....	34
MR30EST.....	35
COCEVER.....	36
COCAGE.....	36
COCYFU.....	36
COCMFU.....	37
COCREC.....	37
COCYRTOT.....	37
CCTOTFG.....	37
CCFQFLG.....	38
CCBSTWAY.....	38

VARIABLE NAME	PAGE
-----	----
CCDAYPYR.....	38
CCDAYPMO.....	39
CCDAYPWK.....	39
COCUS30A.....	39
CC30EST.....	39
CRKEVER.....	40
CRKAGE.....	40
CRKYFU.....	40
CRKMFU.....	41
CRAKREC.....	41
CRKYRTOT.....	41
CRTOTFG.....	41
CRFQFLG.....	42
CRBSTWAY.....	42
CRDAYPYR.....	42
CRDAYPMO.....	42
CRDAYPWK.....	43
CRKUS30A.....	43
CR30EST.....	43
HEREVER.....	44
HERAGE.....	44
HERYFU.....	44
HERMFU.....	45
HERREC.....	45
HERYRTOT.....	45
HRTOTFG.....	45
HRFQFLG.....	45
HRBSTWAY.....	46
HRDAYPYR.....	46
HRDAYPMO.....	46
HRDAYPWK.....	47
HER30USE.....	47
HR30EST.....	47
LSD.....	48
PCP.....	49
PEYOTE.....	49
MESC.....	49
PSILCY.....	49
ECSTASY.....	50
HALNOLST.....	50
HALNEWA.....	51
HALNEWB.....	54
HALNEWC.....	55
HALNEWD.....	56
HALNEWE.....	56

VARIABLE NAME -----	PAGE ----
HALLAGE.....	56
HALYFU.....	56
HALMFU.....	57
HALLREC.....	57
HALYRTOT.....	57
HLTOTFG.....	57
HLFQFLG.....	58
HLBSTWAY.....	58
HLDAYPYR.....	58
HLDAYPMO.....	58
HLDAYPWK.....	59
HAL30USE.....	59
HL30EST.....	59
LSDAGE.....	59
LSDYFU.....	60
LSDMFU.....	60
LSDREC.....	60
PCPAGE.....	61
PCPYFU.....	61
PCPMFU.....	61
PCPREC.....	62
ECSAGE.....	62
ECSYFU.....	62
ECSMFU.....	63
ECSREC.....	63
AMYLNIT.....	64
CLEFLU.....	65
GAS.....	65
GLUE.....	65
ETHER.....	65
SOLVENT.....	66
LGAS.....	66
NITOXID.....	66
SPPAINT.....	66
AEROS.....	67
INHNLST.....	67
INHNEWA.....	68
INHNEWB.....	69
INHNEWC.....	70
INHNEWD.....	70
INHNEWE.....	70
INNEVER.....	71
INHAGE.....	71
INHYFU.....	72
INHMFU.....	72

VARIABLE NAME -----	PAGE ----
INHREC.....	73
INHYRTOT.....	73
INTOTFG.....	73
INFQFLG.....	73
INBSTWAY.....	74
INDAYPYR.....	74
INDAYPMO.....	74
INDAYPWK.....	75
INHDI30A.....	75
IN30EST.....	75
DARVTYLC.....	76
PERCTYLX.....	77
VICOLOR.....	77
ANLCARD.....	77
CODEINE.....	78
DEMEROL.....	78
DILAUD.....	78
FIORICET.....	78
FIORINAL.....	79
HYDROCOD.....	79
METHDON.....	79
MORPHINE.....	79
OXYCONTN.....	80
PHENCOD.....	80
PROPOXY.....	80
SK65A.....	80
STADOL.....	80
TALACEN.....	81
TALWIN.....	81
TALWINNX.....	81
TRAMADOL.....	81
ULTRAM.....	82
ANLNOLST.....	82
ANALNEWA.....	83
ANALNEWB.....	86
ANALNEWC.....	88
ANALNEWD.....	89
ANALNEWE.....	89
ANLEVER.....	90
ANALAGE.....	90
ANALYFU.....	91
ANALMFU.....	91
ANALREC.....	92
ANLYRTOT.....	92
PRTOTFG.....	92

VARIABLE NAME	PAGE
-----	----
PRFQFLG.....	92
PRBSTWAY.....	93
PRDAYPYR.....	93
PRDAYPMO.....	94
PRDAYPWK.....	94
KLONOPIN.....	95
XNAXATVN.....	95
VALMDIAZ.....	96
TRNCARD.....	96
ATARAX.....	96
BUSPAR.....	97
EQUANIL.....	97
FLEXERIL.....	97
LIBRIUM.....	97
LIMBTROL.....	97
MEPROB.....	98
MILTOWN.....	98
ROHYPNOL.....	98
SERAX.....	98
SOMA.....	99
TRANXENE.....	99
VISTAR.....	99
TRNOLST.....	99
TRNEWA.....	100
TRNEWB.....	101
TRNEWC.....	102
TRNEWD.....	102
TRNEWE.....	102
TRNEVER.....	103
TRANAGE.....	103
TRANYFU.....	104
TRANMFU.....	104
TRANREC.....	105
TRNYRTOT.....	105
TRTOTFG.....	105
TRFQFLG.....	105
TRBSTWAY.....	106
TRDAYPYR.....	106
TRDAYPMO.....	107
TRDAYPWK.....	107
METHDES.....	109
DIETPILS.....	109
RITMPHEN.....	109
STMCARD.....	110
CYLERT.....	110

VARIABLE NAME	PAGE
-----	----
DEXED.....	110
DETAMP.....	111
DIDREX.....	111
ESKAT.....	111
IONAMIN.....	111
MAZANOR.....	111
OBLA.....	112
PLEGINE.....	112
PRELUDIN.....	112
SANOREX.....	112
TENUATE.....	112
STMNOLST.....	113
STIMNEWA.....	114
STIMNEWB.....	115
STIMNEWC.....	116
STIMNEWD.....	116
STIMNEWE.....	116
STMEVER.....	117
STIMAGE.....	117
STIMYFU.....	118
STIMMFU.....	118
STIMREC.....	119
STMYRTOT.....	119
STTOTFG.....	119
STFQFLG.....	119
STBSTWAY.....	120
STDAYPYR.....	120
STDAYPMO.....	121
STDAYPWK.....	121
METHAGE.....	121
METHYFU.....	122
METHMFU.....	122
METHREC.....	122
MTHYRTOT.....	123
MTTOTFG.....	123
MTFQFLG.....	123
MTBSTWAY.....	123
MTDAYPYR.....	124
MTDAYPMO.....	124
MTDAYPWK.....	124
METHAQ.....	125
NEMBBARB.....	126
RESTTMAZ.....	126
SEDCARD.....	126
AMYTAL.....	127

VARIABLE NAME -----	PAGE ----
BUTISOL.....	127
CHHYD.....	127
DALMANE.....	127
HALCION.....	128
PHENOBAR.....	128
PLACIDYL.....	128
TUINAL.....	128
SEDNOLST.....	129
SEDNEWA.....	130
SEDNEWB.....	131
SEDNEWC.....	131
SEDNEWD.....	131
SEDNEWE.....	131
SEDEVER.....	132
SEDAGE.....	132
SEDYFU.....	133
SEDMFU.....	133
SEDREC.....	134
SEDYRTOT.....	134
SVTOTFG.....	134
SVFQFLG.....	134
SVBSTWAY.....	135
SVDAYPYR.....	135
SVDAYPMO.....	136
SVDAYPWK.....	136
IRCIIRC.....	137
IICIGRC.....	137
II2CIGRC.....	137
IRCGRR.....	137
IICGRR.....	137
II2CGRR.....	137
IRPIPLF.....	137
IIPILF.....	138
IRPIPMN.....	138
IIPIMN.....	138
IRSLTRC.....	138
IISLTRC.....	138
II2SLTRC.....	138
IRCHWRC.....	138
IICHWRC.....	138
II2CHWRC.....	138
IRSNFRC.....	139
IISNFRC.....	139
II2SNFRC.....	139
IRALCRC.....	139

VARIABLE NAME -----	PAGE ----
IIALCRC.....	139
II2ALCRC.....	139
IRMJRC.....	139
IIMJRC.....	139
II2MJRC.....	140
IRCOCRC.....	140
IICOCRC.....	140
II2COCRC.....	140
IRCRKRC.....	140
IICRKRC.....	140
II2CRKRC.....	140
IRHERRC.....	140
IIHERRC.....	141
II2HERRC.....	141
IRHALRC.....	141
IIHALRC.....	141
II2HALRC.....	141
IRLSDRC.....	141
IILSDRC.....	141
II2LSDRC.....	141
IRPCPRC.....	141
IIPCPRC.....	142
II2PCPRC.....	142
IRECSRC.....	142
II ECSRC.....	142
II2ECSRC.....	142
IRINHRC.....	142
IIINHRC.....	142
II2INHRC.....	142
IRANLRC.....	143
IIANLRC.....	143
II2ANLRC.....	143
IRTRNRC.....	143
II TRNRC.....	143
II2TRNRC.....	143
IRSTMRC.....	143
II STMRC.....	143
II2STMRC.....	144
IRMTHRC.....	144
IIMTHRC.....	144
II2MTHRC.....	144
IRSEDRC.....	144
II SEDRC.....	144
II2SEDRC.....	144
IRALCFY.....	145

VARIABLE NAME -----	PAGE ----
IIALCFY.....	145
II2ALCFY.....	145
IRMJFY.....	145
IIMJFY.....	145
II2MJFY.....	145
IRCOCFY.....	145
IICOCFY.....	145
II2COCFY.....	145
IRCRKFY.....	145
IICRKFY.....	146
II2CRKFY.....	146
IRHERFY.....	146
IIHERFY.....	146
II2HERFY.....	146
IRHALFY.....	146
IIHALFY.....	146
II2HALFY.....	146
IRINHFY.....	146
IIINHFY.....	146
II2INHFY.....	146
IRANLFY.....	147
IIANLFY.....	147
II2ANLFY.....	147
IRTRNFY.....	147
II2TRNFY.....	147
IRSTMFY.....	147
II2STMFY.....	147
IRMTHFY.....	148
IIMTHFY.....	148
II2MTHFY.....	148
IRSEDFY.....	148
II2SEDFY.....	148
IRCI GFM.....	149
IICIGFM.....	149
II2CIGFM.....	149
IRCGRFM.....	149
IICGRFM.....	149
II2CGRFM.....	149
IRCHWFM.....	149
IICHWFM.....	149
II2CHWFM.....	149
IRSNFFM.....	150

VARIABLE NAME -----	PAGE ----
IISNFFM.....	150
II2SNFFM.....	150
IRALCFM.....	150
IIALCFM.....	150
II2ALCFM.....	150
IRALCD5.....	150
IIALCD5.....	150
II2ALCD5.....	150
IRMJFM.....	151
IIMJFM.....	151
II2MJFM.....	151
IRCOCFM.....	151
IICOCFM.....	151
II2COCFM.....	151
IRCRKFM.....	151
IICRKFM.....	151
II2CRKFM.....	151
IRHERFM.....	151
IIHERFM.....	152
II2HERFM.....	152
IRHALFM.....	152
IIHALFM.....	152
II2HALFM.....	152
IRINHFM.....	152
IIINHFM.....	152
II2INHFM.....	152
IRCI GAGE.....	153
IICI GAGE.....	153
IRCI GYFU.....	153
IICI GYFU.....	153
IRCDUAGE.....	153
IICDUAGE.....	153
IRCDUYFU.....	153
IICDUYFU.....	153
IRCGRAGE.....	153
IICGRAGE.....	153
IRCGRYFU.....	153
IICGRYFU.....	154
IRSNFAGE.....	154
IISNFAGE.....	154
IRSNFYFU.....	154
IISNFYFU.....	154
IRCHWAGE.....	154
IICHWAGE.....	154
IRCHWYFU.....	154

VARIABLE NAME	PAGE
-----	----
IICHWYFU.....	154
IRSLTAGE.....	154
IISLTAGE.....	154
IRSLTYFU.....	154
IISLTYFU.....	154
IRALCAGE.....	155
IIALCAGE.....	155
IRALCYFU.....	155
IIALCYFU.....	155
IRMJAGE.....	155
IIMJAGE.....	155
IRMJYFU.....	155
IIMJYFU.....	155
IRCOCAGE.....	155
IICOCAGE.....	155
IRCOCYFU.....	155
IICOCYFU.....	155
IRCRKAGE.....	155
IICRKAGE.....	156
IRCRKYFU.....	156
IICRKYFU.....	156
IRHERAGE.....	156
IHERAGE.....	156
IRHERYFU.....	156
IHERYFU.....	156
IRHALAGE.....	156
IHALAGE.....	156
IRHALYFU.....	156
IHALYFU.....	156
IRLSDAGE.....	156
IILSDAGE.....	156
IRLSDYFU.....	157
IILSDYFU.....	157
IRPCPAGE.....	157
IIPCPAGE.....	157
IRPCPYFU.....	157
IIPCPYFU.....	157
IRECSAGE.....	157
IIECSAGE.....	157
IRECSYFU.....	157
IIECSYFU.....	157
IRINHAGE.....	157
IINHAGE.....	157
IRINHYFU.....	158
IINHYFU.....	158

VARIABLE NAME	PAGE
-----	----
IRANLAGE.....	158
IIANLAGE.....	158
IRANLYFU.....	158
IIANLYFU.....	158
IRTRNAGE.....	158
IITRNAGE.....	158
IRTRNYFU.....	158
IITRNYFU.....	158
IRSTMAGE.....	158
IISTMAGE.....	159
IRSTMYFU.....	159
IISTMYFU.....	159
IRMTHAGE.....	159
IIMTHAGE.....	159
IRMTHYFU.....	159
IIMTHYFU.....	159
IRSEDAGE.....	159
IISEDAGE.....	159
IRSEDYFU.....	159
IISEDYFU.....	159
CIGFLAG.....	160
CIGMON.....	160
CIGYR.....	160
CGRFLAG.....	160
CGRYR.....	160
CGRMON.....	160
PIPFLAG.....	160
PIPMON.....	160
SMKFLAG.....	160
SMKYR.....	160
SMKMON.....	160
CHWFLAG.....	160
CHWYR.....	161
CHWMON.....	161
SNFFLAG.....	161
SNFYR.....	161
SNFMON.....	161
TOBFLAG.....	161
TOBYR.....	161
TOBMON.....	161
ALCFLAG.....	161
ALCYR.....	161
ALCMON.....	161
MRJFLAG.....	161
MRJYR.....	162

VARIABLE NAME -----	PAGE ----
MRJMON.....	162
COCFLAG.....	162
COCYR.....	162
COCMON.....	162
CRKFLAG.....	162
CRKYR.....	162
CRKMON.....	162
HERFLAG.....	162
HERYR.....	162
HERMON.....	162
HALFLAG.....	162
HALYR.....	162
HALMON.....	163
LSDFLAG.....	163
LSDYR.....	163
LSDMON.....	163
PCPFLAG.....	163
PCPYR.....	163
PCPMON.....	163
ECSFLAG.....	163
ECSYR.....	163
ECSMON.....	163
INHFLAG.....	163
INHYR.....	163
INHMON.....	163
ANLFLAG.....	164
ANLYR.....	164
ANLMON.....	164
TRQFLAG.....	164
TRQYR.....	164
TRQMON.....	164
STMFLAG.....	164
STMYR.....	164
STMMON.....	164
MTHFLAG.....	164
MTHYR.....	164
MTHMON.....	164
SEDFLAG.....	164
SEDYR.....	165
SEDMON.....	165
PSYFLAG2.....	165
PSYYR2.....	165
PSYMON2.....	165
SUMFLAG.....	165
SUMYR.....	165

VARIABLE NAME -----	PAGE ----
SUMMON.....	165
MJOFLAG.....	166
MJOYR2.....	166
MJOMON2.....	166
IEMFLAG.....	166
IEMYR.....	166
IEMMON.....	166
BINGEDRK.....	167
HVYDRK2.....	167
BINGEHVY.....	167
PEYOTE2.....	167
MESC2.....	167
PSILCY2.....	167
ECSTASY2.....	167
AMYLNIT2.....	168
CLEFLU2.....	168
GAS2.....	168
GLUE2.....	168
ETHER2.....	168
SOLVENT2.....	168
LGAS2.....	168
NITOXID2.....	168
SPPAINT2.....	168
AEROS2.....	168
DARVTYL2.....	168
PERCTYL2.....	168
VICOLOR2.....	168
CODEINE2.....	169
DEMEROL2.....	169
DILAUD2.....	169
FIORICT2.....	169
FIORINL2.....	169
HYDROCD2.....	169
METHDON2.....	169
MORPHIN2.....	169
OXYCONT2.....	169
PHENCOD2.....	169
PROPOXY2.....	169
SK65A2.....	169
STADOL2.....	169
TALACEN2.....	170
TALWIN2.....	170
TALWINX2.....	170
TRAMADL2.....	170
ULTRAM2.....	170

VARIABLE NAME	PAGE
-----	----
OTHANL.....	170
KLONOPI2.....	170
XNAXATV2.....	170
VALMDIA2.....	170
ATARAX2.....	170
BUSPAR2.....	170
EQUANIL2.....	170
FLEXERL2.....	170
LIBRIUM2.....	171
LIMBTRL2.....	171
MEPROB2.....	171
MILTOWN2.....	171
ROHYPNL2.....	171
SERAX2.....	171
SOMA2.....	171
TRANXEN2.....	171
VISTAR2.....	171
OTHTRN.....	171
METHDES2.....	171
DIETPIL2.....	171
RITMPHE2.....	171
CYLERT2.....	172
DEXED2.....	172
DETAMP2.....	172
DIDREX2.....	172
ESKAT2.....	172
IONAMIN2.....	172
MAZANOR2.....	172
OBLA2.....	172
PLEGINE2.....	172
PRELUDN2.....	172
SANOREX2.....	172
TENUATE2.....	172
OTHSTM.....	172
METHAQ2.....	173
NEMBBAR2.....	173
RESTTMA2.....	173
AMYTAL2.....	173
BUTISOL2.....	173
CHHYD2.....	173
DALMANE2.....	173
HALCION2.....	173
PHENOBR2.....	173
PLACIDY2.....	173
TUINAL2.....	173

VARIABLE NAME	PAGE
-----	----
OTHSED.....	173
CIGBRND3.....	175
CGRBRND3.....	175
SMKBRND3.....	175
CIGCOMPNY.....	176
ALCAFU.....	176
MJAFU.....	176
COCAFU.....	176
HERAFU.....	176
HALAFU.....	177
INHAFU.....	177
ANLAFU.....	177
TRNAFU.....	177
STMAFU.....	177
SEDAFU.....	177
CIGAFU.....	177
CGRAFU.....	177
SLTAFU.....	178
CG05.....	179
CG06.....	179
CG06DK.....	179
CG06RE.....	180
CG27.....	180
CG28.....	180
CG28DK.....	180
CG28RE.....	181
CG19.....	181
CG20.....	181
CG20DK.....	181
CG20RE.....	182
CG36.....	182
CG37.....	182
CG37DK.....	182
CG37RE.....	183
CG43.....	183
ALLAST3.....	183
ALRECDK.....	183
ALRECRE.....	184
TOTDRINK.....	184
ALFRAME3.....	184
ALYRAVE.....	184
ALMONAVE.....	185
ALWKAVE.....	185
MJLAST3.....	185
MJRECDK.....	185

VARIABLE NAME	PAGE
-----	----
MJRECRE.....	186
TOTMJ.....	186
MJFRAME3.....	186
MJYRAVE.....	186
MJMONAVE.....	187
MJWKAVE.....	187
CCLAST3.....	187
CCRECDK.....	187
CCRECRE.....	188
TOTCOKE.....	188
CCFRAME3.....	188
CCYRAVE.....	188
CCMONAVE.....	189
CCWKAVE.....	189
CKLAST3.....	189
CKRECDK.....	189
CKRECRE.....	189
TOTCRACK.....	190
CKFRAME3.....	190
CKYRAVE.....	190
CKMONAVE.....	190
CKWKAVE.....	190
HELAST3.....	191
HERECDK.....	191
HERECRE.....	191
TOTHERO.....	191
HEFRAME3.....	191
HEYRAVE.....	192
HEMONAVE.....	192
HEWKAVE.....	192
LSLAST.....	192
LSRECDK.....	192
LSRECRE.....	193
TOTHALL.....	193
LSFRAME3.....	193
LSYRAVE.....	193
LSMONAVE.....	194
LSWKAVE.....	194
LS10.....	194
LS16.....	194
LS22.....	194
INLAST.....	195
INRECDK.....	195
INRECRE.....	195
TOTINHAL.....	195

VARIABLE NAME -----	PAGE ----
INFRAME3.....	196
INYRAVE.....	196
INMONAVE.....	196
INWKAVE.....	196
PR09.....	197
PRRECDK.....	197
PRRECRE.....	197
PR10.....	198
PR11.....	198
PR12.....	198
PR13.....	199
TR09.....	199
TRRECDK.....	199
TRRECRE.....	200
TR10.....	200
TR11.....	200
TR12.....	201
TR13.....	201
ST09.....	201
STRECDK.....	201
STRECRE.....	202
ST10.....	202
ST11.....	202
ST12.....	203
ST13.....	203
ST19.....	203
ST20.....	203
ST21.....	204
ST22.....	204
ST23.....	204
SV09.....	204
SVRECDK.....	205
SVRECRE.....	205
SV10.....	205
SV11.....	206
SV12.....	206
SV13.....	206
HERSMOKE.....	207
HRSMKREC.....	208
HERSNIFF.....	208
HRSNFREC.....	208
HERNEEDL.....	209
HEOTSMK.....	209
HEOTSNF.....	209
HEOTNDL.....	209

VARIABLE NAME -----	PAGE ----
HEOTOTH.....	210
HEOTSP.....	210
HRNDLREC.....	210
MTHNEEDL.....	211
MTNDLREC.....	211
OSTNEEDL.....	212
OSTNLREC.....	212
COCNEEDL.....	213
CONDLREC.....	213
OTDGNEDL.....	213
OTDGNDLA.....	214
OTDGNDLB.....	215
OTDGNDLA.....	216
OTDGNDLD.....	216
OTDGNdle.....	216
GNNDRREUS.....	217
GNNDLSH1.....	217
GNNDCLEN.....	217
GNNDLSH2.....	218
GNNGET2.....	218
STNEEDLR.....	219
STNLRECR.....	219
NEDLRECR.....	220
NEDFLG01.....	220
NEDMTH.....	220
HERSMOK2.....	220
HERSNIF2.....	220
NEDHER.....	220
NEDCOC.....	220
NEDSTM.....	221
RSKPKCIG.....	222
RSKMJOCC.....	222
RSKMJREG.....	223
RKTRYLSD.....	223
RKLSDREG.....	223
RKTRYHER.....	224
RKHERREG.....	224
RKCOCOC.....	224
RKCOCREG.....	225
RK5ALDLY.....	225
RK5ALWK.....	225
RSKDIFMJ.....	226
RKDIFLSD.....	226
RKDIFCOC.....	226
RKDIFCRK.....	227

VARIABLE NAME -----	PAGE ----
RKDIFHER.....	227
RSKSELL.....	227
RKFQDNDR.....	228
RKFQRSKY.....	228
RKFQPBLT.....	228
RKFQDBLT.....	229
RKLISALL.....	229
RKLISRA1.....	230
RKLISRA2.....	231
RKLISRB2.....	232
RKLISRB1.....	233
GRSKPKCG.....	234
GRSKCREG.....	234
GRSKCOCC.....	234
GRSKMREG.....	234
GRSKMOCC.....	234
GRSKHTRY.....	234
GRSKHREG.....	234
GRSKLTRY.....	234
GRSKLREG.....	235
GRSKD4_5.....	235
GRSKD5WK.....	235
RDIFMJ.....	235
RDIFCOC.....	235
RDIFHER.....	235
RDIFLSD.....	235
RDIFCRK.....	235
APPSELDR.....	235
BIDIEVER.....	236
BIDIREC.....	236
BIDI30US.....	237
CLOVEVER.....	237
CLOVREC.....	238
CLOV30US.....	238
BIDIMONR.....	239
BIDIYRR.....	239
BIDIPLGR.....	239
CLOVMONR.....	239
CLOVYRR.....	239
CLOVPLGR.....	239
SPCGMONR.....	239
SPCGYRR.....	239
SPCGPLGR.....	239
CIGIRTLB.....	241
CIGCRAVE.....	241

VARIABLE NAME	PAGE
-----	----
CIGCRAGP.....	242
CIGINCTL.....	242
CIGAVOID.....	243
CIGFNSMK.....	243
CIGFNLKE.....	244
CIGPLANE.....	244
CIGRNOUT.....	245
CIGREGDY.....	245
CIGREGWK.....	246
CIGREGNM.....	246
CIGNMCHG.....	247
CIGSVLHR.....	247
CIGINFLU.....	248
CIGNOINF.....	248
CIGINCRS.....	249
CIGSATIS.....	249
CIGLOTMR.....	250
CIGWAKE.....	250
CIG30PKC.....	251
CIG30PPK.....	251
CIG30PCR.....	252
ALCLOTTM.....	252
ALCGTOVR.....	253
ALCLIMIT.....	253
ALCKPLMT.....	253
ALCNDMOR.....	254
ALCLSEFX.....	254
ALCCUTDN.....	254
ALCCUTEV.....	255
ALCCUT1X.....	255
ALCWD2SX.....	256
ALCWDSMT.....	257
ALCEMOPB.....	257
ALCEMCTD.....	258
ALCPHLPB.....	258
ALCPHCTD.....	258
ALCLSACT.....	259
ALCSERP.....	259
ALCPDANG.....	260
ALCLAWTR.....	260
ALCFMFPB.....	260
ALCFMCTD.....	261
MRJLOTTM.....	261
MRJGTOVR.....	261
MRJLIMIT.....	262

VARIABLE NAME -----	PAGE ----
MRJKPLMT.....	262
MRJNDMOR.....	262
MRJLSEFX.....	263
MRJCUTDN.....	263
MRJCUTEV.....	263
MRJEMOPB.....	264
MRJEMCTD.....	264
MRJPHLPB.....	264
MRJPHCTD.....	265
MRJLSACT.....	265
MRJSERP.....	266
MRJPDANG.....	266
MRJLAWTR.....	267
MRJFMFPB.....	267
MRJFMCTD.....	267
COCLOTTM.....	268
COCGTOVR.....	268
COCLIMIT.....	268
COCKPLMT.....	269
COCNDMOR.....	269
COCLSEFX.....	269
COCCUTDN.....	270
COCCUTEV.....	270
COCCUT1X.....	270
COCFLBLU.....	271
COCWD2SX.....	271
COCWDSMT.....	272
COCEMOPB.....	272
COCEMCTD.....	273
COCPHLPB.....	273
COCPHCTD.....	273
COCLSACT.....	274
COCSERP.....	274
COCPDANG.....	275
COCLAWTR.....	275
COCFMFPB.....	275
COCFMCTD.....	276
HERLOTTM.....	276
HERGTOVR.....	276
HERLIMIT.....	277
HERKPLMT.....	277
HERNDMOR.....	277
HERLSEFX.....	278
HERCUTDN.....	278
HERCUTEV.....	278

VARIABLE NAME -----	PAGE ----
HERCUT1X.....	279
HERWD3SX.....	279
HERWDSMT.....	280
HEREMOPB.....	280
HEREMCTD.....	281
HERPHLPB.....	281
HERPHCTD.....	281
HERLSACT.....	282
HERSERPB.....	282
HERPDANG.....	283
HERLAWTR.....	283
HERFMFPB.....	283
HERFMCTD.....	284
HALLOTTM.....	284
HALGTOVR.....	284
HALLIMIT.....	285
HALKPLMT.....	285
HALNDMOR.....	285
HALLSEFX.....	286
HALCUTDN.....	286
HALCUTEV.....	286
HALEMOPB.....	287
HALEMCTD.....	287
HALPHLPB.....	287
HALPHCTD.....	288
HALLSACT.....	288
HALSERPB.....	289
HALPDANG.....	289
HALLAWTR.....	290
HALFMFPB.....	290
HALFMCTD.....	290
INHLOTTM.....	291
INHGTOVR.....	291
INHLIMIT.....	291
INHKPLMT.....	292
INHNDMOR.....	292
INHSEFX.....	292
INHCUTDN.....	293
INHCUTEV.....	293
INHEMOPB.....	293
INHEMCTD.....	294
INHPHLPB.....	294
INHPHCTD.....	294
INHLSACT.....	295
INHSERP.....	295

VARIABLE NAME	PAGE
-----	----
INHDPDANG.....	296
INHLLAWTR.....	296
INHFMFPB.....	296
INHFMCTD.....	297
ANLLOTTM.....	297
ANLGTOVR.....	298
ANLLIMIT.....	298
ANLKPLMT.....	298
ANLNDMOR.....	299
ANLLSEFX.....	299
ANLCUTDN.....	299
ANLCUTEV.....	300
ANLCUT1X.....	300
ANLWD3SX.....	301
ANLWDSMT.....	302
ANLEMOPB.....	302
ANLEMCTD.....	303
ANLPHLPB.....	303
ANLPHCTD.....	304
ANLLSACT.....	304
ANLSERP.....	305
ANLSERPB.....	305
ANLPDANG.....	305
ANLLAWTR.....	306
ANLFMFPB.....	306
ANLFMCTD.....	306
TRNLOTTM.....	307
TRNGTOVR.....	307
TRNLIMIT.....	308
TRNKPLMT.....	308
TRNNDMOR.....	308
TRNLSEFX.....	309
TRNCUTDN.....	309
TRNCUTEV.....	310
TRNEMOPB.....	310
TRNEMCTD.....	311
TRNPHLPB.....	311
TRNPHCTD.....	312
TRNLSACT.....	312
TRNSERP.....	313
TRNSERP.....	313
TRNPDANG.....	313
TRNLAWTR.....	314
TRNFMFPB.....	314
TRNFMCTD.....	314
STMLOTTM.....	315
STMGTOVR.....	315

VARIABLE NAME -----	PAGE ----
STMLIMIT.....	316
STMKPLMT.....	316
STMNDMOR.....	317
STMLSEFX.....	317
STMCUTDN.....	318
STMCUTEV.....	318
STMCUT1X.....	319
STMFLBLU.....	319
STMWD2SX.....	320
STMWDSMT.....	321
STEMMOPB.....	321
STEMMCTD.....	322
STMPHLPB.....	322
STMPHCTD.....	323
STMLSACT.....	323
STMSERP.....	324
STMPDANG.....	324
STMLAWTR.....	325
STMFMPB.....	325
STFMCTD.....	326
SEDLTTM.....	326
SEDGTOVR.....	327
SEDLIMIT.....	327
SEDKPLMT.....	327
SEDNDMOR.....	328
SEDLSEFX.....	328
SEDCUTDN.....	329
SEDCUTEV.....	329
SEDCUT1X.....	330
SEDWD1SX.....	330
SEDWDSMT.....	331
SEDEMOPB.....	331
SEDEMCTD.....	332
SEDPHLPB.....	332
SEDPHCTD.....	333
SEDLFACT.....	333
SEDSERP.....	334
SEDPDANG.....	334
SEDLAWTR.....	335
SEDFMPB.....	335
SEDFMCTD.....	335
IRCGIRTB.....	336
IICGIRTB.....	336
IRCGCRV.....	336
IICGCRV.....	336

VARIABLE NAME	PAGE
-----	----
IRCGCRGP.....	337
IICGCRGP.....	337
IRCGNCTL.....	337
IICGNCTL.....	337
IRCGAVD.....	337
IICGAVD.....	338
IRCGPLN.....	338
IICGPLN.....	338
IRCGROUT.....	338
IICGROUT.....	338
IRCGRGDY.....	339
IICGRGDY.....	339
IRCGRGWK.....	339
IICGRGWK.....	339
IRCGRGNM.....	339
IICGRGNM.....	340
IRCGNCG.....	340
IICGNCG.....	340
IRCGSLHR.....	340
IICGSLHR.....	340
IRCGINFL.....	341
IICGINFL.....	341
IRCGNINF.....	341
IICGNINF.....	341
IRCGINCR.....	341
IICGINCR.....	342
IRCGSAT.....	342
IICGSAT.....	342
IRCGLMR.....	342
IICGLMR.....	342
NDSSAVG.....	343
NDSSDEP.....	343
FTNDDEP.....	343
DEPNDNIC.....	343
DEPNDALC.....	345
DEPNANL.....	345
DEPNDCOC.....	345
DEPNDBER.....	345
DEPNDBTM.....	345
DEPNDBED.....	345
DEPNDBAL.....	345
DEPNDBNH.....	345
DEPNDBMRJ.....	346
DEPNDBTRN.....	346
DEPNDBILL.....	346

VARIABLE NAME -----	PAGE ----
DEPNDIEM.....	346
DEPNDXMJ.....	347
DEPNFPSY.....	347
DPILLALC.....	347
DPILANAL.....	347
ABUSEALC.....	348
ABUSEMRJ.....	348
ABUSECOC.....	349
ABUSEHER.....	349
ABUSEHAL.....	349
ABUSEINH.....	349
ABUSEANL.....	349
ABUSETRN.....	349
ABUSETM.....	349
ABUSESED.....	349
ABUSEILL.....	349
ABILLALC.....	350
ABILANAL.....	350
ABUSEPSY.....	350
ABUSEIEM.....	350
ABUSEXMJ.....	350
ABODALC.....	351
ABODMRJ.....	351
ABODCOC.....	351
ABODHER.....	351
ABODHAL.....	351
ABODINH.....	351
ABODANL.....	351
ABODTRN.....	351
ABODSTM.....	351
ABODSED.....	351
ABODILL.....	352
ABODIEM.....	352
ABODPSY.....	352
ABODILAL.....	352
ABDILAAL.....	352
BOOKED.....	353
NOBOOKY2.....	353
BKMVTHFT.....	354
BKLARCNY.....	354
BKBURGL.....	354
BKAGASLT.....	355
BKSMASLT.....	355
BKROB.....	355
BKRAPE.....	356

VARIABLE NAME -----	PAGE ----
BKMURDER.....	356
BKARSON.....	356
BKDRVINF.....	357
BKDRUNK.....	357
BKPOSTOB.....	357
BKDRUG.....	358
BKPROS.....	358
BKSEXOFF.....	358
BKFRAUD.....	359
BKOTH.....	359
BKOTHOF2.....	360
PROBATON.....	361
PAROLREL.....	361
DRVALDR.....	361
DRVAONLY.....	362
DRVDONLY.....	362
DRIVALC.....	363
DRIVDRG.....	363
DRIVALD.....	363
PAROL.....	363
PROB.....	364
MMGETMJ.....	365
MMBTREC1.....	365
MMBTPIR.....	365
MMBTREC2.....	366
MMBT30DY.....	366
MMJNTLOO.....	366
MMJNTNUM.....	367
MMJNPCTB.....	367
MMJNPCAT.....	368
MMLSUNIT.....	368
MMLSGMS.....	369
MMLS10GM.....	369
MMLSOZS.....	369
MMLSLBS.....	370
MMLS5LBS.....	370
MMLSPCTB.....	371
MMLSPCAT.....	372
MMBUYWHO.....	373
MMBPLACE.....	373
MMBATJOB.....	373
MMBCLOSE.....	374
MMBSELL.....	374
MMBGIVE.....	374
MMTRADE.....	375

VARIABLE NAME -----	PAGE ----
MMTRD30D.....	375
MMTRDREC.....	375
MMT30FRQ.....	376
MMTJNTLS.....	376
MMTJNTNM.....	376
MMTJWRCB.....	377
MMTJWRTH.....	377
MMTLUNIT.....	378
MMTLGMS.....	378
MMTLOZS.....	378
MMTLWRCB.....	379
MMTLWRTH.....	380
MMTRDWHO.....	380
MMTPLACE.....	381
MMTCLOSE.....	381
MMTKEEP.....	381
MMTSELL.....	382
MMTGIVE.....	382
MMGKEEP.....	382
MMGSELL.....	383
MMGGIVE.....	383
MMFREWHO.....	383
MMFPLACE.....	384
MMFCLOSE.....	384
MMFKEEP.....	384
MMFSELL.....	385
MMFGIVE.....	385
TXEVER.....	386
TXYREVER.....	387
TXYRADG.....	387
TXYRHOSP.....	388
TXYRHPAD.....	388
TXYRRFIN.....	388
TXYRINAD.....	389
TXYRRFOP.....	389
TXYRPOAD.....	390
TXYRMHC.....	390
TXYRMHAD.....	391
TXYRTXER.....	391
TXYRERAD.....	392
TXYRDOC.....	392
TXYRDCAD.....	392
TXYRJAIL.....	393
TXYRJLAD.....	393
TXYRSHG.....	393

VARIABLE NAME -----	PAGE ----
TXYRSGAD.....	394
TXYRSOP.....	394
TXYROTS2.....	395
TXYROTAD.....	395
TXYRVSER.....	396
TXYRNME2.....	396
TXRCVNOW.....	396
NDTXNEDR.....	397
NDTXMORE.....	398
NDTMRALC.....	398
NDTMRMJ.....	398
NDTMRROC.....	399
NDTMRHER.....	399
NDTMRHAL.....	399
NDTMRINH.....	399
NDTMRANL.....	400
NDTMRTRN.....	400
NDTMRSTM.....	400
NDTMRSED.....	400
NDTMROTH.....	401
NDTXALCR.....	401
NDTXMJR.....	401
NDTXCOCR.....	402
NDTXHERR.....	402
NDTXHALR.....	402
NDTXINHR.....	403
NDTXANLR.....	403
NDTXTRNR.....	404
NDTXSTM.....	404
NDTXSEDR.....	405
NDTXSODR.....	405
NDTXDG1R.....	405
NDTXDG2R.....	406
NDTXDG3R.....	406
NDTXDG4R.....	406
NDTXDG5R.....	406
NDTXEFTR.....	407
NDTMREFT.....	407
TXLASREC.....	408
TXLTYMN2.....	409
TXLTYALC.....	410
TXLTYMJ.....	410
TXLTYCOC.....	411
TXLTYHER.....	411
TXLTYHAL.....	412

VARIABLE NAME	PAGE
-----	----
TXPPUBP2.....	428
TXPSAVE2.....	428
TXPFMLY2.....	428
TXPCORT2.....	428
TXPMILC2.....	428
TXPEMPL2.....	428
ILLPINS.....	428
ILLPCARE.....	429
ILLPCAID.....	429
ILLPPUBP.....	429
ILLPSAVE.....	429
ILLPFMLY.....	429
ILLPCORT.....	429
ILLPMILC.....	429
ILLPEMPL.....	429
ALCPINS.....	429
ALCPCARE.....	429
ALCPCAID.....	429
ALCPPUBP.....	430
ALCPSAVE.....	430
ALCPFMLY.....	430
ALCPCORT.....	430
ALCPMILC.....	430
ALCPEMPL.....	430
DRGHOSP.....	430
DRGRFIN.....	430
DRGRFOP.....	430
DRGMHC.....	430
DRGTXER.....	430
DRGDOC.....	431
DRGJAIL.....	431
DRGSHG.....	431
ALCHOSP.....	431
ALCRFIN.....	431
ALCRFOP.....	431
ALCMHC.....	431
ALCTXER.....	431
ALCDOC.....	431
ALCJAIL.....	431
ALCSHG.....	431
LOCHOSP.....	432
LOCRFIN.....	432
LOCRFOP.....	432
LOCMHC.....	432
LOCTXER.....	432

VARIABLE NAME -----	PAGE ----
LOCDOC.....	432
LOCJAIL.....	432
LOCSHG.....	432
PREGNANT.....	433
NMERTMT2.....	433
INHOSPYR.....	433
NMNGTHS2.....	434
DOMOSTYR.....	434
PBLMWORK.....	434
LIMITWRK.....	435
TYPEPBLM.....	435
PREG.....	436
PREG2.....	436
TRIMEST.....	436
AUINPYR.....	437
AUINPSYH.....	437
AUINPGEN.....	437
AUINMEDU.....	438
AUINAHSP.....	438
AUINRESD.....	438
AUINSFAC.....	438
AUNMPY2.....	438
AUNMPGE2.....	439
AUNMED2.....	439
AUNMAHSP.....	439
AUNRES2.....	439
AUNMSFA2.....	440
AUPINSLF.....	440
AUPINOFM.....	440
AUPINPHI.....	440
AUPINMCR.....	440
AUPINMCD.....	441
AUPINREH.....	441
AUPINEMP.....	441
AUPINMIL.....	441
AUPINPUB.....	441
AUPINPRV.....	442
AUPINFRE.....	442
AUPINAMT.....	442
AUOPTYR.....	443
AUOPMENT.....	443
AUOPTHER.....	444
AUOPDOC.....	444
AUOPCLNC.....	444
AUOPDTMT.....	444

VARIABLE NAME	PAGE
-----	----
AUOPOTOP.....	444
AUOPYRS2.....	445
AUNMMEN2.....	445
AUNMTHE2.....	446
AUNMDOC2.....	446
AUNMCLN2.....	446
AUNMDTM2.....	447
AUNMOTO2.....	447
AUPOPSLF.....	447
AUPOPOFM.....	447
AUPOPPHI.....	448
AUOPMCR.....	448
AUOPMCD.....	448
AUOPPREH.....	448
AUPOPEMP.....	448
AUOPMIL.....	449
AUOPPUB.....	449
AUOPPRV.....	449
AUOPPFRE.....	449
AUOPMOS.....	450
AUOPAMT.....	450
AURXYR.....	451
AUUNMTYR.....	451
AUUNCOST.....	451
AUUNNBR.....	452
AUUNJOB.....	452
AUUNNCOV.....	452
AUUNENUF.....	452
AUUNWHER.....	452
AUUNCFID.....	453
AUUNCMIT.....	453
AUUNSOR.....	453
AMHINP.....	454
AMHOUTP.....	454
AMHRX.....	454
AMHTXREC.....	454
AMHTRTND.....	454
RECNEED.....	455
NORECNED.....	455
SNAPKCIG.....	456
SNAMJEVR.....	456
SNAALDLY.....	457
SNAALDRV.....	457
SNMOV5Y2.....	457
SNPPHLD.....	458

VARIABLE NAME -----	PAGE ----
SNINSULT.....	458
SNSRARGU.....	458
SNSMARGU.....	459
SNSPOUSE.....	459
SNSPACTV.....	459
SNSPANGR.....	460
SNSPHITU.....	460
SNYHITSP.....	460
SNSPCRIT.....	461
SNSPCONC.....	461
SNFRCONC.....	461
SNFRACTV.....	462
SNFRCARE.....	462
SNYSELL.....	462
SNYSTOLE.....	463
SNYATTAK.....	463
SNYDFAST.....	464
SNY50LBS.....	464
SNYINJUR.....	465
SNYSTERD.....	465
SNYRRXNG.....	465
SNYLAXTV.....	466
SNYPASNS.....	466
SNYFIRE.....	466
SNFACIG.....	467
SNFAMJEV.....	467
SNFAALDY.....	467
SNFAALDV.....	468
SNFDCIG.....	468
SNFDMJ.....	468
SNFDALC.....	469
SNFDDRNK.....	469
SNRLGSVC.....	469
SNRLGIMP.....	470
SNRLDCSN.....	470
SNRLFRND.....	471
YEMOV5Y2.....	472
YEATNDYR.....	472
YEHMSLYR.....	472
YESCHFLT.....	473
YESCHWRK.....	473
YESCHIMP.....	473
YESCHINT.....	474
YETCGJOB.....	474
YELSTGRD.....	474

VARIABLE NAME	PAGE
-----	----
YESTSCIG.....	475
YESTSMJ.....	475
YESTSALC.....	476
YESTSDNK.....	476
YEPCHKHW.....	477
YEPHLPHW.....	477
YEPCHORE.....	478
YEPLMTTV.....	478
YEPLMTSN.....	478
YEPGDJOB.....	479
YEPPROUD.....	479
YEYARGUP.....	479
YEYFGTSW.....	480
YEYFGTGP.....	480
YEYHGUN.....	480
YEYSELL.....	481
YEYSTOLE.....	481
YEYATTAK.....	481
YEYRNAWY.....	482
YEY50LBS.....	482
YEYINJUR.....	483
YEYSTERD.....	483
YEYRRXNG.....	483
YEYLAXTV.....	484
YEYHACK.....	484
YEYFIRE.....	484
YEPKPCIG.....	485
YEPMJEV.....	485
YEPMJMO.....	485
YEPALDLY.....	486
YEGPKCIG.....	486
YEGMJEV.....	486
YEGMJMO.....	487
YEGALDLY.....	487
YEFKPCIG.....	487
YEFMJEV.....	488
YEFMJMO.....	488
YEFALDLY.....	488
YETLKNON.....	489
YETLKPAR.....	489
YETLKBGF.....	489
YETLKOTA.....	489
YETLKSOP.....	490
YEPRTDNG.....	490
YEPRBSLV.....	490

VARIABLE NAME	PAGE
-----	----
YEVIOPRV.....	491
YEDGPRGP.....	491
YESLFHLP.....	491
YEPRGSTD.....	492
YESCHACT.....	492
YECOMACT.....	492
YEFIACT.....	493
YEOTHACT.....	493
YEDECLAS.....	493
YEDERGLR.....	494
YEDESPCL.....	494
YEPVNTYR.....	494
YERLGSVC.....	495
YERLGIMP.....	495
YERLDCSN.....	496
YERLFRND.....	496
YECGFRND.....	497
YECGVEND.....	498
YECGMAI2.....	498
YECGCHKO.....	499
YECGCLRK.....	499
YECGINET.....	500
YECGSMKT.....	500
YECGDSTO.....	501
YECGCONV.....	501
YECGINDV.....	502
YECGPRUF.....	502
YECGSUCC.....	502
YEPKCRTN.....	503
YEPDPACK.....	503
YEPDCRTN.....	504
YEBLNTEV.....	504
YEBLNT30.....	505
YEBL30FQ.....	505
YECGRWMJ.....	505
MVIN5YR2.....	506
PRPKCIG2.....	506
PRMJEV2.....	506
PRALDLY2.....	506
PRTALK3.....	506
YOFIGHT2.....	506
YOGRPFT2.....	506
YOHGUN2.....	506
YOSELL2.....	507
YOSTOLE2.....	507

VARIABLE NAME	PAGE
-----	----
YOATTAK2.....	507
YFLPKCG2.....	507
YFLTMRJ2.....	507
YFLADLY2.....	507
PRBSOLV2.....	507
PREVIOL2.....	507
PRVDRGO2.....	507
GRPCNSL2.....	508
PREGPGM2.....	508
DGSPCLS2.....	508
DGRGCLS2.....	508
DRGLECT2.....	508
DRPRVME3.....	509
ANYEDUC3.....	509
CIGFRND.....	509
CIGVEND.....	509
CIGMAIL.....	509
CIGCKOUT.....	509
CIGCLERK.....	509
CIGINET.....	509
CIGSMKT.....	510
CIGDSTO.....	510
CIGCONV.....	510
CIGINDIV.....	510
YTHBGHT.....	510
RLGATTD.....	510
RLGIMPT.....	510
RLGDASN.....	511
RLGFRND.....	511
SCHFELT.....	511
SCHWORK.....	511
SCHIMPT.....	511
SCHINTST.....	511
TCHGJOB.....	511
STNDSCIG.....	511
STNDSMJ.....	511
STNDALC.....	512
STNDDNK.....	512
PARCHKHW.....	512
PARHLPHW.....	512
PRCHORE2.....	512
PRLMTTV2.....	512
PARLMTSN.....	512
PRGDJOB2.....	512
PRPROUD2.....	512

VARIABLE NAME	PAGE
-----	----
ARGUPAR.....	513
PRMJMO.....	513
YFLMJMO.....	513
FRDPCIG2.....	513
FRDMEVR2.....	513
FRDMJMON.....	513
FRDADLY2.....	513
YTHACT2.....	514
PANATAK.....	515
PANREAC.....	515
PANATKN2.....	516
MDEDP2WK.....	516
MDEDPWKR.....	517
MDEDAYFQ.....	518
MDEDAYLN.....	518
MDECHNGS.....	518
MDELOSIN.....	519
MDELIWK2.....	520
MDELIFQ.....	521
MDELILN.....	521
MDELIHG.....	521
MNCHYPER.....	522
MNCNOSLP.....	522
MNCSPWRS.....	522
MNCEVER.....	523
MNCMEDS.....	523
PHBSOCL.....	524
PHBLEVEL.....	524
PHBAVOID.....	524
PHBINTFR.....	525
PHBCRWDS.....	525
PHBPUBPL.....	525
PHBTRAVL.....	526
PHBAWYHM.....	526
PHBWRSEFR.....	526
PHBWRSEST.....	527
PHBWRSAV.....	527
PHBWRSEIN.....	527
GADWORMR.....	528
GADWORLT.....	528
GADNRVOS.....	528
GADNRVLT.....	529
GADWKS2.....	529
GADNMWOR.....	530
GADSTRON.....	530

VARIABLE NAME -----	PAGE ----
GADOPROB.....	531
PTSEVER.....	531
PTSPYEAR.....	532
PTSWRSFQ.....	532
PTSWKS2.....	533
DELVOICE.....	534
DELFORCE.....	534
DELXRAY.....	535
DELTHOTS.....	535
DELSIGNL.....	536
DELPLOT.....	536
DELVISION.....	537
MHSEEDR.....	537
MHHOSPOV.....	538
MHOPNUM2.....	538
MHMEDS.....	539
MHMEDWK2.....	540
DSTNRVOS.....	541
DSTNCALM.....	541
DSTTIRE.....	542
DSTHOPLS.....	542
DSTRSTLS.....	543
DSTSITST.....	543
DSTDEPRS.....	544
DSTCHEER.....	544
DSTEFFRT.....	545
DSTNGOOD.....	545
IMPTHINK.....	546
IMPUNDST.....	546
IMPREMBR.....	547
IMPCONC.....	547
IMPMONY.....	548
IMPMONYM.....	548
IMPLERN.....	549
IMPLERNM.....	549
IMPWASH.....	550
IMPWASHM.....	550
IMPGO.....	551
IMPGOM.....	551
IMPDLPP.....	552
IMPDLPPM.....	552
IMPSOCL.....	553
IMPSOCLM.....	553
IMPGTALG.....	554
IMPCTRLE.....	554

VARIABLE NAME	PAGE
-----	----
IMPRELAX.....	555
IMPHRSP.....	555
IMPHRSPM.....	556
IMPDLRSP.....	556
IMPDLWRK.....	557
IMPWKS2.....	557
IMPDAYFQ.....	558
MHSVCHLP.....	558
SMI_SUM.....	559
SMI.....	559
YUHOSPYR.....	560
YUHOSPN2.....	560
YUHOSUIC.....	561
YUHODEPR.....	561
YUHOFEAR.....	561
YUHOBKRU.....	561
YUHOEATP.....	562
YUHOSOR.....	562
YURSIDYR.....	562
YURSIDN2.....	562
YURSSUIC.....	563
YURSDEPR.....	563
YURSFEAR.....	563
YURSBKRU.....	563
YURSEATP.....	563
YURSSOR.....	564
YUFCARYR.....	564
YUFCARN2.....	564
YUFCSUIC.....	565
YUFCDEPR.....	565
YUFCFEAR.....	565
YUFCBKRU.....	565
YUFCEATP.....	566
YUFCSOR.....	566
YUDYTXYR.....	566
YUDYTXN2.....	566
YUDYSUIC.....	567
YUDYDEPR.....	567
YUDYFEAR.....	567
YUDYBKRU.....	567
YUDYEATP.....	568
YUDYSOR.....	568
YUMHCRYR.....	568
YUMHCRN2.....	568
YUMHSUIC.....	569

VARIABLE NAME	PAGE
-----	----
YUMHDEPR.....	569
YUMHFEAR.....	569
YUMHBKRU.....	569
YUMHEATP.....	570
YUMHSOR.....	570
YUTPSTYR.....	570
YUTPSTN2.....	570
YUTPSUIC.....	571
YUTPDEPR.....	571
YUTPFEAR.....	571
YUTPBKRU.....	571
YUTPEATP.....	572
YUTPSOR.....	572
YUIHTPYR.....	572
YUIHTPN2.....	572
YUIHSUIC.....	573
YUIHDEPR.....	573
YUIHFEAR.....	573
YUIHBKRU.....	573
YUIHEATP.....	574
YUIHSOR.....	574
YUFDOCYR.....	574
YUFDOCN2.....	574
YUFDSUIC.....	575
YUFDDPR.....	575
YUFDFEAR.....	575
YUFDBKRU.....	575
YUFDEATP.....	576
YUFDSOR.....	576
YUSPEDYR.....	576
YUSHCNYR.....	577
YUSHSUIC.....	577
YUSHDEPR.....	577
YUSHFEAR.....	578
YUSHBKRU.....	578
YUSHEATP.....	578
YUSHSOR.....	578
YUJAILEV.....	578
YUFCAREV.....	579
YHOSP.....	580
YRESID.....	580
YFOST.....	580
YDAYTRT.....	580
YCLIN.....	580
YTHER.....	581

VARIABLE NAME	PAGE
-----	----
YHOME.....	581
YPED.....	581
YSPED.....	581
YSCHL.....	581
ANYTRT10.....	582
ANYTRT9.....	583
REASSUIC.....	584
REASDEPR.....	585
REASFEAR.....	585
REASBRAK.....	586
REASEATP.....	586
REASFAM.....	587
REASSOC.....	587
REASSCH.....	587
REASOTH.....	587
IMOTHER.....	588
IFATHER.....	588
NRCH17_2.....	588
IRHHSIZ2.....	588
IIHHSIZ2.....	588
IRHH65_2.....	588
IIHH65_2.....	588
IRKI17_2.....	589
IIKI17_2.....	589
PROXANS2.....	590
IRPSOC.....	590
IIPSOC.....	590
IRFAMSOC.....	590
IIFAMSOC.....	590
IRPSSI.....	590
IIPSSI.....	591
IRFAMSSI.....	591
IIFAMSSI.....	591
IRFSTAMP.....	591
IIFSTAMP.....	591
IRPPMT.....	591
IIPPMT.....	591
IRFAMPMT.....	591
IIFAMPMT.....	591
IRPSVC.....	591
IIPSVC.....	591
IRFAMSVC.....	592
IIFAMSVC.....	592
IRWELMOS.....	592
IIWELMOS.....	592

VARIABLE NAME -----	PAGE ----
IRPINT.....	592
IIPINT.....	592
IRFAMINT.....	592
IIFAMINT.....	592
IRPCHD.....	592
IIPCHD.....	592
IRFAMCHD.....	592
IIFAMCHD.....	593
IRPWAG.....	593
IIPWAG.....	593
IRFAMWAG.....	593
IIFAMWAG.....	593
IRPOTH.....	593
IIPOTH.....	593
IRFAMOTH.....	593
IIFAMOTH.....	593
IRPINC3.....	593
IIPINC3.....	594
IRFAMIN3.....	594
IIFAMIN3.....	594
MEDICARE.....	594
CAIDCHIP.....	595
CHAMPUS.....	595
PRVHLTIN.....	596
GRPHLTIN.....	596
HLTINALC.....	596
HLTINDRG.....	597
HLTINMNT.....	597
HLTINNOS.....	597
HLCNOTYR.....	597
HLCNOTMO.....	598
HLCLAST.....	598
HLLOSRSN.....	599
HLNV COST.....	599
HLNV OFFR.....	599
HLNV REF.....	600
HLNV NEED.....	600
HLNVSOR.....	600
IRPINSUR.....	600
IIPINSUR.....	600
IRINSUR.....	601
IIINSUR.....	601
IRINSUR3.....	602
IIINSUR3.....	603
GOVTPROG.....	604

VARIABLE NAME -----	PAGE ----
HLCALLFG.....	604
HLCALL99.....	604
ANYHLTI2.....	605
INSCDCH2.....	605
INSOTHR2.....	605
LANGVER.....	606
QUARTER.....	606
GQTYPE.....	606
AGE2.....	607
NOMARR2.....	607
SERVICE.....	608
MILSTAT.....	608
HEALTH.....	608
IRSEX.....	609
IISEX.....	609
IRMARIT.....	609
IIMARIT.....	609
IREDUC2.....	609
IIEDUC2.....	609
MOVESPY2.....	610
SCHENRL.....	610
EDUCATN2.....	611
STUDNT.....	611
SCHDSICK.....	612
SCHDSKIP.....	612
HSDIPLMA.....	612
HSGED.....	613
LFSCHWH2.....	614
LFTSCHA2.....	615
JBSTATR2.....	616
WRKHAVJB.....	616
WRKHRSWK.....	617
WRKINDU2.....	617
WRKOCU2.....	618
WRKBZCA2.....	618
WRKEDYR.....	619
WRKSLFEM.....	619
WRKJOBS2.....	619
WRKUNEMP.....	620
WRKUNWKS.....	620
WRKLSTY2.....	620
WRKINDY2.....	621
WRKOCY2.....	622
WRKBZCY2.....	622
WORKDAYS.....	623

VARIABLE NAME -----	PAGE ----
WORKBLAH.....	623
LOCSIZE.....	623
DRGPLCY.....	624
PLCYCOV.....	624
WKDRGED.....	624
DRGPRGM.....	625
USALCTST.....	625
USDRGTST.....	625
TSTHIRE.....	625
TSTRAND.....	626
FIRSTPOS.....	626
WRKHIRE.....	626
WORKRAND.....	627
TELNO2.....	627
COLLEGE2.....	627
EMPSTATY.....	628
IIEMPSTY.....	628
EMPSTAT4.....	628
IIEMPST4.....	629
CATAGE.....	630
CATAG2.....	630
CATAG3.....	630
CATAG7.....	630
PREGAGE2.....	630
NEWRACE2.....	630
EDUCCAT2.....	631
MRJYDAYS.....	631
COCYDAYS.....	631
HALYDAYS.....	631
INHVDAYS.....	631
ALCYDAYS.....	631
MRJMDAYS.....	632
COCMDAYS.....	632
HALMDAYS.....	632
INHMDAYS.....	632
ALCMDAYS.....	632
CIGMDAYS.....	632
CIGPDAY.....	633
PDEN.....	634
VESTR.....	635
VEREP.....	635
ANALWT_C.....	635

APPENDIX A

Drug Codes for Open-Ended Questions

APPENDIX A

Drug Codes for Open-Ended Questions (2001 CAI NHSDA)

Numerical Listing

NOTE: Due to changes in the NHSDA instrument in 1999, codes for some drugs may differ from those used in prior survey years.

101 = Butisol	156 = Sodium barbital
102 = Buticaps	157 = Barbiturates
103 = Amytal	159 = Octanox
104 = Mebaral	163 = Blue meanies
105 = Placidyl	164 = Yellow zombies
106 = Doriden	171 = NyQuil <OTC>
107 = Noludar	172 = Dream Ease <OTC>
108 = Nembutal	173 = Wafers
109 = Seconal	174 = Ambien, Zolpidem
110 = Tuinal	176 = Melatonin <OTC>
111 = Dalmane, Flurazepam	177 = Bean
112 = Restoril, Temazepam	178 = Quetiapine, Seroquel
113 = Halcion, Triazolam	179 = Water tee [sic]
114 = Amobarbital	180 = Tylenol P.M. <OTC>
115 = Phenobarbital	181 = Excedrin P.M. <OTC>
116 = Methaqualone, Quaalude, Sopor	182 = Melzone
117 = Chloral hydrate, Noctec	183 = Mysoline
118 = Pentobarbital, Pentothal, Sodium pentothal	184 = Red and blues
119 = Secobarbital	185 = Tylenol Simply Sleep <OTC>
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	186 = Butalbital
121 = USED SEDATIVE, DON'T KNOW NAME	187 = Belladonna plant/flower/root, Deadly nightshade
122 = Over-the-counter sleep aid; not specified <OTC>	188 = Estazolam
123 = Unisom <OTC>	189 = Sonata
124 = Yellow jackets	190 = Dormin <OTC>
126 = Sominex <OTC>	191 = Blues
127 = Nytol <OTC>	192 = Promazine
128 = Nervine <OTC>	1001 = Benadryl <OTC>
129 = Reds	1002 = Dramamine, motion sickness pill, seasick pill <OTC>
130 = Phenergan, Promethazine	1003 = Donnatal
131 = Haldol, Haloperidol	1004 = Valerian <OTC>
132 = Sleepettes <OTC>	
136 = Dimetapp <OTC>	201 = Valium, Diazepam
137 = 7-14	202 = Librium, Chlordiazepoxide HCl
138 = Mandrakes	203 = Limbitrol [see also 276]
139 = Black widows	204 = Menrium
140 = Seldane	205 = Serax
141 = Dilantin	206 = Tranxene
142 = Belladonna	207 = Ativan, Lorazepam
145 = Red devil(s)	208 = Centrax
146 = Bently, Dicyclomine	209 = Xanax, Alprazolam
148 = Actifed <OTC>	210 = Paxipam
152 = Eskabarb	211 = Buspar
153 = Luminal	212 = Miltown
154 = Alurate	213 = Equanil

214	=	Deprol	296	=	Novoxapam
215	=	Vistaril	297	=	Cafia
216	=	Atarax, Hydroxyzine	298	=	Acepromazine, PromAce
217	=	Durrax	299	=	Midozolam
219	=	SK-Lygen	2001	=	Carisoprodol, Soma
220	=	Meprobamate	2002	=	Muscle Relaxers
221	=	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2003	=	Zannies, zans, zany bars
222	=	USED TRANQUILIZER, DON'T KNOW NAME	2004	=	Lexotan
223	=	Carbacot, Marbaxin, Methocarbamol, Robaxin	301	=	Dexedrine
224	=	Triavil	302	=	Dexamyl
225	=	Desyrel, Trazodone hydrochloride	303	=	Eskatrol
226	=	Stelazine, Trifluoperazine HCl	304	=	Benzedrine
227	=	Thorazine	305	=	Biphetamine
228	=	Amitriptyline, Elavil	306	=	Desoxyn
229	=	Librax	307	=	Tenuate, Diethylpropion
230	=	Compazine	308	=	Tepanil
232	=	Mellaril	309	=	Didrex
233	=	Trilafon, Perphenazine	310	=	Plegine
234	=	Cyclobenzaprine, Flexeril	311	=	Preludin
235	=	Imipramine	312	=	Ionamin
237	=	Versed	313	=	Adipex-P, Fastin, Phentermine
240	=	Lithium carbonate, Lithonate	314	=	Pondimin, Fenfluramine
241	=	Prozac	315	=	Voranil
242	=	Equagesic	316	=	Sanorex
243	=	Etrafon	317	=	Mazanor
245	=	Tryptophan	318	=	Ritalin, Methylphenidate
246	=	Clonazepam, Klonopin, Rivotril	319	=	Cylert
247	=	Adapin, Doxepin, Sinequan	320	=	Dextroamphetamine
249	=	Asendin	321	=	Methedrine
250	=	Aventyl, Nortriptyline, Pamelor	322	=	Methamphetamine ("ice" or "crank"), Meth
252	=	Strawberry whip cream	323	=	Obedrin-L.A.
257	=	Zestril	324	=	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
259	=	Desipramine, Norpramin	325	=	USED STIMULANT, DON'T KNOW NAME
260	=	PCB	326	=	White cross
262	=	Prolixin	327	=	Black beauties, Black beauty
263	=	Vivactil	328	=	Pink hearts
266	=	Verstran	329	=	Bird's eggs, Robin's eggs, speckled eggs
267	=	Marezine	330	=	Blue birds, blue jays, blue robins, speckled bird
268	=	Rohypnol, Roche, roofies	331	=	Blancs, Whites
270	=	Torzien	332	=	Ephedrine
271	=	Zoloft	333	=	357 Magnum, Magnum 44 <OTC>
275	=	Loxitane	334	=	Crossroads, cross tops
276	=	Limbitrol DS [see also 203]	335	=	Dexatrim <OTC> [see also 347, 378]
278	=	Benzodiazepines	336	=	Diet pills
280	=	Ketaset	337	=	White Molly
281	=	Blue ringer	339	=	Amphetamines
282	=	Clozapine, Clozaril	341	=	Pink roses
283	=	Paroxetine, Paxil	342	=	Purple hearts
284	=	Tofranil	343	=	Nitroglycerine
285	=	Risperdal, resperidone	344	=	Bennies
288	=	Baclofen	345	=	Black Molly
289	=	Olanzapine, Zyprexa	346	=	Marax
290	=	Skelaxin	347	=	Phenylpropanolamine <OTC> [see also 335, 378]
291	=	Celexa	348	=	Crystal
292	=	Serzone	349	=	Phendimetrazine
293	=	Anafranil, Clomipramine			
294	=	Fluvoxamine, Luvox			
295	=	Mirtazapine, Remeron			

351	= Cathinone, Q'at, Cat	3028	= Blackbirds
352	= Lemons	3029	= Soccerballs
353	= No-Doz <OTC>	3030	= Red hearts
354	= Vivarin <OTC>	3031	= Brethine, Bricanyl, Terbutaline
355	= Crystal meth	3032	= Heads up
356	= Dexies	3033	= Metabolife <OTC>
357	= Heart-shaped black pills	3034	= Speckleberry
358	= 20/20	3035	= Blacks
359	= Criss cross	3036	= Ripped fuel <OTC>
360	= Rainbow speed	3037	= Effexor
363	= Bam(s)	3038	= Obenil
364	= Pseudoephedrine	3039	= Theophed
366	= Duromine	3040	= Hyper pills
368	= Peanut butter crank	3041	= Desbutal
369	= Artane	3042	= 30-30
371	= Cogentin	3043	= Brown Bodies
374	= Christmas tree(s)	3044	= Caffeine pills <OTC>
376	= TAC	3045	= Stay awakes <OTC>
377	= Albuterol, Proventil, Ventolin	3046	= Adrenalin, Epinephrine
378	= Control <OTC> [see also 335, 347]	3047	= Sudafed <OTC>
379	= Hearts	3048	= Diet Pep <OTC>
380	= Pink ladies	3049	= Truck drivers speed
381	= P.O.T.C.	3050	= Mini Thins
382	= Footballs, pink footballs, purple footballs	3051	= Betel nut, Beetlenut
383	= Pre-Sate	3052	= Speed; otherwise unspecified
384	= Little crosses	3053	= Maxair, Pirbuterol
385	= Little pink one	3054	= Up You(r) Gas
386	= Herbal ecstasy	3055	= Clenbuterol
388	= Pink lemon	3056	= Xenadrine <OTC>
390	= Max Alert	3057	= Diet Fuel <OTC>
393	= OP 33	3058	= Metabolift <OTC>
394	= Debs	3059	= Metabolize and Save <OTC>
395	= Black cats	3060	= Hydroxycut <OTC>
396	= Black Rjs, RJ8	3061	= Metab-O-Lite <OTC>
397	= F-40	3062	= Homemade Stimulants
398	= Pink crosses	3063	= Dymetadrine <OTC>
3001	= Brown and clear	3064	= Ephedra, Ma Huang <OTC>
3002	= Pep ups	3065	= MA-300 <OTC>
3003	= Primatene tablets <OTC>	3066	= Alert Blue and Clear <OTC>
3004	= Black cadillac	3067	= Spancap
3005	= Methylandlanamine	3068	= Mini Two-way Action <OTC>
3006	= Green Amps	3069	= DextroStat
3007	= Nasal inhalant	3070	= Synatan
3008	= Miniwhites	3071	= Adipokinetix <OTC>
3009	= Ephedrone, Methcathinone	3072	= Purple Blast <OTC>
3010	= KOOD12	3073	= Over-the-counter diet pill; otherwise unspecified <OTC>
3011	= Escalation	3074	= Stay Trim <OTC>
3012	= Stud 100, Stud the rock	3075	= Inibex
3013	= Tweek	3076	= Norephedrine <OTC>
3014	= Uptime	3077	= Concerta
3015	= Fen-Phen (fenfluramine and phentermine)	3078	= Blue and clears
3017	= Dayquil <OTC>		
3018	= Up-johns		
3019	= Peppies		
3020	= White powder		
3021	= Blue balls	401	= Darvon
3023	= Adderall	402	= Dolene
3024	= Yohimbe	403	= SK-65
3025	= Moles [sic]	404	= Wygesic
3026	= Bupropion, Wellbutrin, Zyban	405	= Levo-Dromoran
3027	= Energy pills	406	= Percodan

407	=	Demerol	479	=	Pentrexyl
408	=	Dilaudid	480	=	Robitussin AC with Codeine
409	=	Tylenol with Codeine, Tylenol 3, Tylenol 4	481	=	Acular, Ketorolac tromethamine, Toradol
410	=	Phenaphen with Codeine, Phenaphen 3	487	=	Ariel
411	=	Talwin	490	=	Nubain
412	=	Talwin NX	491	=	PDR
413	=	Talacen	495	=	Red cross
414	=	Propoxyphene	496	=	Ultram
415	=	Codeine	498	=	Ponstel, Mefenamic acid
416	=	Anileridine	499	=	Aleve <OTC>
417	=	Morphine, Roxanol	4001	=	Actron, Ketoprofen, Orudis, Oruvail
418	=	Dolophine, Methadone	4002	=	Imitrex, Sumatriptan
419	=	Stadol, Stadol NS	4005	=	Etodolac, Lodine
420	=	OTHER Analgesic, NOT OTHERWISE SPECIFIED	4007	=	Happy pills
421	=	USED ANALGESIC, DON'T KNOW NAME	4008	=	Brown gel pills
422	=	Motrin	4009	=	Smilies
423	=	Percocet	4011	=	Carbamazepine, Epitol, Tegretol
424	=	Fioricet	4013	=	Fenoprofen, Nalfon
425	=	Advil <OTC>	4014	=	Akineton, Biperiden
426	=	Fiorinal	4018	=	Nuprin <OTC>
427	=	Darvocet	4022	=	Buprenex
429	=	Frost 222	4023	=	Pamprin <OTC>
430	=	Aspirin, Ecotrin, Empirin <OTC>	4024	=	Reynol [sic]
431	=	Tylox	4025	=	Viserol [sic]
432	=	Rufen	4026	=	Ventrex [sic]
433	=	Paregoric	4027	=	Rorer
434	=	Anexsia, Co-Gesic, Lorcet-HD, Lorcet Plus, Lortab, Vicodin, Zydone	4028	=	Arthrotec
435	=	Tylenol, Tylenol Extra-Strength <OTC>	4029	=	Feldine, Piroxicam
436	=	Bufferin <OTC>	4030	=	Triple "S"
438	=	Anaprox, Naprosyn, Naproxen	4031	=	Cough medicine with codeine
439	=	222, Canadian 222	4032	=	Flarex
442	=	Ibuprofen	4033	=	Vicoprofen
443	=	Dolobid	4034	=	Lilly red
444	=	Aspirin with Codeine, Empirin 3	4035	=	Nabumetone, Relafin
445	=	Norgesic Forte	4036	=	Stagesic
447	=	Synalgos, Synalgos DC	4037	=	MS Contin
450	=	Acetaminophen, including non-Tylenol brands <OTC>	4038	=	Propacet
453	=	Organidin with Codeine	4039	=	Daypro
454	=	Novocain, Procaine	4040	=	Ridaura
455	=	Fiorinal with Codeine	4041	=	Maxalt
457	=	T's and blues, Tee's and B's, Tops and Bottoms	4042	=	M-33
458	=	Mepergan, Mepergan Fortis, Meprozone	4043	=	Tramadol
462	=	Norflex	4044	=	Hydrocodone
465	=	Fentanyl, Duragesic, Sublimaze	4045	=	Phrenilin Forte
466	=	Midol <OTC>	4046	=	Oxycodone
467	=	Tolectin	4047	=	Roxicet
468	=	Excedrin <OTC>	4048	=	Motrin IB <OTC>
469	=	Leritine	4049	=	Headache power <OTC>
470	=	Cafergot	4050	=	Percogesic <OTC>
471	=	Butazolidin	4051	=	Celebrex
472	=	Indocin, Indomethacin	4052	=	Endocet
473	=	Pyridium	4053	=	Codydramol
476	=	Duradrin, Isocom, Midrin	4054	=	Zomax
477	=	Melumbrina, Neo-Melumbrina	4055	=	Vioxx
478	=	Nogirtronia	4056	=	Diclofenac
			4057	=	Mejoral
			4058	=	Totem poles
			4059	=	Zomig, Zolmitriptan
			4060	=	Ansaid, Flurbiprophen
			4061	=	Oramorph SR
			4062	=	Iophen-C Liquid

4063	= Naprelan	541	= Binaca
4064	= Epidrin	542	= Brasso, lens cleaner, spirits of ammonia
4065	= Code not used	543	= Liquid oxygen, oxygen
4066	= Suprax	544	= Lighter gases, not specified [see also 521, 525]
4067	= Oxycontin	545	= Car tailpipe exhaust fumes, CO
4068	= Roxilox	546	= Leather protector, suede protector
4069	= Benflogin	548	= Cologne, isopropanol vapors, rubbing alcohol
4070	= Flexagen <OTC>	550	= Methyl chloride
4071	= Syncol	551	= Oven cleaner
4072	= Oxycet	553	= Pixie sticks
4073	= Temgesic	554	= Raid
4074	= Provil <OTC>	555	= Chillers
4075	= Merperidine	556	= Energine
4076	= Over-the-counter pain reliever; not otherwise specified <OTC>	557	= Hagwash [sic], Hogwash
4077	= Tee's	558	= Kool Aid
4078	= Spasmoproxyon	559	= LOLOY
		560	= Laundry detergent, soap
		561	= Amputee gas cleanser
501	= Gasoline or lighter fluids	562	= Ban apple gas
502	= Spray paints	563	= Acetylene
503	= Other aerosol sprays	564	= Electric contact cleaner
504	= Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue	565	= Trichloroethane
505	= Lacquer thinner or other paint solvents	566	= Smoked tea from Lipton tea bag
506	= Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt	567	= Pertussin spray
507	= Halothane, ether, or other anesthetics; chloroform	568	= Tally
508	= Nitrous oxide, "whippets," dentist gas	569	= Peganento
509	= Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2R Spot Remover, Typewash	571	= Black jack
510	= OTHER Inhalant, NOT OTHERWISE SPECIFIED	572	= Etam
511	= Markers, felt-tip pens, ink pens	573	= Furniture polish
512	= Incense	574	= Tornado
516	= Freon, refrigerant	576	= C.A.T.
517	= Toluol	577	= Rave runners
518	= Acetone, nail polish remover	580	= Medusa
519	= Helium	582	= WD-40
520	= Old paint, paint	585	= TCL
521	= Propane [see also 525, 544]	586	= Carbon from empty soft drink bottle
522	= Liquid TV (MTV), TV tuner, TV11Y	587	= Mineral ice
523	= Matches	588	= Antifreeze
524	= White-Out [see also 509]	589	= Tire shine
525	= Butane [see also 521, 544]	590	= Canned air, compressed air
526	= Nail polish	591	= Air brush propellant
527	= Phenyl nitrate	592	= Computer air duster, computer cleaner, dust-off, dust X
528	= Whipped-cream can	594	= Starting fluid
529	= Moth balls	595	= Chlorine
531	= Candy, powdered candy, sugar	596	= Femo clay
533	= Window sealant	597	= Trichloronitrate
534	= Deodorant [see also 827]	598	= Ethylene dichloride
536	= Fire Halt	599	= Potpourri
537	= Boat horn	5001	= Bleach
538	= Condensed horn	5003	= Methane
539	= ScotchGard	5004	= Ink print, paper
540	= PAM	5005	= Cobra rush
		5006	= Brake fluid
		5007	= Fly nap
		5008	= R-R
		5009	= Robo
		5011	= Ozone
		5012	= Negros

- 5013 = Lebel 12
 5014 = Spray O Buzz
 5015 = MCH
 5016 = Masking tape, tape adhesive
 5017 = Oil, lubricant; otherwise unspecified
 5018 = B-12 (Spanish)
 5019 = Melted plastic
 5020 = Wet cement
 5021 = Octane booster
 5022 = Carbon dioxide, CO₂, dry ice hits
 5023 = Double eagle
 5024 = Citronella candle
 5025 = Lime salt
 5026 = Silly putty
 5027 = Benzene
 5028 = Carburetor cleaner, engine cleaner
 5029 = Floor wax
 5030 = Polyurethane Spray
 5031 = Naphtha
 5032 = Nitrogen
 5033 = Sur-noxem
 5034 = Hippie crack
 5035 = Brake cleaner
 5036 = Wart remover
 5037 = Wood filler
 5038 = Tywall
 5039 = Acetate
 5040 = Methanol
 5041 = Wood alcohol
 5042 = Fuels other than gasoline
 5043 = Carbona
 5044 = Powdered cleansers; e.g. Ajax, Comet, Borax
 5045 = Cleaner; not otherwise specified
 5046 = Glass/window cleaner
 5047 = Tetrafluorethylene
 5048 = MEK, Methyl ethyl ketone
 5049 = Hand sanitizer; contents unspecified
 5050 = Burned rubber
 5051 = Hair chemicals
 5052 = Silly String
 5053 = Electronics cleaner
 5054 = Gum freezer
 5055 = PVC
 5056 = Eucalyptus oil
 5057 = Argon
 5058 = Sealers/sealants; type unspecified
 5059 = Transmission fluid

 601 = LSD ("acid") [see also 618]
 602 = Peyote
 603 = Mescaline
 604 = Psilocybin (mushrooms), shrooms
 605 = PCP ("angel dust," phencyclidine)
 606 = "Ecstasy" (MDMA), X-TC, "X"
 607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
 609 = Jimson weed
 610 = Crystal T

 611 = Greens
 612 = Happy stick, sherm, sherman, shermstick
 613 = Duckweed
 614 = MDA, Methylenedioxy amphetamine
 615 = Homemade drugs
 616 = DET, Dimethyltryptamine, DMT
 617 = Morning glory seeds, morning glory tendrils
 618 = Acid paper, blotter (acid) [see also 601]
 619 = Tic
 620 = Blue dragon
 621 = Red dragon
 622 = Microdot(s), green microdot, purple microdot
 623 = Mickey, mickey mouse club, mickey mousers
 624 = Orange sunshine, sunshine, yellow sunshine
 625 = Window, window pane, 4-way pane
 626 = Jet Fuel
 627 = Hawaiian wood rose, Hawaiian Woodrose seeds
 628 = Hawaiian rosebud seed tea
 629 = Rocket Fuel
 630 = Black Owsley
 631 = Purple Owsley
 633 = Mr. Natural
 634 = Unicorn
 635 = Ginseng seeds, ginseng weed
 636 = DOM, STP
 637 = Purple haze
 639 = Nutmeg, Mace
 640 = Purple pyramid
 642 = Pink Floyd
 643 = Mount queen, queen
 645 = Thai stick
 648 = Designer drugs
 650 = Datura stramonium, daytura, thorn apple
 651 = Mellow Yellow
 652 = ALD-52
 653 = Cricket, cricketshit
 654 = Eve
 655 = Flying elephant
 656 = Mars
 657 = Orange barrel
 658 = Special K, Ketamine
 659 = Boat
 660 = Toad, Toad licking
 662 = Kanepolin
 663 = Animal tranquilizer, horse tranquilizer
 664 = Purple fingers
 665 = Paniolis
 666 = Zonick
 668 = Yellow tiny pills
 669 = Stropharia
 670 = Monkey dust
 672 = Suncrush
 673 = Orange
 674 = Pee-pope
 677 = Skunk II
 678 = Banana peels

679	=	Hell bells	6051	=	Triptanene
681	=	Lovely	6052	=	Acrylic resin
682	=	Kif	6053	=	Toothpicks
683	=	Yage	6054	=	Spiny apples
686	=	Spider in my feet	6055	=	Liberty caps
687	=	Spray	6056	=	Wet
688	=	AMP	6057	=	Silk
690	=	RID	6058	=	Purple life
691	=	Maximum impact	6059	=	Satan flower
693	=	Lemon drops	6060	=	Ololiuhqui
695	=	Angel's trumpet	6061	=	5-MeO-DMT
698	=	Nexus, 2C-B	6062	=	Madderwort, Wormwood
699	=	BOHA-49B	6063	=	Foxglove
6001	=	Collapsing little birds	6064	=	Marigold buttons
6003	=	Cocahina	6065	=	3CPO
6004	=	Hallucinogen seeds	6066	=	Purple rain
6005	=	Sassafras tea	6067	=	Venus
6006	=	Super X	6068	=	Blue ice
6007	=	Bathtub	6069	=	Peach
6008	=	8-Ball	6070	=	DTP
6009	=	Sulfur match smoke	6071	=	Sinicuichi
6010	=	Atrepabelladona (flower)	6072	=	JUNO
6012	=	Cloud 9, Cloud 13	6073	=	Rolls
6013	=	Lion's tail	6074	=	LSA
6014	=	Indo	6075	=	Trinity
6015	=	Crysta	6076	=	Lemon 714
6016	=	Nas	6077	=	San Pedro
6017	=	Meesha	6078	=	Trumpet flowers
6018	=	Air horn	6079	=	Sugar cubes
6019	=	Black dust, Black duct [sic]	6080	=	Purple passion
6020	=	Chocolate	6081	=	Shabu
6021	=	Snake bite kit (anti-venom)	6082	=	Ammonia
6022	=	Tequila worm, agave worm	6083	=	CCC, Triple "C", C3
6023	=	Euphoria	6084	=	Devil dust
6024	=	Blue Jesus	6085	=	Dips
6025	=	Yellow jell	6086	=	Flakes
6026	=	KJ	6087	=	Ibogaine
6027	=	Judyfly	6088	=	Brugmansia
6028	=	Laced flower	6089	=	Cake
6029	=	DXM	6090	=	Heaven
6030	=	Root	6091	=	Ergot, rye mold
6031	=	Strychnine	6092	=	TCP
6032	=	TSP	6093	=	Mitsubishi
6033	=	Ramstein	6094	=	Mushrooms, specifically not psilocybin
6034	=	Pigface	6095	=	Super cool, Super kool
6035	=	Campana (flower)	6096	=	Bananadine
6036	=	Coco weed	6097	=	Banana slug slime
6037	=	Fry	6098	=	Dust; not otherwise specified
6038	=	Triplets, Trips	6099	=	Katmandue Temple Kiff
6039	=	Blue Hawaii	6100	=	2C-T-7, T7
6040	=	Dank	6101	=	Alice in Wonderland
6041	=	Leaky leak	6102	=	Absinthe
6042	=	Super K	6103	=	Ayahuasca
6043	=	Salviadinorum	6104	=	Tish
6044	=	Gel caps, gel tabs	6105	=	Alpha-methyltryptamine, AMT, IT-290, 3-IT
6045	=	Blackboards	6106	=	Paramethoxyamphetamine, PMA
6046	=	Aquafoot	6107	=	Ambrosia
6047	=	Water	6108	=	Gorilla biscuits
6048	=	Dex	6109	=	2, 5-Dimethoxyamphetamine, DMA
6049	=	Locoseeds, Locoweed seeds	6110	=	Mad dog
6050	=	High roller			

6111 = Syrian rue	843 = Antihistamine, cold medicine, cold tablets <OTC>
6112 = 2C-T-2	844 = Blood pressure medication
6113 = Candy flip	846 = Erythromycin
6114 = Molly; not otherwise specified	847 = GHB, NSC
6115 = Foxy	848 = Liquid vitamin, vitamin pills <OTC>
	849 = Monosodium glutamate (MSG) <OTC>
	850 = Slack
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	852 = Formaldehyde, wak [sic], whack (embalming fluid)
702 = Heroin	854 = Juice
703 = Opium	857 = Wicki stick
704 = Dope	858 = Antibiotic
705 = Speed Ball (heroin + cocaine)	865 = Diuretics, Water pills
706 = Smack	866 = Boomers
707 = Black Tar	867 = Boron
709 = Poppy	873 = Contraceptives, Ferutal, Ortho Novum
	874 = Premarin
	875 = Buds
	876 = Glass
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	877 = Methazolamide
802 = THC, cannabinoil, marinol	879 = Dimethyltriptamide MMPT
803 = Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp	880 = Frios
804 = Hashish	881 = YLOALE
805 = Cocaine, coca, cocaina, coke	883 = Dextromethorphan Hydrobromide <OTC>
806 = Crack, rock	884 = Snow
807 = Alcohol, beer, ethanol, EtOH, pink champagne	885 = Drixoral <OTC>
808 = All of the ones I've tried	886 = Spanish fly
809 = Pills	891 = Famotidine, Pepcid
812 = Cigars	892 = Carafate, Sucralfate
813 = Cigarettes, smoking (substance not specified), tobacco not specified	893 = Estrogen
814 = Caffeine <OTC>	894 = Depakene, Depakote, Valproic Acid
815 = Coffee <OTC>	895 = Tagamet, Cimetidine
816 = Smokeless tobacco, snuff, chewing tobacco	896 = Catapres, Clonidine
817 = Hard stuff	897 = Synthroid, Levothyroxine
818 = Nicotine	898 = Propylene
819 = Inderal, Propranolol	899 = Bromophen
820 = Penicillin	8001 = Robitussin elixir
821 = Amoxicillin, Ampicillin	8002 = Zantac
822 = Rabbit tobacco	8003 = Yesca
824 = Steroids	8004 = Guaifenesin
825 = Theo-Dur	8005 = Imodium AD <OTC>
826 = Alupent	8006 = Laxative <OTC>
827 = Aluminum chloride [see also 534]	8007 = Gabapentin, Neurontin
828 = Tetracycline	8008 = Antidepressant; type unspecified
829 = Robitussin DM <OTC>	8009 = Allergy pills/antihistamine; type unspecified
830 = Mad bull	8010 = Zyrtec, cetirizine
831 = Honey oil	8011 = Herb, flower, plant; type unspecified
832 = Primo	8012 = Coriciden <OTC>
833 = Bone	8013 = Maalox <OTC>
834 = Loveboat	8014 = Throat spray; type unspecified <OTC>
836 = Antabuse	8015 = Bengay <OTC>
837 = Paris 400	8016 = Icy hot <OTC>
840 = Cough medicine (contents not specified) <OTC>	8017 = Buscapina
841 = Allerest <OTC>, Contact <OTC>	8018 = Claritromicina
	8019 = Azithromycin, Zithromax
	8020 = Allegra
	8021 = Cipro, Ciprofloxacin, Cliloxam
	8022 = Creatine <OTC>
	8023 = Myoflex <OTC>

8024 = Asthma inhaler, asthma medication, bronchial dilators	8084 = Code not used
8025 = Claritin, Claritin D	8085 = Antipsychotics; type unspecified
8026 = Powder	8086 = Provera
8027 = Loradine	8087 = Benzocaine
8028 = Bactine <OTC>	8088 = Dianabol
8029 = Flexall <OTC>	8089 = Sustanol <OTC>
8030 = Tums <OTC>	8090 = Sustanon
8031 = Sugar pills	8091 = Benzedrex <OTC>
8032 = Prilosec	8092 = Decaderm
8033 = Heart medication; type unspecified	8093 = Stacker 2, Stacker 3, <OTC>
8034 = Nutri-calm <OTC>	8094 = Pepto Bismol <OTC>
8035 = Prednisone	8095 = Over-the-counter asthma pills; not specified <OTC>
8036 = Norvasc	8096 = Thermicore <OTC>
8037 = Thermochrome 5000 <OTC>	8097 = Zanaflex
8038 = Coldact	8098 = Potassium chloride
8039 = Kaopectate <OTC>	8099 = Somatech
8040 = Trioxsalen	8100 = Kava Kava <OTC>
8041 = Garlic, garlic oil <OTC>	8101 = Colace <OTC>
8042 = Alka Seltzer <OTC>	
8043 = Accolate	
8044 = Cephelaxin, Keflex	
8045 = Gax-X <OTC>	900 = Not a drug
8046 = Slim Fast <OTC>	900 = Non-drug reason given for a drug
8047 = Pepcid AC <OTC>	
8048 = Theophylline	
8049 = Sorbitol	
8050 = Tavist D <OTC>	
8051 = Sinex <OTC>	
8052 = Bactrim, Septra	
8053 = Dristan <OTC>	
8054 = Beclovent, Beconase	
8055 = Flonase	
8056 = Vicks VapoRub <OTC>	
8057 = Natacyn, Natamycin ophthalmic	
8058 = Cough medicine/syrup; type unspecified	
8059 = Peroxyl <OTC>	
8060 = Blue nitro	
8061 = Entex LA	
8062 = Mylanta <OTC>	
8063 = Heprin	
8064 = Triaminic <OTC>	
8065 = Tylenol Cold Medication <OTC>	
8066 = Viagra	
8067 = Testosterone	
8068 = Hemorrhoid cream	
8069 = Decadron, Dexamethasone	
8070 = Advil Cold and Sinus <OTC>	
8071 = Augmentin	
8072 = Deca-Durabolin, Nondralone Deconate	
8073 = Deconamine	
8074 = Fansidar	
8075 = Effergin <OTC>	
8076 = Winstrol	
8077 = Azmacort	
8078 = Vitamin K	
8079 = Insulin	
8080 = Depotrone	
8081 = Primobolan	
8082 = Robinul	
8083 = Testosterone Cyprionate	

Alphabetical Listing

NOTE: Due to changes in the NHSDA instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

5013 = 12, Lebel	481 = Acular
5018 = 12 (Spanish), B-	247 = Adapin
6012 = 13, Cloud	3023 = Adderall
3012 = 100, Stud	5016 = Adhesive tape
6109 = 2, 5-Dimethoxyamphetamine	8005 = AD, Imodium <OTC>
8093 = 2, Stacker <OTC>	313 = Adipex-P
698 = 2C-B	3071 = Adipokinetix <OTC>
6112 = 2C-T-2	3046 = Adrenalin
6100 = 2C-T-7	425 = Advil <OTC>
358 = 20/20	8070 = Advil Cold and Sinus <OTC>
439 = 222	503 = Aerosol sprays other than spray paints
439 = 222, Canadian	6022 = Agave worm
429 = 222, Frost	558 = Aid, Kool
6065 = 3CPO	122 = Aid; not specified <OTC>, Over-the-counter Sleep
444 = 3, Empirin	591 = Air brush propellant
6105 = 3-IT	590 = Air, Canned
410 = 3, Phenaphen	590 = Air, Compressed
8093 = 3, Stacker <OTC>	592 = Air duster, Computer
409 = 3, Tylenol	6018 = Air horn
3042 = 30-30	504 = Airplane glue
3065 = 300, AM-<OTC>	4014 = Akineton
393 = 33, OP	377 = Albuterol
333 = 357 Magnum <OTC>	807 = Alcohol
409 = 4, Tylenol	548 = Alcohol, Rubbing
625 = 4-way pane	5041 = Alcohol, Wood
397 = 40, F-	652 = ALD-52
333 = 44, Magnum <OTC>	3066 = Alert Blue and clear <OTC>
837 = 400, Paris	390 = Alert, Max
6109 = 5-Dimethoxyamphetamine, 2	499 = Aleve <OTC>
6061 = 5-MeO-DMT	6101 = Alice in Wonderland
8037 = 5000, Thermochrome	8042 = Alka Seltzer <OTC>
652 = 52, ALD-	808 = All of the ones I've tried
137 = 7-14	8020 = Allegra
6076 = 714, Lemon	841 = Allerest <OTC>
6008 = 8-Ball	6105 = Alpha-methyltryptamine
6012 = 9, Cloud	8009 = Allergy pills/antihistamine; type unspecified
6102 = Absinthe	209 = Alprazolam
8043 = Accolate	827 = Aluminum chloride
298 = Acepromazine	826 = Alupent
450 = Acetaminophen	154 = Alurate
5039 = Acetate	3065 = AM-300 <OTC>
518 = Acetone	174 = Ambien
563 = Acetylene	6107 = Ambrosia
601 = Acid	228 = Amitriptyline
618 = (Acid), Blotter	6082 = Ammonia
498 = Acid, Mefenamic	542 = Ammonia, Spirits of
618 = Acid paper	114 = Amobarbital
894 = Acid, Valproic	821 = Amoxicillin
6052 = Acrylic resin	688 = AMP
148 = Actifed	3006 = Amps, Green
3068 = Action, Mini Two-way <OTC>	614 = Amphetamine, Methylenedioxy
4001 = Actron	339 = Amphetamines
	821 = Ampicillin

561	=	Amputee gas cleanser	157	=	Barbiturates
6105	=	AMT	657	=	Barrel, Orange
506	=	Amyl nitrite	2003	=	Bars, Zany
103	=	Amytal	6007	=	Bathtub
293	=	Anafranil	177	=	Bean
438	=	Anaprox	327	=	Beauties, Black
507	=	Anesthetics other than halothane and ether	327	=	Beauty, Black
434	=	Anexsia	8054	=	Beclovent
605	=	Angel dust	8054	=	Beconase
695	=	Angel's trumpet	807	=	Beer
416	=	Anileridine	142	=	Belladonna
663	=	Animal tranquilizer	187	=	Belladonna flower
4060	=	Ansaid	187	=	Belladonna plant
8085	=	Antipsychotics; type unspecified	187	=	Belladonna, root
836	=	Antabuse	679	=	Bells, Hell
858	=	Antibiotic	1001	=	Benadryl <OTC>
8008	=	Antidepressant; type unspecified	4069	=	Benflugin
588	=	Antifreeze	8015	=	Bengay <OTC>
843	=	Antihistamine	344	=	Bennies
8009	=	Antihistamine, Allergy pills;/ type unspecified	146	=	Bentyl
562	=	Apple gas, Ban	8091	=	Benzedrex <OTC>
650	=	Apple, Thorn	304	=	Benzedrine
6054	=	Apples, Spiny	5027	=	Benzene
6046	=	Aquafoot	8087	=	Benzocaine
5057	=	Argon	278	=	Benzodiazepines
487	=	Ariel	3051	=	Beetlenut
369	=	Artane	3051	=	Betel nut
4028	=	Arthrotec	541	=	Binaca
249	=	Asendin	4014	=	Biperiden
430	=	Aspirin	305	=	Biphetamine
444	=	Aspirin with Codeine	329	=	Bird eggs
8024	=	Asthma inhaler	330	=	Bird, Speckled
8024	=	Asthma medication	330	=	Birds, Blue
8095	=	Asthma pills, Over-the-counter; not otherwise specified <OTC>	6001	=	Birds, Collapsing little
216	=	Atarax	6108	=	Biscuits, Gorilla
207	=	Ativan	8094	=	Bismol, Pepto <OTC>
6010	=	Atrepabelladonna (flower)	6021	=	Bite kit, Snake
8071	=	Augmentin	327	=	Black beauties
250	=	Aventyl	327	=	Black Beauty
3045	=	Awakes, Stay <OTC>	3028	=	Blackbirds
6103	=	Ayahuasca	6045	=	Blackboards
8019	=	Azithromycin	3004	=	Black cadillac
8077	=	Azmacort	395	=	Black cats
5018	=	B-12 (Spanish)	6019	=	Black duct [sic]
288	=	Baclofen	6019	=	Black dust
8028	=	Bactine <OTC>	571	=	Black jack
8052	=	Bactrim	345	=	Black Molly
6008	=	Ball, 8-	630	=	Black Owsley
3021	=	Balls, Blue	357	=	Black pills, Heart-shaped
529	=	Balls, Moth	396	=	Black Rjs
363	=	Bam(s)	3035	=	Blacks
562	=	Ban apple gas	707	=	Black Tar
678	=	Banana peels	139	=	Black widows
6097	=	Banana slug slime	331	=	Blancs
6096	=	Bananadine	3072	=	Blast, Purple <OTC>
156	=	Barbital, Sodium	5001	=	Bleach
			844	=	Blood pressure medication
			618	=	Blotter (acid)
			3066	=	Blue and Clear, Alert <OTC>
			3078	=	Blue and clears
			3021	=	Blue balls

330	=	Blue birds	6089	=	Cake
620	=	Blue dragon	528	=	Can, Whipped-cream
6039	=	Blue Hawaii	439	=	Canadian 222
6068	=	Blue ice	5024	=	Candle, Citronella
330	=	Blue jays	531	=	Candy
6024	=	Blue Jesus	6113	=	Candy flip
163	=	Blue meanies	531	=	Candy, Powdered
8060	=	Blue nitro	802	=	Cannabinol
281	=	Blue ringer	590	=	Canned air
330	=	Blue robins	6044	=	Caps, Gel
191	=	Blues	6055	=	Caps, Liberty
184	=	Blues, Red and	545	=	Car tailpipe exhaust fumes
457	=	Blues, T's and	892	=	Carafate
537	=	Boat horn	223	=	Carbacot
659	=	Boat	4011	=	Carbamazepine
3043	=	Bodies, Brown	5022	=	Carbon dioxide
699	=	BOHA-49B	586	=	Carbon from empty soft drink bottle
506	=	Bolt	5043	=	Carbona
833	=	Bone	240	=	Carbonate, Lithium
866	=	Boomers	5028	=	Carburetor cleaner
5021	=	Booster, Octane	2001	=	Carisoprodol
867	=	Boron	576	=	C.A.T.
586	=	Bottle, Carbon from empty soft drink	3009	=	Cat
457	=	Bottoms, Tops and	896	=	Catapres
5035	=	Brake cleaner	395	=	Cats, Black
5006	=	Brake fluid	6083	=	CCC
542	=	Brasso	4051	=	Celebrex
3031	=	Brethnine	291	=	Celexa
3031	=	Bricanyl	504	=	Cement, Rubber
899	=	Bromophen	5020	=	Cement, Wet
8024	=	Bronchial dilators	208	=	Centrax
3001	=	Brown and clear	8044	=	Cephelaxin
3043	=	Brown Bodies	8010	=	Cetirizine
4008	=	Brown gel pills	807	=	Champagne, Pink
6088	=	Brugmansia	504	=	Chemical glue
591	=	Brush propellent, Air	5051	=	Chemicals, Hair
457	=	B's, Tee's and	816	=	Chewing tobacco
875	=	Buds	555	=	Chillers
436	=	Bufferin <OTC>	117	=	Chloral hydrate
830	=	Bull, Mad	202	=	Chlordiazepoxide
4022	=	Buprenex	827	=	Chloride, Aluminum
3026	=	Bupropion	550	=	Chloride, Methyl
5050	=	Burned rubber	8098	=	Chloride, Potassium
8017	=	Buscapina	595	=	Chlorine
211	=	Buspar	507	=	Chloroform
186	=	Butalbital	6020	=	Chocolate
471	=	Butazolidin	374	=	Christmas tree(s)
525	=	Butane	813	=	Cigarettes
102	=	Buticaps	812	=	Cigars
101	=	Butisol	8021	=	Ciloxan
368	=	Butter crank, Peanut	895	=	Cimetidine
			8021	=	Cipro
6083	=	"C", Triple	8022	=	Ciprofloxacin
6083	=	C3	5024	=	Citronella Candle
3044	=	Caffeine pills <OTC>	8025	=	Claritin
3004	=	Cadillac, Black	8025	=	Claritin D
470	=	Cafergot	8018	=	Claritromicina
814	=	Caffeine <OTC>	596	=	Clay, Femo
297	=	Cafia	5045	=	Cleaner, not otherwise specified
			5035	=	Cleaner, Brake
			5028	=	Cleaner, Carburetor

592 = Cleaner, Computer	378 = Control
5053 = Cleaner, Electronics	6095 = Cool, Super
5028 = Cleaner, Engine	8012 = Coriciden <OTC>
5046 = Cleaner, Glass/window	509 = Correction fluids
542 = Cleaner, Lens	840 = Cough medicine (contents not specified) <OTC>
551 = Cleaner, Oven	8058 = Cough medicine/syrup; type unspecified
509 = Cleaning fluids	4031 = Cough medicine with codeine
5044 = Cleansers; e.g. Ajax, Comet, borax, Powdered	806 = Crack
3066 = Clear, Alert Blue and <OTC>	5034 = Crack, Hippie
3001 = Clear, Brown and	322 = Crank
3078 = Clears, Blue and	368 = Crank, Peanut butter
3053 = Clenbuterol	8068 = Cream, Hemorrhoid
293 = Clomipramine	252 = Cream, Strawberry whip
246 = Clonazepam	8022 = Creatine <OTC>
896 = Clonidine	653 = Cricket
6012 = Cloud 9	653 = Cricketshit
6012 = Cloud 13	359 = Criss Cross
639 = Cloves	359 = Cross, Criss
282 = Clozapine	495 = Cross, Red
282 = Clozaril	326 = Cross, White
623 = Club, Mickey Mouse	384 = Crosses, Little
545 = CO	398 = Crosses, Pink
5022 = CO ₂	334 = Crossroads
5005 = Cobra rush	334 = Cross tops
6003 = Cocahina	6015 = Crysta
805 = Cocaine	348 = Crystal
805 = Cocaina	355 = Crystal meth
6036 = Coco weed	610 = Crystal T
4065 = Code not used	6079 = Cubes, Sugar
415 = Codeine	234 = Cyclobenzaprine
444 = Codeine, Aspirin with	319 = Cylert
4031 = Codeine, Cough medicine with	8083 = Cypronate, Testosterone
455 = Codeine, Fiorinal with	
453 = Codeine, Organidin with	
410 = Codeine, Phenaphen with	
480 = Codeine, Robitussin AC with	8025 = D, Claritin
409 = Codeine, Tylenol with	8050 = D, Tavist <OTC>
4053 = Codydramol	111 = Dalmane
815 = Coffee <OTC>	427 = Darvocet
371 = Cogentin	401 = Darvon
434 = Co-Gesic	650 = Datura stramonium
805 = Coke	4039 = Daypro
8101 = Colace <OTC>	3017 = Dayquil <OTC>
8070 = Cold and Sinus, Advil <OTC>	650 = Daytura
8038 = Coldact	447 = DC, Synalgos
843 = Cold medicine <OTC>	187 = Deadly nightshade
8065 = Cold Medication, Tylenol <OTC>	394 = Debs
843 = Cold tablets <OTC>	8092 = Decaderm
6001 = Collapsing little birds	8069 = Decadron
548 = Cologne	8072 = Deca-Durabolin
230 = Compazine	8073 = Deconamine
590 = Compressed air	8072 = Deconate, Nondralone
592 = Computer air duster	509 = Degreasers
592 = Computer cleaner	407 = Demerol
3077 = Concerta	508 = Dentist gas
538 = Condensed horn	534 = Deodorant
841 = Contact <OTC>	894 = Depakene
564 = Contact cleaner, Electric	894 = Depakote
4037 = Contin, MS	8080 = Depotrone
873 = Contraceptives	214 = Deprol

3041	=	Desbutal	615	=	Drugs, Homemade
648	=	Designer drugs	5022	=	Dry ice hits
259	=	Desipramine	6070	=	DTP
306	=	Desoxyn	613	=	Duckweed
225	=	Desyrel	6019	=	Duct, Black [sic]
616	=	DET	8072	=	Durabolin, Deca-
560	=	Detergent, Laundry	476	=	Duradin
6084	=	Devil dust	465	=	Duragesic
145	=	Devil(s), Red	366	=	Duromine
6048	=	Dex	217	=	Durrax
8069	=	Dexamethasone	6098	=	Dust; not otherwise specified
302	=	Dexamyl	605	=	Dust, Angel
335	=	Dexatrim <OTC>	6019	=	Dust, Black
301	=	Dexedrine	6084	=	Dust, Devil
356	=	Dexies	670	=	Dust, Monkey
320	=	Dextroamphetamine	592	=	Duster, Computer air
883	=	Dextromethorphan Hydrobromide <OTC>	6029	=	DXM
3069	=	DextroStat	3063	=	Dymetadine <OTC>
8088	=	Dianabol			
598	=	Dichloride, Ethylene			
4056	=	Diclofenac			
146	=	Dicyclomine	5023	=	Eagle, Double
309	=	Didrex	172	=	Ease, Dream <OTC>
3057	=	Diet Fuel <OTC>	430	=	Ecotrin <OTC>
3048	=	Diet Pep <OTC>	606	=	Ecstasy
3073	=	Diet pill, Over-the-counter; not otherwise specified <OTC>	386	=	Ecstasy, Herbal
336	=	Diet pills	8075	=	Effergin <OTC>
307	=	Diethylpropion (Tenuate)	3037	=	Effexor
141	=	Dilantin	329	=	Eggs, Bird
8024	=	Dilators, Bronchial	329	=	Eggs, Robin's
408	=	Dilaudid	329	=	Eggs, Speckled
136	=	Dimetapp <OTC>	564	=	Electric contact cleaner
879	=	Dimethyltryptamide MMPT	5053	=	Electronics cleaner
616	=	Dimethyltryptamine	655	=	Elephant, Flying
6085	=	Dips	8001	=	Elixir, Robitussin
865	=	Diuretics	852	=	Embalming fluid
6109	=	DMA	430	=	Empirin <OTC>
616	=	DMT	444	=	Empirin 3
6061	=	DMT, 5-MeO-	586	=	Empty soft drink bottle, Carbon from
6110	=	Dog, Mad	4052	=	Endocet
402	=	Dolene	556	=	Energine
443	=	Dolobid	3027	=	Energy pills
418	=	Dolophine	5028	=	Engine cleaner
636	=	DOM	8061	=	Entex LA
1003	=	Donnatal	3064	=	Ephedra
704	=	Dope	332	=	Ephedrine
106	=	Doriden	3009	=	Ephedrone
190	=	Dormin <OTC>	4064	=	Epidrin
5023	=	Double eagle	3046	=	Epinephrine
120	=	Downers	4011	=	Epitol
247	=	Doxepin	242	=	Equagesic
620	=	Dragon, Blue	213	=	Equanil
621	=	Dragon, Red	6091	=	Ergot
1002	=	Dramamine <OTC>	846	=	Erythromycin
172	=	Dream Ease <OTC>	3011	=	Escalation
8053	=	Dristan <OTC>	152	=	Eskabarb
3049	=	Drivers speed, Truck	303	=	Eskatrol
885	=	Drixoral <OTC>	188	=	Estazolam
693	=	Drops, Lemon	893	=	Estrogen
648	=	Drugs, Designer	572	=	Etam
			807	=	Ethanol

507 = Ether	655 = Flying elephant
5048 = Ethyl ketone, Methyl	5007 = Flynnap
598 = Ethylene dichloride	382 = Football, Pink
4005 = Etodolac	382 = Footballs
807 = EtOH	382 = Footballs, Purple
243 = Etrafon	852 = Formaldehyde
5056 = Eucalyptus oil	445 = Forte, Norgesic
6023 = Euphoria	4045 = Forte, Phrenilin
654 = Eve	458 = Fortis, Mepergan
468 = Excedrin <OTC>	6063 = Foxglove
181 = Excedrin P.M. <OTC>	6115 = Foxy
545 = Exhaust fumes, Car tailpipe	5054 = Freezer, Gum
435 = Extra-Strength, Tylenol <OTC>	516 = Freon
	880 = Frios
	429 = Frost 222
	6037 = Fry
397 = F-40	3057 = Fuel, Diet <OTC>
891 = Famotidine	626 = Fuel, Jet
8074 = Fansidar	3036 = Fuel, Ripped <OTC>
8046 = Fast, Slim <OTC>	629 = Fuel, Rocket
313 = Fastin	5042 = Fuels other than gasoline
686 = Feet, Spider in my	545 = Fumes, Car tailpipe exhaust
4029 = Feldine	573 = Furniture polish
511 = Felt-tip pens	
596 = Femo clay	
3015 = Fen-Phen (fenfluramine + phentermine)	8007 = Gabapentin
314 = Fenfluramine	8041 = Garlic <OTC>
4013 = Fenoprofen	8041 = Garlic oil <OTC>
465 = Fentanyl	562 = Gas, Apple Ban
873 = Ferutal	508 = Gas, Dentist
5037 = Filler, Wood	3054 = Gas, Up you(r) <OTC>
664 = Fingers, Purple	544 = Gases; not specified, Lighter
424 = Fioricet	501 = Gasoline
426 = Fiorinal	5042 = Gasoline, Fuels other than
455 = Fiorinal with Codeine	8045 = Gas-X <OTC>
536 = Fire Halt	6044 = Gel caps
6086 = Flakes	4008 = Gel pills, Brown
4032 = Flarex	6044 = Gel tabs
4070 = Flexagen <OTC>	847 = GHB
8029 = Flexall <OTC>	635 = Ginseng seeds
234 = Flexeril	635 = Ginseng weed
6113 = Flip, Candy	876 = Glass
8055 = Flonase	5046 = Glass/window cleaner
5029 = Floor wax	617 = Glory seeds, Morning
642 = Floyd, Pink	617 = Glory tendrils, Morning
187 = Flower, Belladonna	504 = Glue
6035 = (Flower), Campana	504 = Glue, Airplane
8011 = Flower, plant; type unspecified, Herb	504 = Glue, Chemical
6059 = Flower, Satan	504 = Glue, Model
6078 = Flowers, Trumpet	504 = Glue, Super
5006 = Fluid, Brake	849 = Glutamate (MSG), Monosodium <OTC>
852 = Fluid), Whack (embalming	6108 = Gorilla biscuits
509 = Fluids, Cleaning	3006 = Green amps
509 = Fluids, Correction	622 = Green microdot
501 = Fluids, Lighter	611 = Greens
594 = Fluid, Starting	8004 = Guaifenesin
5059 = Fluid, Transmission	5054 = Gum freezer
111 = Flurazepam	
4060 = Flurbiprophen	
294 = Fluvoxamine	
886 = Fly, Spanish	

557	=	Hagwash [sic]	442	=	Ibuprofen
5051	=	Hair chemicals	506	=	Isobutyl nitrate
113	=	Halcion	322	=	Ice
131	=	Haldol	6068	=	Ice, Blue
6004	=	Hallucinogen seeds	5022	=	Ice hits, Dry
131	=	Haloperidol	587	=	Ice, Mineral
507	=	Halothane	8016	=	Icy Hot <OTC>
536	=	Halt, Fire	235	=	Imipramine
5049	=	Hand sanitizer; contents unspecified	4002	=	Imitrex
4007	=	Happy pills	8005	=	Imodium AD <OTC>
612	=	Happy stick	691	=	Impact, Maximum
817	=	Hard stuff	512	=	Incense
804	=	Hashish	819	=	Inderal
6039	=	Hawaii, Blue	472	=	Indocin
628	=	Hawaiian rosebud seed tea	472	=	Indomethacin
627	=	Hawaiian wood rose	3007	=	Inhalant, Nasal
627	=	Hawaiian Woodrose seeds	8024	=	Inhaler, Asthma
637	=	Haze, Purple	3075	=	Inibex
226	=	HCl, Trifluoperazine	686	=	In my feet, Spider
434	=	HD, Lorcet-	511	=	Ink pens
4049	=	Headache powder <OTC>	5004	=	Ink print
3032	=	Heads up	6014	=	Indo
379	=	Hearts	8079	=	Insulin
328	=	Hearts, Pink	312	=	Ionamin
342	=	Hearts, Purple	4062	=	Iophen-C Liquid
3030	=	Hearts, Red	476	=	Isocom
357	=	Heart-shaped black pills	548	=	Isopropanol vapors
6090	=	Heaven	6105	=	IT-290
519	=	Helium			
679	=	Hell bells			
8068	=	Hemorrhoid cream			
8063	=	Heprin	571	=	Jack, Black
8011	=	Herb, flower, plant; type unspecified	124	=	Jackets, Yellow
6011	=	Herb, Natural	330	=	Jays, Blue
386	=	Herbal ecstasy	6025	=	Jell, Yellow
702	=	Heroin	6024	=	Jesus, Blue
6050	=	High roller	626	=	Jet Fuel
5034	=	Hippie crack	609	=	Jimson weed
5022	=	Hits, Dry ice	6027	=	Judyfly
557	=	Hogwash	854	=	Juice
615	=	Homemade drugs	6072	=	JUNO
3062	=	Homemade stimulants			
831	=	Honey oil			
6018	=	Horn, Air	658	=	K, Special
537	=	Horn, Boat	6042	=	K, Super
538	=	Horn, Condensed	8078	=	K, Vitamin
663	=	Horse tranquilizer	662	=	Kanepolin
8016	=	Hot, Icy <OTC>	8039	=	Kaopectate <OTC>
386	=	Huang, Ma	6099	=	Katmandue Temple Kiff
117	=	Hydrate, Chloral	8100	=	Kava Kava <OTC>
883	=	Hydrobromide, Dextromethorphan <OTC>	509	=	K2R Spot Remover
225	=	Hydrochloride, Trazodone	8044	=	Keflex
4044	=	Hydrocodone	658	=	Ketamine
3060	=	Hydroxycut <OTC>	280	=	Ketaset
216	=	Hydroxyzine	4001	=	Ketoprofen
3040	=	Hyper pills	481	=	Ketorolac tromethamine
			5048	=	Ketone, Methyl ethyl
			682	=	Kief [sic]
			682	=	Kif
6087	=	Ibogaine	6099	=	Kiff, Katmandue temple

6021 = Kit, Snake bite	681 = Lovely
6026 = KJ	275 = Loxitane
246 = Klonopin	6074 = LSA
3010 = KOOD12	601 = LSD
558 = Kool Aid	5017 = Lubricant; otherwise unspecified, Oil
6095 = Kool, Super	153 = Luminal
	294 = Luvox
8061 = LA, Entex	
6028 = Laced flower	4042 = M-33
505 = Lacquer thinner	8013 = Maalox <OTC>
380 = Ladies, Pink	830 = Mad Bull
560 = Laundry detergent	6110 = Mad dog
8006 = Laxative <OTC>	6062 = Madderwort
6041 = Leak, Leaky	333 = Magnum, 357 <OTC>
6041 = Leaky leak	333 = Magnum 44 <OTC>
546 = Leather protector	3064 = Ma Huang
5013 = Lebel 12	138 = Mandrakes
6076 = Lemon 714	346 = Marax
693 = Lemon Drops	223 = Marbaxin
388 = Lemon, Pink	267 = Marezine
352 = Lemons	6064 = Marigold buttons
542 = Lens cleaner	803 = Marijuana
469 = Leritine	802 = Marinol
405 = Levo-Dromoran	511 = Markers
897 = Levothyroxine	803 = MarrJane [sic]
2004 = Lexotan	656 = Mars
6055 = Liberty caps	803 = Mary Jane
229 = Librax	5016 = Masking tape
202 = Librium	523 = Matches
6058 = Life, Purple	6009 = Match smoke, Sulfur
501 = Lighter fluids	390 = Max Alert
544 = Lighter gases, not specified	3053 = Maxair
4034 = Lilly red	4041 = Maxalt
203 = Limbitrol	691 = Maximum impact
276 = Limbitrol DS	317 = Mazanor
5025 = Lime salt	5015 = MCH
6013 = Lion's tail	614 = MDA
566 = Lipton tea bag, Smoked tea from	606 = MDMA
4062 = Liquid, Iophen-C	163 = Meanies, Blue
504 = Liquid, Shoeshine	104 = Mebaral
543 = Liquid oxygen	8024 = Medication, Asthma
509 = Liquid Paper [see also 524]	844 = Medication, Blood pressure
522 = Liquid TV (MTV)	8065 = Medication, Tylenol Cold <OTC>
848 = Liquid vitamin <OTC>	843 = Medicine, Cold <OTC>
240 = Lithium carbonate	840 = Medicine, Cough (contents not specified) <OTC>
240 = Lithonate	8058 = Medicine/Syrup; type unspecified, Cough
6001 = Little birds, Collapsing	4031 = Medicine with codeine, Cough
384 = Little crosses	580 = Medusa
385 = Little pink ones	6017 = Meesha
506 = Locker room odorizer	498 = Mefenamic acid
6049 = Locoweed seeds	4057 = Mejoral
6049 = Locoweeds	5048 = MEK
4005 = Lodine	176 = Melatonin <OTC>
559 = LOLOY	232 = Mellaril
8027 = Loradine	651 = Mellow Yellow
207 = Lorazepam	5019 = Melted plastic
434 = Lorcet-HD	477 = Melumbrina
434 = Lorcet Plus	182 = Melzone
834 = Loveboat	

204	=	Menrium	422	=	Motrin
6061	=	Meo-DMT, 5-	4048	=	Motrin IB <OTC>
458	=	Mepergan	643	=	Mount queen
458	=	Mepergan Fortis	623	=	Mouse club, Mickey
220	=	Meprobamate	623	=	Mousers, Mickey
458	=	Meprozone	633	=	Mr. Natural
4075	=	Merperidine	4037	=	MS Contin
603	=	Mescaline	849	=	(MSG), Monosodium glutamate <OTC>
3033	=	Metabolife <OTC>	522	=	(MTV), Liquid TV
3061	=	Metab-O-Lite <OTC>	2002	=	Muscle relaxers
3058	=	Metabolift <OTC>	604	=	Mushrooms
3059	=	Metabolize and Save <OTC>	6094	=	Mushrooms, specifically not psilocybin
322	=	Meth	686	=	My feet, Spider in
355	=	Meth, Crystal	8062	=	Mylanta <OTC>
418	=	Methadone	8023	=	Myoflex <OTC>
322	=	Methamphetamine	183	=	Mysoline
5003	=	Methane			
5040	=	Methanol			
116	=	Methaqualone	4035	=	Nabumetone
877	=	Methazolamide	526	=	Nail polish
3009	=	Methcathinone	518	=	Nail polish remover
321	=	Methedrine	4013	=	Nalfron
223	=	Methocarbamol	5007	=	Nap, Fly
5048	=	Methyl ethyl ketone	5031	=	Naphtha
3005	=	Methylendlanamine	4063	=	Naprelan
550	=	Methyl chloride	438	=	Naprosyn
614	=	Methylenedioxy amphetamine	438	=	Naproxen
318	=	Methylphenidate	6016	=	Nas
6105	=	Methyltryptamine, Alpha-	3007	=	Nasal Inhalant
623	=	Mickey	8057	=	Natacyn
622	=	Microdot, Green	8057	=	Natamycin ophthalmic
623	=	Mickey Mouse club	633	=	Natural, Mr.
623	=	Mickey mousers	5012	=	Negros
622	=	Microdot, Green	108	=	Nembutal
622	=	Microdot, Purple	477	=	Neo-Melumbrina
622	=	Microdot(s)	128	=	Nervine
466	=	Midol <OTC>	8007	=	Neurontin
299	=	Midozolam	698	=	Nexus
476	=	Midrin	818	=	Nicotine
212	=	Miltown	187	=	Nightshade, Deadly
587	=	Mineral ice	506	=	Nitrate, Isobutyl
3050	=	Mini Thins	527	=	Nitrate, Phenyl
3060	=	Mini Two-way action <OTC>	506	=	Nitrite, Amyl
3008	=	Miniwhites	8060	=	Nitro, Blue
295	=	Mirtazapine	5032	=	Nitrogen
6093	=	Mitsubishi	343	=	Nitroglycerine
803	=	MJ	508	=	Nitrous oxide
879	=	MMPT, Dimethyltryptamide	117	=	Noctec
6091	=	Mold, Rye	353	=	No-Doz <OTC>
504	=	Model glue	478	=	Nogirtonia
3025	=	Moles [sic]	107	=	Noludar
6114	=	Molly; not otherwise specified	8072	=	Nondralone Deconate
345	=	Molly, Black	3076	=	Norephedrine <OTC>
337	=	Molly, White	462	=	Norflex
670	=	Monkey dust	445	=	Norgesic Forte
849	=	Monosodium glutamate (MSG) <OTC>	259	=	Norpramin
617	=	Morning glory seeds	250	=	Nortriptyline
617	=	Morning glory tendrils	8036	=	Norvasc
417	=	Morphine	296	=	Novaxapam
1002	=	Motion sickness pill <OTC>	454	=	Novocain
529	=	Moth balls			

419	=	NS, Stadol	520	=	Paint, Old
847	=	NSC	505	=	Paint solvents other than lacquer thinner
490	=	Nubain	502	=	Paints, Spray
4018	=	Nuprin <OTC>	540	=	PAM
3051	=	Nut, Betel	4023	=	Pamprin <OTC>
639	=	Nutmeg	625	=	Pane, 4-way
8034	=	Nutri-calm <OTC>	625	=	Pane, Window
171	=	NyQuil <OTC>	665	=	Paniolis
127	=	Nytol <OTC>	618	=	Paper, Acid
			509	=	Paper, Liquid
			6106	=	Paramethoxyamphetamine
			433	=	Paregoric
323	=	Obedrin-L.A.	837	=	Paris 400
3038	=	Obenil	283	=	Paroxetine
5021	=	Octane booster	250	=	Pamelor
159	=	Octanox	5004	=	Paper
506	=	Odorizer, Locker room	6080	=	Passion, Purple
5056	=	Oil, Eucalyptus	283	=	Paxil
831	=	Oil, Honey	210	=	Paxipam
5017	=	Oil, lubricant; otherwise unspecified	260	=	PCB
289	=	Olanzapine	605	=	PCP
520	=	Old paint	491	=	PDR
6061	=	Ololiuhqui	6069	=	Peach
385	=	Ones, Little Pink	368	=	Peanut butter crank
393	=	OP 33	6078	=	Pedro, San
703	=	Opium	678	=	Peels, Banana
4061	=	Oramorph SR	674	=	Pee-pope
673	=	Orange	569	=	Peganento
657	=	Orange barrel	820	=	Penicillin
624	=	Orange sunshine	511	=	Pens, Felt-tip
453	=	Organidin with Codeine	511	=	Pens, Ink
873	=	Ortho Novum	118	=	Pentobarbital
4001	=	Orudis	118	=	Pentothal
4001	=	Oruvail	118	=	Pentothal, Sodium
503	=	Other aerosol sprays besides spray paints	479	=	Pentrexyl
507	=	Other anesthetics besides halothane and ether	3048	=	Pep, Diet <OTC>
505	=	Other paint solvents besides lacquer thinner	3002	=	Pep ups
551	=	Oven cleaner	891	=	Pepcid
8095	=	Over-the-counter asthma pills; not otherwise specified <OTC>	8047	=	Pepcid AC <OTC>
3073	=	Over-the-counter diet pill; not otherwise specified <OTC>	3019	=	Peppies
4076	=	Over-the-counter pain reliever; not otherwise specified <OTC>	8094	=	Pepto Bismol <OTC>
630	=	Owsley, Black	423	=	Percocet
631	=	Owsley, Purple	406	=	Percodan
508	=	Oxide, Nitrous	4050	=	Percogesic <OTC>
4072	=	Oxycet	8059	=	Peroxyl <OTC>
4046	=	Oxycodone	233	=	Perphenazine
4067	=	Oxycontin	567	=	Pertussin spray
543	=	Oxygen	602	=	Peyote
543	=	Oxygen, Liquid	3015	=	Phen, Fen (fenfluramine and phentermine)
5011	=	Ozone	410	=	Phenaphen 3
			410	=	Phenaphen with Codeine
4076	=	Pain reliever, Over-the-counter; not otherwise specified <OTC>	605	=	Phencyclidine
520	=	Paint	349	=	Phendimetrazine
			130	=	Phenergan
			115	=	Phenobarbital
			349	=	Phentametrizine
			313	=	Phentermine
			527	=	Phenyl nitrate
			347	=	Phenylpropanolamine
			4045	=	Phrenilin Forte
			1002	=	Pill, Motion sickness <OTC>

3073 = Pill, Over-the-counter diet; not otherwise specified <OTC>	383 = Pre-Sate
1002 = Pill, Seasick pill <OTC>	844 = Pressure medication, Blood
809 = Pills	8032 = Prilosec
8009 = Pills/antihistamine, Allergy; type unspecified	3003 = Primatene tablets <OTC>
4008 = Pills, Brown gel	832 = Primo
3044 = Pills, Caffeine <OTC>	8081 = Primobolan
336 = Pills, Diet	5004 = Print, Ink
3027 = Pills, Energy	454 = Procaine
4007 = Pills, Happy	262 = Prolixin
357 = Pills, Heart-shaped black	298 = PromAce
3040 = Pills, Hyper	192 = Promazine
8095 = Pills, Over-the-counter asthma; not otherwise specified <OTC>	130 = Promethazine
8032 = Pills, Sugar	4038 = Propacet
848 = Pills, Vitamin <OTC>	521 = Propane
668 = Pills, Yellow tiny	591 = Propellent, Air brush
807 = Pink champagne	414 = Propoxyphene
398 = Pink crosses	819 = Propranolol
642 = Pink Floyd	898 = Propylene
382 = Pink football	546 = Protector, Leather
328 = Pink hearts	546 = Protector, Suede
380 = Pink ladies	377 = Proventil
388 = Pink lemon	8086 = Provera
385 = Pink Ones, Little	4074 = Provil <OTC>
341 = Pink roses	241 = Prozac
6034 = Pigface	364 = Pseudoephedrine
3053 = Pirbuterol	604 = Psilocybin
4029 = Piroxicam	3072 = Purple Blast <OTC>
553 = Pixie sticks	664 = Purple fingers
105 = Placidyl	382 = Purple footballs
187 = Plant, Belladonna	637 = Purple haze
8011 = Plant; type unspecified, Herb, flower,	342 = Purple hearts
5019 = Plastic, Melted	6058 = Purple life
310 = Plegine	622 = Purple microdot
434 = Plus, Lorcet	631 = Purple Owsley
181 = P.M., Excedrin <OTC>	6080 = Purple passion
180 = P.M., Tylenol <OTC>	640 = Purple pyramid
6106 = PMA	6066 = Purple rain
4058 = Poles, Totem	5026 = Putty, Silly
573 = Polish, Furniture	5055 = PVC
526 = Polish, Nail	640 = Pyramid, Purple
518 = Polish remover, Nail	473 = Pyridium
5030 = Polyurethane Spray	
314 = Pondimin	351 = Q'at
498 = Ponstel	116 = Quaalude
506 = Poppers	643 = Queen
803 = Pot	643 = Queen, Mount
8098 = Potassium chloride	178 = Quetiapine
381 = P.O.T.C.	
599 = Potpourri	
8026 = Powder	822 = Rabbit tobacco
4049 = Powder, Headache <OTC>	554 = Raid
3020 = Powder, White	360 = Rainbow speed
531 = Powdered candy	110 = Rainbows
5044 = Powdered cleansers; e.g. Ajax, Comet, Borax	6066 = Rain, Purple
8035 = Prednisone	6033 = Ramstein
311 = Preludin	577 = Rave runners
874 = Premarin	184 = Red and blues
	495 = Red cross

145 = Red devil(s)	506 = Rush
621 = Red dragon	5005 = Rush, Cobra
3030 = Red hearts	6091 = Rye mold
4034 = Red, Lilly	
129 = Reds	
516 = Refrigerant	
4035 = Relafin	5025 = Salt, Lime
2002 = Relaxers, Muscle	6043 = Salviadinorum
4076 = Reliever, Over-the-counter pain; not otherwise specified <OTC>	6077 = San Pedro
295 = Remeron	5049 = Sanitizer, Hand; contents unspecified
509 = Remover, K2R Spot	316 = Sanorex
518 = Remover, Nail polish	6005 = Sassafras tea
5036 = Remover, Wart	6059 = Satan flower
6052 = Resin, Acrylic	3059 = Save, Metabolize and <OTC>
285 = Resperidone	539 = ScotchGard
112 = Restoril	533 = Sealant, Window
4024 = Reynol [sic]	5058 = Sealants, Sealers/; type unspecified
690 = RID	5058 = Sealers/sealants; type unspecified
4040 = Ridaura	1002 = Seasick pill <OTC>
281 = Ringer, blue	119 = Secobarbital
3036 = Ripped fuel <OTC>	109 = Seconal
285 = Risperdal	628 = Seed tea, Hawaiian rosebud
318 = Ritalin	635 = Seeds, Ginseng
246 = Rivotril	627 = Seeds, Hawaiian Woodrose
396 = RJ8	6004 = Seeds, Hallucinogen
396 = RJs, Black	6049 = Seeds, Locoweed
223 = Robaxin	617 = Seeds, Morning glory
330 = Robins, Blue	140 = Seldane
329 = Robin's eggs	8042 = Seltzer, Alka <OTC>
8082 = Robinul	8052 = Septra
480 = Robitussin AC with Codeine	205 = Serax
829 = Robitussin DM <OTC>	178 = Seroquel
8001 = Robitussin Elixir	292 = Serzone
5009 = Robo	6081 = Shabu
223 = Robomol	612 = Sherm
268 = Roche	612 = Sherman
806 = Rock	589 = Shine, Tire
3012 = Rock, Stud the	612 = Shermstick
629 = Rocket fuel	504 = Shoeshine liquid
268 = Rohypnol	604 = Shrooms
6050 = Roller, High	1002 = Sickness pill, Motion <OTC>
6073 = Rolls	6057 = Silk
268 = Roofies	5026 = Silly putty
506 = Room odorizer, Locker	5052 = Silly String
6030 = Root	185 = Simply Sleep, Tylenol <OTC>
187 = Root, Belladonna	247 = Sinequan
4027 = Rorer	8051 = Sinex <OTC>
627 = Rose, Hawaiian wood	6071 = Sinicuichi
628 = Rosebud seed tea, Hawaiian	8070 = Sinus, Advil Cold and <OTC>
341 = Roses, Pink	403 = SK-65
4047 = Roxicet	290 = Skelaxin
417 = Roxanol	219 = SK-Lygen
4068 = Roxilox	677 = Skunk II
5008 = R-R	850 = Slack
5050 = Rubber, Burned	122 = Sleep aid; not specified <OTC>, Over-the-counter
504 = Rubber cement	132 = Sleepettes <OTC>
548 = Rubbing alcohol	185 = Sleep, Tylenol Simply <OTC>
6111 = Rue, Syrian	8046 = Slim Fast <OTC>
432 = Rufen	6097 = Slime, Banana slug
577 = Runners, Rave	6097 = Slug slime, Banana

706 = Smack	650 = Stramonium, Datura
4009 = Smilies	252 = Strawberry whip cream
6009 = Smoke, Sulfur match	5052 = String, Silly
566 = Smoked tea from Lipton tea bag	669 = Stropharia
816 = Smokeless tobacco	6031 = Strychnine
813 = Smoking (substance not specified)	3012 = Stud 100
6021 = Snake bite kit	3012 = Stud the rock
884 = Snow	817 = Stuff, Hard
816 = Snuff	465 = Sublimaze
560 = Soap	892 = Sucralfate
3029 = Soccerballs	3047 = Sudafed <OTC>
156 = Sodium barbital	546 = Suede protector
118 = Sodium pentothal	531 = Sugar
586 = Soft drink bottle, Carbon from empty	6079 = Sugar cubes
505 = Solvents, Paint, other than lacquer thinner	8031 = Sugar pills
2001 = Soma	6009 = Sulfur match smoke
8099 = Somatech	4002 = Sumatriptan
126 = Sominex <OTC>	672 = Suncrush
189 = Sonata	624 = Sunshine
116 = Sopor	624 = Sunshine, Orange
8049 = Sorbitol	624 = Sunshine, Yellow
8084 = Sostenor	6095 = Super cool
3067 = Spancap	504 = Super Glue
886 = Spanish fly	6042 = Super K
4078 = Spasmoproxyn	6095 = Super kool
658 = Special K	6006 = Super X
3034 = Speckleberry	4066 = Suprax
330 = Speckled birds	5033 = Sur-noxem
329 = Speckled eggs	8089 = Sustanol
3052 = Speed; otherwise unspecified	8090 = Sustanon
360 = Speed, Rainbow	447 = Synalgos
3049 = Speed, Truck drivers	447 = Synalgos DC
705 = Speedball (heroin + cocaine)	3070 = Synatan
686 = Spider in my feet	4071 = Syncol
6054 = Spiny apples	897 = Synthroid
542 = Spirits of ammonia	6111 = Syrian rue
509 = Spot Remover, K2R	8058 = Syrup; type unspecified, Cough medicine/
687 = Spray	
5014 = Spray O Buzz	
502 = Spray paints	
567 = Spray, Pertussin	6100 = T7
5030 = Spray, Polyurethane	6044 = Tabs, Gel
8014 = Spray, Throat; type unspecified <OTC>	843 = Tablets, Cold
503 = Sprays, other than spray paints, Aerosol	3003 = Tablets, Primatine <OTC>
4061 = SR, Oramorph	376 = TAC
8093 = Stacker 2 <OTC>	895 = Tagamet
8093 = Stacker 3 <OTC>	6013 = Tail, Lion's
419 = Stadol	545 = Tailpipe exhaust fumes, Car
419 = Stadol NS	413 = Talacen
4036 = Stagesic	568 = Tally
594 = Starting fluid	411 = Talwin
3045 = Stay awakes <OTC>	412 = Talwin NX
3074 = Stay Trim <OTC>	5016 = Tape, Adhesive
226 = Stelazine	5016 = Tape, Masking
824 = Steroids	707 = Tar, Black
612 = Stick, Happy	8050 = Tavist D <OTC>
645 = Stick, Thai	585 = TCL
857 = Stick, Wicki	6092 = TCP
553 = Sticks, Pixie	628 = Tea, Hawaiian rosebud seed
3062 = Stimulants, Homemade	6005 = Tea, Sassafras
636 = STP	179 = Tee [sic], Water

4077	=	Tee's	233	=	Trilafon
457	=	Tee's and B's	3074	=	Trim, Stay <OTC>
4011	=	Tegretol	6075	=	Trinity
112	=	Temazepam	8040	=	Trioxsalen
4073	=	Temgesic	6083	=	Triple C
6099	=	Temple, Kiff Katmandue	4030	=	Triple "S"
617	=	Tendrils, Morning glory	6038	=	Triplets
307	=	Tenuate	6038	=	Trips
308	=	Tepanil	6051	=	Triptaneve [sic]
6022	=	Tequila worm	3049	=	Truck drivers speed
3031	=	Terbutaline	6078	=	Trumpet flowers
8067	=	Testosterone	695	=	Trumpets, Angel
8083	=	Testosterone Cyprionate	245	=	Tryptophan
828	=	Tetracycline	457	=	T's and Blues
5047	=	Tetrafluorethylene	6032	=	TSP
645	=	Thai stick	110	=	Tuinal
802	=	THC	8030	=	Tums <OTC>
825	=	Theo-Dur	522	=	Tuner, TV
3039	=	Theophed	522	=	TV (MTV), Liquid
8048	=	Theophylline	522	=	TV Tuner
8096	=	Thermicore <OTC>	522	=	TV11Y
8037	=	Thermochrome 5000 <OTC>	3013	=	Tweek
505	=	Thinner, Lacquer	3068	=	Two-way Action, Mini <OTC>
3050	=	Thins, Mini	435	=	Tylenol <OTC>
227	=	Thorazine	409	=	Tylenol 3
650	=	Thorn, Apple	409	=	Tylenol 4
8014	=	Throat spray; type unspecified <OTC>	8065	=	Tylenol Cold Medication <OTC>
619	=	Tic	435	=	Tylenol Extra-Strength <OTC>
668	=	Tiny pills, Yellow	409	=	Tylenol with Codeine
589	=	Tire shine	180	=	Tylenol P.M. <OTC>
6104	=	Tish	185	=	Tylenol Simply Sleep <OTC>
660	=	Toad	431	=	Tylox
660	=	Toad licking	509	=	Typewash
816	=	Tobacco, Chewing	5038	=	Tywall
822	=	Tobacco, Rabbit			
816	=	Tobacco, Smokeless			
813	=	Tobacco, not specified			
284	=	Tofranil	496	=	Ultram
467	=	Tolectin	634	=	Unicorn
504	=	Toluene	123	=	Unisom <OTC>
517	=	Toluol	3032	=	Up, Heads
6053	=	Toothpicks	3054	=	Up You(r) Gas
457	=	Tops and bottoms	3018	=	Up-johns
334	=	Tops, Cross	324	=	Uppers
481	=	Toradol	3032	=	Ups, Head
574	=	Tornado	3002	=	Ups, Pep
270	=	Torzien	3014	=	Uptime
4058	=	Totem poles			
4043	=	Tramadol			
663	=	Tranquilizer, Animal	1004	=	Valerian <OTC>
663	=	Tranquilizer, Horse	201	=	Valium
5059	=	Transmission fluid	894	=	Valproic acid
206	=	Tranxene	548	=	Vapors, Isopropanol
225	=	Trazodone hydrochloride	8056	=	VapoRub, Vicks <OTC>
374	=	Tree(s), Christmas	377	=	Ventolin
8064	=	Triaminic <OTC>	4026	=	Ventrex [sic]
224	=	Triavil	6067	=	Venus
113	=	Triazolam	237	=	Versed
565	=	Trichloroethane	266	=	Verstran
597	=	Trichlorolnitrate	8066	=	Viagra
226	=	Trifluoperazine HCl			

8056	=	Vicks VapoRub <OTC>	209	=	Xanax
434	=	Vicodin			
4033	=	Vicoprofen			
4055	=	Vioxx			
4025	=	Viserol [sic]	683	=	Yage'
215	=	Vistaril	124	=	Yellow jackets
8078	=	Vitamin K	6025	=	Yellow jell
848	=	Vitamin, Liquid <OTC>	651	=	Yellow, Mellow
848	=	Vitamin pills <OTC>	624	=	Yellow sunshine
263	=	Vivactil	668	=	Yellow tiny pills
354	=	Vivarin	164	=	Yellow zombies
315	=	Voranol	8003	=	Yesca
			881	=	YLOALE
			3023	=	Yohimbe
			3054	=	You(r) Gas, Up
173	=	Wafers			
852	=	Wak [sic]			
5036	=	Wart remover			
6047	=	Water	8097	=	Zanaflex
865	=	Water pills	2003	=	Zannies
179	=	Water tee [sic]	2003	=	Zans
5029	=	Wax, Floor	2003	=	Zany bars
625	=	Way pane, 4-	8002	=	Zantac
582	=	WD-40	3025	=	Zentro [sic]
803	=	Weed	257	=	Zestril
635	=	Weed, Ginseng	8019	=	Zithromax
3026	=	Wellbutrin	271	=	Zoloft
6056	=	Wet	174	=	Zolpidem
5020	=	Wet cement	4054	=	Zomax
852	=	Whack	164	=	Zombies, yellow
252	=	Whip cream, Strawberry	4059	=	Zomig
528	=	Whipped-cream can	4059	=	Zolmitriptan
508	=	Whippets	666	=	Zonick
326	=	White cross	3026	=	Zyban
337	=	White Molly	434	=	Zydone
524	=	White-Out	289	=	Zyprexa
3020	=	White powder	8010	=	Zyrtec
331	=	Whites			
857	=	Wicki stick			
139	=	Widows, Black			
625	=	Window			
5046	=	Window cleaner, Glass/			
625	=	Window pane			
533	=	Window sealant			
8076	=	Winstrol			
6101	=	Wonderland, Alice in			
5041	=	Wood alcohol			
5037	=	Wood filler			
627	=	Wood rose, Hawaiian			
627	=	Woodrose seeds, Hawaiian			
6022	=	Worm, Agave			
6022	=	Worm, Tequila			
6062	=	Wormwood			
404	=	Wygesic			
606	=	"X"			
3056	=	Xenadrine <OTC>			
6006	=	X, Super			
606	=	X-TC			

APPENDIX B

Consolidated Drug Other Specify Tables

**Drug Codes for Open-Ended Questions
(2001 CAI NHSDA)**

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times	
		Mentioned in Other Specifies	% Of All Drugs Specified
105	Placidyl	4	0.14
108	Nembutal	3	0.10
109	Seconal	18	0.62
110	Tuinal	6	0.21
112	Restoril, Temazepam	3	0.10
113	Halcion, Triazolam	6	0.21
115	Phenobarbital	8	0.28
116	Methaqualone, Quaalude, Sopor	59	2.04
119	Secobarbital	1	0.03
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	13	0.45
121	USED SEDATIVE, DON'T KNOW NAME	11	0.38
122	Over-the-counter sleep aid; not specified <OTC>	1	0.03
123	Unisom <OTC>	2	0.07
124	Yellow jackets	15	0.52
126	Sominex <OTC>	3	0.10
129	Reds	5	0.17
130	Phenergan, Promethazine	3	0.10
131	Haldol, Haloperidol	2	0.07
136	Dimetapp <OTC>	2	0.07
137	7-14	1	0.03
138	Mandrakes	3	0.10
141	Dilantin	1	0.03
142	Belladonna	2	0.07
148	Actifed <OTC>	1	0.03
156	Sodium barbital	1	0.03
171	NyQuil <OTC>	5	0.17
173	Wafers	1	0.03
174	Ambien, Zolpidem	35	1.21
176	Melatonin <OTC>	3	0.10
178	Quetiapine, Seroquel	7	0.24
180	Tylenol P.M. <OTC>	3	0.10
181	Excedrin P.M. <OTC>	2	0.07
187	Belladonna plant/flower/root, Deadly nightshade	2	0.07
189	Sonata	4	0.14
190	Dormin <OTC>	1	0.03
191	Blues	1	0.03
192	Promazine	1	0.03
201	Valium, Diazepam	151	5.23
202	Librium, Chlordiazepoxide HCl	1	0.03
207	Ativan, Lorazepam	10	0.35
209	Xanax, Alprazolam	106	3.67
211	Buspar	3	0.10
212	Miltown	1	0.03
213	Equanil	1	0.03
220	Meprobamate	1	0.03
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	9	0.31
222	USED TRANQUILIZER, DON'T KNOW NAME	12	0.42

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.03
224	Triavil	2	0.07
225	Desyrel, Trazodone hydrochloride	21	0.73
227	Thorazine	4	0.14
228	Amitriptyline, Elavil	12	0.42
232	Mellaril	1	0.03
234	Cyclobenzaprine, Flexeril	18	0.62
237	Versed	1	0.03
240	Lithium carbonate, Lithonate	5	0.17
241	Prozac	19	0.66
246	Clonazepam, Klonopin, Rivotril	16	0.55
247	Adapin, Doxepin, Sinequan	1	0.03
250	Aventyl, Nortriptyline, Pamelor	3	0.10
267	Marezine	4	0.14
268	Rohypnol, Roche, roofies	10	0.35
271	Zoloft	8	0.28
278	Benzodiazepines	1	0.03
280	Ketaset	3	0.10
283	Paroxetine, Paxil	6	0.21
289	Olanzapine, Zyprexa	1	0.03
290	Skelaxin	2	0.07
292	Serzone	1	0.03
295	Mirtazapine, Remeron	1	0.03
298	Acepromazine, PromAce	1	0.03
299	Midozolam	1	0.03
301	Dexedrine	7	0.24
304	Benzedrine	2	0.07
306	Desoxyn	1	0.03
307	Tenuate, Diethylpropion	1	0.03
311	Preludin	1	0.03
312	Ionamin	1	0.03
313	Adipex-P, Fastin, Phentermine	8	0.28
314	Pondimin, Fenfluramine	1	0.03
318	Ritalin, Methylphenidate	29	1.00
319	Cylert	1	0.03
321	Methedrine	3	0.10
322	Methamphetamine ('ice' or 'crank'), Meth	42	1.45
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	16	0.55
325	USED STIMULANT, DON'T KNOW NAME	10	0.35
326	White cross	15	0.52
327	Black beauties, Black beauty	25	0.87
328	Pink hearts	3	0.10
329	Bird's eggs, Robin's eggs, speckled eggs	5	0.17
330	Blue birds, blue jays, blue robins, speckled bird	2	0.07
332	Ephedrine	17	0.59
333	357 Magnum, Magnum 44 <OTC>	1	0.03
334	Crossroads, cross tops	11	0.38

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times	
		Mentioned in Other Specifies	% Of All Drugs Specified
335	Dexatrim <OTC>	1	0.03
336	Diet pills	5	0.17
339	Amphetamines	2	0.07
345	Black Molly	5	0.17
348	Crystal	4	0.14
352	Lemons	1	0.03
353	No-Doz <OTC>	5	0.17
354	Vivarin <OTC>	2	0.07
355	Crystal meth	14	0.48
359	Criss cross	1	0.03
369	Artane	2	0.07
374	Christmas tree(s)	5	0.17
377	Albuterol, Proventil, Ventolin	4	0.14
382	Footballs, pink footballs, purple footballs	5	0.17
394	Debs	1	0.03
396	Black Rjs, RJ8	1	0.03
401	Darvon	2	0.07
406	Percodan	7	0.24
407	Demerol	7	0.24
408	Dilaudid	4	0.14
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	27	0.94
410	Phenaphen with Codeine, Phenaphen 3	1	0.03
411	Talwin	2	0.07
413	Talacen	1	0.03
415	Codeine	23	0.80
417	Morphine, Roxanol	22	0.76
418	Dolophine, Methadone	5	0.17
419	Stadol, Stadol NS	1	0.03
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	42	1.45
421	USED ANALGESIC, DON'T KNOW NAME	25	0.87
422	Motrin	21	0.73
423	Percocet	30	1.04
425	Advil <OTC>	45	1.56
426	Fiorinal	1	0.03
427	Darvocet	9	0.31
430	Aspirin, Ecotrin, Empirin <OTC>	22	0.76
431	Tylox	8	0.28
432	Rufen	1	0.03
434	Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydone	75	2.60
435	Tylenol, Tylenol Extra-Strength <OTC>	50	1.73
436	Bufferin <OTC>	1	0.03
438	Anaprox, Naprosyn, Naproxen	22	0.76
442	Ibuprofen	42	1.45
444	Aspirin with Codeine, Empirin 3	1	0.03
445	Norgesic Forte	1	0.03
447	Synalgos, Synalgos DC	1	0.03
450	Acetaminophen, including non-Tylenol brands <OTC>	1	0.03

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times	
		Mentioned in Other Specifies	% Of All Drugs Specified
458	Mepergan, Mepergan Fortis, Meprozone	5	0.17
465	Fentanyl, Duragesic, Sublimaze	3	0.10
466	Midol <OTC>	5	0.17
468	Excedrin <OTC>	4	0.14
476	Duradrin, Isocom, Midrin	2	0.07
481	Acular, Ketorolac tromethamine, Toradol	3	0.10
490	Nubain	1	0.03
496	Ultram	6	0.21
498	Ponstel, Mefenamic acid	1	0.03
499	Aleve <OTC>	6	0.21
501	Gasoline or lighter fluids	19	0.66
502	Spray paints	2	0.07
503	Other aerosol sprays	27	0.94
504	Shoeshine liquid, glue, or toluene	19	0.66
505	Lacquer thinner or other paint solvents	4	0.14
506	Amyl nitrite, 'poppers,' locker room odorizer, 'rush'	10	0.35
507	Halothane, ether, or other anesthetics; chloroform	3	0.10
508	Nitrous oxide, 'whippets,' dentist gas	17	0.59
509	Correction fluids, degreasers, cleaning fluids	5	0.17
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	17	0.59
511	Markers, felt-tip pens, ink pens	63	2.18
512	Incense	2	0.07
516	Freon, refrigerant	25	0.87
518	Acetone, nail polish remover	16	0.55
519	Helium	24	0.83
520	Old paint, paint	12	0.42
523	Matches	1	0.03
524	White-Out	31	1.07
525	Butane	1	0.03
526	Nail polish	14	0.48
528	Whipped-cream can	17	0.59
534	Deodorant	2	0.07
539	ScotchGard	3	0.10
540	PAM	4	0.14
541	Binaca	1	0.03
543	Liquid oxygen, oxygen	3	0.10
545	Car tailpipe exhaust fumes, CO	1	0.03
548	Cologne, isopropanol vapors, rubbing alcohol	5	0.17
553	Pixie sticks	1	0.03
558	Kool Aid	1	0.03
560	Laundry detergent, soap	1	0.03
566	Smoked tea from Lipton tea bag	2	0.07
569	Peganento	1	0.03
573	Furniture polish	1	0.03
582	WD-40	1	0.03
586	Carbon from empty soft drink bottle	3	0.10
590	Canned air, compressed air	2	0.07

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times	
		Mentioned in Other Specifies	% Of All Drugs Specified
592	Computer air duster, computer cleaner, dust-off	40	1.39
599	Potpourri	2	0.07
601	LSD ('acid')	56	1.94
602	Peyote	1	0.03
603	Mescaline	7	0.24
604	Psilocybin (mushrooms), shrooms	36	1.25
605	PCP ('angel dust,' phencyclidine)	2	0.07
606	'Ecstasy' (MDMA), X-TC, 'X'	14	0.48
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	42	1.45
609	Jimson weed	5	0.17
610	Crystal T	1	0.03
612	Happy stick, sherm, sherman, shermstick	2	0.07
614	MDA, Methylenedioxy amphetamine	5	0.17
615	Homemade drugs	2	0.07
616	DET, Dimethyltryptamine, DMT	12	0.42
617	Morning glory seeds, morning glory tendrils	9	0.31
618	Acid paper, blotter (acid)	3	0.10
622	Microdot(s), green microdot, purple microdot	12	0.42
625	Window, window pane, 4-way pane	5	0.17
627	Hawaiian Woodrose, Hawaiian Woodrose seeds	2	0.07
635	Ginseng seeds, ginseng weed	1	0.03
636	DOM, STP	3	0.10
637	Purple haze	2	0.07
639	Nutmeg, Mace	3	0.10
648	Designer drugs	2	0.07
650	Datura stramonium, daytura, thorn apple	3	0.10
658	Special K, Ketamine	70	2.42
659	Boat	1	0.03
660	Toad, Toad licking	1	0.03
663	Animal tranquilizer, horse tranquilizer	6	0.21
673	Orange	1	0.03
678	Banana peels	1	0.03
682	Kif	1	0.03
683	Yage	1	0.03
687	Spray	1	0.03
691	Maximum impact	3	0.10
695	Angel's trumpet	1	0.03
698	Nexus, 2C-B	4	0.14
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.03
702	Heroin	2	0.07
703	Opium	17	0.59
709	Poppy	1	0.03
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	15	0.52
802	THC, cannabinal, marinol	9	0.31
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed, hemp	20	0.69
805	Cocaine, coca, cocaína, coke	4	0.14
806	Crack, rock	2	0.07

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
807	Alcohol, beer, ethanol, EtOH, pink champagne	6	0.21
809	Pills	1	0.03
813	Cigarettes, smoking (substance not specified)	3	0.10
814	Caffeine <OTC>	2	0.07
819	Inderal, Propranalol	1	0.03
820	Penicillin	4	0.14
821	Amoxicillin, Ampicillin	4	0.14
828	Tetracycline	2	0.07
829	Robitussin DM <OTC>	22	0.76
840	Cough medicine (contents not specified) <OTC>	1	0.03
841	Allerest <OTC>, Contact <OTC>	3	0.10
847	GHB, NSC	22	0.76
848	Liquid vitamin, vitamin pills <OTC>	1	0.03
852	Formaldehyde, wak, whack (embalming fluid)	2	0.07
858	Antibiotic	2	0.07
866	Boomers	1	0.03
874	Premarin	1	0.03
876	Glass	1	0.03
883	Dextromethorphan Hydrobromide <OTC>	15	0.52
886	Spanish fly	1	0.03
896	Catapres, Clonidine	1	0.03
897	Synthroid, Levothyroxine	1	0.03
900	Not a drug	5	0.17
1001	Benadryl <OTC>	8	0.28
1002	Dramamine, seasick/motion sickness pill <OTC>	21	0.73
2001	Carisoprodol, Soma	36	1.25
2002	Muscle Relaxers	16	0.55
2003	Zannies, zans, zany bars	4	0.14
3001	Brown and clear	2	0.07
3004	Black cadillac	1	0.03
3008	Miniwhites	1	0.03
3015	Fen-Phen (fenfluramine and phentermine)	2	0.07
3017	Dayquil <OTC>	1	0.03
3018	Up-johns	1	0.03
3023	Adderall	84	2.91
3026	Bupropion, Wellbutrin, Zyban	1	0.03
3027	Energy pills	1	0.03
3033	Metabolife <OTC>	1	0.03
3035	Blacks	1	0.03
3037	Effexor	4	0.14
3038	Obenil	1	0.03
3041	Desbutal	1	0.03
3044	Caffeine pills <OTC>	5	0.17
3045	Stay awakes <OTC>	2	0.07
3046	Adrenalin, Epinephrine	1	0.03
3050	Mini Thins	5	0.17
3052	Speed; otherwise unspecified	35	1.21

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times	
		Mentioned in Other Specifies	% Of All Drugs Specified
3056	Xenadrine <OTC>	1	0.03
3058	Metabolift <OTC>	1	0.03
3068	Mini Two-way Action <OTC>	1	0.03
3069	DextroStat	1	0.03
3070	Synatan	1	0.03
3071	Adipokinetix <OTC>	1	0.03
3072	Purple Blast <OTC>	1	0.03
3074	Stay Trim <OTC>	1	0.03
3076	Norephedrine <OTC>	1	0.03
3077	Concerta	1	0.03
4001	Actron, Ketoprofen, Orudis, Oruvail	1	0.03
4002	Imitrex, Sumatriptan	1	0.03
4011	Carbamazepine, Epitol, Tegretol	1	0.03
4027	Rorer	1	0.03
4031	Cough medicine with codeine	2	0.07
4033	Vicoprofen	7	0.24
4035	Nabumetone, Relafin	1	0.03
4038	Propacet	1	0.03
4039	Daypro	1	0.03
4044	Hydrocodone	14	0.48
4046	Oxycodone	10	0.35
4048	Motrin IB <OTC>	2	0.07
4050	Percogesic <OTC>	1	0.03
4051	Celebrex	4	0.14
4052	Endocet	1	0.03
4055	Vioxx	5	0.17
4058	Totem poles	1	0.03
4060	Ansaid, Flurbiprophen	1	0.03
4061	Oramorph SR	1	0.03
4063	Naprelan	2	0.07
4064	Epidrin	1	0.03
4066	Suprax	1	0.03
4067	Oxycontin	11	0.38
4068	Roxilox	2	0.07
4069	Benflogin	1	0.03
4070	Flexagen <OTC>	1	0.03
4071	Syncol	1	0.03
4072	Oxycet	1	0.03
4073	Temgesic	1	0.03
4074	Provil <OTC>	1	0.03
4076	OTC pain reliever; not otherwise specified <OTC>	1	0.03
5001	Bleach	2	0.07
5004	Ink print, paper	1	0.03
5009	Robo	3	0.10
5017	Oil, lubricant; otherwise unspecified	2	0.07
5022	Carbon dioxide, CO2, dry ice hits	1	0.03
5032	Nitrogen	1	0.03

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times	
		Mentioned in Other Specifies	% Of All Drugs Specified
5042	Fuels other than gasoline	1	0.03
5045	Cleaner; not otherwise specified	3	0.10
5049	Hand sanitizer; contents unspecified	3	0.10
5050	Burned rubber	1	0.03
5052	Silly String	1	0.03
5053	Electronics cleaner	5	0.17
5054	Gum freezer	1	0.03
5055	PVC	1	0.03
5056	Eucalyptus oil	1	0.03
5057	Argon	1	0.03
5058	Sealers/sealants; type unspecified	1	0.03
5059	Transmission fluid	1	0.03
6012	Cloud 9, Cloud 13	1	0.03
6029	DXM	19	0.66
6037	Fry	1	0.03
6043	Salviadinorum	6	0.21
6044	Gel caps, gel tabs	7	0.24
6047	Water	1	0.03
6049	Locoseeds, Locoweed seeds	1	0.03
6064	Marigold buttons	1	0.03
6073	Rolls	1	0.03
6074	LSA	1	0.03
6077	San Pedro	1	0.03
6082	Ammonia	1	0.03
6083	CCC, Triple 'C,' C3	6	0.21
6091	Ergot, rye mold	1	0.03
6098	Dust; not otherwise specified	1	0.03
6100	2C-T-7, T7	2	0.07
6101	Alice in Wonderland	1	0.03
6102	Absinthe	1	0.03
6103	Ayahuasca	4	0.14
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	1	0.03
6106	Paramethoxyamphetamine, PMA	1	0.03
6107	Ambrosia	1	0.03
6108	Gorilla biscuits	1	0.03
6109	2, 5-Dimethoxyamphetamine, DMA	1	0.03
6110	Mad dog	1	0.03
6111	Syrian rue	1	0.03
6114	Molly; not otherwise specified	1	0.03
8002	Zantac	9	0.31
8007	Gabapentin, Neurontin	1	0.03
8008	Antidepressant; type unspecified	3	0.10
8009	Allergy pills/antihistamine; type unspecified	2	0.07
8010	Zyrtec, cetirizine	3	0.10
8011	Herb, flower, plant; type unspecified	5	0.17
8012	Coriciden <OTC>	15	0.52
8013	Maalox <OTC>	2	0.07

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times	
		Mentioned in Other Specifies	% Of All Drugs Specified
8019	Azithromycin, Zithromax	1	0.03
8020	Allegra	4	0.14
8024	Asthma inhaler/medication, bronchial dilators	12	0.42
8025	Claritin, Claritin D	3	0.10
8030	Tums <OTC>	2	0.07
8032	Prilosec	2	0.07
8035	Prednisone	1	0.03
8042	Alka Seltzer <OTC>	3	0.10
8044	Cephelaxin, Keflex	1	0.03
8056	Vicks VapoRub <OTC>	1	0.03
8058	Cough medicine/syrup; type unspecified	4	0.14
8062	Mylanta <OTC>	1	0.03
8063	Heprin	1	0.03
8064	Triaminic <OTC>	1	0.03
8065	Tylenol Cold Medication <OTC>	2	0.07
8070	Advil Cold and Sinus <OTC>	1	0.03
8071	Augmentin	2	0.07
8073	Deconamine	1	0.03
8074	Fansidar	1	0.03
8075	Effergin <OTC>	2	0.07
8082	Robinul	2	0.07
8085	Antipsychotics; type unspecified	1	0.03
8086	Provera	1	0.03
8093	Stacker 2, Stacker 3, <OTC>	1	0.03
8095	Over-the-counter asthma pills; not specified <OTC>	1	0.03
8096	Thermicore <OTC>	1	0.03
8098	Potassium chloride	1	0.03
8099	Somatech	1	0.03
8100	Kava Kava <OTC>	1	0.03
8101	Colace <OTC>	1	0.03

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
377	Albuterol, Proventil, Ventolin	4	1.06
501	Gasoline or lighter fluids	4	1.06
503	Other aerosol sprays	24	6.33
504	Shoeshine liquid, glue, or toluene	16	4.22
505	Lacquer thinner or other paint solvents	2	0.53
506	Amyl nitrite, 'poppers,'locker room odorizer,'rush'	6	1.58
507	Halothane, ether, or other anesthetics; chloroform	2	0.53
508	Nitrous oxide, 'whippets,' dentist gas	2	0.53
509	Correction fluids, degreasers, cleaning fluids	5	1.32
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	9	2.37
511	Markers, felt-tip pens, ink pens	63	16.62
512	Incense	2	0.53
516	Freon, refrigerant	22	5.80
518	Acetone, nail polish remover	16	4.22
519	Helium	24	6.33
520	Old paint, paint	5	1.32
523	Matches	1	0.26
524	White-Out	29	7.65
526	Nail polish	13	3.43
528	Whipped-cream can	17	4.49
534	Deodorant	2	0.53
539	ScotchGard	3	0.79
540	PAM	4	1.06
541	Binaca	1	0.26
543	Liquid oxygen, oxygen	3	0.79
545	Car tailpipe exhaust fumes, CO	1	0.26
548	Cologne, isopropanol vapors, rubbing alcohol	5	1.32
553	Pixie sticks	1	0.26
558	Kool Aid	1	0.26
569	Peganento	1	0.26
573	Furniture polish	1	0.26
582	WD-40	1	0.26
586	Carbon from empty soft drink bottle	3	0.79
590	Canned air, compressed air	2	0.53
592	Computer air duster, computer cleaner, dust-off	36	9.50
599	Potpourri	2	0.53
601	LSD ('acid')	1	0.26
691	Maximum impact	2	0.53
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed,hemp	2	0.53
807	Alcohol, beer, ethanol, EtOH, pink champagne	2	0.53
866	Boomers	1	0.26
900	Not a drug	1	0.26
5001	Bleach	2	0.53
5004	Ink print, paper	1	0.26
5017	Oil, lubricant; otherwise unspecified	2	0.53
5022	Carbon dioxide, CO2, dry ice hits	1	0.26
5045	Cleaner; not otherwise specified	3	0.79

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
5049	Hand sanitizer; contents unspecified	3	0.79
5050	Burned rubber	1	0.26
5052	Silly String	1	0.26
5053	Electronics cleaner	5	1.32
5054	Gum freezer	1	0.26
5056	Eucalyptus oil	1	0.26
5057	Argon	1	0.26
5058	Sealers/sealants; type unspecified	1	0.26
5059	Transmission fluid	1	0.26
6082	Ammonia	1	0.26
8011	Herb, flower, plant; type unspecified	1	0.26
8024	Asthma inhaler/medication, bronchial dilators	10	2.64
8056	Vicks VapoRub <OTC>	1	0.26

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
105	Placidyl	1	0.15
116	Methaqualone, Quaalude, Sopor	5	0.76
123	Unisom <OTC>	2	0.30
124	Yellow jackets	2	0.30
138	Mandrakes	1	0.15
142	Belladona	2	0.30
174	Ambien, Zolpidem	2	0.30
176	Melatonin <OTC>	1	0.15
180	Tylenol P.M. <OTC>	1	0.15
187	Belladona plant/flower/root, Deadly nightshade	2	0.30
189	Sonata	1	0.15
201	Valium, Diazepam	3	0.46
207	Ativan, Lorazepam	1	0.15
209	Xanax, Alprazolam	2	0.30
240	Lithium carbonate, Lithonate	1	0.15
241	Prozac	1	0.15
246	Clonazepam, Klonopin, Rivotril	1	0.15
267	Marezine	4	0.61
280	Ketaset	2	0.30
301	Dexedrine	1	0.15
322	Methamphetamine ('ice' or 'crank'), Meth	18	2.74
326	White cross	1	0.15
327	Black beauties, Black beauty	3	0.46
329	Bird's eggs, Robin's eggs, speckled eggs	2	0.30
332	Ephedrine	1	0.15
336	Diet pills	1	0.15
348	Crystal	4	0.61
355	Crystal meth	9	1.37
369	Artane	1	0.15
394	Debs	1	0.15
408	Dilaudid	1	0.15
415	Codeine	3	0.46
417	Morphine, Roxanol	4	0.61
418	Dolophine, Methadone	1	0.15
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	2	0.30
423	Percocet	1	0.15
434	Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydone	5	0.76
501	Gasoline or lighter fluids	15	2.28
502	Spray paints	2	0.30
503	Other aerosol sprays	3	0.46
504	Shoeshine liquid, glue, or toluene	3	0.46
505	Lacquer thinner or other paint solvents	2	0.30
506	Amyl nitrite, 'poppers,'locker room odorizer,'rush'	4	0.61
507	Halothane, ether, or other anesthetics; chloroform	1	0.15
508	Nitrous oxide, 'whippets,' dentist gas	15	2.28
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	8	1.22
516	Freon, refrigerant	3	0.46

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
520	Old paint, paint	7	1.07
524	White-Out	2	0.30
525	Butane	1	0.15
526	Nail polish	1	0.15
560	Laundry detergent, soap	1	0.15
566	Smoked tea from Lipton tea bag	2	0.30
592	Computer air duster, computer cleaner, dust-off	4	0.61
601	LSD ('acid')	54	8.22
602	Peyote	1	0.15
603	Mescaline	7	1.07
604	Psilocybin (mushrooms), shrooms	36	5.48
605	PCP ('angel dust,' phencyclidine)	2	0.30
606	'Ecstasy' (MDMA), X-TC, 'X'	8	1.22
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	42	6.39
609	Jimson weed	5	0.76
610	Crystal T	1	0.15
612	Happy stick, sherm, sherman, shermstick	2	0.30
614	MDA, Methylenedioxy amphetamine	5	0.76
615	Homemade drugs	2	0.30
616	DET, Dimethyltryptamine, DMT	12	1.83
617	Morning glory seeds, morning glory tendrils	9	1.37
618	Acid paper, blotter (acid)	3	0.46
622	Microdot(s), green microdot, purple microdot	12	1.83
625	Window, window pane, 4-way pane	5	0.76
627	Hawaiian Woodrose, Hawaiian Woodrose seeds	2	0.30
635	Ginseng seeds, ginseng weed	1	0.15
636	DOM, STP	3	0.46
637	Purple haze	2	0.30
639	Nutmeg, Mace	3	0.46
648	Designer drugs	2	0.30
650	Datura stramonium, daytura, thorn apple	3	0.46
658	Special K, Ketamine	36	5.48
659	Boat	1	0.15
660	Toad, Toad licking	1	0.15
673	Orange	1	0.15
678	Banana peels	1	0.15
682	Kif	1	0.15
683	Yage	1	0.15
687	Spray	1	0.15
691	Maximum impact	1	0.15
695	Angel's trumpet	1	0.15
698	Nexus, 2C-B	4	0.61
703	Opium	16	2.44
709	Poppy	1	0.15
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.15
802	THC, cannabinal, marinol	8	1.22
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed, hemp	8	1.22

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
805	Cocaine, coca, cocaína, coke	1	0.15
813	Cigarettes, smoking (substance not specified)	1	0.15
829	Robitussin DM <OTC>	18	2.74
847	GHB, NSC	18	2.74
852	Formaldehyde, wak, whack (embalming fluid)	2	0.30
876	Glass	1	0.15
883	Dextromethorphan Hydrobromide <OTC>	15	2.28
900	Not a drug	2	0.30
1001	Benadryl <OTC>	1	0.15
1002	Dramamine, seasick/motion sickness pill <OTC>	18	2.74
2002	Muscle Relaxers	2	0.30
3046	Adrenalin, Epinephrine	1	0.15
3052	Speed; otherwise unspecified	17	2.59
4067	Oxycontin	2	0.30
5009	Robo	3	0.46
5032	Nitrogen	1	0.15
5042	Fuels other than gasoline	1	0.15
5055	PVC	1	0.15
6012	Cloud 9, Cloud 13	1	0.15
6029	DXM	19	2.89
6037	Fry	1	0.15
6043	Salviadinorum	6	0.91
6044	Gel caps, gel tabs	7	1.07
6047	Water	1	0.15
6049	Locoseeds, Locoweed seeds	1	0.15
6064	Marigold buttons	1	0.15
6073	Rolls	1	0.15
6074	LSA	1	0.15
6077	San Pedro	1	0.15
6083	CCC, Triple 'C,' C3	4	0.61
6091	Ergot, rye mold	1	0.15
6098	Dust; not otherwise specified	1	0.15
6100	2C-T-7, T7	2	0.30
6101	Alice in Wonderland	1	0.15
6102	Absinthe	1	0.15
6103	Ayahuasca	4	0.61
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	1	0.15
6106	Paramethoxyamphetamine, PMA	1	0.15
6107	Ambrosia	1	0.15
6109	2, 5-Dimethoxyamphetamine, DMA	1	0.15
6110	Mad dog	1	0.15
6111	Syrian rue	1	0.15
6114	Molly; not otherwise specified	1	0.15
8002	Zantac	1	0.15
8009	Allergy pills/antihistamine; type unspecified	1	0.15
8011	Herb, flower, plant; type unspecified	4	0.61
8012	Coriciden <OTC>	8	1.22

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
8058	Cough medicine/syrup; type unspecified	3	0.46
8100	Kava Kava <OTC>	1	0.15

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
105	Placidyl	2	0.18
109	Seconal	10	0.89
110	Tuinal	4	0.35
113	Halcion, Triazolam	1	0.09
115	Phenobarbital	3	0.27
116	Methaqualone, Quaalude, Sopor	27	2.39
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	3	0.27
124	Yellow jackets	2	0.18
126	Sominex <OTC>	1	0.09
130	Phenergan, Promethazine	2	0.18
136	Dimetapp <OTC>	1	0.09
141	Dilantin	1	0.09
171	NyQuil <OTC>	2	0.18
173	Wafers	1	0.09
174	Ambien, Zolpidem	7	0.62
178	Quetiapine, Seroquel	2	0.18
180	Tylenol P.M. <OTC>	1	0.09
181	Excedrin P.M. <OTC>	1	0.09
201	Valium, Diazepam	131	11.60
207	Ativan, Lorazepam	7	0.62
209	Xanax, Alprazolam	99	8.77
211	Buspar	1	0.09
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	1	0.09
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.09
225	Desyrel, Trazodone hydrochloride	4	0.35
227	Thorazine	2	0.18
228	Amitriptyline, Elavil	6	0.53
234	Cyclobenzaprine, Flexeril	14	1.24
237	Versed	1	0.09
240	Lithium carbonate, Lithonate	3	0.27
241	Prozac	10	0.89
246	Clonazepam, Klonopin, Rivotril	14	1.24
250	Aventyl, Nortriptyline, Pamelor	1	0.09
268	Rohypnol, Roche, roofies	7	0.62
271	Zoloft	6	0.53
283	Paroxetine, Paxil	1	0.09
290	Skelaxin	2	0.18
292	Serzone	1	0.09
295	Mirtazapine, Remeron	1	0.09
301	Dexedrine	3	0.27
311	Preludin	1	0.09
318	Ritalin, Methylphenidate	19	1.68
319	Cylert	1	0.09
321	Methedrine	1	0.09
322	Methamphetamine ('ice' or 'crank'), Meth	1	0.09
326	White cross	1	0.09
332	Ephedrine	1	0.09

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
336	Diet pills	1	0.09
353	No-Doz <OTC>	1	0.09
354	Vivarin <OTC>	1	0.09
382	Footballs, pink footballs, purple footballs	3	0.27
401	Darvon	2	0.18
406	Percodan	7	0.62
407	Demerol	7	0.62
408	Dilaudid	3	0.27
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	26	2.30
410	Phenaphen with Codeine, Phenaphen 3	1	0.09
411	Talwin	1	0.09
413	Talacen	1	0.09
415	Codeine	16	1.42
417	Morphine, Roxanol	17	1.51
418	Dolophine, Methadone	3	0.27
419	Stadol, Stadol NS	1	0.09
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	40	3.54
421	USED ANALGESIC, DON'T KNOW NAME	24	2.13
422	Motrin	21	1.86
423	Percocet	28	2.48
425	Advil <OTC>	40	3.54
426	Fiorinal	1	0.09
427	Darvocet	8	0.71
430	Aspirin, Ecotrin, Empirin <OTC>	21	1.86
431	Tylox	8	0.71
434	Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydone	67	5.93
435	Tylenol, Tylenol Extra-Strength <OTC>	45	3.99
436	Bufferin <OTC>	1	0.09
438	Anaprox, Naprosyn, Naproxen	17	1.51
442	Ibuprofen	42	3.72
444	Aspirin with Codeine, Empirin 3	1	0.09
447	Synalgos, Synalgos DC	1	0.09
450	Acetaminophen, including non-Tylenol brands <OTC>	1	0.09
458	Mepergan, Mepergan Fortis, Meprozone	5	0.44
465	Fentanyl, Duragesic, Sublimaze	3	0.27
466	Midol <OTC>	5	0.44
468	Excedrin <OTC>	4	0.35
476	Duradrin, Isocom, Midrin	2	0.18
481	Acular, Ketorolac tromethamine, Toradol	3	0.27
490	Nubain	1	0.09
496	Ultram	6	0.53
498	Ponstel, Mefenamic acid	1	0.09
499	Aleve <OTC>	6	0.53
606	'Ecstasy' (MDMA), X-TC, 'X'	1	0.09
658	Special K, Ketamine	2	0.18
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.09
703	Opium	1	0.09

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
814	Caffeine <OTC>	1	0.09
819	Inderal, Propranalol	1	0.09
820	Penicillin	4	0.35
821	Amoxicillin, Ampicillin	4	0.35
828	Tetracycline	2	0.18
829	Robitussin DM <OTC>	3	0.27
841	Allerest <OTC>, Contact <OTC>	3	0.27
848	Liquid vitamin, vitamin pills <OTC>	1	0.09
858	Antibiotic	2	0.18
874	Premarin	1	0.09
896	Catapres, Clonidine	1	0.09
897	Synthroid, Levothyroxine	1	0.09
1001	Benadryl <OTC>	3	0.27
2001	Carisoprodol, Soma	26	2.30
2002	Muscle Relaxers	12	1.06
2003	Zannies, zans, zany bars	4	0.35
3004	Black cadillac	1	0.09
3015	Fen-Phen (fenfluramine and phentermine)	1	0.09
3023	Adderall	14	1.24
3027	Energy pills	1	0.09
3050	Mini Thins	1	0.09
3052	Speed; otherwise unspecified	3	0.27
3072	Purple Blast <OTC>	1	0.09
4001	Actron, Ketoprofen, Orudis, Oruvail	1	0.09
4002	Imitrex, Sumatriptan	1	0.09
4031	Cough medicine with codeine	2	0.18
4033	Vicoprofen	7	0.62
4035	Nabumetone, Relafin	1	0.09
4038	Propacet	1	0.09
4039	Daypro	1	0.09
4044	Hydrocodone	14	1.24
4046	Oxycodone	10	0.89
4048	Motrin IB <OTC>	2	0.18
4050	Percogesic <OTC>	1	0.09
4051	Celebrex	4	0.35
4052	Endocet	1	0.09
4055	Vioxx	5	0.44
4058	Totem poles	1	0.09
4061	Oramorph SR	1	0.09
4063	Naprelan	2	0.18
4066	Suprax	1	0.09
4067	Oxycontin	8	0.71
4068	Roxilox	2	0.18
4069	Benflogin	1	0.09
4070	Flexagen <OTC>	1	0.09
4071	Syncol	1	0.09
4072	Oxycet	1	0.09

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
4073	Temgesic	1	0.09
4074	Provil <OTC>	1	0.09
4076	OTC pain reliever; not otherwise specified <OTC>	1	0.09
6083	CCC, Triple 'C,' C3	2	0.18
8002	Zantac	8	0.71
8007	Gabapentin, Neurontin	1	0.09
8008	Antidepressant; type unspecified	2	0.18
8010	Zyrtec, cetirizine	1	0.09
8012	Coriciden <OTC>	5	0.44
8013	Maalox <OTC>	2	0.18
8019	Azithromycin, Zithromax	1	0.09
8020	Allegra	4	0.35
8025	Claritin, Claritin D	3	0.27
8030	Tums <OTC>	2	0.18
8032	Prilosec	2	0.18
8035	Prednisone	1	0.09
8042	Alka Seltzer <OTC>	3	0.27
8044	Cephelaxin, Keflex	1	0.09
8058	Cough medicine/syrup; type unspecified	1	0.09
8062	Mylanta <OTC>	1	0.09
8063	Heprin	1	0.09
8064	Triaminic <OTC>	1	0.09
8065	Tylenol Cold Medication <OTC>	2	0.18
8070	Advil Cold and Sinus <OTC>	1	0.09
8071	Augmentin	2	0.18
8073	Deconamine	1	0.09
8074	Fansidar	1	0.09
8075	Effergin <OTC>	1	0.09
8082	Robinul	1	0.09
8086	Provera	1	0.09
8098	Potassium chloride	1	0.09
8099	Somatech	1	0.09
8101	Colace <OTC>	1	0.09

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
116	Methaqualone, Quaalude, Sopor	1	0.32
124	Yellow jackets	9	2.91
129	Reds	1	0.32
130	Phenergan, Promethazine	1	0.32
137	7-14	1	0.32
201	Valium, Diazepam	1	0.32
202	Librium, Chlordiazepoxide HCl	1	0.32
211	Buspar	1	0.32
240	Lithium carbonate, Lithonate	1	0.32
241	Prozac	3	0.97
246	Clonazepam, Klonopin, Rivotril	1	0.32
268	Rohypnol, Roche, roofies	1	0.32
271	Zoloft	2	0.65
283	Paroxetine, Paxil	1	0.32
301	Dexedrine	3	0.97
304	Benzedrine	2	0.65
306	Desoxyn	1	0.32
307	Tenuate, Diethylpropion	1	0.32
312	Ionamin	1	0.32
313	Adipex-P, Fastin, Phentermine	8	2.59
314	Pondimin, Fenfluramine	1	0.32
318	Ritalin, Methylphenidate	9	2.91
321	Methedrine	2	0.65
322	Methamphetamine ('ice' or 'crank'), Meth	5	1.62
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	16	5.18
325	USED STIMULANT, DON'T KNOW NAME	10	3.24
326	White cross	12	3.88
327	Black beauties, Black beauty	22	7.12
328	Pink hearts	3	0.97
329	Bird's eggs, Robin's eggs, speckled eggs	3	0.97
330	Blue birds, blue jays, blue robins, speckled bird	2	0.65
332	Ephedrine	15	4.85
333	357 Magnum, Magnum 44 <OTC>	1	0.32
334	Crossroads, cross tops	11	3.56
335	Dexatrim <OTC>	1	0.32
336	Diet pills	1	0.32
339	Amphetamines	2	0.65
345	Black Molly	5	1.62
352	Lemons	1	0.32
353	No-Doz <OTC>	4	1.29
355	Crystal meth	1	0.32
359	Criss cross	1	0.32
374	Christmas tree(s)	5	1.62
382	Footballs, pink footballs, purple footballs	2	0.65
396	Black Rjs, RJ8	1	0.32
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.32
418	Dolophine, Methadone	1	0.32

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
434	Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydone	1	0.32
435	Tylenol, Tylenol Extra-Strength <OTC>	3	0.97
606	'Ecstasy' (MDMA), X-TC, 'X'	1	0.32
658	Special K, Ketamine	1	0.32
702	Heroin	1	0.32
806	Crack, rock	1	0.32
814	Caffeine <OTC>	1	0.32
840	Cough medicine (contents not specified) <OTC>	1	0.32
847	GHB, NSC	1	0.32
1002	Dramamine, seasick/motion sickness pill <OTC>	1	0.32
3001	Brown and clear	2	0.65
3008	Miniwhites	1	0.32
3015	Fen-Phen (fenfluramine and phentermine)	1	0.32
3017	Dayquil <OTC>	1	0.32
3018	Up-johns	1	0.32
3023	Adderall	70	22.65
3033	Metabolife <OTC>	1	0.32
3035	Blacks	1	0.32
3037	Effexor	3	0.97
3038	Obenil	1	0.32
3041	Desbutal	1	0.32
3044	Caffeine pills <OTC>	5	1.62
3045	Stay awakes <OTC>	1	0.32
3050	Mini Thins	3	0.97
3052	Speed; otherwise unspecified	13	4.21
3056	Xenadrine <OTC>	1	0.32
3058	Metabolift <OTC>	1	0.32
3069	DextroStat	1	0.32
3070	Synatan	1	0.32
3071	Adipokinetix <OTC>	1	0.32
3074	Stay Trim <OTC>	1	0.32
3076	Norephedrine <OTC>	1	0.32
4027	Rorer	1	0.32
4064	Epidrin	1	0.32
8075	Effergin <OTC>	1	0.32
8093	Stacker 2, Stacker 3, <OTC>	1	0.32
8095	Over-the-counter asthma pills; not specified <OTC>	1	0.32
8096	Thermicore <OTC>	1	0.32

Tabulation of SEDATIVE Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SEDATIVE Drugs Specified
108	Nembutal	1	0.79
109	Seconal	5	3.94
110	Tuinal	1	0.79
113	Halcion, Triazolam	1	0.79
115	Phenobarbital	3	2.36
116	Methaqualone, Quaalude, Sopor	8	6.30
119	Secobarbital	1	0.79
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	7	5.51
121	USED SEDATIVE, DON'T KNOW NAME	11	8.66
122	Over-the-counter sleep aid; not specified <OTC>	1	0.79
126	Sominex <OTC>	1	0.79
129	Reds	1	0.79
131	Haldol, Haloperidol	1	0.79
136	Dimetapp <OTC>	1	0.79
156	Sodium barbital	1	0.79
171	NyQuil <OTC>	3	2.36
174	Ambien, Zolpidem	23	18.11
176	Melatonin <OTC>	2	1.57
178	Quetiapine, Seroquel	3	2.36
180	Tylenol P.M. <OTC>	1	0.79
181	Excedrin P.M. <OTC>	1	0.79
189	Sonata	2	1.57
190	Dormin <OTC>	1	0.79
191	Blues	1	0.79
201	Valium, Diazepam	4	3.15
207	Ativan, Lorazepam	1	0.79
209	Xanax, Alprazolam	1	0.79
225	Desyrel, Trazodone hydrochloride	5	3.94
228	Amitriptyline, Elavil	4	3.15
234	Cyclobenzaprine, Flexeril	1	0.79
247	Adapin, Doxepin, Sinequan	1	0.79
268	Rohypnol, Roche, roofies	1	0.79
326	White cross	1	0.79
354	Vivarin <OTC>	1	0.79
415	Codeine	3	2.36
425	Advil <OTC>	1	0.79
434	Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydone	1	0.79
438	Anaprox, Naprosyn, Naproxen	2	1.57
658	Special K, Ketamine	4	3.15
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.79
829	Robitussin DM <OTC>	1	0.79
1001	Benadryl <OTC>	3	2.36
1002	Dramamine, seasick/motion sickness pill <OTC>	1	0.79
2001	Carisoprodol, Soma	2	1.57
3045	Stay awakes <OTC>	1	0.79
4011	Carbamazepine, Eptol, Tegretol	1	0.79
6108	Gorilla biscuits	1	0.79

Tabulation of SEDATIVE Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SEDATIVE Drugs Specified
8009	Allergy pills/antihistamine; type unspecified	1	0.79
8010	Zyrtec, cetirizine	1	0.79
8082	Robinul	1	0.79
8085	Antipsychotics; type unspecified	1	0.79

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Times Mentioned in Other Specifies	Number of % Of All TRANQUILIZER Drugs Specified
105	Placidyl	1	0.50
108	Nembutal	2	1.01
109	Seconal	3	1.51
110	Tuinal	1	0.50
112	Restoril, Temazepam	3	1.51
113	Halcion, Triazolam	4	2.01
115	Phenobarbital	2	1.01
116	Methaqualone, Quaalude, Sopor	18	9.05
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	3	1.51
124	Yellow jackets	2	1.01
126	Sominex <OTC>	1	0.50
129	Reds	3	1.51
138	Mandrakes	2	1.01
148	Actifed <OTC>	1	0.50
174	Ambien, Zolpidem	3	1.51
178	Quetiapine, Seroquel	2	1.01
189	Sonata	1	0.50
192	Promazine	1	0.50
201	Valium, Diazepam	12	6.03
207	Ativan, Lorazepam	1	0.50
209	Xanax, Alprazolam	3	1.51
211	Buspar	1	0.50
212	Miltown	1	0.50
213	Equanil	1	0.50
220	Meprobamate	1	0.50
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	7	3.52
222	USED TRANQUILIZER, DON'T KNOW NAME	12	6.03
224	Triavil	2	1.01
225	Desyrel, Trazodone hydrochloride	11	5.53
227	Thorazine	2	1.01
228	Amitriptyline, Elavil	2	1.01
232	Mellaril	1	0.50
234	Cyclobenzaprine, Flexeril	3	1.51
241	Prozac	5	2.51
250	Aventyl, Nortriptyline, Pamelor	2	1.01
268	Rohypnol, Roche, roofies	1	0.50
278	Benzodiazepines	1	0.50
280	Ketaset	1	0.50
283	Paroxetine, Paxil	3	1.51
289	Olanzapine, Zyprexa	1	0.50
298	Acepromazine, PromAce	1	0.50
299	Midozolam	1	0.50
318	Ritalin, Methylphenidate	1	0.50
336	Diet pills	1	0.50
369	Artane	1	0.50
411	Talwin	1	0.50
417	Morphine, Roxanol	1	0.50

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TRANQUILIZER Drugs Specified
421	USED ANALGESIC, DON'T KNOW NAME	1	0.50
423	Percocet	1	0.50
425	Advil <OTC>	2	1.01
430	Aspirin, Ecotrin, Empirin <OTC>	1	0.50
432	Rufen	1	0.50
435	Tylenol, Tylenol Extra-Strength <OTC>	2	1.01
438	Anaprox, Naprosyn, Naproxen	3	1.51
445	Norgesic Forte	1	0.50
658	Special K, Ketamine	26	13.07
663	Animal tranquilizer, horse tranquilizer	6	3.02
802	THC, cannabinal, marinol	1	0.50
886	Spanish fly	1	0.50
1001	Benadryl <OTC>	1	0.50
1002	Dramamine, seasick/motion sickness pill <OTC>	1	0.50
2001	Carisoprodol, Soma	8	4.02
2002	Muscle Relaxers	2	1.01
3026	Bupropion, Wellbutrin, Zyban	1	0.50
3037	Effexor	1	0.50
3077	Concerta	1	0.50
4060	Ansaid, Flurbiprophen	1	0.50
4067	Oxycontin	1	0.50
8008	Antidepressant; type unspecified	1	0.50
8024	Asthma inhaler/medication, bronchial dilators	1	0.50

Tabulation of TREATMENT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TREATMENT Drugs Specified
131	Haldol, Haloperidol	1	1.15
209	Xanax, Alprazolam	1	1.15
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	1	1.15
225	Desyrel, Trazodone hydrochloride	1	1.15
283	Paroxetine, Paxil	1	1.15
322	Methamphetamine ('ice' or 'crank'), Meth	18	20.69
336	Diet pills	1	1.15
355	Crystal meth	4	4.60
415	Codeine	1	1.15
425	Advil <OTC>	2	2.30
427	Darvocet	1	1.15
434	Anexsia, Co-Gesic, Lorcet, Lortab, Vicodin, Zydone	1	1.15
601	LSD ('acid')	1	1.15
606	'Ecstasy' (MDMA), X-TC, 'X'	4	4.60
658	Special K, Ketamine	1	1.15
702	Heroin	1	1.15
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	13	14.94
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed, hemp	10	11.49
805	Cocaine, coca, cocaína, coke	3	3.45
806	Crack, rock	1	1.15
807	Alcohol, beer, ethanol, EtOH, pink champagne	4	4.60
809	Pills	1	1.15
813	Cigarettes, smoking (substance not specified)	2	2.30
847	GHB, NSC	3	3.45
900	Not a drug	2	2.30
3050	Mini Thins	1	1.15
3052	Speed; otherwise unspecified	2	2.30
3068	Mini Two-way Action <OTC>	1	1.15
8010	Zyrtec, cetirizine	1	1.15
8012	Coriciden <OTC>	2	2.30
8024	Asthma inhaler/medication, bronchial dilators	1	1.15

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions

The final tobacco brand codes were created from listings of brands that appeared on the computer screen(s) corresponding to that particular type of tobacco, or from answers that respondents specified, if they indicated use of "a brand not on this list." For each tobacco product (cigarettes, chewing tobacco, snuff, and cigars), the available responses in the contiguous order of appearance on the screen were used to initially create each tobacco product group. Tobacco brand codes 100-199 and 1000-1999 represent cigarette brands, codes 200-299 and 2000-2999 represent chewing tobacco brands, codes 300-399 and 3000-3999 represent snuff brands, and codes 400-499 and 4000-4999 represent cigar brands. Additional codes were added to each group list as needed. Miscellaneous tobacco and non-tobacco groups are represented by the 500-599, 600-699, 700-799, and 800-899 series.

For tobacco brands that respondents could choose from a list, no distinction was made in the coding between situations where respondents chose that particular brand from the list, and those where respondents reported use of "a brand not on this list" and then specified use of that brand. In addition, there was no distinction between particulars such as menthol, light, or full-flavor varieties in the coding. In addition, the coding took into account situations where respondents might specify a brand that corresponded to a different type of tobacco. For example, if a snuff brand was specified as a brand of "chewing tobacco," then the reported brand of "chewing tobacco" was assigned a code in the 300 series, corresponding to snuff.

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions (2001 CAI NHSDA)

Numerical Listing

Cigarette Brands

101 = Basic	149 = Pyramid
102 = Benson & Hedges	150 = Raleigh
103 = Cambridge	151 = Richland
104 = Camel	152 = Saratoga
105 = Capri	153 = Satin
106 = Carlton	154 = State Express
107 = Doral	155 = Sterling
108 = Forsyth	156 = Style
109 = GPC	157 = Tareyton
110 = Kent	158 = Top (roll-your-own)
111 = Kool	159 = Triumph
112 = Marlboro	160 = True
113 = Merit	161 = American Spirit
114 = Misty	162 = Austin
115 = Monarch	163 = Bali Hai
116 = Montclair	164 = Bali-Shag (roll-your-own)
117 = More	165 = Best Buy cigarettes
118 = Newport	166 = Bidis; brand unspecified
119 = Pall Mall	167 = Black Death
120 = Parliament	168 = Brandon
121 = Private Label	169 = Bronson
122 = Salem	170 = Cartier
123 = Vantage	171 = Checkers
124 = Viceroy	172 = Cimmarron
125 = Virginia Slims	173 = Clove; brand unspecified
126 = Winston	174 = Daves
127 = Alpine	175 = Djarum cigarettes
128 = Barclay	176 = Drum (roll-your-own)
129 = Belair	177 = Du Maurier
130 = Best Value	178 = Dunhill cigarettes
131 = Bristol	179 = Eagle
132 = Bugler (roll-your-own)	180 = Export A
133 = Century	181 = Fiesta
134 = Chesterfield	182 = First Choice
135 = Commander	183 = First Class
136 = Covington	184 = Gauloises
137 = Eve	185 = Generic cigarettes; brand unspecified
138 = Harley Davidson	186 = Gold Coast
139 = Jasmine	187 = Gudang Guram
140 = Lark	188 = Gunsmoke
141 = L & M	189 = Hi-Value
142 = Lucky Strike	190 = Jacks
143 = Magna	191 = Jester (roll-your-own)
144 = Maverick	192 = Kailas Bidis
145 = Max	193 = Kamel Red
146 = Now	194 = Legend
147 = Old Gold	195 = Malibu
148 = Players	196 = Mainstreet
	197 = Marker
	198 = Medallion

199	=	Meridian	1061	=	Signature
1001	=	Nat Sherman cigarettes	1062	=	Sincerely Yours
1002	=	Omaha	1063	=	Fantasia
1003	=	Piel Roja	1064	=	Seneca; company brand unspecified
1004	=	Planet	1065	=	Splash
1005	=	Private Stock	1066	=	John Player
1006	=	Quality Smokes	1067	=	Amsterdam Shag (roll-your-own)
1007	=	Rally	1068	=	Superkings
1008	=	Rave	1069	=	Zig-Zag (roll-your-own)
1009	=	Rollrich (roll-your-own)	1070	=	Value Time
1010	=	Rothman	1071	=	Value & Quality
1011	=	Sampoerna	1072	=	Chaparral
1012	=	Seven Stars/Mild Sevens	1073	=	Grand
1013	=	Slim Price	1074	=	Khrong Thip
1014	=	Sobranie	1075	=	Star
1015	=	Springwater Vanilla	1076	=	Highway
1016	=	Summit	1077	=	Prince (Denmark)
1017	=	Sundance	1078	=	Brentwood
1018	=	USA Gold	1079	=	Amsterdamer (roll-your-own)
1019	=	Vegas	1080	=	Monaco
1020	=	Waves	1081	=	Sebring
1021	=	Yours	1082	=	Tahoe
1022	=	Bailey	1083	=	Liggett Select
1023	=	Sport	1084	=	Image
1024	=	Prime	1085	=	Special
1025	=	Ultra Buy	1086	=	Smoker Friendly
1026	=	Bull Durham	1087	=	Virginian
1027	=	Mustang	1088	=	Marlin
1028	=	Value; brand unspecified	1089	=	Grand Prix
1029	=	Tourney	1090	=	Gold
1030	=	BV Bonus Value	1091	=	Dreams
1031	=	House Blend	1092	=	Native
1032	=	American Spirit rolling tobacco	1093	=	Roger
1033	=	Hollywood	1094	=	Shield
1034	=	Cardinal	1095	=	Patriot
1035	=	Cherokee	1096	=	Sweet Afton
1036	=	Courier	1097	=	Winner
1037	=	DTC	1098	=	Sher Bidi
1038	=	Samson (roll-your-own)	1099	=	Pilot
1039	=	Lewiston	1100	=	Kite (roll-your-own)
1040	=	Smokin Joe	1101	=	Jakarta
1041	=	Sonoma	1102	=	Impala
1042	=	Tall	1103	=	Popular
1043	=	Tempo	1104	=	Canyon
1044	=	Worth	1105	=	Sixty-1
1045	=	Turkish Specials	1106	=	Niagara
1046	=	Delicados cigarettes	1107	=	Palace cigarettes
1047	=	New York New York cigarettes	1108	=	Nobel
1048	=	Carnival	1109	=	Boots
1049	=	Honey B's cigarettes	1110	=	Eclipse
1050	=	USA	1111	=	Epic
1051	=	Belmont	1112	=	Kentucky's Best
1052	=	Premium One	1113	=	Sweet Dreams
1053	=	Wills	1114	=	Scotch Buy
1054	=	Omar Sharif	1115	=	Montana
1055	=	Geronimo	1116	=	Revenge
1056	=	Black Clove	1117	=	American
1057	=	Sovereign	1118	=	Kingsport
1058	=	Gitanes	1119	=	Express 555
1059	=	Krakatoa Kretek	1120	=	Durant
1060	=	Kuta Kretek	1121	=	Quality

1122 = Boston
 1123 = CT
 1124 = Focus
 1125 = Silk Cut
 1126 = GT-One
 1127 = Amazone Guarana
 1128 = Double Diamond
 1129 = Goldlight
 1130 = Class A
 1131 = Alas
 1132 = Natural Blend
 1133 = Golden Lights
 1134 = Bronco
 1135 = Silva Thins
 1136 = Bonus Value
 1137 = Craven "A"
 1138 = Tuscon
 1139 = 305's
 1140 = Golden Virginia (roll-your-own)
 1141 = Market
 1142 = Move
 1143 = Putter
 1144 = Arbo (roll-your-own)
 1998 = Roll-your-own cigarette; brand otherwise unspecified
 1999 = Cigarette; brand otherwise unspecified

Chewing Tobacco Brands

201 = Beech-Nut
 202 = Chattanooga Chew
 203 = Day's Work
 204 = Granger
 205 = H.B. Scott
 206 = Levi Garrett
 207 = Red Fox
 208 = Red Man
 209 = Taylors Pride
 210 = Totems
 211 = Work Horse
 212 = Apple Jack
 213 = Ball Park
 214 = Best Buy chewing tobacco
 215 = Big Leaf
 216 = Blackbull
 217 = Bowie
 218 = Cannonball
 219 = Durango
 220 = Lancaster
 221 = Mail Pouch
 222 = Morgan's
 223 = Peachy Big Leaf
 224 = Rough Country
 225 = Trophy
 226 = WB
 227 = Havana Blossom
 228 = Southern Pride
 229 = Union Workman
 230 = Stoker
 231 = Cottonboll

232 = Apple Plug Tobacco
 233 = Bloodhound Thick Plug
 234 = Red Horse
 235 = King B
 236 = J. D. Blend
 237 = Our Pride
 238 = Big Red
 239 = Tinsley
 240 = Amish
 2999 = Chewing tobacco; brand otherwise unspecified

Snuff Brands

301 = Copenhagen
 302 = Gold River
 303 = Happy Days
 304 = Hawken
 305 = Kodiak
 306 = Redwood
 307 = Silver Creek
 308 = Skoal
 309 = Timber Wolf
 310 = Bruton
 311 = Cooper
 312 = Cougar
 313 = Dental
 314 = Honey Bee snuff
 315 = Navy
 316 = Red Seal
 317 = Rooster
 318 = Square
 319 = Tops snuff
 320 = Tube Rose
 321 = W. Garrett snuff
 322 = Peach
 323 = Mint Snuff
 324 = Ralphs
 325 = Renegades
 326 = Kayak
 327 = CC Sweet
 328 = Ozona
 329 = Dean Swift
 330 = Extreme
 331 = Sequoia
 3999 = Snuff; brand otherwise unspecified

Cigar Brands

401 = Antonio y Cleopatra
 402 = Backwoods
 403 = Bering
 404 = Black & Mild
 405 = Captain Black
 406 = Casa Silva
 407 = Cuesta-Rey
 408 = Dutch Masters
 409 = El Producto
 410 = Erik Filter

411 = Garcia y Vega	472 = Joya De Nicaragua
412 = Havatampa	473 = Jr Ultimate
413 = King Edward	474 = King
414 = La Corona	475 = La Aurora
415 = Little Nippers	476 = La Gloria Cubana
416 = Macanudos	477 = La Tradicion
417 = Muriel	478 = La Unica
418 = Partagas	479 = LaFlor Dominicana
419 = Phillies	480 = Las Cabrillas
420 = Rigoletto	481 = Lone Wolf
421 = Robert Burns	482 = Martinez y Cia
422 = Roi-Tan	483 = Mi Cubano
423 = Swisher Sweets	484 = Middleton Cherry Blend
424 = Tijuana Smalls	485 = Monero
425 = Universal	486 = Montecristo
426 = White Owl	487 = Oliveros
427 = William Penn	488 = Optimo
428 = Winchester	489 = Opus X
429 = Al Capone	490 = Padron
430 = Arango Sportsman	491 = Parodi Cella
431 = Arturo Fuente	492 = Primetime
432 = Ashton	493 = Prince Albert cigars
433 = Astral	494 = Punch
434 = Baccarat	495 = Puros Indios
435 = Balmoral	496 = Romeo y Julieta
436 = Ben Franklin	497 = Royal Jamaica
437 = Blackstone	498 = Schimmelpennick
438 = Blair	499 = Stag
439 = Blunts; brand unspecified	4001 = Sweets; brand unspecified
440 = Butera	4002 = Tampa; brand unspecified
441 = Cherry Blend	4003 = Te Amo
442 = Churchill; brand unspecified	4004 = Temple Hall
443 = Cohiba	4005 = Thompson
444 = Cojimar	4006 = Tiparillo
445 = Corona; brand unspecified	4007 = Wolf Brothers
446 = Cortina	4008 = Lars Tetens
447 = Cremosa Cubanos	4009 = Bahia
448 = Cuban; brand unspecified	4010 = Big Butt
449 = Cubana; brand unspecified	4011 = Tobacco Place
450 = Dannerman	4012 = Five Star
451 = Davidoff cigars	4013 = Cubita
452 = Don Diego	4014 = Avanti
453 = Don Jose	4015 = Windsor
454 = Don Lino	4016 = Dominican; brand unspecified
455 = Don Rene	4017 = Rum Runner
456 = Don Sebastian	4018 = Nat Sherman cigars
457 = Don Thomas	4019 = J.R. Tobacco
458 = Dunhill cigars	4020 = Onyx
459 = Dutch Treats	4021 = Credo; brand unspecified
460 = El Rey del Mundo	4022 = Excalibur
461 = Fonseca	4023 = John T's
462 = Grenadiers	4024 = Sierra Sweets
463 = Griffin's	4025 = Middleton Gold and Mild
464 = H. Upmann	4026 = Habana Black and Gold
465 = Habana/Havana; brand unspecified	4027 = Nicaraguan; brand unspecified
466 = Habana Gold	4028 = Casa Blanca
467 = Henry Clay	4029 = Celestino Vega
468 = Hobo	4030 = Felipe Gregorio
469 = Hoya De Monterrey	4031 = Playboy
470 = Hugo Cassar	4032 = Montesino
471 = Infiesta	4033 = Diamond Crown

4034 = La Fontana
 4035 = Muniemaker
 4036 = La Finca
 4037 = V Centennial
 4038 = Flor de Oliva Grand Cameroon
 4039 = Palace cigars
 4040 = Reas
 4041 = Miami Suites
 4042 = R & J Famous
 4043 = Rosa Cuba
 4044 = Zino
 4045 = Havana Honey
 4046 = Monte Carlo
 4047 = Delicados cigars
 4048 = Travis Club
 4049 = Purofino
 4050 = Fuente
 4051 = Avo
 4052 = Carl Upmann
 4053 = Bolivar
 4054 = Acid
 4055 = La Diva
 4056 = Thomas Hinds
 4057 = Perfecto Garcia
 4058 = Denobili
 4059 = VM Santana
 4060 = Honduran; brand unspecified
 4061 = Jamaican; brand unspecified
 4062 = Ducados
 4063 = Topper
 4064 = Djarum cigarillos
 4065 = Franco
 4066 = New York cigars
 4067 = United States; brand unspecified
 4068 = Caribbean Rounds
 4069 = Leon Jimenes
 4070 = Montecruz
 4071 = Mifflins Choice
 4072 = Gurkha
 4073 = Dos Reinas
 4074 = Arizona
 4075 = Napa
 4076 = Key West
 4077 = Caoba
 4078 = Flor Cabana
 4079 = Montoya
 4080 = Quirantes
 4081 = Royales
 4082 = Papayo
 4083 = C.A.O.
 4084 = Tatiana
 4085 = Supre Sweets
 4086 = Dos Hombres
 4087 = El Cordoba
 4088 = Don Guillermo
 4089 = Las Vegas
 4090 = Caribbean Petites
 4091 = Tamayo & Pareto
 4092 = Hemingway
 4093 = Cabanas
 4094 = Canaria D' Oro

4095 = Ben Bay Crystals
 4096 = Black Jack
 4097 = Cusano
 4098 = La Primadora
 4099 = Meharis
 4100 = Madrigal Habana
 4101 = Ornelas
 4102 = Tamboril
 4103 = Keep Moving
 4104 = Villiger
 4105 = Belinda
 4106 = Habanos
 4107 = Por Larranaga
 4108 = Don Antonio
 4109 = Don Pablo
 4110 = Drew Estates
 4111 = Joya del Rey
 4112 = Maria Mancini
 4113 = Olor
 4114 = Plasencia
 4115 = Porfirio
 4116 = Sosa
 4117 = Robusto; type unspecified
 4118 = Vegas cigars
 4119 = Marsh Wheeling
 4120 = Alternativos
 4121 = Columbian; type unspecified
 4122 = George Burns
 4123 = Cameo
 4124 = Panetella; type unspecified
 4125 = Carinos
 4126 = Don Mateo
 4127 = Hamiltons
 4128 = Panter
 4129 = Hoja
 4130 = Smokin Joes cigars
 4131 = Moyorga
 4132 = El Gozo
 4133 = De Graaff
 4134 = John Hay

 4997 = Little cigars; brand otherwise unspecified
 4998 = Homemade cigars
 4999 = Cigar/Cigarillo; brand otherwise unspecified

Pipe Tobacco or Miscellaneous Tobacco

501 = Prince Albert tobacco
 502 = Sir Walter Raleigh Tobacco
 5999 = Pipe tobacco; brand otherwise unspecified

Miscellaneous Classifications

601 = Homegrown

 701 = Marijuana
 702 = Cocaine

703 = Coca leaves

801 = Nicorette

802 = Honey Rose

803 = Herbal cigarette, not otherwise specified

804 = Ecstasy Herbal

Alphabetical Listing

- | | |
|--|---|
| <p>1139 = 305's</p> <p>1130 = A, Class</p> <p>1137 = "A," Craven</p> <p>180 = A, Export</p> <p>4054 = Acid</p> <p>1096 = Afton, Sweet</p> <p>429 = Al Capone</p> <p>1131 = Alas</p> <p>493 = Albert cigars, Prince</p> <p>501 = Albert Tobacco, Prince</p> <p>127 = Alpine</p> <p>4120 = Alternativos</p> <p>1127 = Amazone Guarana</p> <p>1117 = American</p> <p>161 = American Spirit</p> <p>1032 = American Spirit rolling tobacco</p> <p>240 = Amish</p> <p>4003 = Amo, Te</p> <p>1067 = Amsterdam Shag (roll-your-own)</p> <p>1079 = Amsterdamer (roll-your-won)</p> <p>4108 = Antonio, Don</p> <p>401 = Antonio y Cleopatra</p> <p>212 = Apple Jack</p> <p>232 = Apple Plug Tobacco</p> <p>430 = Arango Sportsman</p> <p>1144 = Arbo (roll-your-own)</p> <p>4074 = Arizona</p> <p>431 = Arturo Fuente</p> <p>432 = Ashton</p> <p>433 = Astral</p> <p>475 = Aurora, La</p> <p>162 = Austin</p> <p>4014 = Avanti</p> <p>4051 = Avo</p>
<p>235 = B, King</p> <p>1049 = B's cigarettes, Honey</p> <p>434 = Baccarat</p> <p>402 = Backwoods</p> <p>4009 = Bahia</p> <p>1022 = Bailey</p> <p>163 = Bali Hai</p> <p>164 = Bali-Shag (roll-your-own)</p> <p>213 = Ball Park</p> <p>435 = Balmoral</p> <p>128 = Barclay</p> <p>101 = Basic</p> <p>4095 = Bay Crystals, Ben</p> <p>314 = Bee snuff, Honey</p> <p>201 = Beech-Nut</p> <p>129 = Belair</p> <p>4105 = Belinda</p> <p>1051 = Belmont</p> <p>4095 = Ben Bay Crystals</p> <p>436 = Ben Franklin</p> | <p>102 = Benson & Hedges</p> <p>403 = Bering</p> <p>1112 = Best, Kentucky's</p> <p>214 = Best Buy chewing tobacco</p> <p>165 = Best Buy cigarettes</p> <p>130 = Best Value</p> <p>1098 = Bidi, Sher</p> <p>166 = Bidis; brand unspecified</p> <p>192 = Bidis, Kailas</p> <p>4010 = Big Butt</p> <p>215 = Big Leaf</p> <p>223 = Big Leaf, Peachy</p> <p>238 = Big Red</p> <p>404 = Black & Mild</p> <p>4026 = Black and Gold, Habana</p> <p>405 = Black, Captain</p> <p>1056 = Black Clove</p> <p>167 = Black Death</p> <p>4096 = Black Jack</p> <p>216 = Blackbull</p> <p>437 = Blackstone</p> <p>438 = Blair</p> <p>4028 = Blanca, Casa</p> <p>441 = Blend, Cherry</p> <p>1031 = Blend, House</p> <p>236 = Blend, J.D.</p> <p>484 = Blend, Middleton Cherry</p> <p>1132 = Blend, Natural</p> <p>233 = Bloodhound Thick Plug</p> <p>227 = Blossom, Havana</p> <p>439 = Blunts; brand unspecified</p> <p>4053 = Bolivar</p> <p>1136 = Bonus Value</p> <p>1030 = Bonus Value, BV</p> <p>1109 = Boots</p> <p>1122 = Boston</p> <p>217 = Bowie</p> <p>168 = Brandon</p> <p>1078 = Brentwood</p> <p>131 = Bristol</p> <p>1134 = Bronco</p> <p>169 = Bronson</p> <p>4007 = Brothers, Wolf</p> <p>310 = Bruton</p> <p>132 = Bugler (roll-your-own)</p> <p>1026 = Bull Durham</p> <p>4122 = Burns, George</p> <p>421 = Burns, Robert</p> <p>440 = Butera</p> <p>4010 = Butt, Big</p> <p>214 = Buy chewing tobacco, Best</p> <p>165 = Buy cigarettes, Best</p> <p>1114 = Buy, Scotch</p> <p>1025 = Buy, Ultra</p> <p>1030 = BV Bonus Value</p>
<p>4083 = C.A.O.</p> |
|--|---|

4078	=	Cabana, Flor	311	=	Cooper
4093	=	Cabanas	301	=	Copenhagen
480	=	Cabrillas, Las	4087	=	Cordoba, El
103	=	Cambridge	445	=	Corona; brand unspecified
104	=	Camel	414	=	Corona, La
4123	=	Cameo	446	=	Cortina
4094	=	Canaria D'Oro	231	=	Cottonboll
218	=	Cannonball	312	=	Cougar
1104	=	Canyon	224	=	Country, Rough
4077	=	Caoba	1036	=	Courier
429	=	Capone, Al	136	=	Covington
105	=	Capri	1137	=	Craven "A"
405	=	Captain Black	4021	=	Credo; brand unspecified
1034	=	Cardinal	307	=	Creek, Silver
4090	=	Caribbean Petites	447	=	Creмоса Cubanos
4068	=	Caribbean Rounds	4033	=	Crown, Diamond
4125	=	Carinos	4095	=	Crystals, Ben Bay
4052	=	Carl Upmann	1123	=	CT
4046	=	Carlo, Monte	4043	=	Cuba, Rosa
106	=	Carlton	448	=	Cuban; brand unspecified
1048	=	Carnival	449	=	Cubana; brand unspecified
170	=	Cartier	476	=	Cubana, La Gloria
4028	=	Casa Blanca	483	=	Cubano, Mi
406	=	Casa Silva	447	=	Cubanos, Creмоса
470	=	Cassar, Hugo	4013	=	Cubita
327	=	CC Sweet	407	=	Cuesta-Rey
4029	=	Celestino Vega	4097	=	Cusano
491	=	Cella, Parodi	1125	=	Cut, Silk
4037	=	Centennial, V			
133	=	Century			
1072	=	Chaparral	4094	=	D'Oro, Canaria
202	=	Chattanooga Chew	450	=	Dannerman
171	=	Checkers	174	=	Daves
1035	=	Cherokee	451	=	Davidoff cigars
441	=	Cherry Blend	138	=	Davidson, Harley
484	=	Cherry Blend, Middleton	203	=	Day's Work
134	=	Chesterfield	303	=	Days, Happy
202	=	Chew, Chattanooga	4133	=	De Graaff
2999	=	Chewing tobacco; brand unspecified	1046	=	Delicados cigarettes
182	=	Choice, First	4047	=	Delicados cigars
4071	=	Choice, Mifflins	469	=	De Monterrey, Hoya
442	=	Churchill; brand unspecified	472	=	De Nicaragua, Joya
482	=	Cia, Martinez y	4038	=	De Oliva Grand Cameroon, Flor
4999	=	Cigar/Cigarillo; brand unspecified	329	=	Dean Swift
1999	=	Cigarette; brand unspecified	167	=	Death, Black
803	=	Cigarette, Herbal; not otherwise specified	460	=	Del Mundo, El Rey
172	=	Cimmarron	4111	=	Del Rey, Joya
1130	=	Class A	4058	=	Denobili
183	=	Class, First	313	=	Dental
467	=	Clay, Henry	4033	=	Diamond Crown
401	=	Cleopatra, Antonio y	1128	=	Diamond, Double
1056	=	Clove, Black	452	=	Diego, Don
173	=	Clove; brand unspecified	4055	=	Diva, La
4048	=	Club, Travis	175	=	Djarum cigarettes
186	=	Coast, Gold	4064	=	Djarum cigarillos
703	=	Coca leaves	4016	=	Dominican; brand unspecified
702	=	Cocaine	479	=	Dominicana, LaFlor
443	=	Cohiba	4108	=	Don Antonio
444	=	Cojimar	452	=	Don Diego
4121	=	Columbian; type unspecified	4088	=	Don Guillermo
135	=	Commander	453	=	Don Jose

454	=	Don Lino	4065	=	Franco
4126	=	Don Mateo	436	=	Franklin, Ben
4109	=	Don Pablo	1086	=	Friendly, Smoker
455	=	Don Rene	4050	=	Fuente
456	=	Don Sebastian	431	=	Fuente, Arturo
457	=	Don Thomas			
107	=	Doral			
4086	=	Dos Hombres	4057	=	Garcia, Perfecto
4073	=	Dos Reinas	411	=	Garcia y Vega
1128	=	Double Diamond	206	=	Garrett, Levi
1091	=	Dreams	321	=	Garrett snuff, W.
1113	=	Dreams, Sweet	184	=	Gauloises
4110	=	Drew Estates	185	=	Generic cigarettes; brand unspecified
176	=	Drum (roll-your-own)	4122	=	George Burns
1037	=	DTC	1055	=	Geronimo
177	=	Du Maurier	1058	=	Gitanes
4062	=	Ducados	476	=	Gloria Cubana, La
178	=	Dunhill cigarettes	1090	=	Gold
458	=	Dunhill cigars	4025	=	Gold and Mild, Middleton
219	=	Durango	186	=	Gold Coast
1120	=	Durant	466	=	Gold, Habana
1026	=	Durham, Bull	4026	=	Gold, Habana Black and
408	=	Dutch Masters	147	=	Gold, Old
459	=	Dutch Treats	302	=	Gold River
			1018	=	Gold, USA
			1133	=	Golden Lights
179	=	Eagle	1140	=	Golden Virginia (roll-your-own)
1110	=	Eclipse	1129	=	Goldlight
804	=	Ecstasy Herbal	4132	=	Gozo, El
413	=	Edward, King	109	=	GPC
4087	=	El Cordoba	4133	=	Graaff, De
4132	=	El Gozo	1073	=	Grand
409	=	El Producto	1089	=	Grand Prix
460	=	El Rey del Mundo	204	=	Granger
1111	=	Epic	4030	=	Gregorio, Felipe
410	=	Erik Filter	462	=	Grenadiers
4110	=	Estates, Drew	463	=	Griffin's
137	=	Eve	1126	=	GT-One
4022	=	Excalibur	1127	=	Guarana, Amazone
180	=	Export A	187	=	Gudang Guram
1119	=	Express 555	4088	=	Guillermo, Don
154	=	Express, State	188	=	Gunsmoke
330	=	Extreme	187	=	Guram, Gudang
			4072	=	Gurkha
4042	=	Famous, R & J	464	=	H. Upmann
1063	=	Fantasia	205	=	H.B. Scott
4030	=	Felipe Gregorio	4026	=	Habana Black and Gold
181	=	Fiesta	466	=	Habana Gold
410	=	Filter, Erik	4100	=	Habana, Madrigal
4036	=	Finca, La	465	=	Habana/Havana; brand unspecified
182	=	First Choice	4106	=	Habanos
183	=	First Class	163	=	Hai, Bali
4012	=	Five Star	4004	=	Hall, Temple
4078	=	Flor Cabana	4127	=	Hamiltons
4038	=	Flor de Oliva Grand Cameroon	303	=	Happy Days
1124	=	Focus	138	=	Harley Davidson
461	=	Fonseca	227	=	Havana Blossom
4034	=	Fontana, La	465	=	Havana; brand unspecified, Habana/
108	=	Forsyth	4045	=	Havana Honey
207	=	Fox, Red			

412	=	Havatampa	326	=	Kayak
304	=	Hawken	4103	=	Keep Moving
4134	=	Hay, John	110	=	Kent
102	=	Hedges, Benson &	1112	=	Kentucky's Best
4092	=	Hemingway	4076	=	Key West
467	=	Henry Clay	474	=	King
803	=	Herbal cigarette, not otherwise specified	235	=	King B
804	=	Herbal, Ecstasy	413	=	King Edward
1076	=	Highway	1118	=	Kingsport
4056	=	Hinds, Thomas	1100	=	Kite (roll-your-own)
189	=	Hi-Value	305	=	Kodiak
468	=	Hobo	111	=	Kool
4129	=	Hoja	1059	=	Krakatoa Kretek
1033	=	Hollywood	1059	=	Kretek, Krakatoa
4086	=	Hombres, Dos	1060	=	Kretek, Kuta
601	=	Homegrown	1074	=	Krong Thip
4998	=	Homemade cigars	1060	=	Kuta Kretek
4060	=	Honduran; brand unspecified			
314	=	Honey Bee snuff			
1049	=	Honey B's cigarettes	141	=	L & M
4045	=	Honey, Havana	475	=	La Aurora
802	=	Honey Rose	414	=	La Corona
234	=	Horse, Red	4055	=	La Diva
211	=	Horse, Work	4036	=	La Finca
1031	=	House Blend	4034	=	La Fontana
469	=	Hoya De Monterrey	476	=	La Gloria Cubana
470	=	Hugo Cassar	4098	=	La Primadora
			477	=	La Tradicion
			478	=	La Unica
1084	=	Image	121	=	Label, Private
1102	=	Impala	479	=	LaFlor Dominicana
495	=	Indios, Puros	220	=	Lancaster
471	=	Infiesta	140	=	Lark
			4107	=	Larranaga, Por
			4008	=	Lars Tetens
236	=	J.D. Blend	480	=	Las Cabrillas
4042	=	J Famous, R &	4089	=	Las Vegas
4019	=	J.R. Tobacco	215	=	Leaf, Big
212	=	Jack, Apple	223	=	Leaf, Peachy Big
4096	=	Jack, Black	703	=	Leaves, Coca
190	=	Jacks	194	=	Legend
1101	=	Jakarta	4069	=	Leon Jimenes
497	=	Jamaica, Royal	206	=	Levi Garrett
4061	=	Jamaican; brand unspecified	1039	=	Lewiston
139	=	Jasmine	1083	=	Liggett Select
191	=	Jester (roll-your-own)	1133	=	Lights, Golden
4069	=	Jimenes, Leon	454	=	Lino, Don
1040	=	Joes cigarettes, Smokin	4997	=	Little cigars; brand unspecified
4130	=	Joes cigars, Smokin	415	=	Little Nippers
4134	=	John Hay	481	=	Lone Wolf
1066	=	John Player	142	=	Lucky Strike
4023	=	John T's			
453	=	Jose, Don			
472	=	Joya De Nicaragua	4059	=	M Santana, V
4111	=	Joya del Rey	416	=	Macanudos
473	=	Jr Ultimate	4100	=	Madrigal Habana
496	=	Julieta, Romeo y	143	=	Magna
			221	=	Mail Pouch
			196	=	Mainstreet
192	=	Kailas Bidis	195	=	Malibu
193	=	Kamel Red	119	=	Mall, Pall

208	=	Man, Red	472	=	Nicaragua, Joya De
4112	=	Mancini, Maria	4027	=	Nicaraguan; brand unspecified
4112	=	Maria Mancini	801	=	Nicorette
701	=	Marijuana	415	=	Nippers, Little
197	=	Marker	1108	=	Nobel
1141	=	Market	146	=	Now
112	=	Marlboro			
1088	=	Marlin	147	=	Old Gold
4119	=	Marsh Wheeling	4038	=	Oliva Grand Cameroon, Flor de
482	=	Martinez y Cia	487	=	Oliveros
408	=	Masters, Dutch	4113	=	Olor
4126	=	Mateo, Don	1002	=	Omaha
177	=	Maurier, Du	1054	=	Omar Sharif
144	=	Maverick	1052	=	One, Premium
145	=	Max	4020	=	Onyx
198	=	Medallion	488	=	Optimo
4099	=	Meharis	489	=	Opus X
199	=	Meridian	4101	=	Ornelas
113	=	Merit	237	=	Our Pride
483	=	Mi Cubano	426	=	Owl, White
4041	=	Miami Suites	328	=	Ozona
484	=	Middleton Cherry Blend			
4025	=	Middleton Gold and Mild	4109	=	Pablo, Don
4071	=	Mifflins Choice	490	=	Padron
404	=	Mild, Black &	1107	=	Palace cigarettes
4025	=	Mild, Middleton Gold and	4039	=	Palace cigars
1012	=	Mild Sevens, Seven Stars/	119	=	Pall Mall
323	=	Mint Snuff	4124	=	Panetella; type unspecified
114	=	Misty	4128	=	Panter
1080	=	Monaco	4082	=	Papayo
115	=	Monarch	4091	=	Pareto, Tamayo &
485	=	Monero	213	=	Park, Ball
1115	=	Montana	120	=	Parliament
116	=	Montclair	491	=	Parodi Cella
4046	=	Monte Carlo	418	=	Partagas
486	=	Montecristo	1095	=	Patriot
4070	=	Montecruz	322	=	Peach
469	=	Monterrey, Hoya De	223	=	Peachy Big Leaf
4032	=	Montesino	427	=	Penn, William
4079	=	Montoya	4057	=	Perfecto Garcia
117	=	More	4090	=	Petites, Caribbean
222	=	Morgan's	419	=	Phillies
1142	=	Move	1003	=	Piel Roja
4103	=	Moving, Keep	1099	=	Pilot
4131	=	Moyorga	5999	=	Pipe tobacco; brand unspecified
460	=	Mundo, El Rey del	4011	=	Place, Tobacco
4035	=	Muniemaker	1004	=	Planet
417	=	Muriel	4114	=	Plasencia
1027	=	Mustang	4031	=	Playboy
			1066	=	Player, John
4075	=	Napa	148	=	Players
1092	=	Native	233	=	Plug, Bloodhound Thick
1001	=	Nat Sherman cigarettes	232	=	Plug Tobacco, Apple
4018	=	Nat Sherman cigars	1103	=	Popular
1132	=	Natural Blend	4107	=	Por Larranaga
315	=	Navy	4115	=	Porfirio
118	=	Newport	221	=	Pouch, Mail
4066	=	New York cigars	1052	=	Premium One
1047	=	New York New York cigarettes	1013	=	Price, Slim
1106	=	Niagara			

237	=	Pride, Our	802	=	Rose, Honey
228	=	Pride, Southern	320	=	Rose, Tube
209	=	Pride, Taylors	1010	=	Rothman
4098	=	Primadora, La	224	=	Rough Country
1024	=	Prime	4068	=	Rounds, Caribbean
492	=	Primetime	497	=	Royal Jamaica
493	=	Prince Albert cigars	4081	=	Royales
501	=	Prince Albert tobacco	4017	=	Rum Runner
1077	=	Prince (Denmark)	4017	=	Runner, Rum
121	=	Private Label			
1005	=	Private Stock			
1089	=	Prix, Grand	122	=	Salem
409	=	Producto, El	1011	=	Sampoerna
494	=	Punch	1038	=	Samson (roll-your-own)
4049	=	Purofino	4059	=	Santana, VM
495	=	Puros Indios	152	=	Saratoga
1143	=	Putter	153	=	Satin
149	=	Pyramid	498	=	Schimmelpennick
			1114	=	Scotch Buy
1121	=	Quality	205	=	Scott, H.B.
1006	=	Quality Smokes	316	=	Seal, Red
1071	=	Quality, Value &	456	=	Sebastian, Don
4080	=	Quirantes	1081	=	Sebring
			1083	=	Select, Liggett
			1064	=	Seneca; company brand unspecified
			331	=	Sequoia
4042	=	R & J Famous	1012	=	Seven Stars/Mild Sevens
150	=	Raleigh	1012	=	Sevens, Seven Stars/Mild
502	=	Raleigh Tobacco, Sir Walter	1067	=	Shag, Amsterdam (roll-your-own)
1007	=	Rally	164	=	Shag, Bali- (roll-your-own)
324	=	Ralphs	1054	=	Sharif, Omar
1008	=	Rave	1098	=	Sher Bidi
4040	=	Reas	1001	=	Sherman cigarettes, Nat
238	=	Red, Big	4018	=	Sherman cigars, Nat
207	=	Red Fox	1094	=	Shield
234	=	Red Horse	4024	=	Sierra Sweets
193	=	Red, Kamel	1061	=	Signature
208	=	Red Man	1125	=	Silk Cut
316	=	Red Seal	406	=	Silva, Casa
306	=	Redwood	1135	=	Silva Thins
4073	=	Reinas, Dos	307	=	Silver Creek
455	=	Rene, Don	1062	=	Sincerely Yours
325	=	Renegades	502	=	Sir Walter Raleigh Tobacco
1116	=	Revenge	1105	=	Sixty-1
407	=	Rey, Cuesta-	308	=	Skool
460	=	Rey del Mundo, El	1013	=	Slim Price
4111	=	Rey, Joya del	125	=	Slims, Virginia
151	=	Richland	424	=	Smalls, Tijuana
420	=	Rigoletto	1086	=	Smoker Friendly
302	=	River, Gold	1006	=	Smokes, Quality
421	=	Robert Burns	1040	=	Smokin Joe cigarettes
4117	=	Robusto; type unspecified	4130	=	Smokin Joes cigars
1093	=	Roger	3999	=	Snuff; brand unspecified
422	=	Roi-Tan	1014	=	Sobranie
1003	=	Roja, Piel	1041	=	Sonoma
1009	=	Rollrich (roll-your-own)	4116	=	Sosa
1998	=	Roll-your-own cigarette; brand unspecified	228	=	Southern Pride
496	=	Romeo y Julieta	1057	=	Sovereign
317	=	Rooster	1085	=	Special
4043	=	Rosa Cuba	1045	=	Specials, Turkish
			161	=	Spirit, American

1032	=	Spirit rolling tobacco, American	501	=	Tobacco, Prince Albert
1065	=	Splash	4019	=	Tobacco, R.J.
1023	=	Sport	502	=	Tobacco, Sir Walter Raleigh
430	=	Sportsman, Arango	158	=	Top (roll-your-own)
1015	=	Springwater Vanilla	4063	=	Topper
318	=	Square	319	=	Tops snuff
499	=	Stag	210	=	Totems
1075	=	Star	1029	=	Tourney
4012	=	Star, Five	477	=	Tradicion, La
1012	=	Stars/Mild Sevens, Seven	4048	=	Travis Club
154	=	State Express	459	=	Treats, Dutch
4067	=	States; brand unspecified, United	159	=	Triumph
155	=	Sterling	225	=	Trophy
1005	=	Stock, Private	160	=	True
230	=	Stoker	320	=	Tube Rose
142	=	Strike, Lucky	1045	=	Turkish Specials
156	=	Style	1138	=	Tuscon
4041	=	Suites, Miami			
1016	=	Summit	473	=	Ultimate, Jr
1017	=	Sundance	1025	=	Ultra Buy
1068	=	Superkings	478	=	Unica, La
4085	=	Supre Sweets	229	=	Union Workman
1096	=	Sweet Afton	4067	=	United States; brand unspecified
327	=	Sweet, CC	425	=	Universal
1113	=	Sweet Dreams	4052	=	Upmann, Carl
4001	=	Sweets; brand unspecified	464	=	Upmann, H.
4024	=	Sweets, Sierra	1050	=	USA
4085	=	Sweets, Supre	1018	=	USA Gold
423	=	Sweets, Swisher			
329	=	Swift, Dean			
423	=	Swisher Sweets			
4023	=	T's, John	4037	=	V Centennial
1082	=	Tahoe	1071	=	Value & Quality
1042	=	Tall	130	=	Value, Best
4091	=	Tamayo & Pareto	1028	=	Value; brand unspecified
4102	=	Tamboril	1136	=	Value, Bonus
4002	=	Tampa; brand unspecified	1030	=	Value, BV Bonus
422	=	Tan, Roi-	189	=	Value, Hi-
157	=	Tareyton	1070	=	Value Time
4084	=	Tatiana	1015	=	Vanilla, Springwater
209	=	Taylors Pride	123	=	Vantage
4003	=	Te Amo	4029	=	Vega, Celestino
4004	=	Temple Hall	411	=	Vega, Garcia y
1043	=	Tempo	1019	=	Vegas
4008	=	Tetens, Lars	4118	=	Vegas cigars
233	=	Thick Plug, Bloodhound	4089	=	Vegas, Las
1135	=	Thins, Silva	124	=	Viceroy
1074	=	Thip, Khrong	4104	=	Villiger
457	=	Thomas, Don	1140	=	Virginia, Golden (roll-your-own)
4056	=	Thomas Hinds	125	=	Virginia Slims
4005	=	Thompson	1087	=	Virginian
424	=	Tijuana Smalls	4059	=	VM Santana
309	=	Timber Wolf			
1070	=	Time, Value	321	=	W. Garrett snuff
239	=	Tinsley	502	=	Walter Raleigh Tobacco, Sir
4006	=	Tiparillo	1020	=	Waves
232	=	Tobacco, Apple Plug	226	=	WB
5999	=	Tobacco; brand unspecified, Pipe	4076	=	West, Key
4011	=	Tobacco Place	4119	=	Wheeling, Marsh

426 = White Owl
427 = William Penn
1053 = Wills
428 = Winchester
4015 = Windsor
1097 = Winner
126 = Winston
4007 = Wolf Brothers
481 = Wolf, Lone
309 = Wolf, Timber
203 = Work, Day's
211 = Work Horse
229 = Workman, Union
1044 = Worth

489 = X, Opus

4066 = York cigars, New
1047 = York cigarettes, New York New
1021 = Yours
1062 = Yours, Sincerely

1069 = Zig-Zag (roll-your-own)
4044 = Zino

Appendix D

Recoded Substance Dependence and Abuse Variable Documentation

The 2001 National Household Survey on Drug Abuse (NHSDA) computer-assisted interviewing (CAI) instrumentation included questions that were designed to measure dependence and abuse of illicit drugs, alcohol, and dependence of nicotine (cigarettes). For nicotine (cigarettes), questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman, Hickcox, Gnys, & Kassel, 1995; Shiffman, Waters, & Hickcox, in press) and the Fagerstrom Test of Nicotine Dependence (FTND; Fagerstrom, 1978; Heatherton, Kozlowski, Frecker, & Fagerstrom, 1991). For the other substances,¹ dependence and abuse questions were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, (DSM-IV), 4th edition (American Psychiatric Association [APA], 1994). Due to the complexity of defining the dependence and abuse variables, additional details regarding the creation of these indicators are included in this appendix.

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether a respondent was asked the dependence and abuse questions, users should be aware of the possible inconsistencies that may exist between the dependence and abuse variables and the imputed substance use and frequency of use variables for selected substances.

Responses from core substance use and frequency of substance use questions, as well as non-core substance use questions, were used as criteria to determine whether a respondent was asked the dependence and abuse questions. Unknown responses in the core substance use and frequency of substance use questions are imputed. However, the imputation process does not take into account reported data in the non-core CAI modules. Responses could exist to the dependence and abuse questions that are inconsistent with the imputed substance use or frequency of use. These inconsistent responses could remain in the edited dependence and abuse variables and have not been excluded in the creation of the dependence and abuse recodes. Because different criteria and different combinations of criteria were used as skip logic for each substance, different types of inconsistencies between the dependence and abuse variables and the imputed substance use and frequency of substance use variables may occur. The general reasons for inconsistencies and general types of inconsistencies for various substances are discussed in the appropriate sections as they pertain to the specific substance.

There are other specific differences between the methodology used for determining dependence of nicotine (cigarettes) versus the other substances, such as a different time period reference and the use of imputation. For nicotine (cigarette) dependence, a respondent must be a past month user of cigarettes and/or specialty cigarettes; however, according to DSM-IV criteria, a respondent must be a past year user of the substance. A second difference is that the NDSS questions were imputed in order to optimize the number of respondents who could be classified for nicotine (cigarette) dependence, unlike the DSM-IV dependence questions that were used in the edited form.

Nicotine (Cigarette) Dependence

The 2001 NHSDA CAI questions designed to assess nicotine (cigarette) dependence were based on the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND). To identify patterns of nicotine (cigarette) dependence within the 2001 NHSDA data, variable indicators were created to measure dependence on nicotine through the use of cigarettes and/or specialty cigarettes (bidis or cloves). A respondent was defined as being dependent if he or she met either the NDSS or the FTND criteria for dependence.

¹Substances include alcohol, cocaine, heroin, pain relievers, sedatives, marijuana, tranquilizers, stimulants, hallucinogens, and inhalants.

Nicotine Dependence Syndrome Scale (NDSS):

The conceptual roots of the NDSS are similar to those behind the DSM-IV concept of dependence (Edwards & Gross, 1976). The NHSDA contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
 - a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (IRCGIRTB)
 - b. When you don't smoke for a few hours, you start to crave cigarettes (IRCGCRV)
 - c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (IRCGCRGP)
 - d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (IRCGNCTL)
 - e. You sometimes worry that you will run out of cigarettes (IRCGROUT)
2. Nicotine tolerance
 - a. Since you started smoking, the amount you smoke has increased (IRCGINCR)
 - b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (IRCGSAT)
 - c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (IRCGLMR)
3. Continuous smoking
 - a. You smoke cigarettes fairly regularly throughout the day (IRCGRGDY)
 - b. You smoke about the same amount on weekends as on weekdays (IRCGRGWK)
 - c. You smoke just about the same number of cigarettes from day to day (IRCGRGNM)
 - d. It's hard to say how many cigarettes you smoke per day because the number often changes (IRCGNCG)
 - e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (IRCGSLHR)
4. Behavioral priority (preferring smoking over other reinforcing activities)
 - a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (IRCGAVD)
 - b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (friends question - CIGFNLKE)
 - c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (IRCGPLN)
5. Stereotypy (fixed patterns of smoking)
 - a. Do you have any friends who do not smoke cigarettes (friends question - CIGFNSMK)
 - b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (IRCGINFL)
 - c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (IRCGNINF)

Each of these five domains can be assessed by a continuous measure, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., in press). The NDSS algorithm for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (CIGFNSMK and CIGFNLKE) were excluded due to frequent missing data.

Imputation was utilized for all respondents who answered all but 1 of the 17 nicotine (cigarette) dependence questions that are used in the NDSS algorithm. The imputation was based upon weighted least square regressions using the other 16 NDSS items as covariates in the model (Grau, et al., 2003).

Responses to items IRCGIRTB, IRCGCRV, IRCGCRGP, IRCGAVD, IRCGPLN, IRCGROUT, IRCGRGDY, IRCGRGWK, IRCGRGNM, IRCGNINF, IRCGINCR, IRCGSAT, and IRCGLMR were coded from 1 to 5 where

- 1= Not at all true of me
- 2= Sometimes true of me
- 3= Moderately true of me
- 4= Very true of me
- 5= Extremely true of me

Responses to items IRCGNCTL, IRCGNCG, IRCGSLHR, and IRCGINFL were reverse coded from 5 to 1 where

- 5= Not at all true of me
- 4= Sometimes true of me
- 3= Moderately true of me
- 2= Very true of me
- 1= Extremely true of me

The NDSS score, NDSSAVG, was calculated as the sum of the responses to the previous questions divided by 17. The NDSS score was only calculated for respondents who answered all 17 questions. If a respondent did not have valid responses to all 17 questions, then his or her NDSS score was defined as missing.

A respondent was defined as nicotine dependent based on the NSDD, NDSSDEP, if the NDSS score was greater than or equal to 2.75. If the NDSS score was less than 2.75, then the respondent was determined to be nondependent based on the NDSS. The threshold of 2.75 was derived by examining the distribution of scores in other samples of smokers administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Schiffman, Paty, Kassel, Gnys, & Zettler-Segal, 1994).

Fagerstrom Test of Nicotine Dependence (FTND):

The FTND is a multi-item measure of dependence, but much of its ability to discriminate dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton, Kozlowski, Frecker, Rickert, & Robinson, 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence.

A respondent was defined as nicotine dependent based on the FTND, FTNDDEP, if the first cigarette smoked was within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2).

Nicotine (Cigarette) Dependence:

Based on both the NDSS and the FTND, a respondent was defined as having nicotine (cigarette) dependence in the past month, DEPNDNIC, if he or she met either the NDSS (NDSSDEP=1) or FTND (FTNDDEP=1) criteria for dependence.

DSM-IV Dependence and Abuse

The 2001 NHSDA CAI questions designed to assess substance dependence and abuse were based on the criteria for dependence and abuse in the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) (APA, 1994). To identify patterns of substance abuse within the 2001 NHSDA data, variable indicators were created to measure dependence on and abuse of alcohol and/or drugs. For marijuana, inhalants, hallucinogens, and tranquilizers, a respondent was defined as having dependence if he or she met three or more of six dependence criteria. For alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants, a respondent was defined as having dependence if he or she met three or more of seven dependence criteria (including six standard criteria plus a seventh withdrawal symptom criteria). For alcohol and each illicit drug, a respondent was defined as having abused that substance if he or she met one or more of four abuse criteria and was determined not to be dependent upon the substance of interest.

For alcohol and marijuana, the criteria used to determine whether a respondent was asked the dependence and abuse questions included past year use of the respective substance and reporting use of the respective substance on 6 or more days in the past year. Because respondents were asked the dependence and abuse questions if they reported substance use in the past year, but did not report their frequency of substance use in the past year, inconsistencies can occur where the imputed frequency of use variable indicates less frequent use than required for respondents to be asked the dependence and abuse questions originally. Stimulants, heroin, and cocaine, the criteria included reporting past year use in a core drug module or past year use in the non-core Special Drugs module; inconsistencies can occur when a core substance use variable indicates no use in the past year, but a dependence and abuse variable indicates substance dependence or abuse. For hallucinogens, pain relievers, tranquilizers, inhalants, and sedatives, the only criteria used was that the respondent reported past year use of the respective substance; thus, no inconsistencies can occur where the respondent is considered a nonuser of the substance, but is dependent on or abusing the substance. A respondent might provide ambiguous information about past year use of any individual substance, in which case these respondents are not asked the dependence and abuse questions for that substance. Subsequently, these respondents can be imputed to be past year users of the respective substance. In this situation, the dependence and abuse data are unknown; thus, these respondents are classified as not dependent on or abusing the respective substance. However, the respondent was never actually asked the dependence and abuse questions.

Listed below are the definitions used for each of the individual dependence and abuse measures, as well as specific notes about inconsistency issues for each measure. Additional variables were created using a combination of these individual dependence and abuse measures and are listed in the main part of the codebook.

Substance Dependence Recodes Defined with Withdrawal Criteria

ALCOHOL:

To be defined with alcohol dependence, DEPNDALC, a respondent must have met three or more of these alcohol dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of alcohol (ALCLOTTM=1 or ALCGTOVR=1)
- (2) Used alcohol more often than intended or was unable to keep set limits on alcohol use (ALCKPLMT=2)
- (3) Needed to use alcohol more than before to get desired effects or noticed that same amount of alcohol use had less effect than before (ALCNDMOR=1 or ALCLSEFX=1)
- (4) Inability to cut down or stop using alcohol every time tried or wanted to (ALCCUTEV=2)
- (5) Continued to use alcohol even though it was causing problems with emotions, nerves, mental health, or physical problems (ALCEMCTD=1 or ALCPHCTD=1)
- (6) Alcohol use reduced or eliminated involvement or participation in important activities (ALCLSACT=1)
- (7) Reported experiencing two or more alcohol withdrawal symptoms at the same time that lasted longer than a day after alcohol use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that weren't really there, (vi) feeling like couldn't sit still, (vii) feeling anxious, and (viii) having seizures or fits. (ALCWDSMT=1)

Note: A respondent could answer the dependence questions if he or she reported using alcohol in the past year, but did not report the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified as dependent on alcohol, but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with cocaine dependence, DEPNDCOG, a respondent must have met three or more of these cocaine dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of cocaine (COCLOTTM=1 or COCGTOVR=1)
- (2) Used cocaine more often than intended or was unable to keep set limits on cocaine use (COCKPLMT=2)
- (3) Needed to use cocaine more than before to get desired effects or noticed that same amount of cocaine use had less effect than before (COCNDMOR=1 or COCLSEFX=1)
- (4) Inability to cut down or stop using cocaine every time tried or wanted to (COCCUTEV=2)
- (5) Continued to use cocaine even though it was causing problems with emotions, nerves, mental health, or physical problems (COCEMCTD=1 or COCPHCTD=1)
- (6) Cocaine use reduced or eliminated involvement or participation in important activities (COCLSACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using cocaine (COCFLBLU=1) as well as experiencing two or more additional cocaine withdrawal symptoms at the same time that lasted longer than a day after cocaine use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or could not sit still. (COCWDSMT=1)

Note: A respondent could answer the dependence questions if he or she reported injecting cocaine with a needle in the past year, even though he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified as being dependent on cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HEROIN:

To be defined with heroin dependence, DEPNDHER, a respondent must have met three or more of these heroin dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of heroin (HERLOTTM=1 or HERGTOVR=1)
- (2) Used heroin more often than intended or was unable to keep set limits on heroin use (HERKPLMT=2)
- (3) Needed to use heroin more than before to get desired effects or noticed that same amount of heroin use had less effect than before (HERNDMOR=1 or HERLSEFX=1)
- (4) Inability to cut down or stop using heroin every time tried or wanted to (HERCUTEV=2)
- (5) Continued to use heroin even though it was causing problems with emotions, nerves, mental health, or physical problems (HEREMCTD=1 or HERPHCTD=1)
- (6) Heroin use reduced or eliminated involvement or participation in important activities (HERLSACT=1)
- (7) Reported experiencing three or more heroin withdrawal symptoms at the same time that lasted longer than a day after heroin use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (HERWDSMT=1)

Note: A respondent could answer the dependence questions if he or she reported injecting with a needle, sniffing, or snorting heroin in the past year, even though he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified as dependent on heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

PAIN RELIEVERS:

To be defined with pain reliever dependence, DEPNDANL, a respondent must have met three or more of these pain reliever dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of pain relievers (ANLLOTTM=1 or ANLGTOVR=1)
- (2) Used pain relievers more often than intended or was unable to keep set limits on pain reliever use (ANLKPLMT=2)
- (3) Needed to use pain relievers more than before to get desired effects or noticed that same amount of pain reliever use had less effect than before (ANLNDMOR=1 or ANLLSEFX=1)
- (4) Inability to cut down or stop using pain relievers every time tried or wanted to (ANLCUTEV=2)
- (5) Continued to use pain relievers even though they were causing problems with emotions, nerves, mental health, or physical problems (ANLEMCTD=1 or ANLPHCTD=1)
- (6) Pain reliever use reduced or eliminated involvement or participation in important activities (ANLLSACT=1)
- (7) Reported experiencing three or more pain reliever withdrawal symptoms at the same time that lasted longer than a day after pain reliever use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (ANLWDSMT=1)

SEDATIVES:

To be defined with sedative dependence, DEPNDSED, a respondent must have met three or more of these sedative dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of sedatives (SEDLOTTM=1 or SEDGTOVR=1)
- (2) Used sedatives more often than intended or was unable to keep set limits on sedative use (SEDKPLMT=2)
- (3) Needed to use sedatives more than before to get desired effects or noticed that same amount of sedative use had less effect than before (SEDNDMOR=1 or SEDLSEFX=1)
- (4) Inability to cut down or stop using sedatives every time tried or wanted to (SEDCUTEV=2)
- (5) Continued to use sedatives even though they were causing problems with emotions, nerves, mental health, or physical problems (SEDEMCTD=1 or SEDPHCTD=1)
- (6) Sedative use reduced or eliminated involvement or participation in important activities (SEDLSACT=1)
- (7) Reported experiencing two or more sedative withdrawal symptoms at the same time that lasted longer than a day after sedative use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping or feeling more than normal, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that weren't really there, (vi) feeling like couldn't sit still, (vii) feeling anxious, and (viii) having seizures or fits. (SEDWDSMT=1)

STIMULANTS:

To be defined with stimulant dependence, DEPNDSTM, a respondent must have met three or more of these stimulant dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of stimulants (STMLOTTM=1 or STMGTOVR=1)
- (2) Used stimulants more often than intended or was unable to keep set limits on stimulant use (STMKPLMT=2)
- (3) Needed to use stimulants more than before to get desired effects or noticed that same amount of stimulant use had less effect than before (STMNDMOR=1 or STMLSEFX=1)
- (4) Inability to cut down or stop using stimulants every time tried or wanted to (STMCUTEV=2)
- (5) Continued to use stimulants even though they were causing problems with emotions, nerves, mental health, or physical problems (STMEMCTD=1 or STMPHCTD=1)
- (6) Stimulant use reduced or eliminated involvement or participation in important activities (STMLSACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using stimulants (STMFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms at the same time that lasted longer than a day after stimulant use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or like could not sit still. (STMWDSMT=1)

Note: A respondent could answer the dependence questions if he or she reported injecting stimulants with a needle in the past year, even though he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified as being dependent on stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (STMYR).

Substance Dependence Recodes Defined Without Withdrawal Criteria

HALLUCINOGENS:

To be defined with hallucinogen dependence, DEPNDHAL, a respondent must have met three or more of these hallucinogen dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of hallucinogens (HALLOTTM=1 or HALGTOVR=1)
- (2) Used hallucinogens more often than intended or was unable to keep set limits on hallucinogen use (HALKPLMT=2)
- (3) Needed to use hallucinogens more than before to get desired effects or noticed that same amount of hallucinogen use had less effect than before (HALNDMOR=1 or HALLSEFX=1)
- (4) Inability to cut down or stop using hallucinogens every time tried or wanted to (HALCUTEV=2)
- (5) Continued to use hallucinogens even though they were causing problems with emotions, nerves, mental health, or physical problems (HALEMCTD=1 or HALPHCTD=1)
- (6) Hallucinogen use reduced or eliminated involvement or participation in important activities (HALLSACT=1)

INHALANTS:

To be defined with inhalant dependence, DEPNDINH, a respondent must have met three or more of these inhalant dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of inhalants (INHLOTTM=1 or INHGTOVR=1)
- (2) Used inhalants more often than intended or was unable to keep set limits on inhalant use (INHKPLMT=2)
- (3) Needed to use inhalants more than before to get desired effects or noticed that same amount of inhalant use had less effect than before (INHNDMOR=1 or INHLSEFX=1)
- (4) Inability to cut down or stop using inhalants every time tried or wanted to (INHCUTEV=2)
- (5) Continued to use inhalants even though they were causing problems with emotions, nerves, mental health, or physical problems (INHEMCTD=1 or INHPHCTD=1)
- (6) Inhalant use reduced or eliminated involvement or participation in important activities (INHLSACT=1)

MARIJUANA:

To be defined with marijuana dependence, DEPNDMRJ, a respondent must have met three or more of these marijuana dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of marijuana (MRJLOTTM=1 or MRJGTOVR=1)
- (2) Used marijuana more often than intended or was unable to keep set limits on marijuana use (MRJKPLMT=2)
- (3) Needed to use marijuana more than before to get desired effects or noticed that same amount of marijuana use had less effect than before (MRJNDMOR=1 or MRJLSEFX=1)
- (4) Inability to cut down or stop using marijuana every time tried or wanted to (MRJCUTEV=2)
- (5) Continued to use marijuana even though it was causing problems with emotions, nerves, mental health, or physical problems (MRJEMCTD=1 or MRJPHCTD=1)
- (6) Marijuana use reduced or eliminated involvement or participation in important activities (MRJLSACT=1)

Note: A respondent could answer the dependence questions if he or she reported using marijuana in the past year, but did not report the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified as dependent on marijuana, but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMRJFY).

TRANQUILIZERS:

To be defined with tranquilizer dependence, DEPNDTRN, a respondent must have met three or more of these tranquilizer dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of tranquilizers (TRNLOTTM=1 or TRNGTOVR=1)
- (2) Used tranquilizers more often than intended or was unable to keep set limits on tranquilizer use (TRNKPLMT=2)
- (3) Needed to use tranquilizers more than before to get desired effects or noticed that same amount of tranquilizer use had less effect than before (TRNNDMOR=1 or TRNLSEFX=1)
- (4) Inability to cut down or stop using tranquilizers every time tried or wanted to (TRNCUTEV=2)
- (5) Continued to use tranquilizers even though they were causing problems with emotions, nerves, mental health, or physical problems (TRNEMCTD=1 or TRNPHCTD=1)
- (6) Tranquilizer use reduced or eliminated involvement or participation in important activities (TRNLSACT=1)

Substance Abuse Recodes

ALCOHOL:

To be defined with abuse of alcohol, ABUSEALC, a respondent must have met one or more of these alcohol abuse criteria in the past year and was determined not to be dependent upon alcohol in the past year (DEPNDA LC=0):

- (1) Serious problems at home, work, or school caused by using alcohol, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ALCSERP B=1)
- (2) Used alcohol regularly and then did something that might have put you in physical danger (ALCPDANG=1)
- (3) Use of alcohol caused you to do things that repeatedly got you in trouble with the law (ALCLAWTR=1)
- (4) Problems with family or friends that were probably caused by using alcohol (ALCFMFPB=1) and continued to use alcohol even though you thought using alcohol caused these problems (ALCFMCTD=1)

Note: A respondent could answer the abuse questions if he or she reported using alcohol in the past year, but did not report the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified to have abused alcohol, but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with abuse of cocaine, ABUSECOC, a respondent must have met one or more of these cocaine abuse criteria in the past year and was determined not to be dependent upon cocaine in the past year (DEPNDCOC=0):

- (1) Serious problems at home, work, or school caused by using cocaine, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(COCSERP B=1)
- (2) Used cocaine regularly and then did something that might have put you in physical danger (COCPDANG=1)
- (3) Use of cocaine caused you to do things that repeatedly got you in trouble with the law (COCLAWTR=1)
- (4) Problems with family or friends probably caused by using cocaine (COCFMFPB=1) and continued to use cocaine even though you thought using cocaine caused these problems (COCFMCTD=1)

Note: A respondent could answer the abuse questions if he or she reported injecting cocaine with a needle in the past year, even though he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified to have abused cocaine, even though they had not used cocaine in the past year according to the imputed recency variable (COCYR).

HALLUCINOGENS:

To be defined with abuse of hallucinogens, ABUSEHAL, a respondent must have met one or more of these hallucinogen abuse criteria in the past year and was determined not to be dependent upon hallucinogens in the past year (DEPNHAL=0):

- (1) Serious problems at home, work, or school caused by using hallucinogens, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HALSERPB=1)
- (2) Used hallucinogens regularly and then did something that might have put you in physical danger (HALPDANG=1)
- (3) Use of hallucinogens caused you to do things that repeatedly got you in trouble with the law (HALLAWTR=1)
- (4) Problems with family or friends caused by using hallucinogens (HALFMFPB=1) and continued to use hallucinogens even though you thought using hallucinogens caused these problems (HALFMCTD=1)

HEROIN:

To be defined with abuse of heroin, ABUSEHER, a respondent must have met one or more of these heroin abuse criteria in the past year and was determined not to be dependent upon heroin in the past year (DEPNHER=0):

- (1) Serious problems at home, work, or school caused by using heroin, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HERSERPB=1)
- (2) Used heroin regularly and then did something that might have put you in physical danger (HERPDANG=1)
- (3) Use of heroin caused you to do things that repeatedly got you in trouble with the law (HERLAWTR=1)
- (4) Problems with family or friends probably caused by using heroin (HERFMFPB=1) and continued to use heroin even though you thought using heroin caused these problems (HERFMCTD=1)

Note: A respondent could answer the abuse questions if he or she reported injecting with a needle, sniffing, or snorting heroin in the past year, even though he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified to have abused heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

INHALANTS:

To be defined with abuse of inhalants, ABUSEINH, a respondent must have met one or more of these inhalant abuse criteria in the past year and was determined not to be dependent upon inhalants in the past year (DEPN DINH=0):

- (1) Serious problems at home, work, or school caused by using inhalants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(INH SERPB=1)
- (2) Used inhalants regularly and then did something that might have put you in physical danger (INHPDANG=1)
- (3) Use of inhalants caused you to do things that repeatedly got you in trouble with the law (INH LAWTR=1)
- (4) Problems with family or friends caused by using inhalants (INH FMFPB=1) and continued to use inhalants even though you thought using inhalants caused these problems (INH FMCTD=1)

MARIJUANA:

To be defined with abuse of marijuana, ABUSEMRJ, a respondent must have met one or more of these marijuana abuse criteria in the past year and was determined not to be dependent upon marijuana in the past year (DEPN DMRJ=0):

- (1) Serious problems at home, work, or school caused by using marijuana, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(MRJ SERPB=1)
- (2) Used marijuana regularly and then did something that might have put you in physical danger (MRJPDANG=1)
- (3) Use of marijuana caused you to do things that repeatedly got you in trouble with the law (MRJLAWTR=1)
- (4) Problems with family or friends caused by using marijuana (MRJFMFPB=1) and continued to use marijuana even though you thought using marijuana caused these problems (MRJFMCTD=1)

Note: A respondent could answer the abuse questions if he or she reported using marijuana in the past year, but did not report the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified to have abused marijuana, but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMRJFY).

PAIN RELIEVERS:

To be defined with abuse of pain relievers, ABUSEANL, a respondent must have met one or more of these pain reliever abuse criteria in the past year and was determined not to be dependent upon pain relievers in the past year (DEPN DANL=0):

- (1) Serious problems at home, work, or school caused by using pain relievers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ANLSERP B=1)
- (2) Used pain relievers regularly and then did something that might have put you in physical danger (ANLPDANG=1)
- (3) Use of pain relievers caused you to do things that repeatedly got you in trouble with the law (ANLLAWTR=1)
- (4) Problems with family or friends probably caused by using pain relievers (ANLFMF PB=1) and continued to use pain relievers even though you thought using pain relievers caused these problems (ANLFMCTD=1)

SEDATIVES:

To be defined with abuse of sedatives, ABUSESED, a respondent must have met one or more of these sedative abuse criteria in the past year and was determined not to be dependent upon sedatives in the past year (DEPN DSED=0):

- (1) Serious problems at home, work, or school caused by using sedatives, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(SEDSERP B=1)
- (2) Used sedatives regularly and then did something that might have put you in physical danger (SEDPDANG=1)
- (3) Use of sedatives caused you to do things that repeatedly got you in trouble with the law (SEDLAWTR=1)
- (4) Problems with family or friends probably caused by using sedatives (SEDFMF PB=1) and continued to use sedatives even though you thought using sedatives caused these problems (SEDFMCTD=1)

STIMULANTS:

To be defined with abuse of stimulants, ABUSESTM, a respondent must have met one or more of these stimulant abuse criteria in the past year and was determined not to be dependent upon stimulants in the past year (DEPNDDSTM=0):

- (1) Serious problems at home, work, or school caused by using stimulants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(STMSERP=1)
- (2) Used stimulants regularly and then did something that might have put you in physical danger (STMPDANG=1)
- (3) Use of stimulants caused you to do things that repeatedly got you in trouble with the law (STMLAWTR=1)
- (4) Problems with family or friends probably caused by using stimulants (STMFMFPB=1) and continued to use stimulants even though you thought that using stimulants caused these problems (STMFMCTD=1)

Note: A respondent could answer the abuse questions if he or she reported injecting stimulants with a needle in the past year, even though he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified to have abused stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (STMYR).

TRANQUILIZERS:

To be defined with abuse of tranquilizers, ABUSETRN, a respondent must have met one or more of these tranquilizer abuse criteria in the past year and was determined not to be dependent upon tranquilizers in the past year (DEPNDDTRN=0):

- (1) Serious problems at home, work, or school caused by using tranquilizers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(TRNSERP=1)
- (2) Used tranquilizers regularly and then did something that might have put you in physical danger (TRNPDANG=1)
- (3) Use of tranquilizers caused you to do things that repeatedly got you in trouble with the law (TRNLAWTR=1)
- (4) Problems with family or friends caused by using tranquilizers (TRNFMFPB=1) and continued to use tranquilizers even though you thought using tranquilizers caused these problems (TRNFMCTD=1)

References

American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: American Psychiatric Association.

Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal*, *1*, 1058-1061.

Fagerstrom, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors*, *3*, 235-241.

Grau, E. A., Barnett-Walker, K., Copello, E., Frechtel, P., Licata, A., Liu, B., & Odom, D. M. (2003, May). Imputation report. In *2001 National Household Survey on Drug Abuse: Methodological resource book* (Section 4; prepared under Contract No. 283-98-9008). Rockville, MD: Substance Abuse and Mental Health Services Administration, Office of Applied Studies. [Available as a PDF at <http://www.samhsa.gov/oas/nhsda/methods.cfm>]

Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerstrom, K. O. (1991). The Fagerstrom Test for Nicotine Dependence: A revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction*, *86*, 1119-1127.

Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction*, *84*, 791-799.

Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.

Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology*, *2*, 126-142.

Shiffman, S., Waters, A. J., & Hickcox, M. (in press). The Nicotine Dependence Syndrome Scale: A multi-dimensional measure of nicotine dependence. *Nicotine and Tobacco Research*.

APPENDIX E

Recoded Adult Mental Health: Serious Mental Illness Variable Documentation

The 2001 NHSDA CAI included a series of questions (the K6 scale) designed to assess serious mental illness (SMI). SMI is defined as having at some time during the past year a diagnosable mental, behavioral, or emotional disorder that met the criteria in the Diagnostic and Statistical Manual of Mental Disorders, 4th edition (DSM-IV) (American Psychiatric Association [APA], 1994) and that resulted in functional impairment and substantially interfered with or limited one or more major life activities. The K6 scale consisted of six questions asking respondents how frequently they experienced symptoms of psychological distress during the one month in the past year when they were at their worst emotionally. The development of this scale was based on a methodological study designed to evaluate several screening scales for measuring SMI in the NHSDA. A description of this methodological study is given in Section B.5 of Appendix B in the Office of Applied Studies, Substance Abuse and Mental Health Services Administration, (2002) *Results From the 2001 National Household Survey on Drug Abuse: Volume II. Technical Appendices and Selected Data Tables*. Series H-18, DHHS Publication No. SMA 02-3759). Rockville, MD. Based on the K6 scale, recoded variables were created to measure SMI. Because of the complex nature of these recodes this appendix provides additional details about the creation of the SMI variables.

Listed below are the six CAI questions included in the K6 scale, as well as the possible response categories and associated variable names for each question.

Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.

DSTNRVOS During that month, how often did you feel nervous?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- DK/REF

Response categories are the same for the following variables.

DSTHOPLS During that same month when you were at your worst emotionally . . . how often did you feel hopeless?

DSTRSTLS During that same month when you were at your worst emotionally . . . how often did you feel restless or fidgety?

- DSTCHEER** During that same month when you were at your worst emotionally . . . how often did you feel so sad or depressed that nothing could cheer you up?
- DSTEFFRT** During that same month when you were at your worst emotionally . . . how often did you feel that everything was an effort?
- DSTNGOOD** During that same month when you were at your worst emotionally . . . how often did you feel down on yourself, no good, or worthless?

The variable SMI_SUM is a score from 0 to 24 indicating the level of SMI. For all respondents, this score was calculated by coding from 0 to 4 the reported response category for each of the above six variables, and then summing these assigned values to yield a score between 0 and 24. This involved transforming the reported response category for each of the six questions so that "all of the time" was coded 4, "most of the time" was coded 3, "some of the time" was coded 2, "a little of the time" was coded 1, and "none of the time," "don't know," "refused," "bad data," "blank," and "legitimate skips" were coded 0. The SMI score was calculated by summing these assigned values across all six variables. For youths, the SMI score assigned was the standard SAS missing code (SMI_SUM=.) because the K6 scale was not administered to respondents under the age of 18.

The variable SMI, which is based on SMI_SUM, indicates whether each adult respondent has been classified as having a serious mental illness. Adults were classified as having a serious mental illness (SMI=1) if their SMI score was 13 or greater (SMI_SUM >= 13), and they were classified as not having a serious mental illness (SMI=0) if their SMI score was less than 13 (SMI_SUM < 13). For youths, the SMI variable was assigned the standard SAS missing code (SMI=.).

APPENDIX F

Occupational Classification System For Recodes

1990 OCCUPATIONAL CLASSIFICATION SYSTEM

Numbers in parentheses following the occupation categories are the 1980 Standard Occupational Classification code equivalents. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

1990 Census Code	Occupation category	1990 Census Code	Occupation category
<p>MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS</p>		<p>MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS-Con.</p>	
1	<p>Executive, Administrative, and Managerial Occupations</p> <p>Legislators (111)</p> <p>Chief executives and general administrators, public administration (112)</p> <p>Administrators and officials, public administration (1132-1139)</p> <p>Administrators, protective services (1131)</p> <p>Financial managers (122)</p> <p>Personnel and labor relations managers (123)</p> <p>Purchasing managers (124)</p> <p>Managers, marketing, advertising, and public relations (125)</p> <p>Administrators, education and related fields (128)</p> <p>Managers, medicine and health (131)</p> <p>Postmasters and mail superintendents (1344)</p> <p>Managers, food serving and lodging establishments (1351)</p> <p>Managers, properties and real estate (1353)</p> <p>Funeral directors (pt 1359)</p> <p>Managers, service organizations, n.e.c. (127, 1352, 1354, pt 1359)</p> <p>Managers and administrators, n.e.c. (121, 126, 132-1343, 136-139)</p> <p>Management Related Occupations</p> <p>Accountants and auditors (1412)</p> <p>Underwriters (1414)</p> <p>Other financial officers (1415, 1419)</p> <p>Management analysts (142)</p> <p>Personnel, training, and labor relations specialists (143)</p> <p>Purchasing agents and buyers, farm products (1443)</p> <p>Buyers, wholesale and retail trade except farm products (1442)</p> <p>Purchasing agents and buyers, n.e.c. (1449)</p> <p>Business and promotion agents (145)</p> <p>Construction inspectors (1472)</p> <p>Inspectors and compliance officers, except construction (1473)</p> <p>Management related occupations, n.e.c. (149)</p>	2	<p>Professional Specialty Occupations</p> <p>Engineers, Architects, and Surveyors</p> <p>Architects (161)</p> <p>Engineers</p> <p>Aerospace (1622)</p> <p>Metallurgical and materials (1623)</p> <p>Mining (1624)</p> <p>Petroleum (1625)</p> <p>Chemical (1626)</p> <p>Nuclear (1627)</p> <p>Civil (1628)</p> <p>Agricultural (1632)</p> <p>Electrical and electronic (1633, 1636)</p> <p>Industrial (1634)</p> <p>Mechanical (1635)</p> <p>Marine and naval architects (1637)</p> <p>Engineers, n.e.c. (1639)</p> <p>Surveyors and mapping scientists (164)</p> <p>Mathematical and Computer Scientists</p> <p>Computer systems analysts and scientists (171)</p> <p>Operations and systems researchers and analysts (172)</p> <p>Actuaries (1732)</p> <p>Statisticians (1733)</p> <p>Mathematical scientists, n.e.c. (1739)</p> <p>Natural Scientists</p> <p>Physicists and astronomers (1842, 1843)</p> <p>Chemists, except biochemists (1845)</p> <p>Atmospheric and space scientists (1846)</p> <p>Geologists and geodesists (1847)</p> <p>Physical scientists, n.e.c. (1849)</p> <p>Agricultural and food scientists (1853)</p> <p>Biological and life scientists (1854)</p> <p>Forestry and conservation scientists (1852)</p> <p>Medical scientists (1855)</p> <p>Health Diagnosing Occupations</p> <p>Physicians (261)</p> <p>Dentists (262)</p> <p>Veterinarians (27)</p> <p>Optometrists (281)</p> <p>Podiatrists (283)</p> <p>Health diagnosing practitioners, n.e.c. (289)</p>

1990
Census
Ccode

Occupation category

**MANAGERIAL AND PROFESSIONAL
SPECIALTY OCCUPATIONS-Con.
Professional Specialty Occupations-Con.**

Health Assessment and Treating
Occupations

Registered nurses (29)
Pharmacists (301)
Dietitians (302)
Therapists
Respiratory therapists (3031)
Occupational therapists (3032)
Physical therapists (3033)
Speech therapists (3034)
Therapists, n.e.c. (3039)
Physicians' assistants (304)

Teachers, Postsecondary

Earth, environmental, and marine science
teachers (2212)
Biological science teachers (2213)
Chemistry teachers (2214)
Physics teachers (2215)
Natural science teachers, n.e.c. (2216)
Psychology teachers (2217)

Economics teachers (2218)
History teachers (2222)
Political science teachers (2223)
Sociology teachers (2224)
Social science teachers, n.e.c. (2225)
Engineering teachers (2226)
Mathematical science teachers (2227)
Computer science teachers (2228)
Medical science teachers (2231)

Health specialties teachers (2232)
Business, commerce, and marketing
teachers (2233)
Agriculture and forestry teachers (2234)
Art, drama, and music teachers (2235)
Physical education teachers (2236)
Education teachers (2237)
English teachers (2238)
Foreign language teachers (2242)
Law teachers (2243)
Social work teachers (2244)

Theology teachers (2245)
Trade and industrial teachers (2246)
Home economics teachers (2247)
Teachers, postsecondary, n.e.c. (2249)
Postsecondary teachers, subject not
specified

1990
Census
Code

Occupation category

**MANAGERIAL AND PROFESSIONAL
SPECIALTY OCCUPATIONS-Con.
Professional Specialty Occupations-Con.**

Teachers, Except Postsecondary

Teachers, prekindergarten and kindergarten
(231)
Teachers, elementary school (232)
Teachers, secondary school (233)
Teachers, special education (235)
Teachers, n.e.c. (236, 239)

Counselors, educational and vocational (24)

Librarians, Archivists, and Curators

Librarians (251)
Archivists and curators (252)

Social Scientists and Urban Planners

Economists (1912)
Psychologists (1915)
Sociologists (1916)
Social scientists, n.e.c. (1913, 1914, 1919)
Urban planners (192)

Social, Recreation, and Religious Workers

Social workers (2032)
Recreation workers (2033)
Clergy (2042)
Religious workers, n.e.c. (2049)

Lawyers and Judges

Lawyers (211)
Judges (212)

Writers, Artists, Entertainers, and Athletes

Authors (321)
Technical writers (398)
Designers (322)
Musicians and composers (323)
Actors and directors (324)
Painters, sculptors, craft-artists, and artist
printmakers (325)
Photographers (326)
Dancers (327)
Artists, performers, and related workers,
n.e.c. (328, 329)
Editors and reporters (331)
Public relations specialists (332)
Announcers (333)
Athletes (34)

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS**

**Technicians and Related Support
Occupations**

Health Technologists and Technicians

Clinical laboratory technologists and
technicians (362)

3

1990
Census
Code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

**Technicians and Related Support
Occupations-Con.**

Health Technologists and Technicians-Con.
Dental hygienists (363)
Health record technologists and technicians
(364)
Radiologic technicians (365)
Licensed practical nurses (366)
Health technologists and technicians, n.e.c.
(369)
Technologists and Technicians, Except Health
Engineering and Related Technologists and
Technicians
Electrical and electronic technicians (3711)
Industrial engineering technicians (3712)
Mechanical engineering technicians (3713)
Engineering technicians, n.e.c. (3719)
Drafting occupations (372)
Surveying and mapping technicians (373)
Science Technicians
Biological technicians (382)
Chemical technicians (3831)
Science technicians, n.e.c. (3832, 3833, 384,
389)
Technicians; Except Health, Engineering, and
Science
Airplane pilots and navigators (825)
Air traffic controllers (392)
Broadcast equipment operators (393)
Computer programmers (3971, 3972)
Tool programmers, numerical control (3974)
Legal assistants (396)
Technicians, n.e.c. (399)

4 Sales Occupations

Supervisors and proprietors, sales
occupations (40)
Sales Representatives, Finance and Business
Services
Insurance sales occupations (4122)
Real estate sales occupations (4123)
Securities and financial services sales
occupations (4124)
Advertising and related sales occupations
(4153)
Sales occupations, other business services
(4152)
Sales Representatives, Commodities Except
Retail
Sales engineers (421)
Sales representatives, mining,
manufacturing, and wholesale (423, 424)

1990
Census
Code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

Sales Occupations-Con.

Sales Workers, Retail and Personal Services
Sales workers, motor vehicles and boats
(4342, 4344)
Sales workers, apparel (4346)
Sales workers, shoes (4351)
Sales workers, furniture and home
furnishings (4348)
Sales workers; radio, TV, hi-fi, and
appliances (4343, 4352)
Sales workers, hardware and building
supplies (4353)
Sales workers, parts (4367)
Sales workers, other commodities (4345,
4347, 4354, 4356, 4359, 4362, 4369)
Sales counter clerks (4363)
Cashiers (4364)
Street and door-to-door sales workers (4366)
News vendors (4365)
Sales Related Occupations
Demonstrators, promoters and models, sales
(445)
Auctioneers (447)
Sales support occupations, n.e.c. (444, 446,
449)

**5 Administrative Support Occupations,
Including Clerical**

Supervisors, Administrative Support
Occupations
Supervisors, general office (4511, 4513, 4514,
4516, 4519, 4529)
Supervisors, computer equipment operators
(4512)
Supervisors, financial records processing
(4521)
Chief communications operators (4523)
Supervisors; distribution, scheduling, and
adjusting clerks (4522, 4524-4528)
Computer Equipment Operators
Computer operators (4612)
Peripheral equipment operators (4613)
Secretaries, Stenographers, and Typists
Secretaries (4622)
Stenographers (4623)
Typists (4624)
Information Clerks
Interviewers (4642)
Hotel clerks (4643)
Transportation ticket and reservation agents
(4644)
Receptionists (4645)
Information clerks, n.e.c. (4649)

1990
Census
Code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

**Administrative Support Occupations,
Including Clerical-Con.**

Records Processing Occupations, Except
Financial

Classified-ad clerks (4662)
Correspondence clerks (4663)
Order clerks (4664)
Personnel clerks, except payroll and
timekeeping (4692)
Library clerks (4694)
File clerks (4696)
Records clerks (4699)

Financial Records Processing Occupations

Bookkeepers, accounting, and auditing clerks
(4712)
Payroll and timekeeping clerks (4713)
Billing clerks (4715)
Cost and rate clerks (4716)
Billing, posting, and calculating machine
operators (4718)

Duplicating, Mail and Other Office Machine
Operators

Duplicating machine operators (4722)
Mail preparing and paper handling machine
operators (4723)
Office machine operators, n.e.c. (4729)

Communications Equipment Operators

Telephone operators (4732)
Communications equipment operators, n.e.c.
(4733,4739)

Mail and Message Distributing Occupations

Postal clerks, exc. mail carriers (4742)
Mail carriers, postal service (4743)
Mail clerks, exc. postal service (4744)
Messengers (4745)

Material Recording, Scheduling, and

Distributing Clerks
Dispatchers (4751)
Production coordinators (4752)
Traffic, shipping, and receiving clerks (4753)
Stock and inventory clerks (4754)
Meter readers (4755)
Weighers, measurers, checkers and
samplers (4756, 4757)
Expeditors (4758)

Material recording, scheduling, and
distributing clerks, n.e.c. (4759)

Adjusters and Investigators

Insurance adjusters, examiners, and
investigators (4782)

1990
Census
Code

Occupation category

**TECHNICAL, SALES, AND ADMINISTRATIVE
SUPPORT OCCUPATIONS-Con.**

**Administrative Support Occupations
Including Clerical-Con**

Adjusters and Investigators-Con.

Investigators and adjusters, except
insurance (4783)
Eligibility clerks, social welfare (4784)
Bill and account collectors (4786)

Miscellaneous Administrative Support
Occupations

General office clerks (463)
Bank tellers (4791)
Proofreaders (4792)
Data-entry keyers (4793)
Statistical clerks (4794)
Teachers' aides (4795)
Administrative support occupations, n.e.c.
(4787, 4799)

SERVICE OCCUPATIONS

6

Private Household Occupations

Launderers and ironers (503)
Cooks, private household (504)
Housekeepers and butlers (505)
Child care workers, private household (506)
Private household cleaners and servants (502,
507, 509)

7

Protective Service Occupations

Supervisors, Protective Service Occupations
Supervisors, firefighting and fire prevention
occupations (5111)
Supervisors, police and detectives (5112)
Supervisors, guards (5113)
Firefighting and Fire Prevention Occupations
Fire inspection and fire prevention
occupations (5122)
Firefighting occupations (5123)

Police and Detectives

Police and detectives, public service (5132)
Sheriffs, bailiffs, and other law enforcement
officers (5134)
Correctional institution officers (5133)

Guards

Crossing guards (5142)
Guards and police, exc. public service
(5144)
Protective service occupations, n.e.c. (5149)

1990 Census Code	Occupation category
	SERVICE OCCUPATIONS-Con.
8	Service Occupations, Except Protective and Household
	Food Preparation and Service Occupations
	Supervisors, food preparation and service occupations (5211)
	Bartenders (5212)
	Waiters and waitresses (5213)
	Cooks (5214, 5215)
	Food counter, fountain and related occupations (5216)
	Kitchen workers, food preparation (5217)
	Waiters/waitresses' assistants (5218)
	Miscellaneous food preparation occupations (5219)
	Health Service Occupations
	Dental assistants (5232)
	Health aides, except nursing (5233)
	Nursing aides, orderlies, and attendants (5236)
	Cleaning and Building Service Occupations, except Household
	Supervisors, cleaning and building service workers (5241)
	Maids and housemen (5242, 5249)
	Janitors and cleaners (5244)
	Elevator operators (5245)
	Pest control occupations (5246)
	Personal Service Occupations
	Supervisors, personal service occupations (5251)
	Barbers (5252)
	Hairdressers and cosmetologists (5253)
	Attendants, amusement and recreation facilities (5254)
	Guides (5255)
	Ushers (5256)
	Public transportation attendants (5257)
	Baggage porters and bellhops (5262)
	Welfare service aides (5263)
	Family child care providers (pt 5264)
	Early childhood teacher's assistants (pt 5264)
	Child care workers, n.e.c. (pt 5264)
	Personal service occupations, n.e.c. (5258, 5269)
9	FARMING, FORESTRY, AND FISHING OCCUPATIONS
	Farm Operators and Managers
	Farmers, except horticultural (5512-5514)
	Horticultural specialty farmers (5515)
	Managers, farms, except horticultural (5522-5524)
	Managers, horticultural specialty farms (5525)

1990 Census Code	Occupation category
	FARMING, FORESTRY, AND FISHING OCCUPATIONS-Con.
	Other Agricultural and Related Occupations
	Farm Occupations, Except Managerial
	Supervisors, farm workers (5611)
	Farm workers (5612-5617)
	Marine life cultivation workers (5618)
	Nursery workers (5619)
	Related Agricultural Occupations
	Supervisors, related agricultural occupations (5621)
	Groundskeepers and gardeners, except farm (5622)
	Animal caretakers, except farm (5624)
	Graders and sorters, agricultural products (5625)
	Inspectors, agricultural products (5627)
	Forestry and Logging Occupations
	Supervisors, forestry, and logging workers (571)
	Forestry workers, except logging (572)
	Timber cutting and logging occupations (573, 579)
	Fishers, Hunters, and Trappers
	Captains and other officers, fishing vessels (pt 8241)
	Fishers (583)
	Hunters and trappers (584)
	PRECISION PRODUCTION, CRAFT, AND REPAIR OCCUPATIONS
10	Mechanics and Repairers
	Supervisors, mechanics and repairers (60)
	Mechanics and Repairers, Except Supervisors
	Vehicle and Mobile Equipment
	Mechanics and Repairers
	Automobile mechanics (pt 6111)
	Automobile mechanic apprentices (pt 6111)
	Bus, truck, and stationary engine mechanics (6112)
	Aircraft engine mechanics (6113)
	Small engine repairers (6114)
	Automobile body and related repairers (6115)
	Aircraft mechanics, exc. engine (6116)
	Heavy equipment mechanics (6117)
	Farm equipment mechanics (6118)
	Industrial machinery repairers (613)
	Machinery maintenance occupations (614)

1990
Census
Code

Occupation category

**PRECISION PRODUCTION, CRAFT, AND
REPAIR OCCUPATIONS-Con.**

Mechanics and Repairers-Con.

Mechanics and Repairers, Except
Supervisors-Con.
Electrical and Electronic Equipment
Repairers
Electronic repairers, communications and
industrial equipment (6151, 6153, 6155)
Data processing equipment repairers
(6154)
Household appliance and power tool
repairers (6156)
Telephone line installers and repairers
(6157)
Telephone installers and repairers (6158)
Miscellaneous electrical and electronic
equipment repairers (6152, 6159)
Heating, air conditioning, and refrigeration
mechanics (616)
Miscellaneous Mechanics and Repairers
Camera, watch, and musical instrument
repairers (6171, 6172)
Locksmiths and safe repairers (6173)
Office machine repairers (6174)
Mechanical controls and valve
repairers (6175)
Elevator installers and repairers (6176)
Millwrights (6178)
Specified mechanics and repairers, n.e.c.
(6177, 6179)
Not specified mechanics and repairers

11

Construction Trades

Supervisors, Construction Occupations
Supervisors; brickmasons, stonemasons,
and tile setters (6312)
Supervisors, carpenters and related
workers (6313)
Supervisors, electricians and power
transmission installers (6314)
Supervisors; painters, paperhangers, and
plasterers (6315)
Supervisors; plumbers, pipefitters, and
steamfitters (6316)
Supervisors, n.e.c. (6311, 6318)
Construction Trades, Except Supervisors
Brickmasons and stonemasons (pt 6412,
pt 6413)
Brickmason and stonemason
apprentices (pt 6412, pt 6413)
Tile setters, hard and soft (pt 6414,
pt 6462)
Carpet installers (pt 6462)

1990
Census
Code

Occupation category

**PRECISION PRODUCTION, CRAFT, AND
REPAIR OCCUPATIONS-Con.**

Construction Trades-Con.

Construction Trades, Except Supervisors-Con.
Carpenters (pt 6422)
Carpenter apprentices (pt 6422)
Drywall installers (6424)
Electricians (pt 6432)
Electrician apprentices (pt 6432)
Electrical power installers and repairers
(6433)
Painters, construction and maintenance
(6442)
Paperhangers (6443)
Plasterers (6444)
Plumbers, pipefitters, and steamfitters
(pt 645)
Plumber, pipefitter, and steamfitter
apprentices (pt 645)
Concrete and terrazzo finishers (6463)
Glaziers (6464)
Insulation workers (6465)
Paving, surfacing, and tamping equipment
operators (6466)
Roofers (6468)
Sheetmetal duct installers (6472)
Structural metal workers (6473)
Drillers, earth (6474)
Construction trades, n.e.c. (6467, 6475,
6476, 6479)

12

Extractive Occupations

Supervisors, extractive occupations (632)
Drillers, oil well (652)
Explosives workers (653)
Mining machine operators (654)
Mining occupations, n.e.c. (656)

Precision Production Occupations

Supervisors, production occupations (67, 71)
Precision Metal Working Occupations
Tool and die makers (pt 6811)
Tool and die maker apprentices
(pt 6811)
Precision assemblers, metal (6812)
Machinists (pt 6813)
Machinist apprentices (pt 6813)
Boilermakers (6814)
Precision grinders, filers, and tool
sharpeners (6816)
Patternmakers and model makers, metal
(6817)
Lay-out workers (6821)
Precious stones and metals workers
(Jewelers) (6822, 6866)

1990
Census
Code

Occupation category

PRECISION PRODUCTION, CRAFT, AND REPAIR OCCUPATIONS-Con.

Precision Production Occupations-Con.

Precision Metal Working Occupations-Con.

Engravers, metal (6823)

Sheet metal workers (pt 6824)

Sheet metal worker apprentices (pt 6824)

Miscellaneous precision metal workers(6829)

Precision Woodworking Occupations

Patternmakers and model makers, wood

(6831)

Cabinetmakers and bench carpenters (6832)

Furniture and wood finishers (6835)

Miscellaneous precision woodworkers(6839)

Precision Textile, Apparel, and Furnishings

Machine Workers

Dressmakers (pt 6852, pt 7752)

Tailors (pt 6852)

Upholsterers (6853)

Shoe repairers (6854)

Miscellaneous precision apparel and fabric workers (6856, 6859, pt 7752)

Precision Workers, Assorted Materials

Hand molders and shapers, except

jewelers (6861)

Patternmakers, lay-out workers, and

cutters (6862)

Optical goods workers (6864, pt 7477,

pt 7677)

Dental laboratory and medical appliance technicians (6865)

Bookbinders (6844)

Electrical and electronic equipment

assemblers (6867)

Miscellaneous precision workers, n.e.c. (6869)

Precision Food Production Occupations

Butchers and meat cutters (6871)

Bakers (6872)

Food batchmakers (6873, 6879)

Precision Inspectors, Testers, and Related

Workers

Inspectors, testers, and graders (6881, 828)

Adjusters and calibrators (6882)

Plant and System Operators

Water and sewage treatment plant operators (691)

Power plant operators (pt 693)

Stationary engineers (pt 693, 7668)

Miscellaneous plant and system operators (692, 694, 695, 696)

1990
Census
Code

Occupation category

OPERATORS, FABRICATORS, AND LABORERS

13

Machine Operators, Assemblers, and Inspectors

Machine Operators and Tenders, Except

Precision

Metalworking and Plastic Working Machine

Operators

Lathe and turning machine set-up

operators (7312)

Lathe and turning machine operators

(7512)

Milling and planing machine operators

(7313, 7513)

Punching and stamping press machine

operators (7314, 7317, 7514, 7517)

Rolling machine operators (7316, 7516)

Drilling and boring machine operators (7318,

7518)

Grinding, abrading, buffing, and polishing

machine operators (7322, 7324, 7522)

Forging machine operators (7319, 7519)

Numerical control machine operators

(7326)

Miscellaneous metal, plastic, stone, and glass working machine operators (7329, 7529)

Fabricating machine operators, n.e.c. (7339, 7539)

Metal and Plastic Processing Machine

Operators

Molding and casting machine operators

(7315, 7342, 7515, 7542)

Metal plating machine operators (7343,

7543)

Heat treating equipment operators (7344,

7544)

Miscellaneous metal and plastic

processing machine operators (7349,

7549)

Woodworking Machine Operators

Wood lathe, routing, and planing machine

operators (7431, 7432, 7631, 7632)

Sawing machine operators (7433, 7633)

Shaping and joining machine operators

(7435, 7635)

Nailing and tacking machine operators

(7636)

Miscellaneous woodworking machine

operators (7434, 7439, 7634, 7639)

1990
Census
Code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Machine Operators, Assemblers, and
Inspectors-Con.**

Machine Operators and Tenders, Except
Precision-Con.

Printing Machine Operators

Printing press operators (7443, 7643)

Photoengravers and lithographers (6842,
7444, 7644)

Typesetters and compositors (6841, 7642)

Miscellaneous printing machine operators
(6849, 7449, 7649)

Textile, Apparel, and Furnishings Machine
Operators

Winding and twisting machine operators
(7451, 7651)

Knitting, looping, taping, and weaving machine
operators (7452, 7652)

Textile cutting machine operators (7654)

Textile sewing machine operators (7655)

Shoe machine operators (7656)

Pressing machine operators (7657)

Laundrying and dry cleaning machine
operators (6855, 7658)

Miscellaneous textile machine operators
(7459, 7659)

Machine Operators, Assorted Materials

Cementing and gluing machine operators
(7661)

Packaging and filling machine operators
(7462, 7662)

Extruding and forming machine operators
(7463, 7663)

Mixing and blending machine operators

(7664)

Separating, filtering, and clarifying machine
operators (7476, 7666, 7676)

Compressing and compacting machine
operators (7467, 7667)

Painting and paint spraying machine
operators (7669)

Roasting and baking machine operators,
food (7472, 7672)

Washing, cleaning, and pickling machine
operators (7673)

Folding machine operators (7474, 7674)

Furnace, kiln, and oven operators, exc.
food (7675)

Crushing and grinding machine operators
(pt 7477, pt 7677)

Slicing and cutting machine operators (7478,
7678)

Motion picture projectionists (pt 7479)

1990
Census
Code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Machine Operators, Assemblers, and
Inspectors-Con.**

Machine Operators and Tenders, Except
Precision-Con.

Machine Operators, Assorted Materials-Con.

Photographic process machine operators
(6863, 6868, 7671)

Miscellaneous machine operators, n.e.c.
(pt 7479, 7665, 7679)

Machine operators, not specified

Fabricators, Assemblers, and Hand Working
Occupations

Welders and cutters (7332, 7532, 7714)

Solderers and brazers (7333, 7533, 7717)

Assemblers (772, 774)

Hand cutting and trimming occupations
(7753)

Hand molding, casting, and forming
occupations (7754, 7755)

Hand painting, coating, and decorating
occupations (7756)

Hand engraving and printing occupations
(7757)

Miscellaneous hand working occupations
(7758, 7759)

Production Inspectors, Testers, Samplers, and
Weighers

Production inspectors, checkers, and
examiners (782, 787)

Production testers (783)

Production samplers and weighers (784)

Graders and sorters, exc. agricultural (785)

14

**Transportation and Material Moving
Occupations**

Motor Vehicle Operators

Supervisors, motor vehicle operators (8111)

Truck drivers (8212-8214)

Driver-sales workers (8218)

Bus drivers (8215)

Taxicab drivers and chauffeurs (8216)

Parking lot attendants (874)

Motor transportation occupations, n.e.c. (8219)

Transportation Occupations, Except Motor
Vehicles

Rail Transportation Occupations

Railroad conductors and yardmasters
(8113)

Locomotive operating occupations (8232)

Railroad brake, signal, and switch
operators (8233)

Rail vehicle operators, n.e.c. (8239)

1990
Census
Code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Transportation and Material Moving
Occupations-Con.**

Transportation Occupations, Except Motor
Vehicles-Con.

Water Transportation Occupations

Ship captains and mates, except fishing
boats (pt 8241, 8242)

Sailors and deckhands (8243)

Marine engineers (8244)

Bridge, lock, and lighthouse tenders

(8245)

Material Moving Equipment Operators

Supervisors, material moving equipment
operators (812)

Operating engineers (8312)

Longshore equipment operators (8313)

Hoist and winch operators (8314)

Crane and tower operators (8315)

Excavating and loading machine
operators (8316)

Grader, dozer, and scraper operators
(8317)

Industrial truck and tractor equipment
operators (8318)

Miscellaneous material moving equipment
operators (8319)

**15 Handlers, Equipment Cleaners, Helpers, and
Laborers**

Supervisors, handlers, equipment cleaners, and
laborers, n.e.c. (85)

Helpers, mechanics and repairers (663)

1990
Census
Code

Occupation category

**OPERATORS, FABRICATORS, AND
LABORERS-Con.**

**Handlers, Equipment Cleaners, Helpers, and
Laborers-Con.**

Helpers, Construction and Extractive
Occupations

Helpers, construction trades (8641-8645, 8648)

Helpers, surveyor (8646)

Helpers, extractive occupations (865)

Construction laborers (871)

Production helpers (861, 862)

Freight, Stock, and Material Handlers

Garbage collectors (8722)

Stevedores (8723)

Stock handlers and baggers (8724)

Machine feeders and offbearers (8725)

Freight, stock, and material handlers, n.e.c.
(8726)

Garage and service station related
occupations (873)

Vehicle washers and equipment cleaners
(875)

Hand packers and packagers (8761)

Laborers, except construction (8769)

16 MILITARY OCCUPATIONS

Commissioned Officers and Warrant Officers
Non-commissioned Officers and Other Enlisted
Personnel

Military occupation, rank not specified

**EXPERIENCED UNEMPLOYED NOT
CLASSIFIED BY OCCUPATION**

909 Last worked 1984 or earlier

APPENDIX G

Industrial Classification System For Recodes

1990 INDUSTRIAL CLASSIFICATION SYSTEM

Numbers in parentheses following the industry categories are the 1987 SIC definitions. The abbreviation "pt" means "part" and "n.e.c." means "not elsewhere classified."

1990 industry code	Industry category	1990 industry code	Industry category
1	AGRICULTURE, FORESTRY, AND FISHERIES Agricultural production, crops (01) Agricultural production, livestock (02) Veterinary services (074) Landscape and horticultural services (078) Agricultural services, n.e.c. (071, 072, 075, 076) Forestry (OB) Fishing, hunting, and trapping (09)	MANUFACTURING-Con. Nondurable Goods-Con.	Apparel and other finished textile products Apparel and accessories, except knit (231 238) Miscellaneous fabricated textile products (239) Paper and allied products Pulp, paper, and paperboard mills (261-263) Miscellaneous paper and pulp products (267) Paperboard containers and boxes (265) Printing, publishing, and allied industries Newspaper publishing and printing (271) Printing, publishing, and allied industries, except newspapers (272-279) Chemicals and allied products Plastics, synthetics, and resins (282) Drugs (283) Soaps and cosmetics (284) Paints, varnishes, and related products (285) Agricultural chemicals (287) Industrial and miscellaneous chemicals (281, 286, 289) Petroleum and coal products Petroleum refining (291) Miscellaneous petroleum and coal products (295, 299) Rubber and miscellaneous plastics products Tires and inner tubes (301) Other rubber products and plastics footwear And belting (302-306) Miscellaneous plastics products (308)
2	MINING Metal mining (10) Coal mining (12) Oil and gas extraction (13) Nonmetallic mining and quarrying, except fuels (14)	Leather and leather products Leather tanning and finishing (3,11) Footwear, except rubber and plastic (313, 314) Leather products, except footwear (315-317, 319)	5
3	CONSTRUCTION (15, 16, 17) MANUFACTURING	Durable Goods Lumber and wood products, except furniture Logging (241)	
4	Nondurable Goods Food and kindred products Meat products (201) Dairy products (202) Canned, frozen, and preserved fruits and vegetables (203) Grain mill products (204) Bakery products (205) Sugar and confectionery products (206) Beverage industries (208) Miscellaneous food preparations and kindred products (207, 209) Not specified food industries Tobacco manufactures (21) Textile mill products Knitting mills (225) Dyeing and finishing textiles, except wool and knit goods (226) Carpets and rugs (227) Yarn, thread, and fabric mills (221-224, 228) Miscellaneous textile mill products (229)		

1990
industry
code Industry category
MANUFACTURING-Con.

Durable Goods-Con.
Lumber and wood products, except
 furniture-Con.
 Sawmills, planing mills, and millwork (242,
 243)
 Wood buildings and mobile homes (245)
 Miscellaneous wood products (244, 249)
Furniture and fixtures (25)
Stone, clay, glass, and concrete products
 Glass and glass products (321-323)
 Cement, concrete, gypsum, and plaster
 products (324, 327)
 Structural clay products (325)
 Pottery and related products (326)
 Miscellaneous nonmetallic mineral and stone
 products (328, 329)

Metal industries
 Blast furnaces, steelworks, rolling and
 finishing mills (331)
 Iron and steel foundries (332)
 Primary aluminum industries (3334, part 334,
 3353-3355, 3363,3365)
 Other primary metal industries (3331, 3339,
 part 334, 3351, 3356, 3357, 3364, 3366,
 3369, 339)
 Cutlery, handtools, and general hardware
 (342)
 Fabricated structural metal products (344)
 Screw machine products (345)
 Metal forgings and stampings (346)
 Ordnance (348)
 Miscellaneous fabricated metal products (341,
 343, 347, 349)
 Not specified metal industries

Machinery and computing equipment
 Engines and turbines (351)
 Farm machinery and equipment (352)
 Construction and material handling machines
 (353)
 Metalworking machinery (354)
 Office and accounting machines (3578, 3579)
 Computers and related equipment (3571-
 3577)
 Machinery, except electrical, n.e.c. (355, 356,
 358, 359)
 Not specified machinery

Electrical machinery, equipment, and supplies
 Household appliances (363)
 Radio, TV, and communication equipment
 (365, 366)

1990
industry
code Industry category
MANUFACTURING-Con.

Durable Goods-Con.
Electrical machinery, equipment, and
 supplies-Con.
 Electrical machinery, equipment, and supplies
 n.e.c. (361, 362, 364, 367, 369)
 Not specified electrical machinery, equipment
 and supplies

Transportation equipment
 Motor vehicles and motor vehicle equipment
 (371)
 Aircraft and parts (372)
 Ship and boat building and repairing (373)
 Railroad locomotives and equipment (374)
 Guided missiles, space vehicles, and parts
 (376)
 Cycles and miscellaneous transportation
 equipment (375, 379)

Professional and photographic equipment, and
 watches
 Scientific and controlling instruments (381, 382
 exc. 3827)
 Medical, dental, and optical instruments and
 supplies (3827, 384, 385)

 Photographic equipment and supplies (386)
 Watches, clocks, and clockwork operated
 devices (387)

Toys, amusement, and sporting goods (394)
Miscellaneous manufacturing industries (39 exc.
 394)

Not specified manufacturing industries

**6 TRANSPORTATION COMMUNICATIONS,
 AND OTHER PUBLIC UTILITIES**

Transportation
 Railroads (40)
 Bus service and urban transit (41, except 412)
 Taxicab service (412)
 Trucking service (421, 423)
 Warehousing and storage (422)
 U.S. Postal Service (43)
 Water transportation (44)
 Air transportation (45)
 Pipe lines, except natural gas (46)
 Services incidental to transportation (47)

Communications
 Radio and television broadcasting and cable
 (483, 484)
 Telephone communications (481)
 Telegraph and miscellaneous communications
 services (482, 489)

1990 industry code	Industry category	1990 industry code	Industry category
	TRANSPORTATION COMMUNICATIONS, AND OTHER PUBLIC UTILITIES-Con.		RETAIL TRADE-Con.
	Utilities and sanitary services		Food stores, n.e.c. (542, 543, 544, 549)
	Electric light and power (491)		Motor vehicle dealers (551, 552)
	Gas and steam supply systems (492, 496)		Auto and home supply stores (553)
	Electric and gas, and other combinations (493)		Gasoline service stations (554)
	Water supply and irrigation (494, 497)		Miscellaneous vehicle dealers (555, 556, 557, 559)
	Sanitary services (495)		Apparel and accessory stores, except shoe (56, except 566)
	Not specified utilities		Shoe stores (566)
	WHOLESALE TRADE		Furniture and home furnishings stores (571)
7	Durable Goods		Household appliance stores (572)
	Motor vehicles and equipment (501)		Radio, TV, and computer stores (5731, 5734)
	Furniture and home furnishings (502)		Music stores (5735, 5736)
	Lumber and construction materials (503)		Eating and drinking places (58)
	Professional and commercial equipment and supplies (504)		Drug stores (591)
	Metals and minerals, except petroleum (505)		Liquor stores (592)
	Electrical goods (506)		Sporting goods, bicycles, and hobby stores (5941, 5945, 5946)
	Hardware, plumbing and heating supplies (507)		Book and stationery stores (5942, 5943)
	Machinery, equipment, and supplies (508)		Jewelry stores (5944)
	Scrap and waste materials (5093)		Gift, novelty, and souvenir shops (5947)
	Miscellaneous wholesale, durable goods (509 exc. 5093)		Sewing, needlework and piece goods stores (5949)
8	Nondurable Goods		Catalog and mail order houses (5961)
	Paper and paper products (511)		Veriding machine operators (5962)
	Drugs, chemicals and allied products (512, 516)		Direct selling establishments (5963)
	Apparel, fabrics, and notions (513)		Fuel dealers (598)
	Groceries and related products (514)		Retail florists (5992)
	Farm-product raw materials (515)		Miscellaneous retail stores (593, 5948, 5993 5995, 5999)
	Petroleum products (517)	10	Not specified retail trade
	Alcoholic beverages (518)		FINANCE, INSURANCE, AND REAL ESTATE
	Farm supplies (5191)		Banking (60 exc. 603 and 606)
	Miscellaneous wholesale, nondurable goods (5192-5199)		Savings institutions, including credit unions (603, 606)
	Not specified wholesale trade		Credit agencies, n.e.c. (61)
9	RETAIL TRADE		Security, commodity brokerage, and investment companies (62, 67)
	Lumber and building material retailing (521, 523)		Insurance (63, 64)
	Hardware stores (525)		Real estate, including real estate-insurance offices (65)
	Retail nurseries and garden stores (526)	11	BUSINESS AND REPAIR SERVICES
	Mobile home dealers (527)		Advertising (731)
	Department stores (531)		Services to dwellings and other buildings (734)
	Variety stores (533)		Personnel supply services (736)
	Miscellaneous general merchandise stores (539)		Computer and data processing services (737)
	Grocery stores (541)		Detective and protective services (7381, 7382)
	Dairy products stores (545)		Business services, n.e.c. (732, 733, 735, 7383 7389)
	Retail bakeries (546)		

1990
industry
code

Industry category

BUSINESS AND REPAIR SERVICES-Con.

Automotive rental and leasing, without drivers (751)
Automobile parking and carwashes (752, 7542)
Automotive repair and related services (753, 7549)
Electrical repair shops (762, 7694)
Miscellaneous repair services (763, 764, 7692, 7699)

12 PERSONAL SERVICES

Private households (88)
Hotels and motels (701)
Lodging places, except hotels and motels (702, 703, 704)
Laundry, cleaning, and garment services (721 exc. part 7219)
Beauty shops (723)
Barber shops (724)
Funeral service and crematories (726)
Shoe repair shops (725)
Dressmaking shops (part 7219)
Miscellaneous personal services (722, 729)

13 ENTERTAINMENT AND RECREATION SERVICES

Theaters and motion pictures (781-783, 792)
Video tape rental (784)
Bowling centers (793)
Miscellaneous entertainment and recreation services (791, 794, 799)

14 PROFESSIONAL AND RELATED SERVICES

Offices and clinics of physicians (801, 803)
Offices and clinics of dentists (802)
Offices and clinics of chiropractors (8041)
Offices and clinics of optometrists (8042)
Offices and clinics of health practitioners, n.e.c. (8043, 8049)
Hospitals (806)
Nursing and personal care facilities (805)
Health services, n.e.c. (807, 808, 809)
Legal services (81)
Elementary and secondary schools (821)
Colleges and universities (822)
Vocational schools (824)
Libraries (823)
Educational services, n.e.c. (829)

1990
industry
code

Industry category

PROFESSIONAL AND RELATED SERVICES-Con.

Job training and vocational rehabilitation services (833)
Child day care services (part 835)
Family child care homes (part 835)
Residential care facilities, without nursing (836)
Social services, n.e.c. (832, 839)
Museums, art galleries, and zoos (84)
Labor unions (863)
Religious organizations (866)
Membership organizations, n.e.c. (861, 862, 864, 865, 869)
Engineering, architectural, and surveying services (871)
Accounting, auditing, and bookkeeping services (872)
Research, development, and testing services (873)
Management and public relations services (874)
Miscellaneous professional and related services (899)

15 PUBLIC ADMINISTRATION

Executive and legislative offices (911-913)
General government, n.e.c. (919)
Justice, public order, and safety (92)
Public finance, taxation, and monetary policy (93)
Administration of human resources programs (94)
Administration of environmental quality and housing programs (95)
Administration of economic programs (96)
National security and international affairs (97)

16 ACTIVE DUTY MILITARY

Armed Forces
Army
Air Force
Navy

Marines
Coast Guard
Armed Forces, Branch not specified
Military Reserves or National Guard

EXPERIENCED UNEMPLOYED NOT CLASSIFIED BY INDUSTRY

992 Last worked 1984 or earlier

APPENDIX H

Variable Map

The Variable Map marks the progression of data from the initial CAI Specification stage through the Edited, Imputation, and Recode stages. There are columns for the variable names at each of these stages. Analysts may use this map to determine what data are used in the creation of variables at a later stage.

CAI variables are those found in the specifications. The specifications include the logic flow and how the respondent reaches each of the questions. The electronic version of the CAI Specifications may be found at <http://datafiles.samhsa.gov>.

Edited variables use mnemonic names to describe the content of the variables and may contain special codes to indicate that logical assignment of values has taken place.

Variables under the column "imputed" are equivalent to their edited counterparts, except that missing or ambiguous values have been replaced by valid response codes obtained using an appropriate imputation procedure. Imputed values are distinguished from nonimputed values by an accompanying indicator variable, identified by the prefix "II" and given in the "Other" column.

Recoded variables are produced for the purpose of creating the estimates found in the Summary Tables and the annual Summary of Findings Report. In general, these use mnemonic names to describe the content of the variables. Data file users are advised to use these recoded variables to produce estimates comparable to those in published reports.

Variables that do not necessarily fall into the above categories are listed in the "Other" column.

The notes on the following page are referenced throughout the map. The column titled Notes will contain numbers 1 through 10 if the analyst should refer to the notes.

NOTE 1: This variable was created from recoded versions of the indicated source data. See the codebook for further information.

NOTE 2: This recoded variable was also created using the source data from the recoded "Ill Drug Dependency - Last 12 Months" variable labeled DEPNDILL.

NOTE 3: This recoded variable was also created using the source data from the recoded "Last/Current Trt for Ill Drugs" variable labeled TXLTILL2.

NOTE 4: This recoded variable was also created using the source data from the recoded "Ill Drug Abuse - Last 12 Months" variable labeled ABUSEILL.

NOTE 5: This recoded variable was also created using the source data from the recoded "Ill Drug Abuse - Last 12 Months" variable labeled ABUSEILL and the recoded "Ill Drug Dependence - Last 12 Months" variable labeled DEPNDILL.

NOTE 6: This recoded variable was also created using the source data from the recoded "Any Psych Abuse - Last 12 Months" variable labeled ABUSEPSY and the recoded "Any Psych Dependence - Last 12 Months" variable labeled DEPNDPSY.

NOTE 7: This recoded variable was also created using the source data from the recoded "Ill Drug Other Than MRJ Dep- Last 12 Months" variable labeled DEPNDIEM.

NOTE 8: This recoded variable was also created using the source data from the recoded "Ill Drug Other Than MRJ Abuse- Last 12 Months" variable labeled ABUSEIEM.

NOTE 9: This recoded variable was also created using the source data from the recoded "Ill Drug and Alc Dep- Last 12 Months" variable labeled DPILANAL and the recoded "Ill Drug and Alc Abuse- Last 12 Months" variable labeled ABILANAL.

NOTE 10: This recoded variable was also created using the source data from the recoded "Ill Drug or Alc Dep- Last 12 Months" variable labeled DPILLALC and the recoded "Ill Drug or Alc Abuse- Last 12 Months" variable labeled ABILLALC.

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QUESTID		QUESTID			
AGE1	AGE2			CATAGE	
AGE1	AGE2			CATAG2	
AGE1	AGE2			CATAG3	
AGE1	AGE2			CATAG7	
AGE1	AGE2			PREGAGE2	
AGE1	AGE2			PREG	
AGE1	AGE2			PREG2	
AGE1	AGE2			TRIMEST	1
AGE1	AGE2			COLLEGE2	1
AGE1	AGE2			AGE2	
AGE1	AGE2	ROSAGE17			
AGE1	AGE2	ROSAGE18			
AGE1	AGE2	ROSAGE19			
AGE1	AGE2	ROSAGE20			
AGE1	AGE2	ROSAGE21			
AGE1	AGE2	ROSAGE22			
AGE1	AGE2	ROSAGE23			
AGE1	AGE2	ROSAGE24			
AGE1	AGE2	ROSAGE25			
AGE1	AGE2	ROSRLT17			
AGE1	AGE2	ROSRLT18			
AGE1	AGE2	ROSRLT19			
AGE1	AGE2	ROSRLT20			
AGE1	AGE2	ROSRLT21			
AGE1	AGE2	ROSRLT22			
AGE1	AGE2	ROSRLT23			
AGE1	AGE2	ROSRLT24			
AGE1	AGE2	ROSRLT25			
AGE1	AGE2	ROSMSL17			
AGE1	AGE2	ROSMSL18			
AGE1	AGE2	ROSMSL19			
AGE1	AGE2	ROSMSL20			
AGE1	AGE2	ROSMSL21			
AGE1	AGE2	ROSMSL22			
AGE1	AGE2	ROSMSL23			
AGE1	AGE2	ROSMSL24			
AGE1	AGE2	ROSMSL25			
CALCAGE	AGE2			CATAGE	
CALCAGE	AGE2			CATAG2	
CALCAGE	AGE2			CATAG3	
CALCAGE	AGE2			CATAG7	
CALCAGE	AGE2			PREGAGE2	
CALCAGE	AGE2			PREG	
CALCAGE	AGE2			PREG2	
CALCAGE	AGE2			TRIMEST	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CALCAGE	AGE2			COLLEGE2	1
CALCAGE	AGE2			AGE2	
CALCAGE	AGE2	ROSAGE17			
CALCAGE	AGE2	ROSAGE18			
CALCAGE	AGE2	ROSAGE19			
CALCAGE	AGE2	ROSAGE20			
CALCAGE	AGE2	ROSAGE21			
CALCAGE	AGE2	ROSAGE22			
CALCAGE	AGE2	ROSAGE23			
CALCAGE	AGE2	ROSAGE24			
CALCAGE	AGE2	ROSAGE25			
CALCAGE	AGE2	ROSRLT17			
CALCAGE	AGE2	ROSRLT18			
CALCAGE	AGE2	ROSRLT19			
CALCAGE	AGE2	ROSRLT20			
CALCAGE	AGE2	ROSRLT21			
CALCAGE	AGE2	ROSRLT22			
CALCAGE	AGE2	ROSRLT23			
CALCAGE	AGE2	ROSRLT24			
CALCAGE	AGE2	ROSRLT25			
CALCAGE	AGE2	ROSMSL17			
CALCAGE	AGE2	ROSMSL18			
CALCAGE	AGE2	ROSMSL19			
CALCAGE	AGE2	ROSMSL20			
CALCAGE	AGE2	ROSMSL21			
CALCAGE	AGE2	ROSMSL22			
CALCAGE	AGE2	ROSMSL23			
CALCAGE	AGE2	ROSMSL24			
CALCAGE	AGE2	ROSMSL25			
CONFIRM	AGE2			CATAGE	
CONFIRM	AGE2			CATAG2	
CONFIRM	AGE2			CATAG3	
CONFIRM	AGE2			CATAG7	
CONFIRM	AGE2			PREGAGE2	
CONFIRM	AGE2			PREG	
CONFIRM	AGE2			PREG2	
CONFIRM	AGE2			TRIMEST	1
CONFIRM	AGE2			COLLEGE2	1
CONFIRM	AGE2			AGE2	
CONFIRM	AGE2	ROSAGE17			
CONFIRM	AGE2	ROSAGE18			
CONFIRM	AGE2	ROSAGE19			
CONFIRM	AGE2	ROSAGE20			
CONFIRM	AGE2	ROSAGE21			
CONFIRM	AGE2	ROSAGE22			
CONFIRM	AGE2	ROSAGE23			

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CONFIRM	AGE2	ROSAGE24			
CONFIRM	AGE2	ROSAGE25			
CONFIRM	AGE2	ROSRLT17			
CONFIRM	AGE2	ROSRLT18			
CONFIRM	AGE2	ROSRLT19			
CONFIRM	AGE2	ROSRLT20			
CONFIRM	AGE2	ROSRLT21			
CONFIRM	AGE2	ROSRLT22			
CONFIRM	AGE2	ROSRLT23			
CONFIRM	AGE2	ROSRLT24			
CONFIRM	AGE2	ROSRLT25			
CONFIRM	AGE2	ROSMSL17			
CONFIRM	AGE2	ROSMSL18			
CONFIRM	AGE2	ROSMSL19			
CONFIRM	AGE2	ROSMSL20			
CONFIRM	AGE2	ROSMSL21			
CONFIRM	AGE2	ROSMSL22			
CONFIRM	AGE2	ROSMSL23			
CONFIRM	AGE2	ROSMSL24			
CONFIRM	AGE2	ROSMSL25			
QD01		IISEX	IRSEX	PREG	
QD01		IISEX	IRSEX	PREG2	
QD01		IISEX	IRSEX	TRIMEST	1
QD01	ROSSEX17	IISEX	IRSEX		
QD01	ROSSEX18	IISEX	IRSEX		
QD01	ROSSEX19	IISEX	IRSEX		
QD01	ROSSEX20	IISEX	IRSEX		
QD01	ROSSEX21	IISEX	IRSEX		
QD01	ROSSEX22	IISEX	IRSEX		
QD01	ROSSEX23	IISEX	IRSEX		
QD01	ROSSEX24	IISEX	IRSEX		
QD01	ROSSEX25	IISEX	IRSEX		
QD01	ROSRLT17	IISEX	IRSEX		
QD01	ROSRLT18	IISEX	IRSEX		
QD01	ROSRLT19	IISEX	IRSEX		
QD01	ROSRLT20	IISEX	IRSEX		
QD01	ROSRLT21	IISEX	IRSEX		
QD01	ROSRLT22	IISEX	IRSEX		
QD01	ROSRLT23	IISEX	IRSEX		
QD01	ROSRLT24	IISEX	IRSEX		
QD01	ROSRLT25	IISEX	IRSEX		
QD01	ROSMSL17	IISEX	IRSEX		
QD01	ROSMSL18	IISEX	IRSEX		
QD01	ROSMSL19	IISEX	IRSEX		
QD01	ROSMSL20	IISEX	IRSEX		
QD01	ROSMSL21	IISEX	IRSEX		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD01	ROSM22	IISEX	IRSEX		
QD01	ROSM23	IISEX	IRSEX		
QD01	ROSM24	IISEX	IRSEX		
QD01	ROSM25	IISEX	IRSEX		
QD03				NEW RACE2	
QD04OTHR				NEW RACE2	
QD05				NEW RACE2	
QD05ASIA				NEW RACE2	
OTHASIA				NEW RACE2	
QD05OTHA				NEW RACE2	
QD05OTHR				NEW RACE2	
QD06				NEW RACE2	
QD07		IIMARIT	IRMARIT		
QD08	NOMARR2	IIMARIT	IRMARIT		
QD09	SERVICE				
QD10	MILSTAT				
QD11		IIEDUC2	IREDC2		
QD12	HEALTH				
CG01	CIGEVER				
CGREF1	CIGEVER				
CG02	CIGFRSM				
CG03	CIGWILYR				
CG04	CIGTRY	IICIGAGE	IRCIGAGE	CIGAFU	
CG04	CIGTRY		IRCIGAGE	CIGAFU	
CG04			IRCIGAGE	CIGAFU	
CG04A	CIGYFU	IICIGYFU	IRCIGYFU		
CG04B	CIGYFU	IICIGYFU	IRCIGYFU		
CG04C	CIGYFU	IICIGYFU	IRCIGYFU		
CG04C			IRCIGYFU		
CG04C	CIGMFU				
CG04D	CIGMFU				
CG05	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGMON	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGYR	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBFLAG	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBMON	
CG05	CIGREC	IICIGRC	IRCIGRC	TOBYR	
CG05	CIGREC	IICIGRC	IRCIGRC	CIGBRND3	1
CG05	CIGREC	II2CIGRC	IRCIGRC	CIGFLAG	
CG05	CIGREC	II2CIGRC	IRCIGRC	CIGMON	
CG05	CIGREC	II2CIGRC	IRCIGRC	CIGYR	
CG05	CIGREC	II2CIGRC	IRCIGRC	TOBFLAG	
CG05	CIGREC	II2CIGRC	IRCIGRC	TOBMON	
CG05	CIGREC	II2CIGRC	IRCIGRC	TOBYR	
CG05	CIGREC	II2CIGRC	IRCIGRC	CIGBRND3	1
CG06	CIGREC	IICIGRC	IRCIGRC	CIGFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG06	CIGREC	IIICIGRC	IRCIGRC	CIGMON	
CG06	CIGREC	IIICIGRC	IRCIGRC	CIGYR	
CG06	CIGREC	IIICIGRC	IRCIGRC	TOBFLAG	
CG06	CIGREC	IIICIGRC	IRCIGRC	TOBMON	
CG06	CIGREC	IIICIGRC	IRCIGRC	TOBYR	
CG06	CIGREC	IIICIGRC	IRCIGRC	CIGBRND3	1
CG06	CIGREC	II2CIGRC	IRCIGRC	CIGFLAG	
CG06	CIGREC	II2CIGRC	IRCIGRC	CIGMON	
CG06	CIGREC	II2CIGRC	IRCIGRC	CIGYR	
CG06	CIGREC	II2CIGRC	IRCIGRC	TOBFLAG	
CG06	CIGREC	II2CIGRC	IRCIGRC	TOBMON	
CG06	CIGREC	II2CIGRC	IRCIGRC	TOBYR	
CG06	CIGREC	II2CIGRC	IRCIGRC	CIGBRND3	1
CG06DK	CIGREC	IIICIGRC	IRCIGRC	CIGFLAG	
	CIGREC	IIICIGRC	IRCIGRC	CIGMON	
	CIGREC	IIICIGRC	IRCIGRC	CIGYR	
	CIGREC	IIICIGRC	IRCIGRC	TOBFLAG	
	CIGREC	IIICIGRC	IRCIGRC	TOBMON	
	CIGREC	IIICIGRC	IRCIGRC	TOBYR	
	CIGREC	IIICIGRC	IRCIGRC	CIGBRND3	1
	CIGREC	II2CIGRC	IRCIGRC	CIGFLAG	
	CIGREC	II2CIGRC	IRCIGRC	CIGMON	
	CIGREC	II2CIGRC	IRCIGRC	CIGYR	
	CIGREC	II2CIGRC	IRCIGRC	TOBFLAG	
	CIGREC	II2CIGRC	IRCIGRC	TOBMON	
	CIGREC	II2CIGRC	IRCIGRC	TOBYR	
	CIGREC	II2CIGRC	IRCIGRC	CIGBRND3	1
CG06RE	CIGREC	IIICIGRC	IRCIGRC	CIGFLAG	
CG07	CIG30USE	IIICIGFM	IRCIGFM	CIGMDAYS	
CG07	CIG30USE	IIICIGFM	IRCIGFM	CIGPDAY	
CG07	CIG30USE	II2CIGFM	IRCIGFM	CIGMDAYS	
CG07	CIG30USE	II2CIGFM	IRCIGFM	CIGPDAY	
CG07DKRE	CG30EST	IIICIGFM	IRCIGFM	CIGMDAYS	
CG07DKRE	CG30EST	IIICIGFM	IRCIGFM	CIGPDAY	
CG07DKRE	CG30EST	II2CIGFM	IRCIGFM	CIGMDAYS	
CG07DKRE	CG30EST	II2CIGFM	IRCIGFM	CIGPDAY	
CG08	CIG30AV			CIGPDAY	
CG10	CIG30AV			CIGPDAY	
CG11	CIG30BRN	CIGCMPNY		CIGBRND3	1
RCG11	CIG30BRN	CIGCMPNY		CIGBRND3	1
RRCG11	CIG30BRN	CIGCMPNY		CIGBRND3	1
CG11A	CIG30BRN	CIGCMPNY		CIGBRND3	1
RCG11A	CIG30BRN	CIGCMPNY		CIGBRND3	1
RRCG11A	CIG30BRN	CIGCMPNY		CIGBRND3	1
CG12	CIG30BRN	CIGCMPNY		CIGBRND3	1
RCG12	CIG30BRN	CIGCMPNY		CIGBRND3	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

RRCG12	CIG30BRN	CIGCMPNY		CIGBRND3	1
CGTAR1	CIG30TYP				
CGTAR2	CIG30TYP				
CGMENTH1	CIG30MEN				
CGMENTH2	CIG30MEN				
CG14	CIG30ROL				
CG15	CIGDLYMO				
CG16	CIGAGE	IICDUAGE	IRCDUAGE		
CG16	CIGAGE				
CG16	CIGAGE	IICDUYFU	IRCDUYFU		
CG16	CIGAGE		IRCDUAGE		
CG16A	CIG100LF				
CG25	SNFEVER				
CGREF3	SNFEVER				
CG26	SNUFTRY	IISNFAGE	IRSNFAGE		
CG26	SNUFTRY		IRSNFAGE		
CG26			IRSNFAGE		
CG26	SNUFTRY	SLTTRY	IRSLTAGE	SLTAFU	
CG26	SNUFTRY	IISLTAGE	IRSLTAGE	SLTAFU	
CG26	SNUFTRY		IRSLTAGE	SLTAFU	
CG26			IRSLTAGE		
CG26A	SNUFYFU	IISNFYFU	IRSNFYFU		
CG26B	SNUFYFU	IISNFYFU	IRSNFYFU		
CG26C	SNUFYFU	IISNFYFU	IRSNFYFU		
CG26C			IRSNFYFU		
CG26C	SNUFYFU	SLTYFU	IRSLTYFU		
CG26C	SNUFYFU	IISLTYFU	IRSLTYFU		
CG26C	SNUFYFU		IRSLTYFU		
CG26C			IRSLTYFU		
CG26C	SNUFMFU				
CG26D	SNUFMFU				
CG26D	SNUFMFU	SLTMFU			
CG27	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
CG27	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG27	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG27	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG27	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG27	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG27	SNFREC	IIS2SNFRC	IRSNFRC	SNFFLAG	
CG27	SNFREC	IIS2SNFRC	IRSNFRC	SNFYR	
CG27	SNFREC	IIS2SNFRC	IRSNFRC	SNFMON	
CG27	SNFREC	IIS2SNFRC	IRSNFRC	TOBFLAG	
CG27	SNFREC	IIS2SNFRC	IRSNFRC	TOBMON	
CG27	SNFREC	IIS2SNFRC	IRSNFRC	TOBYR	
CG27	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
CG27	SNFREC	SLTREC	IRSLTRC	SMKYR	

CAI	Edited	Other	Imputed	Recorded	Notes
-----	--------	-------	---------	----------	-------

CG27	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG27	SNFREC	SLTREC	IRSLTRC	SMKBRND3	1
CG27	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
CG27	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG27	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG27	SNFREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG27	SNFREC	II2SLTRC	IRSLTRC	SMKYR	
CG27	SNFREC	II2SLTRC	IRSLTRC	SMKMON	
CG27	SNFREC	II2SLTRC	IRSLTRC	TOBFLAG	
CG27	SNFREC	II2SLTRC	IRSLTRC	TOBMON	
CG27	SNFREC	II2SLTRC	IRSLTRC	TOBYR	
CG27	SNFREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG28	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
CG28	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG28	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG28	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG28	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG28	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG28	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
CG28	SNFREC	SLTREC	IRSLTRC	SMKYR	
CG28	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG28	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
CG28	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG28	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG28	SNFREC	SLTREC	IRSLTRC	SMKBRND3	1
CG28	SNFREC	II2SNFRC	IRSNFRC	SNFFLAG	
CG28	SNFREC	II2SNFRC	IRSNFRC	SNFYR	
CG28	SNFREC	II2SNFRC	IRSNFRC	SNFMON	
CG28	SNFREC	II2SNFRC	IRSNFRC	TOBFLAG	
CG28	SNFREC	II2SNFRC	IRSNFRC	TOBMON	
CG28	SNFREC	II2SNFRC	IRSNFRC	TOBYR	
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKYR	
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKMON	
CG28	SNFREC	II2SLTRC	IRSLTRC	TOBFLAG	
CG28	SNFREC	II2SLTRC	IRSLTRC	TOBMON	
CG28	SNFREC	II2SLTRC	IRSLTRC	TOBYR	
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKYR	
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKMON	
CG28	SNFREC	II2SLTRC	IRSLTRC	TOBFLAG	
CG28	SNFREC	II2SLTRC	IRSLTRC	TOBMON	
CG28	SNFREC	II2SLTRC	IRSLTRC	TOBYR	
CG28	SNFREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG28DK	SNFREC	SLTREC	IRSLTRC	SMKFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG28DK	SNFREC	SLTREC	IRSLTRC	SMKYR	
CG28DK	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG28DK	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
CG28DK	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG28DK	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG28DK	SNFREC	SLTREC	IRSLTRC	SMKBRND3	1
CG28DK	SNFREC	IISLTRC	IRSLTRC	SMKFLAG	
CG28DK	SNFREC	IISLTRC	IRSLTRC	SMKYR	
CG28DK	SNFREC	IISLTRC	IRSLTRC	SMKMON	
CG28DK	SNFREC	IISLTRC	IRSLTRC	TOBFLAG	
CG28DK	SNFREC	IISLTRC	IRSLTRC	TOBMON	
CG28DK	SNFREC	IISLTRC	IRSLTRC	TOBYR	
CG28DK	SNFREC	IISLTRC	IRSLTRC	SMKBRND3	1
CG28DK	SNFREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG28DK	SNFREC	II2SLTRC	IRSLTRC	SMKYR	
CG28DK	SNFREC	II2SLTRC	IRSLTRC	SMKMON	
CG28DK	SNFREC	II2SLTRC	IRSLTRC	TOBFLAG	
CG28DK	SNFREC	II2SLTRC	IRSLTRC	TOBMON	
CG28DK	SNFREC	II2SLTRC	IRSLTRC	TOBYR	
CG28DK	SNFREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG28DK	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
CG28DK	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG28DK	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG28DK	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG28DK	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG28DK	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG28DK	SNFREC	II2SNFRC	IRSNFRC	SNFFLAG	
CG28DK	SNFREC	II2SNFRC	IRSNFRC	SNFYR	
CG28DK	SNFREC	II2SNFRC	IRSNFRC	SNFMON	
CG28DK	SNFREC	II2SNFRC	IRSNFRC	TOBFLAG	
CG28DK	SNFREC	II2SNFRC	IRSNFRC	TOBMON	
CG28DK	SNFREC	II2SNFRC	IRSNFRC	TOBYR	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKFLAG	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKYR	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKMON	
CG28RE	SNFREC	SLTREC	IRSLTRC	TOBFLAG	
CG28RE	SNFREC	SLTREC	IRSLTRC	TOBMON	
CG28RE	SNFREC	SLTREC	IRSLTRC	TOBYR	
CG28RE	SNFREC	SLTREC	IRSLTRC	SMKBRND3	1
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKFLAG	
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKYR	
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKMON	
CG28RE	SNFREC	IISLTRC	IRSLTRC	TOBFLAG	
CG28RE	SNFREC	IISLTRC	IRSLTRC	TOBMON	
CG28RE	SNFREC	IISLTRC	IRSLTRC	TOBYR	
CG28RE	SNFREC	IISLTRC	IRSLTRC	SMKBRND3	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG28RE	SNFREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG28RE	SNFREC	II2SLTRC	IRSLTRC	SMKYR	
CG28RE	SNFREC	II2SLTRC	IRSLTRC	SMKMON	
CG28RE	SNFREC	II2SLTRC	IRSLTRC	TOBFLAG	
CG28RE	SNFREC	II2SLTRC	IRSLTRC	TOBMON	
CG28RE	SNFREC	II2SLTRC	IRSLTRC	TOBYR	
CG28RE	SNFREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG28RE	SNFREC	IISNFRC	IRSNFRC	SNFFLAG	
CG28RE	SNFREC	IISNFRC	IRSNFRC	SNFYR	
CG28RE	SNFREC	IISNFRC	IRSNFRC	SNFMON	
CG28RE	SNFREC	IISNFRC	IRSNFRC	TOBFLAG	
CG28RE	SNFREC	IISNFRC	IRSNFRC	TOBMON	
CG28RE	SNFREC	IISNFRC	IRSNFRC	TOBYR	
CG28RE	SNFREC	II2SNFRC	IRSNFRC	SNFFLAG	
CG28RE	SNFREC	II2SNFRC	IRSNFRC	SNFYR	
CG28RE	SNFREC	II2SNFRC	IRSNFRC	SNFMON	
CG28RE	SNFREC	II2SNFRC	IRSNFRC	TOBFLAG	
CG28RE	SNFREC	II2SNFRC	IRSNFRC	TOBMON	
CG28RE	SNFREC	II2SNFRC	IRSNFRC	TOBYR	
CG29	SNF30USE	IISNFFM	IRSNFFM		
CG29	SNF30USE	II2SNFFM	IRSNFFM		
CG29DKRE	SN30EST	IISNFFM	IRSNFFM		
CG29DKRE	SN30EST	II2SNFFM	IRSNFFM		
CG30	SNF30BRN	SLT30BRN		SMKBRND3	1
RCG30	SNF30BRN	SLT30BRN		SMKBRND3	1
RRCG30	SNF30BRN	SLT30BRN		SMKBRND3	1
CG31	SNF30BRN	SLT30BRN		SMKBRND3	1
RCG31	SNF30BRN	SLT30BRN		SMKBRND3	1
RRCG31	SNF30BRN	SLT30BRN		SMKBRND3	1
CG17	CHEWEVER				
CGREF2	CHEWEVER				
CG18	CHEWTRY	IIICHWAGE	IRCHWAGE		
CG18	CHEWTRY		IRCHWAGE		
CG18			IRCHWAGE		
CG18	CHEWTRY	SLTTRY	IRSLTAGE	SLTAFU	
CG18	CHEWTRY	IISLTAGE	IRSLTAGE	SLTAFU	
CG18	CHEWTRY		IRSLTAGE	SLTAFU	
CG18			IRSLTAGE	SLTAFU	
CG18A	CHEWYFU	IIICHWYFU	IRCHWYFU		
CG18B	CHEWYFU	IIICHWYFU	IRCHWYFU		
CG18C	CHEWYFU	IIICHWYFU	IRCHWYFU		
CG18C			IRCHWYFU		
CG18A	CHEWYFU	SLTYFU	IRSLTYFU		
CG18B	CHEWYFU	SLTYFU	IRSLTYFU		
CG18C	CHEWYFU	SLTYFU	IRSLTYFU		
CG18C	CHEWYFU	IISLTYFU	IRSLTYFU		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG18C			IRSLTYFU		
CG18C	CHEWMFU				
CG18D	CHEWMFU				
CG18C	CHEWMFU	SLTMFU			
CG18D	CHEWMFU	SLTMFU			
CG19	CHEWREC	IIICHWRC	IRCHWRC	CHWFLAG	
CG19	CHEWREC	IIICHWRC	IRCHWRC	CHWYR	
CG19	CHEWREC	IIICHWRC	IRCHWRC	CHWMON	
CG19	CHEWREC	IIICHWRC	IRCHWRC	TOBFLAG	
CG19	CHEWREC	IIICHWRC	IRCHWRC	TOBMON	
CG19	CHEWREC	IIICHWRC	IRCHWRC	TOBYR	
CG19	CHEWREC	II2CHWRC	IRCHWRC	CHWFLAG	
CG19	CHEWREC	II2CHWRC	IRCHWRC	CHWYR	
CG19	CHEWREC	II2CHWRC	IRCHWRC	CHWMON	
CG19	CHEWREC	II2CHWRC	IRCHWRC	TOBFLAG	
CG19	CHEWREC	II2CHWRC	IRCHWRC	TOBMON	
CG19	CHEWREC	II2CHWRC	IRCHWRC	TOBYR	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG19	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG19	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG19	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG19	CHEWREC	SLTREC	IRSLTRC	SMKBRND3	1
CG20	CHEWREC	IIICHWRC	IRCHWRC	CHWFLAG	
CG20	CHEWREC	IIICHWRC	IRCHWRC	CHWYR	
CG20	CHEWREC	IIICHWRC	IRCHWRC	CHWMON	
CG20	CHEWREC	IIICHWRC	IRCHWRC	TOBFLAG	
CG20	CHEWREC	IIICHWRC	IRCHWRC	TOBMON	
CG20	CHEWREC	IIICHWRC	IRCHWRC	TOBYR	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG20	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG20	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG20	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG20	CHEWREC	SLTREC	IRSLTRC	SMKBRND3	1
CG20	CHEWREC	II2CHWRC	IRCHWRC	CHWFLAG	
CG20	CHEWREC	II2CHWRC	IRCHWRC	CHWYR	
CG20	CHEWREC	II2CHWRC	IRCHWRC	CHWMON	
CG20	CHEWREC	II2CHWRC	IRCHWRC	TOBFLAG	
CG20	CHEWREC	II2CHWRC	IRCHWRC	TOBMON	
CG20	CHEWREC	II2CHWRC	IRCHWRC	TOBYR	
CG20	CHEWREC	IIISLTRC	IRSLTRC	SMKFLAG	
CG20	CHEWREC	IIISLTRC	IRSLTRC	SMKYR	
CG20	CHEWREC	IIISLTRC	IRSLTRC	SMKMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG20	CHEWREC	IIISLTRC	IRSLTRC	TOBFLAG	
CG20	CHEWREC	IIISLTRC	IRSLTRC	TOBMON	
CG20	CHEWREC	IIISLTRC	IRSLTRC	TOBYR	
CG20	CHEWREC	IIISLTRC	IRSLTRC	SMKBRND3	1
CG20	CHEWREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG20	CHEWREC	II2SLTRC	IRSLTRC	SMKYR	
CG20	CHEWREC	II2SLTRC	IRSLTRC	SMKMON	
CG20	CHEWREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG20DK	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG20DK	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG20DK	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG20DK	CHEWREC	SLTREC	IRSLTRC	SMKBRND3	1
CG20DK	CHEWREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG20DK	CHEWREC	II2SLTRC	IRSLTRC	SMKYR	
CG20DK	CHEWREC	II2SLTRC	IRSLTRC	SMKMON	
CG20DK	CHEWREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG20DK	CHEWREC	IIICHWRC	IRCHWRC	CHWFLAG	
CG20DK	CHEWREC	IIICHWRC	IRCHWRC	CHWYR	
CG20DK	CHEWREC	IIICHWRC	IRCHWRC	CHWMON	
CG20DK	CHEWREC	IIICHWRC	IRCHWRC	TOBFLAG	
CG20DK	CHEWREC	IIICHWRC	IRCHWRC	TOBMON	
CG20DK	CHEWREC	IIICHWRC	IRCHWRC	TOBYR	
CG20DK	CHEWREC	II2CHWRC	IRCHWRC	CHWFLAG	
CG20DK	CHEWREC	II2CHWRC	IRCHWRC	CHWYR	
CG20DK	CHEWREC	II2CHWRC	IRCHWRC	CHWMON	
CG20DK	CHEWREC	II2CHWRC	IRCHWRC	TOBFLAG	
CG20DK	CHEWREC	II2CHWRC	IRCHWRC	TOBMON	
CG20DK	CHEWREC	II2CHWRC	IRCHWRC	TOBYR	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKFLAG	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKYR	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKMON	
CG20RE	CHEWREC	SLTREC	IRSLTRC	TOBFLAG	
CG20RE	CHEWREC	SLTREC	IRSLTRC	TOBMON	
CG20RE	CHEWREC	SLTREC	IRSLTRC	TOBYR	
CG20RE	CHEWREC	SLTREC	IRSLTRC	SMKBRND3	1
CG20RE	CHEWREC	II2SLTRC	IRSLTRC	SMKFLAG	
CG20RE	CHEWREC	II2SLTRC	IRSLTRC	SMKYR	
CG20RE	CHEWREC	II2SLTRC	IRSLTRC	SMKMON	
CG20RE	CHEWREC	II2SLTRC	IRSLTRC	SMKBRND3	1
CG20RE	CHEWREC	IIICHWRC	IRCHWRC	CHWFLAG	
CG20RE	CHEWREC	IIICHWRC	IRCHWRC	CHWYR	
CG20RE	CHEWREC	IIICHWRC	IRCHWRC	CHWMON	
CG20RE	CHEWREC	IIICHWRC	IRCHWRC	TOBFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG20RE	CHEWREC	II1CHWRC	IRCHWRC	TOBMON	
CG20RE	CHEWREC	II1CHWRC	IRCHWRC	TOBYR	
CG20RE	CHEWREC	II2CHWRC	IRCHWRC	CHWFLAG	
CG20RE	CHEWREC	II2CHWRC	IRCHWRC	CHWYR	
CG20RE	CHEWREC	II2CHWRC	IRCHWRC	CHWMON	
CG20RE	CHEWREC	II2CHWRC	IRCHWRC	TOBFLAG	
CG20RE	CHEWREC	II2CHWRC	IRCHWRC	TOBMON	
CG20RE	CHEWREC	II2CHWRC	IRCHWRC	TOBYR	
CG21	CHW30USE	II1CHWFM	IRCHWFM		
CG21	CHW30USE	II2CHWFM	IRCHWFM		
CG21DKRE	CH30EST	II1CHWFM	IRCHWFM		
CG21DKRE	CH30EST	II2CHWFM	IRCHWFM		
CG22	CHW30BRN	SLT30BRN		SMKBRND3	1
RCG22	CHW30BRN	SLT30BRN		SMKBRND3	1
RRCG22	CHW30BRN	SLT30BRN		SMKBRND3	1
CG23	CHW30BRN	SLT30BRN		SMKBRND3	1
RCG23	CHW30BRN	SLT30BRN		SMKBRND3	1
RRCG23	CHW30BRN	SLT30BRN		SMKBRND3	1
CG33A	SLT30FAV	SLT30BRN		SMKBRND3	1
CG33B	SLT30FAV	SLT30BRN		SMKBRND3	1
CG33C	SLT30FAV	SLT30BRN		SMKBRND3	1
CG33D	SLT30FAV	SLT30BRN		SMKBRND3	1
CG34	CIGAREVR				
CGREF4	CIGAREVR				
CG35	CIGARTRY	II1CGRAGE	IRCGRAGE	CGRAFU	
CG35	CIGARTRY		IRCGRAGE	CGRAFU	
CG35			IRCGRAGE	CGRAFU	
CG35A	CIGARYFU	II1CGRYFU	IRCGRYFU		
CG35B	CIGARYFU	II2CGRYFU	IRCGRYFU		
CG35C	CIGARYFU	II1CGRYFU	IRCGRYFU		
CG35C			IRCGRYFU		
CG35C	CIGARMFU				
CG35D	CIGARMFU				
CG36	CIGARREC	II1CGRRC	IRCGRRC	CGRFLAG	
CG36	CIGARREC	II1CGRRC	IRCGRRC	CGRYR	
CG36	CIGARREC	II1CGRRC	IRCGRRC	CGRMON	
CG36	CIGARREC	II1CGRRC	IRCGRRC	TOBFLAG	
CG36	CIGARREC	II1CGRRC	IRCGRRC	TOBMON	
CG36	CIGARREC	II1CGRRC	IRCGRRC	TOBYR	
CG36	CIGARREC	II1CGRRC	IRCGRRC	CGRBRND3	1
CG36	CIGARREC	II2CGRRC	IRCGRRC	CGRFLAG	
CG36	CIGARREC	II2CGRRC	IRCGRRC	CGRYR	
CG36	CIGARREC	II2CGRRC	IRCGRRC	CGRMON	
CG36	CIGARREC	II2CGRRC	IRCGRRC	TOBFLAG	
CG36	CIGARREC	II2CGRRC	IRCGRRC	TOBMON	
CG36	CIGARREC	II2CGRRC	IRCGRRC	TOBYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CG36	CIGARREC	II2CGRRC	IRCGRRC	CGRBRND3	1
CG37	CIGARREC	IICGRRC	IRCGRRC	CGRFLAG	
CG37	CIGARREC	IICGRRC	IRCGRRC	CGRYR	
CG37	CIGARREC	IICGRRC	IRCGRRC	CGRMON	
CG37	CIGARREC	IICGRRC	IRCGRRC	TOBFLAG	
CG37	CIGARREC	IICGRRC	IRCGRRC	TOBMON	
CG37	CIGARREC	IICGRRC	IRCGRRC	TOBYR	
CG37	CIGARREC	IICGRRC	IRCGRRC	CGRBRND3	1
CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRFLAG	
CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRYR	
CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRMON	
CG37	CIGARREC	II2CGRRC	IRCGRRC	TOBFLAG	
CG37	CIGARREC	II2CGRRC	IRCGRRC	TOBMON	
CG37	CIGARREC	II2CGRRC	IRCGRRC	TOBYR	
CG37	CIGARREC	II2CGRRC	IRCGRRC	CGRBRND3	1
CG37DK	CIGARREC	IICGRRC	IRCGRRC	CGRFLAG	
	CIGARREC	IICGRRC	IRCGRRC	CGRYR	
	CIGARREC	IICGRRC	IRCGRRC	CGRMON	
	CIGARREC	IICGRRC	IRCGRRC	TOBFLAG	
	CIGARREC	IICGRRC	IRCGRRC	TOBMON	
	CIGARREC	IICGRRC	IRCGRRC	TOBYR	
	CIGARREC	IICGRRC	IRCGRRC	CGRBRND3	1
	CIGARREC	II2CGRRC	IRCGRRC	CGRFLAG	
	CIGARREC	II2CGRRC	IRCGRRC	CGRYR	
	CIGARREC	II2CGRRC	IRCGRRC	CGRMON	
	CIGARREC	II2CGRRC	IRCGRRC	TOBFLAG	
	CIGARREC	II2CGRRC	IRCGRRC	TOBMON	
	CIGARREC	II2CGRRC	IRCGRRC	TOBYR	
	CIGARREC	II2CGRRC	IRCGRRC	CGRBRND3	1
CG37RE	CIGARREC	IICGRRC	IRCGRRC	CGRFLAG	
CG38	CGR30USE	IICGRFM	IRCGRFM		
CG38	CGR30USE	II2CGRFM	IRCGRFM		
CG38DKRE	CI30EST	IICGRFM	IRCGRFM		
CG38DKRE	CI30EST	II2CGRFM	IRCGRFM		
CG39	CGR30BRN			CGRBRND3	1
RCG39	CGR30BRN			CGRBRND3	1
RRCG39	CGR30BRN			CGRBRND3	1
CG40	CGR30BRN			CGRBRND3	1
RCG40	CGR30BRN			CGRBRND3	1
RRCG40	CGR30BRN			CGRBRND3	1
CG42	PIPEVER	IIPIPLF	IRPIPLF	PIPFLAG	
CG42	PIPEVER	IIPIPLF	IRPIPLF	TOBFLAG	
CGREF5	PIPEVER	IIPIPLF	IRPIPLF	PIPFLAG	
CGREF5	PIPEVER	IIPIPLF	IRPIPLF	TOBFLAG	
CG43	PIPE30DY	IIIPMN	IRIPMN	PIPMON	
CG43	PIPE30DY	IIIPMN	IRIPMN	TOBMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

AL01	ALCEVER				
ALREF	ALCEVER				
AL02	ALCTRY	IIALCAGE	IRALCAGE	ALCAFU	
AL02	ALCTRY		IRALCAGE	ALCAFU	
AL02			IRALCAGE	ALCAFU	
AL02A	ALCYFU	IIALCYFU	IRALCYFU		
AL02B	ALCYFU	IIALCYFU	IRALCYFU		
AL02C	ALCYFU	IIALCYFU	IRALCYFU		
AL02C			IRALCYFU		
AL02C	ALCMFU				
AL02D	ALCMFU				
ALLAST3	ALCREC	IIALCRC	IRALCRC	ALCFLAG	
ALLAST3	ALCREC	IIALCRC	IRALCRC	ALCYR	
ALLAST3	ALCREC	IIALCRC	IRALCRC	ALCMON	
ALLAST3	ALCREC	IIALCRC	IRALCRC	HVYDRK2	1
ALLAST3	ALCREC	IIALCRC	IRALCRC	BINGEDRK	1
ALLAST3	ALCREC	IIALCRC	IRALCRC	BINGEHVY	1
ALLAST3	ALCREC	II2ALCRC	IRALCRC	ALCFLAG	
ALLAST3	ALCREC	II2ALCRC	IRALCRC	ALCYR	
ALLAST3	ALCREC	II2ALCRC	IRALCRC	ALCMON	
ALLAST3	ALCREC	II2ALCRC	IRALCRC	HVYDRK2	1
ALLAST3	ALCREC	II2ALCRC	IRALCRC	BINGEDRK	1
ALLAST3	ALCREC	II2ALCRC	IRALCRC	BINGEHVY	1
ALRECDK	ALCREC	IIALCRC	IRALCRC	ALCFLAG	
ALRECDK	ALCREC	IIALCRC	IRALCRC	ALCYR	
ALRECDK	ALCREC	IIALCRC	IRALCRC	ALCMON	
ALRECDK	ALCREC	IIALCRC	IRALCRC	HVYDRK2	1
ALRECDK	ALCREC	IIALCRC	IRALCRC	BINGEDRK	1
ALRECDK	ALCREC	IIALCRC	IRALCRC	BINGEHVY	1
ALRECDK	ALCREC	II2ALCRC	IRALCRC	ALCFLAG	
ALRECDK	ALCREC	II2ALCRC	IRALCRC	ALCYR	
ALRECDK	ALCREC	II2ALCRC	IRALCRC	ALCMON	
ALRECDK	ALCREC	II2ALCRC	IRALCRC	HVYDRK2	1
ALRECDK	ALCREC	II2ALCRC	IRALCRC	BINGEDRK	1
ALRECDK	ALCREC	II2ALCRC	IRALCRC	BINGEHVY	1
ALRECRE	ALCREC	IIALCRC	IRALCRC	ALCFLAG	
ALRECRE	ALCREC	IIALCRC	IRALCRC	ALCYR	
ALRECRE	ALCREC	IIALCRC	IRALCRC	ALCMON	
ALRECRE	ALCREC	IIALCRC	IRALCRC	HVYDRK2	1
ALRECRE	ALCREC	IIALCRC	IRALCRC	BINGEDRK	1
ALRECRE	ALCREC	IIALCRC	IRALCRC	BINGEHVY	1
ALRECRE	ALCREC	II2ALCRC	IRALCRC	ALCFLAG	
ALRECRE	ALCREC	II2ALCRC	IRALCRC	ALCYR	
ALRECRE	ALCREC	II2ALCRC	IRALCRC	ALCMON	
ALRECRE	ALCREC	II2ALCRC	IRALCRC	HVYDRK2	1
ALRECRE	ALCREC	II2ALCRC	IRALCRC	BINGEDRK	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ALRECRE	ALCREC	II2ALCRC	IRALCRC	BINGEHVY	1
TOTDRINK	ALCYRTOT	IIALCFY	IRALCFY	ALCYDAYS	
TOTDRINK	ALCYRTOT	II2ALCFY	IRALCFY	ALCYDAYS	
TOTDRINK	ALCYRTOT	ALTOTFG			
TOTDRINK	ALCYRTOT	ALFQFLG			
ALFRAME3	ALBSTWAY				
ALYRAVE	ALDAYPYR				
ALMONAVE	ALDAYPMO				
ALWKAVE	ALDAYPWK				
AL06	ALCDAYS	IIALCFM	IRALCFM	ALCMDAYS	
AL06	ALCDAYS	II2ALCFM	IRALCFM	ALCMDAYS	
AL06	ALCDAYS	ALDYSFG			
AL06DKRE	AL30EST	IIALCFM	IRALCFM	ALCMDAYS	
AL06DKRE	AL30EST	II2ALCFM	IRALCFM	ALCMDAYS	
AL07	NODR30A				
AL08	DR5DAY	IIALCD5	IRALCD5	HVYDRK2	1
AL08	DR5DAY	IIALCD5	IRALCD5	BINGEDRK	1
AL08	DR5DAY	IIALCD5	IRALCD5	BINGEHVY	1
AL08	DR5DAY	II2ALCD5	IRALCD5	HVYDRK2	1
AL08	DR5DAY	II2ALCD5	IRALCD5	BINGEDRK	1
AL08	DR5DAY	II2ALCD5	IRALCD5	BINGEHVY	1
MJ01	MJEVER				
MJREF	MJEVER				
MJ02	MJAGE	IIMJAGE	IRMJAGE	MJAFU	
MJ02	MJAGE		IRMJAGE	MJAFU	
MJ02			IRMJAGE	MJAFU	
MJ03A	MJYFU	IIMJYFU	IRMJYFU		
MJ03B	MJYFU	IIMJYFU	IRMJYFU		
MJ03C	MJYFU	IIMJYFU	IRMJYFU		
MJ03C			IRMJYFU		
MJ03C	MJMFU				
MJ03D	MJMFU				
MJLAST3	MJREC	IIMJRC	IRMJRC	MRJFLAG	
MJLAST3	MJREC	IIMJRC	IRMJRC	SUMFLAG	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MJOFLAG	1
MJLAST3	MJREC	IIMJRC	IRMJRC	IEMFLAG	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MRJYR	
MJLAST3	MJREC	IIMJRC	IRMJRC	SUMYR	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MJOYR2	1
MJLAST3	MJREC	IIMJRC	IRMJRC	IEMYR	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MRJMON	
MJLAST3	MJREC	IIMJRC	IRMJRC	SUMMON	1
MJLAST3	MJREC	IIMJRC	IRMJRC	MJOMON2	1
MJLAST3	MJREC	IIMJRC	IRMJRC	IEMMON	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MRJFLAG	
MJLAST3	MJREC	II2MJRC	IRMJRC	SUMFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MJLAST3	MJREC	II2MJRC	IRMJRC	MJOFLAG	1
MJLAST3	MJREC	II2MJRC	IRMJRC	IEMFLAG	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MRJYR	
MJLAST3	MJREC	II2MJRC	IRMJRC	SUMYR	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MJOYR2	1
MJLAST3	MJREC	II2MJRC	IRMJRC	IEMYR	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MRJMON	
MJLAST3	MJREC	II2MJRC	IRMJRC	SUMMON	1
MJLAST3	MJREC	II2MJRC	IRMJRC	MJOMON2	1
MJLAST3	MJREC	II2MJRC	IRMJRC	IEMMON	1
MJRECDK	MJREC	IIMJRC	IRMJRC	MRJFLAG	
MJRECDK	MJREC	IIMJRC	IRMJRC	SUMFLAG	1
MJRECDK	MJREC	IIMJRC	IRMJRC	MJOFLAG	1
MJRECDK	MJREC	IIMJRC	IRMJRC	IEMFLAG	1
MJRECDK	MJREC	IIMJRC	IRMJRC	MRJYR	
MJRECDK	MJREC	IIMJRC	IRMJRC	SUMYR	1
MJRECDK	MJREC	IIMJRC	IRMJRC	MJOYR2	1
MJRECDK	MJREC	IIMJRC	IRMJRC	IEMYR	1
MJRECDK	MJREC	IIMJRC	IRMJRC	MRJMON	
MJRECDK	MJREC	IIMJRC	IRMJRC	SUMMON	1
MJRECDK	MJREC	IIMJRC	IRMJRC	MJOMON2	1
MJRECDK	MJREC	IIMJRC	IRMJRC	IEMMON	1
MJRECDK	MJREC	II2MJRC	IRMJRC	MRJFLAG	
MJRECDK	MJREC	II2MJRC	IRMJRC	SUMFLAG	1
MJRECDK	MJREC	II2MJRC	IRMJRC	MJOFLAG	1
MJRECDK	MJREC	II2MJRC	IRMJRC	IEMFLAG	1
MJRECDK	MJREC	II2MJRC	IRMJRC	MRJYR	
MJRECDK	MJREC	II2MJRC	IRMJRC	SUMYR	1
MJRECDK	MJREC	II2MJRC	IRMJRC	MJOYR2	1
MJRECDK	MJREC	II2MJRC	IRMJRC	IEMYR	1
MJRECDK	MJREC	II2MJRC	IRMJRC	MRJMON	
MJRECDK	MJREC	II2MJRC	IRMJRC	SUMMON	1
MJRECDK	MJREC	II2MJRC	IRMJRC	MJOMON2	1
MJRECDK	MJREC	II2MJRC	IRMJRC	IEMMON	1
MJRECRE	MJREC	IIMJRC	IRMJRC	MRJFLAG	
MJRECRE	MJREC	IIMJRC	IRMJRC	SUMFLAG	1
MJRECRE	MJREC	IIMJRC	IRMJRC	MJOFLAG	1
MJRECRE	MJREC	IIMJRC	IRMJRC	IEMFLAG	1
MJRECRE	MJREC	IIMJRC	IRMJRC	MRJYR	
MJRECRE	MJREC	IIMJRC	IRMJRC	SUMYR	1
MJRECRE	MJREC	IIMJRC	IRMJRC	MJOYR2	1
MJRECRE	MJREC	IIMJRC	IRMJRC	IEMYR	1
MJRECRE	MJREC	IIMJRC	IRMJRC	MRJMON	
MJRECRE	MJREC	IIMJRC	IRMJRC	SUMMON	1
MJRECRE	MJREC	IIMJRC	IRMJRC	MJOMON2	1
MJRECRE	MJREC	IIMJRC	IRMJRC	IEMMON	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MJRECRE	MJREC	II2MJRC	IRMJRC	MRJFLAG	
MJRECRE	MJREC	II2MJRC	IRMJRC	SUMFLAG	1
MJRECRE	MJREC	II2MJRC	IRMJRC	MJOFLAG	1
MJRECRE	MJREC	II2MJRC	IRMJRC	IEMFLAG	1
MJRECRE	MJREC	II2MJRC	IRMJRC	MRJYR	
MJRECRE	MJREC	II2MJRC	IRMJRC	SUMYR	1
MJRECRE	MJREC	II2MJRC	IRMJRC	MJOYR2	1
MJRECRE	MJREC	II2MJRC	IRMJRC	IEMYR	1
MJRECRE	MJREC	II2MJRC	IRMJRC	MRJMON	
MJRECRE	MJREC	II2MJRC	IRMJRC	SUMMON	1
MJRECRE	MJREC	II2MJRC	IRMJRC	MJOMON2	1
MJRECRE	MJREC	II2MJRC	IRMJRC	IEMMON	1
TOTMJ	MJYRTOT	IIMJFY	IRMJFY	MRJYDAYS	
TOTMJ	MJYRTOT	II2MJFY	IRMJFY	MRJYDAYS	
TOTMJ	MJYRTOT	MRTOTFG			
TOTMJ	MJYRTOT	MJFQFLG			
MJFRAME3	MRBSTWAY				
MJYRAVE	MRDAYPYR				
MJMONAVE	MRDAYPMO				
MJWKAVE	MRDAYPWK				
MJ06	MJDAY30A	IIMJFM	IRMJFM	MRJMDAYS	
MJ06	MJDAY30A	II2MJFM	IRMJFM	MRJMDAYS	
MJ06DKRE	MR30EST	IIMJFM	IRMJFM	MRJMDAYS	
MJ06DKRE	MR30EST	II2MJFM	IRMJFM	MRJMDAYS	
CC01	COCEVER				
CCREF	COCEVER				
CC02	COCAGE	IICOCAGE	IRCOCAGE	COCAFU	
CC02	COCAGE		IRCOCAGE	COCAFU	
CC02			IRCOCAGE	COCAFU	
CC03A	COCYFU	IICOCYFU	IRCOCYFU		
CC03B	COCYFU	IICOCYFU	IRCOCYFU		
CC03C	COCYFU	IICOCYFU	IRCOCYFU		
CC03C			IRCOCYFU		
CC03C	COCMFU				
CC03D	COCMFU				
CCLAST3	COCREC	IICOCRC	IRCOCRC	COCFLAG	
CCLAST3	COCREC	IICOCRC	IRCOCRC	SUMFLAG	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	MJOFLAG	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	IEMFLAG	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	COCYR	
CCLAST3	COCREC	IICOCRC	IRCOCRC	SUMYR	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	MJOYR2	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	IEMYR	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	COCMON	
CCLAST3	COCREC	IICOCRC	IRCOCRC	SUMMON	1
CCLAST3	COCREC	IICOCRC	IRCOCRC	MJOMON2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CCLAST3	COCREC	II2COCRC	IRCOCRC	IEMMON	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCLAST3	COCREC	II2COCRC	IRCOCRC	SUMFLAG	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	MJOFLAG	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	IEMFLAG	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	COCYR	
CCLAST3	COCREC	II2COCRC	IRCOCRC	SUMYR	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	MJOYR2	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	IEMYR	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	COCMON	
CCLAST3	COCREC	II2COCRC	IRCOCRC	SUMMON	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	MJOMON2	1
CCLAST3	COCREC	II2COCRC	IRCOCRC	IEMMON	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMFLAG	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOFLAG	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMFLAG	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCYR	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMYR	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOYR2	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMYR	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCMON	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMMON	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOMON2	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMMON	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMFLAG	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOFLAG	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMFLAG	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCYR	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMYR	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOYR2	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMYR	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	COCMON	
CCRECDK	COCREC	II2COCRC	IRCOCRC	SUMMON	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	MJOMON2	1
CCRECDK	COCREC	II2COCRC	IRCOCRC	IEMMON	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMFLAG	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOFLAG	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMFLAG	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCYR	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMYR	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOYR2	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMYR	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CCRECRE	COCREC	IIICOCRC	IRCOCRC	SUMMON	1
CCRECRE	COCREC	IIICOCRC	IRCOCRC	MJOMON2	1
CCRECRE	COCREC	IIICOCRC	IRCOCRC	IEMMON	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCFLAG	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMFLAG	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOFLAG	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMFLAG	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCYR	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMYR	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOYR2	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMYR	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	COCMON	
CCRECRE	COCREC	II2COCRC	IRCOCRC	SUMMON	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	MJOMON2	1
CCRECRE	COCREC	II2COCRC	IRCOCRC	IEMMON	1
TOTCOKE	COCYRTOT	IIICOCFY	IRCOCFY	COCYDAYS	
TOTCOKE	COCYRTOT	II2COCFY	IRCOCFY	COCYDAYS	
TOTCOKE	COCYRTOT	CCTOTFG			
TOTCOKE	COCYRTOT	CCFQFLG			
CCFRAME3	CCBSTWAY				
CCYRAVE	CCDAYPYR				
CCMONAVE	CCDAYPMO				
CCWKAVE	CCDAYPWK				
CC06	COCUS30A	IIICOCFM	IRCOCFM	COCMDAYS	
CC06	COCUS30A	II2COCFM	IRCOCFM	COCMDAYS	
CC06DKRE	CC30EST	IIICOCFM	IRCOCFM	COCMDAYS	
CC06DKRE	CC30EST	II2COCFM	IRCOCFM	COCMDAYS	
CK01	CRKEVER				
CKREF	CRKEVER				
CK02	CRKAGE	IIICRKAGE	IRCRKAGE		
CK02	CRKAGE		IRCRKAGE		
CK03A	CRKYFU	IIICRKYFU	IRCRKYFU		
CK03B	CRKYFU	IIICRKYFU	IRCRKYFU		
CK03C	CRKYFU	IIICRKYFU	IRCRKYFU		
CK03C			IRCRKYFU		
CK03C	CRKMFU				
CK03D	CRKMFU				
CKLAST3	CRAKREC	IIICRKRC	IRCRKRC	CRKFLAG	
CKLAST3	CRAKREC	IIICRKRC	IRCRKRC	CRKYR	
CKLAST3	CRAKREC	IIICRKRC	IRCRKRC	CRKMON	
CKLAST3	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	
CKLAST3	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
CKLAST3	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
CKRECDK	CRAKREC	IIICRKRC	IRCRKRC	CRKFLAG	
CKRECDK	CRAKREC	IIICRKRC	IRCRKRC	CRKYR	
CKRECDK	CRAKREC	IIICRKRC	IRCRKRC	CRKMON	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CKRECDK	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	
CKRECDK	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
CKRECDK	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
CKRECRE	CRAKREC	II1CRKRC	IRCRKRC	CRKFLAG	
CKRECRE	CRAKREC	II1CRKRC	IRCRKRC	CRKYR	
CKRECRE	CRAKREC	II1CRKRC	IRCRKRC	CRKMON	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKFLAG	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKYR	
CKRECRE	CRAKREC	II2CRKRC	IRCRKRC	CRKMON	
TOTCRACK	CRKYRTOT	II1CRKRY	IRCRKRY		
TOTCRACK	CRKYRTOT	II2CRKRY	IRCRKRY		
TOTCRACK	CRKYRTOT	CRTOTFG			
TOTCRACK	CRKYRTOT	CRFQFLG			
CKFRAME3	CRBSTWAY				
CKYRAVE	CRDAYPYR				
CKMONAVE	CRDAYPMO				
CKWKAVE	CRDAYPWK				
CK06	CRKUS30A	II1CRKFM	IRCRKFM		
CK06	CRKUS30A	II2CRKFM	IRCRKFM		
CK06DKRE	CR30EST	II1CRKFM	IRCRKFM		
CK06DKRE	CR30EST	II2CRKFM	IRCRKFM		
HE01	HEREVER				
HEREF	HEREVER				
HE02	HERAGE	IIHERAGE	IRHERAGE	HERAFU	
HE02	HERAGE		IRHERAGE	HERAFU	
HE03A	HERYFU	IIHERYFU	IRHERYFU		
HE03B	HERYFU	IIHERYFU	IRHERYFU		
HE03C	HERYFU	IIHERYFU	IRHERYFU		
HE03C			IRHERYFU		
HE03C	HERMFU				
HE03D	HERMFU				
HELAST3	HERREC	IIHERRC	IRHERRC	HERFLAG	
HELAST3	HERREC	IIHERRC	IRHERRC	SUMFLAG	1
HELAST3	HERREC	IIHERRC	IRHERRC	MJOFLAG	1
HELAST3	HERREC	IIHERRC	IRHERRC	IEMFLAG	1
HELAST3	HERREC	IIHERRC	IRHERRC	HERYR	
HELAST3	HERREC	IIHERRC	IRHERRC	SUMYR	1
HELAST3	HERREC	IIHERRC	IRHERRC	MJOYR2	1
HELAST3	HERREC	IIHERRC	IRHERRC	IEMYR	1
HELAST3	HERREC	IIHERRC	IRHERRC	HERMON	
HELAST3	HERREC	IIHERRC	IRHERRC	SUMMON	1
HELAST3	HERREC	IIHERRC	IRHERRC	MJOMON2	1
HELAST3	HERREC	IIHERRC	IRHERRC	IEMMON	1
HELAST3	HERREC	II2HERRC	IRHERRC	HERFLAG	
HELAST3	HERREC	II2HERRC	IRHERRC	SUMFLAG	1
HELAST3	HERREC	II2HERRC	IRHERRC	MJOFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

HELAST3	HERREC	II2HERRC	IRHERRC	IEMFLAG	1
HELAST3	HERREC	II2HERRC	IRHERRC	HERYR	
HELAST3	HERREC	II2HERRC	IRHERRC	SUMYR	1
HELAST3	HERREC	II2HERRC	IRHERRC	MJOYR2	1
HELAST3	HERREC	II2HERRC	IRHERRC	IEMYR	1
HELAST3	HERREC	II2HERRC	IRHERRC	HERMON	
HELAST3	HERREC	II2HERRC	IRHERRC	SUMMON	1
HELAST3	HERREC	II2HERRC	IRHERRC	MJOMON2	1
HELAST3	HERREC	II2HERRC	IRHERRC	IEMMON	1
HERECDK	HERREC	IIHERRC	IRHERRC	HERFLAG	
HERECDK	HERREC	IIHERRC	IRHERRC	SUMFLAG	1
HERECDK	HERREC	IIHERRC	IRHERRC	MJOFLAG	1
HERECDK	HERREC	IIHERRC	IRHERRC	IEMFLAG	1
HERECDK	HERREC	IIHERRC	IRHERRC	HERYR	
HERECDK	HERREC	IIHERRC	IRHERRC	SUMYR	1
HERECDK	HERREC	IIHERRC	IRHERRC	MJOYR2	1
HERECDK	HERREC	IIHERRC	IRHERRC	IEMYR	1
HERECDK	HERREC	IIHERRC	IRHERRC	HERMON	
HERECDK	HERREC	IIHERRC	IRHERRC	SUMMON	1
HERECDK	HERREC	IIHERRC	IRHERRC	MJOMON2	1
HERECDK	HERREC	IIHERRC	IRHERRC	IEMMON	1
HERECDK	HERREC	II2HERRC	IRHERRC	HERFLAG	
HERECDK	HERREC	II2HERRC	IRHERRC	SUMFLAG	1
HERECDK	HERREC	II2HERRC	IRHERRC	MJOFLAG	1
HERECDK	HERREC	II2HERRC	IRHERRC	IEMFLAG	1
HERECDK	HERREC	II2HERRC	IRHERRC	HERYR	
HERECDK	HERREC	II2HERRC	IRHERRC	SUMYR	1
HERECDK	HERREC	II2HERRC	IRHERRC	MJOYR2	1
HERECDK	HERREC	II2HERRC	IRHERRC	IEMYR	1
HERECDK	HERREC	II2HERRC	IRHERRC	HERMON	
HERECDK	HERREC	II2HERRC	IRHERRC	SUMMON	1
HERECDK	HERREC	II2HERRC	IRHERRC	MJOMON2	1
HERECDK	HERREC	II2HERRC	IRHERRC	IEMMON	1
HERECRE	HERREC	IIHERRC	IRHERRC	HERFLAG	
HERECRE	HERREC	IIHERRC	IRHERRC	SUMFLAG	1
HERECRE	HERREC	IIHERRC	IRHERRC	MJOFLAG	1
HERECRE	HERREC	IIHERRC	IRHERRC	IEMFLAG	1
HERECRE	HERREC	IIHERRC	IRHERRC	HERYR	
HERECRE	HERREC	IIHERRC	IRHERRC	SUMYR	1
HERECRE	HERREC	IIHERRC	IRHERRC	MJOYR2	1
HERECRE	HERREC	IIHERRC	IRHERRC	IEMYR	1
HERECRE	HERREC	IIHERRC	IRHERRC	HERMON	
HERECRE	HERREC	IIHERRC	IRHERRC	SUMMON	1
HERECRE	HERREC	IIHERRC	IRHERRC	MJOMON2	1
HERECRE	HERREC	IIHERRC	IRHERRC	IEMMON	1
HERECRE	HERREC	II2HERRC	IRHERRC	HERFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

HERECRE	HERREC	II2HERRC	IRHERRC	SUMFLAG	1
HERECRE	HERREC	II2HERRC	IRHERRC	MJOFLAG	1
HERECRE	HERREC	II2HERRC	IRHERRC	IEMFLAG	1
HERECRE	HERREC	II2HERRC	IRHERRC	HERYR	
HERECRE	HERREC	II2HERRC	IRHERRC	SUMYR	1
HERECRE	HERREC	II2HERRC	IRHERRC	MJOYR2	1
HERECRE	HERREC	II2HERRC	IRHERRC	IEMYR	1
HERECRE	HERREC	II2HERRC	IRHERRC	HERMON	
HERECRE	HERREC	II2HERRC	IRHERRC	SUMMON	1
HERECRE	HERREC	II2HERRC	IRHERRC	MJOMON2	1
HERECRE	HERREC	II2HERRC	IRHERRC	IEMMON	1
TOTHERO	HERYRTOT	IIHERFY	IRHERFY		
TOTHERO	HERYRTOT	II2HERFY	IRHERFY		
TOTHERO	HERYRTOT	HRTOTFG			
TOTHERO	HERYRTOT	HRFQFLG			
HEFRAME3	HRBSTWAY				
HEYRAVE	HRDAYPYR				
HEMNAVE	HRDAYPMO				
HEWKAVE	HRDAYPWK				
HE06	HER30USE	IIHERFM	IRHERFM		
HE06	HER30USE	II2HERFM	IRHERFM		
HE06DKRE	HR30EST	IIHERFM	IRHERFM		
HE06DKRE	HR30EST	II2HERFM	IRHERFM		
LS01A	LSD				
LSREF1	LSD				
LS01B	PCP				
LSREF2	PCP				
LS01C	PEYOTE			PEYOTE2	
LS01D	MESC			MESC2	
LS01E	PSILCY			PSILCY2	
LS01F	ECSTASY			ECSTASY2	
LSREF3	ECSTASY				
LS01H	HALNOLST				
LS01HS1	HALNEWA				
LS01HS2	HALNEWB				
LS01HS3	HALNEWC				
LS01HS4	HALNEWD				
LS01HS5	HALNEWE				
LS02	HALLAGE	IIHALAGE	IRHALAGE	HALAFU	
LS02	HALLAGE		IRHALAGE	HALAFU	
LS03A	HALYFU	IIHALYFU	IRHALYFU		
LS03B	HALYFU	IIHALYFU	IRHALYFU		
LS03C	HALYFU	IIHALYFU	IRHALYFU		
LS03C			IRHALYFU		
LS03C	HALMFU				
LS03D	HALMFU				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

LSLAST	HALLREC	IIHALRC	IRHALRC	HALFLAG	
LSLAST	HALLREC	IIHALRC	IRHALRC	SUMFLAG	1
LSLAST	HALLREC	IIHALRC	IRHALRC	MJOFLAG	1
LSLAST	HALLREC	IIHALRC	IRHALRC	IEMFLAG	1
LSLAST	HALLREC	IIHALRC	IRHALRC	HALYR	
LSLAST	HALLREC	IIHALRC	IRHALRC	SUMYR	1
LSLAST	HALLREC	IIHALRC	IRHALRC	MJOYR2	1
LSLAST	HALLREC	IIHALRC	IRHALRC	IEMYR	1
LSLAST	HALLREC	IIHALRC	IRHALRC	HALMON	
LSLAST	HALLREC	IIHALRC	IRHALRC	SUMMON	1
LSLAST	HALLREC	IIHALRC	IRHALRC	MJOMON2	1
LSLAST	HALLREC	IIHALRC	IRHALRC	IEMMON	1
LSLAST	HALLREC	II2HALRC	IRHALRC	HALFLAG	
LSLAST	HALLREC	II2HALRC	IRHALRC	SUMFLAG	1
LSLAST	HALLREC	II2HALRC	IRHALRC	MJOFLAG	1
LSLAST	HALLREC	II2HALRC	IRHALRC	IEMFLAG	1
LSLAST	HALLREC	II2HALRC	IRHALRC	HALYR	
LSLAST	HALLREC	II2HALRC	IRHALRC	SUMYR	1
LSLAST	HALLREC	II2HALRC	IRHALRC	MJOYR2	1
LSLAST	HALLREC	II2HALRC	IRHALRC	IEMYR	1
LSLAST	HALLREC	II2HALRC	IRHALRC	HALMON	
LSLAST	HALLREC	II2HALRC	IRHALRC	SUMMON	1
LSLAST	HALLREC	II2HALRC	IRHALRC	MJOMON2	1
LSLAST	HALLREC	II2HALRC	IRHALRC	IEMMON	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	HALFLAG	
LSRECDK	HALLREC	IIHALRC	IRHALRC	SUMFLAG	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	MJOFLAG	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	IEMFLAG	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	HALYR	
LSRECDK	HALLREC	IIHALRC	IRHALRC	SUMYR	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	MJOYR2	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	IEMYR	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	HALMON	
LSRECDK	HALLREC	IIHALRC	IRHALRC	SUMMON	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	MJOMON2	1
LSRECDK	HALLREC	IIHALRC	IRHALRC	IEMMON	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	HALFLAG	
LSRECDK	HALLREC	II2HALRC	IRHALRC	SUMFLAG	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	MJOFLAG	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	IEMFLAG	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	HALYR	
LSRECDK	HALLREC	II2HALRC	IRHALRC	SUMYR	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	MJOYR2	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	IEMYR	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	HALMON	
LSRECDK	HALLREC	II2HALRC	IRHALRC	SUMMON	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

LSRECDK	HALLREC	II2HALRC	IRHALRC	MJOMON2	1
LSRECDK	HALLREC	II2HALRC	IRHALRC	IEMMON	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	HALFLAG	
LSRECRE	HALLREC	IIHALRC	IRHALRC	SUMFLAG	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	MJOFLAG	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	IEMFLAG	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	HALYR	
LSRECRE	HALLREC	IIHALRC	IRHALRC	SUMYR	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	MJOYR2	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	IEMYR	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	HALMON	
LSRECRE	HALLREC	IIHALRC	IRHALRC	SUMMON	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	MJOMON2	1
LSRECRE	HALLREC	IIHALRC	IRHALRC	IEMMON	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	HALFLAG	
LSRECRE	HALLREC	II2HALRC	IRHALRC	SUMFLAG	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	MJOFLAG	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	IEMFLAG	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	HALYR	
LSRECRE	HALLREC	II2HALRC	IRHALRC	SUMYR	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	MJOYR2	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	IEMYR	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	HALMON	
LSRECRE	HALLREC	II2HALRC	IRHALRC	SUMMON	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	MJOMON2	1
LSRECRE	HALLREC	II2HALRC	IRHALRC	IEMMON	1
TOTHALL	HALYRTOT	IIHALFY	IRHALFY	HALYDAYS	
TOTHALL	HALYRTOT	II2HALFY	IRHALFY	HALYDAYS	
TOTHALL	HALYRTOT	HLTOTFG			
TOTHALL	HALYRTOT	HLFQFLG			
LSFRAME3	HLBSTWAY				
LSYRAVE	HLDAYPYR				
LSMONAVE	HLDAYPMO				
LSWKAVE	HLDAYPWK				
LS04	HAL30USE	IIHALFM	IRHALFM	HALMDAYS	
LS04	HAL30USE	II2HALFM	IRHALFM	HALMDAYS	
LS04DKRE	HL30EST	IIHALFM	IRHALFM	HALMDAYS	
LS04DKRE	HL30EST	II2HALFM	IRHALFM	HALMDAYS	
LS05	LSDAGE	II LSDAGE	IRLSDAGE		
LS05	LSDAGE		IRLSDAGE		
LS06	LSDYFU	II LSDYFU	IRLSDYFU		
LS07	LSDYFU	II LSDYFU	IRLSDYFU		
LS08	LSDYFU	II LSDYFU	IRLSDYFU		
LS08			IRLSDYFU		
LS08	LSDMFU				
LS09	LSDMFU				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

LS09			IRLSDYFU		
LS10	LSDREC	II LSDRC	IRLSDRC	LSDFLAG	
LS10	LSDREC	II LSDRC	IRLSDRC	LSDYR	
LS10	LSDREC	II LSDRC	IRLSDRC	LSDMON	
LS10	LSDREC	II2LSDRC	IRLSDRC	LSDFLAG	
LS10	LSDREC	II2LSDRC	IRLSDRC	LSDYR	
LS10	LSDREC	II2LSDRC	IRLSDRC	LSDMON	
LS11	PCPAGE	II PCPAGE	IRPCPAGE		
LS11	PCPAGE		IRPCPAGE		
LS12	PCPYFU	II PCPYFU	IRPCPYFU		
LS13	PCPYFU	II PCPYFU	IRPCPYFU		
LS14	PCPYFU	II PCPYFU	IRPCPYFU		
LS14	PCPYFU		IRPCPYFU		
LS14	PCPMFU				
LS15	PCPMFU				
LS16	PCPREC	II PCPRC	IRPCPRC	PCPFLAG	
LS16	PCPREC	II PCPRC	IRPCPRC	PCPYR	
LS16	PCPREC	II PCPRC	IRPCPRC	PCPMON	
LS16	PCPREC	II2PCPRC	IRPCPRC	PCPFLAG	
LS16	PCPREC	II2PCPRC	IRPCPRC	PCPYR	
LS16	PCPREC	II2PCPRC	IRPCPRC	PCPMON	
LS17	ECSAGE	II ECSAGE	IRECSAGE		
LS17	ECSAGE		IRECSAGE		
LS18	ECSYFU	II ECSYFU	IRECSYFU		
LS19	ECSYFU	II ECSYFU	IRECSYFU		
LS20	ECSYFU	II ECSYFU	IRECSYFU		
LS20	ECSYFU		IRECSYFU		
LS20	ECSMFU				
LS21	ECSMFU				
LS22	ECSREC	II ECSRC	IRECSRC	ECSFLAG	
LS22	ECSREC	II ECSRC	IRECSRC	ECSMON	
LS22	ECSREC	II ECSRC	IRECSRC	ECSYR	
LS22	ECSREC	II2ECSRC	IRECSRC	ECSFLAG	
LS22	ECSREC	II2ECSRC	IRECSRC	ECSMON	
LS22	ECSREC	II2ECSRC	IRECSRC	ECSYR	
IN01A	AMYLNIT			AMYLNIT2	
IN01B	CLEFLU			CLEFLU2	
IN01C	GAS			GAS2	
IN01D	GLUE			GLUE2	
IN01E	ETHER			ETHER2	
IN01F	SOLVENT			SOLVENT2	
IN01G	LGAS			LGAS2	
IN01H	NITOXID			NITOXID2	
IN01I	SPPAINT			SPPAINT2	
IN01J	AEROS			AEROS2	
IN01L	INHNLST				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

IN01OTH1	INHNEWA				
IN01OTH2	INHNEWB				
IN01OTH3	INHNEWC				
IN01OTH4	INHNEWD				
IN01OTH5	INHNEWE				
INREF	INHEVER				
IN02	INHAGE	IIINHAGE	IRINHAGE	INHAFU	
IN02	INHAGE		IRINHAGE	INHAFU	
IN03A	INH YFU	IIINH YFU	IRINH YFU		
IN03B	INH YFU	IIINH YFU	IRINH YFU		
IN03C	INH YFU	IIINH YFU	IRINH YFU		
IN03C			IRINH YFU		
IN03C	INHMFU				
IN03D	INHMFU				
INLAST	INHREC	IIINHRC	IRINHRC	INHFLAG	
INLAST	INHREC	IIINHRC	IRINHRC	SUMFLAG	1
INLAST	INHREC	IIINHRC	IRINHRC	MJOFLAG	1
INLAST	INHREC	IIINHRC	IRINHRC	IEMFLAG	1
INLAST	INHREC	IIINHRC	IRINHRC	INH YR	
INLAST	INHREC	IIINHRC	IRINHRC	SUM YR	1
INLAST	INHREC	IIINHRC	IRINHRC	MJO YR2	1
INLAST	INHREC	IIINHRC	IRINHRC	IEM YR	1
INLAST	INHREC	IIINHRC	IRINHRC	INHMON	
INLAST	INHREC	IIINHRC	IRINHRC	SUMMON	1
INLAST	INHREC	IIINHRC	IRINHRC	MJOMON2	1
INLAST	INHREC	IIINHRC	IRINHRC	IEMMON	1
INLAST	INHREC	II2INHRC	IRINHRC	INHFLAG	
INLAST	INHREC	II2INHRC	IRINHRC	SUMFLAG	1
INLAST	INHREC	II2INHRC	IRINHRC	MJOFLAG	1
INLAST	INHREC	II2INHRC	IRINHRC	IEMFLAG	1
INLAST	INHREC	II2INHRC	IRINHRC	INH YR	
INLAST	INHREC	II2INHRC	IRINHRC	SUM YR	1
INLAST	INHREC	II2INHRC	IRINHRC	MJO YR2	1
INLAST	INHREC	II2INHRC	IRINHRC	IEM YR	1
INLAST	INHREC	II2INHRC	IRINHRC	INHMON	
INLAST	INHREC	II2INHRC	IRINHRC	SUMMON	1
INLAST	INHREC	II2INHRC	IRINHRC	MJOMON2	1
INLAST	INHREC	II2INHRC	IRINHRC	IEMMON	1
INRECDK	INHREC	IIINHRC	IRINHRC	INHFLAG	
INRECDK	INHREC	IIINHRC	IRINHRC	SUMFLAG	1
INRECDK	INHREC	IIINHRC	IRINHRC	MJOFLAG	1
INRECDK	INHREC	IIINHRC	IRINHRC	IEMFLAG	1
INRECDK	INHREC	IIINHRC	IRINHRC	INH YR	
INRECDK	INHREC	IIINHRC	IRINHRC	SUM YR	1
INRECDK	INHREC	IIINHRC	IRINHRC	MJO YR2	1
INRECDK	INHREC	IIINHRC	IRINHRC	IEM YR	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

INRECDK	INHREC	IIINHRC	IRINHRC	INHMON	
INRECDK	INHREC	IIINHRC	IRINHRC	SUMMON	1
INRECDK	INHREC	IIINHRC	IRINHRC	MJOMON2	1
INRECDK	INHREC	IIINHRC	IRINHRC	IEMMON	1
INRECDK	INHREC	II2INHRC	IRINHRC	INHFLAG	
INRECDK	INHREC	II2INHRC	IRINHRC	SUMFLAG	1
INRECDK	INHREC	II2INHRC	IRINHRC	MJOFLAG	1
INRECDK	INHREC	II2INHRC	IRINHRC	IEMFLAG	1
INRECDK	INHREC	II2INHRC	IRINHRC	INHYP	
INRECDK	INHREC	II2INHRC	IRINHRC	SUMYR	1
INRECDK	INHREC	II2INHRC	IRINHRC	MJOYR2	1
INRECDK	INHREC	II2INHRC	IRINHRC	IEMYR	1
INRECDK	INHREC	II2INHRC	IRINHRC	INHMON	
INRECDK	INHREC	II2INHRC	IRINHRC	SUMMON	1
INRECDK	INHREC	II2INHRC	IRINHRC	MJOMON2	1
INRECDK	INHREC	II2INHRC	IRINHRC	IEMMON	1
INRECRE	INHREC	IIINHRC	IRINHRC	INHFLAG	
INRECRE	INHREC	IIINHRC	IRINHRC	SUMFLAG	1
INRECRE	INHREC	IIINHRC	IRINHRC	MJOFLAG	1
INRECRE	INHREC	IIINHRC	IRINHRC	IEMFLAG	1
INRECRE	INHREC	IIINHRC	IRINHRC	INHYP	
INRECRE	INHREC	IIINHRC	IRINHRC	SUMYR	1
INRECRE	INHREC	IIINHRC	IRINHRC	MJOYR2	1
INRECRE	INHREC	IIINHRC	IRINHRC	IEMYR	1
INRECRE	INHREC	IIINHRC	IRINHRC	INHMON	
INRECRE	INHREC	IIINHRC	IRINHRC	SUMMON	1
INRECRE	INHREC	IIINHRC	IRINHRC	MJOMON2	1
INRECRE	INHREC	IIINHRC	IRINHRC	IEMMON	1
INRECRE	INHREC	II2INHRC	IRINHRC	INHFLAG	
INRECRE	INHREC	II2INHRC	IRINHRC	SUMFLAG	1
INRECRE	INHREC	II2INHRC	IRINHRC	MJOFLAG	1
INRECRE	INHREC	II2INHRC	IRINHRC	IEMFLAG	1
INRECRE	INHREC	II2INHRC	IRINHRC	INHYP	
INRECRE	INHREC	II2INHRC	IRINHRC	SUMYR	1
INRECRE	INHREC	II2INHRC	IRINHRC	MJOYR2	1
INRECRE	INHREC	II2INHRC	IRINHRC	IEMYR	1
INRECRE	INHREC	II2INHRC	IRINHRC	INHMON	
INRECRE	INHREC	II2INHRC	IRINHRC	SUMMON	1
INRECRE	INHREC	II2INHRC	IRINHRC	MJOMON2	1
INRECRE	INHREC	II2INHRC	IRINHRC	IEMMON	1
TOTINHAL	INHRTOT	IIINHRY	IRINHRY	INHYP	
TOTINHAL	INHRTOT	II2INHRY	IRINHRY	INHYP	
TOTINHAL	INHRTOT	INTOTFG			
TOTINHAL	INHRTOT	INFQFLG			
INFRAME3	INBSTWAY				
INYRAVE	INDAYPYR				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

INMONAVE	INDAYPMO				
INWKAVE	INDAYPWK				
IN06	INHDI30A	IIINHFM	IRINHFM	INHMDAYS	
IN06	INHDI30A	II2INHFM	IRINHFM	INHMDAYS	
IN06DKRE	IN30EST	IIINHFM	IRINHFM	INHMDAYS	
IN06DKRE	IN30EST	II2INHFM	IRINHFM	INHMDAYS	
PR01	DARVTYLC			DARVTYL2	
PR02	PERCTYLX			PERCTYL2	
PR03	VICOLOR			VICOLOR2	
PR04	ANLCARD			OTHANL	1
PR04A	CODEINE			CODEINE2	
PR04A	DEMEROL			DEMEROL2	
PR04A	DILAUD			DILAUD2	
PR04A	FIORICET			FIORICT2	
PR04A	FIORINAL			FIORINL2	
PR04A	HYDROCOD			HYDROCD2	
PR04A	METHDON			METHDON2	
PR04A	MORPHINE			MORPHIN2	
PR04A	OXYCONTN			OXYCONT2	
PR04A	PHENCOD			PHENCOD2	
PR04A	PROPOXY			PROPOXY2	
PR04A	SK65A			SK65A2	
PR04A	STADOL			STADOL2	
PR04A	TALACEN			TALACEN2	
PR04A	TALWIN			TALWIN2	
PR04A	TALWINNX			TALWINX2	
PR04A	TRAMADOL			TRAMADL2	
PR04A	ULTRAM			ULTRAM2	
PR05	ANLNOLST			OTHANL	1
PR05A	ANALNEWA				
PR05B	ANALNEWB				
PR05C	ANALNEWC				
PR05D	ANALNEWD				
PR05E	ANALNEWE				
PRREF	ANLEVER				
PR06	ANALAGE	IIANLAGE	IRANLAGE	ANLAFU	
PR06	ANALAGE		IRANLAGE	ANLAFU	
PR06			IRANLAGE	ANLAFU	
PR07A	ANALYFU	IIANLYFU	IRANLYFU		
PR07B	ANALYFU	IIANLYFU	IRANLYFU		
PR08A	ANALYFU	IIANLYFU	IRANLYFU		
PR08A			IRANLYFU		
PR08A	ANALMFU				
PR08B	ANALMFU				
PR09	ANALREC	IIANLRC	IRANLRC	ANLFLAG	
PR09	ANALREC	IIANLRC	IRANLRC	SUMFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PR09	ANALREC	IIANLRC	IRANLRC	PSYFLAG2	1
PR09	ANALREC	IIANLRC	IRANLRC	MJOFLAG	1
PR09	ANALREC	IIANLRC	IRANLRC	IEMFLAG	1
PR09	ANALREC	IIANLRC	IRANLRC	ANLYR	
PR09	ANALREC	IIANLRC	IRANLRC	SUMYR	1
PR09	ANALREC	IIANLRC	IRANLRC	PSYYR2	1
PR09	ANALREC	IIANLRC	IRANLRC	MJOYR2	1
PR09	ANALREC	IIANLRC	IRANLRC	IEMYR	1
PR09	ANALREC	IIANLRC	IRANLRC	ANLMON	
PR09	ANALREC	IIANLRC	IRANLRC	SUMMON	1
PR09	ANALREC	IIANLRC	IRANLRC	PSYMON2	1
PR09	ANALREC	IIANLRC	IRANLRC	MJOMON2	1
PR09	ANALREC	IIANLRC	IRANLRC	IEMMON	1
PR09	ANALREC	II2ANLRC	IRANLRC	ANLFLAG	
PR09	ANALREC	II2ANLRC	IRANLRC	SUMFLAG	1
PR09	ANALREC	II2ANLRC	IRANLRC	PSYFLAG2	1
PR09	ANALREC	II2ANLRC	IRANLRC	MJOFLAG	1
PR09	ANALREC	II2ANLRC	IRANLRC	IEMFLAG	1
PR09	ANALREC	II2ANLRC	IRANLRC	ANLYR	
PR09	ANALREC	II2ANLRC	IRANLRC	SUMYR	1
PR09	ANALREC	II2ANLRC	IRANLRC	PSYYR2	1
PR09	ANALREC	II2ANLRC	IRANLRC	MJOYR2	1
PR09	ANALREC	II2ANLRC	IRANLRC	IEMYR	1
PR09	ANALREC	II2ANLRC	IRANLRC	ANLMON	
PR09	ANALREC	II2ANLRC	IRANLRC	SUMMON	1
PR09	ANALREC	II2ANLRC	IRANLRC	PSYMON2	1
PR09	ANALREC	II2ANLRC	IRANLRC	MJOMON2	1
PR09	ANALREC	II2ANLRC	IRANLRC	IEMMON	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	ANLFLAG	
PRRECDK	ANALREC	IIANLRC	IRANLRC	SUMFLAG	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	PSYFLAG2	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	MJOFLAG	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	IEMFLAG	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	ANLYR	
PRRECDK	ANALREC	IIANLRC	IRANLRC	SUMYR	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	PSYYR2	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	MJOYR2	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	IEMYR	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	ANLMON	
PRRECDK	ANALREC	IIANLRC	IRANLRC	SUMMON	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	PSYMON2	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	MJOMON2	1
PRRECDK	ANALREC	IIANLRC	IRANLRC	IEMMON	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	ANLFLAG	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	SUMFLAG	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	PSYFLAG2	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PRRECDK	ANALREC	II2ANLRC	IRANLRC	MJOFLAG	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	IEMFLAG	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	ANLYR	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	SUMYR	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	PSYYR2	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	MJOYR2	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	IEMYR	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	ANLMON	
PRRECDK	ANALREC	II2ANLRC	IRANLRC	SUMMON	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	PSYMON2	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	MJOMON2	1
PRRECDK	ANALREC	II2ANLRC	IRANLRC	IEMMON	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	ANLFLAG	
PRRECRE	ANALREC	IIANLRC	IRANLRC	SUMFLAG	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	PSYFLAG2	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	MJOFLAG	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	IEMFLAG	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	ANLYR	
PRRECRE	ANALREC	IIANLRC	IRANLRC	SUMYR	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	PSYYR2	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	MJOYR2	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	IEMYR	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	ANLMON	
PRRECRE	ANALREC	IIANLRC	IRANLRC	SUMMON	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	PSYMON2	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	MJOMON2	1
PRRECRE	ANALREC	IIANLRC	IRANLRC	IEMMON	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	ANLFLAG	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	SUMFLAG	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	PSYFLAG2	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	MJOFLAG	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	IEMFLAG	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	ANLYR	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	SUMYR	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	PSYYR2	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	MJOYR2	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	IEMYR	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	ANLMON	
PRRECRE	ANALREC	II2ANLRC	IRANLRC	SUMMON	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	PSYMON2	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	MJOMON2	1
PRRECRE	ANALREC	II2ANLRC	IRANLRC	IEMMON	1
PR10	PRBSTWAY				
PR11	PRDAYPYR	ANLYRTOT	IRANLFY		
PR11	PRDAYPYR	IIANLFY	IRANLFY		
PR11	PRDAYPYR	II2ANLFY	IRANLFY		3

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PR11		PRTOTFG			
PR11		PRFQFLG			
PR12	PRDAYPMO	ANLYRTOT	IRANLFY		
PR12	PRDAYPMO	IIANLFY	IRANLFY		3
PR12	PRDAYPMO	II2ANLFY	IRANLFY		
PR12		PRTOTFG			
PR12		PRFQFLG			
PR13	PRDAYPWK	ANLYRTOT	IRANLFY		
PR13	PRDAYPWK	IIANLFY	IRANLFY		3
PR13	PRDAYPWK	II2ANLFY	IRANLFY		
PR13		PRTOTFG			
PR13		PRFQFLG			
TR01	KLONOPIN			KLONOPI2	
TR02	XNAXATVN			XNAXATV2	
TR03	VALMDIAZ			VALMDIA2	
TR04	TRNCARD			OTHTRN	1
TR04A	ATARAX			ATARAX2	
TR04A	BUSPAR			BUSPAR2	
TR04A	EQUANIL			EQUANIL2	
TR04A	FLEXERIL			FLEXERL2	
TR04A	LIBRIUM			LIBRIUM2	
TR04A	LIMBTROL			LIMBTRL2	
TR04A	MEPROB			MEPROB2	
TR04A	MILTOWN			MILTOWN2	
TR04A	ROHYPNOL			ROHYPNL2	
TR04A	SERAX			SERAX2	
TR04A	SOMA			SOMA2	
TR04A	TRANXENE			TRANXEN2	
TR04A	VISTAR			VISTAR2	
TR05	TRNOLST			OTHTRN	1
TR05A	TRNEWA				
TR05B	TRNEWB				
TR05C	TRNEWC				
TR05D	TRNEWD				
TR05E	TRNEWE				
TRREF	TRNEVER				
TR06	TRANAGE	IITRNAGE	IRTRNAGE	TRNAFU	
TR06	TRANAGE		IRTRNAGE	TRNAFU	
TR06			IRTRNAGE	TRNAFU	
TR07A	TRANIFYU	IITRNYFU	IRTRNYFU		
TR07B	TRANIFYU	IITRNYFU	IRTRNYFU		
TR08A	TRANIFYU	IITRNYFU	IRTRNYFU		
TR08A			IRTRNYFU		
TR08A	TRANMFU				
TR08B	TRANMFU				
TR09	TRANREC	IITRNRC	IRTRNRC	TRQFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TR09	TRANREC	II TRNRC	IR TRNRC	SUMFLAG	1
TR09	TRANREC	II TRNRC	IR TRNRC	PSYFLAG2	1
TR09	TRANREC	II TRNRC	IR TRNRC	MJOFLAG	1
TR09	TRANREC	II TRNRC	IR TRNRC	IEMFLAG	1
TR09	TRANREC	II TRNRC	IR TRNRC	TRQYR	
TR09	TRANREC	II TRNRC	IR TRNRC	SUMYR	1
TR09	TRANREC	II TRNRC	IR TRNRC	PSYYR2	1
TR09	TRANREC	II TRNRC	IR TRNRC	MJOYR2	1
TR09	TRANREC	II TRNRC	IR TRNRC	IEMYR	1
TR09	TRANREC	II TRNRC	IR TRNRC	TRQMON	
TR09	TRANREC	II TRNRC	IR TRNRC	SUMMON	1
TR09	TRANREC	II TRNRC	IR TRNRC	PSYMON2	1
TR09	TRANREC	II TRNRC	IR TRNRC	MJOMON2	1
TR09	TRANREC	II TRNRC	IR TRNRC	IEMMON	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	TRQFLAG	
TR09	TRANREC	II2 TRNRC	IR TRNRC	SUMFLAG	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	PSYFLAG2	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	MJOFLAG	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	IEMFLAG	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	TRQYR	
TR09	TRANREC	II2 TRNRC	IR TRNRC	SUMYR	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	PSYYR2	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	MJOYR2	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	IEMYR	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	TRQMON	
TR09	TRANREC	II2 TRNRC	IR TRNRC	SUMMON	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	PSYMON2	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	MJOMON2	1
TR09	TRANREC	II2 TRNRC	IR TRNRC	IEMMON	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	TRQFLAG	
TRRECDK	TRANREC	II TRNRC	IR TRNRC	SUMFLAG	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	PSYFLAG2	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	MJOFLAG	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	IEMFLAG	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	TRQYR	
TRRECDK	TRANREC	II TRNRC	IR TRNRC	SUMYR	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	PSYYR2	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	MJOYR2	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	IEMYR	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	TRQMON	
TRRECDK	TRANREC	II TRNRC	IR TRNRC	SUMMON	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	PSYMON2	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	MJOMON2	1
TRRECDK	TRANREC	II TRNRC	IR TRNRC	IEMMON	1
TRRECDK	TRANREC	II2 TRNRC	IR TRNRC	TRQFLAG	
TRRECDK	TRANREC	II2 TRNRC	IR TRNRC	SUMFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TRRECDK	TRANREC	II2TRNRC	IRTRNRC	PSYFLAG2	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	MJOFLAG	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	IEMFLAG	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	TRQYR	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	SUMYR	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	PSYYR2	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	MJOYR2	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	IEMYR	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	TRQMON	
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	SUMMON	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	PSYMON2	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	MJOMON2	1
TRRECDK	TRANREC	II2TRNRC	IRTRNRC	IEMMON	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQFLAG	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMFLAG	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYFLAG2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOFLAG	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMFLAG	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQYR	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMYR	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYYR2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOYR2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMYR	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQMON	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMMON	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYMON2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOMON2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMMON	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQFLAG	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMFLAG	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYFLAG2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOFLAG	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMFLAG	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQYR	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMYR	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYYR2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOYR2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMYR	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	TRQMON	
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	SUMMON	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	PSYMON2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	MJOMON2	1
TRRECRE	TRANREC	II2TRNRC	IRTRNRC	IEMMON	1
TR10	TRBSTWAY				
TR11	TRDAYPYR	TRNYRTOT	IRTRNFY		
TR11	TRDAYPYR	II2TRNFY	IRTRNFY		3

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TR11	TRDAYPYR	II2TRNFY	IRTRNFY		
TR11		TRTOTFG			
TR11		TRFQFLG			
TR12	TRDAYPMO	TRNYRTOT	IRTRNFY		
TR12	TRDAYPMO	IITRNFY	IRTRNFY		3
TR12	TRDAYPMO	II2TRNFY	IRTRNFY		
TR12		TRTOTFG			
TR12		TRFQFLG			
TR13	TRDAYPWK	TRNYRTOT	IRTRNFY		
TR13	TRDAYPWK	IITRNFY	IRTRNFY		
TR13	TRDAYPWK	II2TRNFY	IRTRNFY		
TR13		TRTOTFG			
TR13		TRFQFLG			
ST01	METHDES			METHDES2	
STREF1	METHDES				
ST02	DIETPILS			DIETPIL2	
ST03	RITMPHEN			RITMPHE2	
ST04	STMCARD			OTHSTM	1
ST04A	CYLERT			CYLERT2	
ST04A	DEXED			DEXED2	
ST04A	DETAMP			DETAMP2	
ST04A	DIDREX			DIDREX2	
ST04A	ESKAT			ESKAT2	
ST04A	IONAMIN			IONAMIN2	
ST04A	MAZANOR			MAZANOR2	
ST04A	OBLA			OBLA2	
ST04A	PLEGINE			PLEGINE2	
ST04A	PRELUDIN			PRELUDN2	
ST04A	SANOREX			SANOREX2	
ST04A	TENUATE			TENUATE2	
ST05	STMNOLST			OTHSTM	1
ST05A	STIMNEWA				
ST05B	STIMNEWB				
ST05C	STIMNEWC				
ST05D	STIMNEWD				
ST05E	STIMNEWE				
STREF2	STMEVER				
ST06	STIMAGE	IISTMAGE	IRSTMAGE	STMAFU	
ST06	STIMAGE		IRSTMAGE	STMAFU	
ST06			IRSTMAGE	STMAFU	
ST07A	STIMYFU	IISTMYFU	IRSTMYFU		
ST07B	STIMYFU	IISTMYFU	IRSTMYFU		
ST08A	STIMYFU	IISTMYFU	IRSTMYFU		
ST08A			IRSTMYFU		
ST08A	STIMMFU				
ST08B	STIMMFU				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ST09	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	1
ST09	STIMREC	IISTMRC	IRSTMRC	STMYR	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMYR	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYYR2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOYR2	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMYR	1
ST09	STIMREC	IISTMRC	IRSTMRC	STMMON	
ST09	STIMREC	IISTMRC	IRSTMRC	SUMMON	1
ST09	STIMREC	IISTMRC	IRSTMRC	PSYMON2	1
ST09	STIMREC	IISTMRC	IRSTMRC	MJOMON2	1
ST09	STIMREC	IISTMRC	IRSTMRC	IEMMON	1
ST09	STIMREC	II2STMRC	IRSTMRC	STMFLAG	
ST09	STIMREC	II2STMRC	IRSTMRC	SUMFLAG	1
ST09	STIMREC	II2STMRC	IRSTMRC	PSYFLAG2	1
ST09	STIMREC	II2STMRC	IRSTMRC	MJOFLAG	1
ST09	STIMREC	II2STMRC	IRSTMRC	IEMFLAG	1
ST09	STIMREC	II2STMRC	IRSTMRC	STMYR	
ST09	STIMREC	II2STMRC	IRSTMRC	SUMYR	1
ST09	STIMREC	II2STMRC	IRSTMRC	PSYYR2	1
ST09	STIMREC	II2STMRC	IRSTMRC	MJOYR2	1
ST09	STIMREC	II2STMRC	IRSTMRC	IEMYR	1
ST09	STIMREC	II2STMRC	IRSTMRC	STMMON	
ST09	STIMREC	II2STMRC	IRSTMRC	SUMMON	1
ST09	STIMREC	II2STMRC	IRSTMRC	PSYMON2	1
ST09	STIMREC	II2STMRC	IRSTMRC	MJOMON2	1
ST09	STIMREC	II2STMRC	IRSTMRC	IEMMON	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
STRECDK	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMYR	
STRECDK	STIMREC	IISTMRC	IRSTMRC	SUMYR	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	PSYYR2	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	MJOYR2	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	IEMYR	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	STMMON	
STRECDK	STIMREC	IISTMRC	IRSTMRC	SUMMON	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	PSYMON2	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	MJOMON2	1
STRECDK	STIMREC	IISTMRC	IRSTMRC	IEMMON	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	STMFLAG	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

STRECDK	STIMREC	II2STMRC	IRSTMRC	SUMFLAG	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	PSYFLAG2	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	MJOFLAG	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	IEMFLAG	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	STMYR	
STRECDK	STIMREC	II2STMRC	IRSTMRC	SUMYR	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	PSYYR2	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	MJOYR2	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	IEMYR	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	STMMON	
STRECDK	STIMREC	II2STMRC	IRSTMRC	SUMMON	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	PSYMON2	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	MJOMON2	1
STRECDK	STIMREC	II2STMRC	IRSTMRC	IEMMON	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	STMFLAG	
STRECRE	STIMREC	IISTMRC	IRSTMRC	SUMFLAG	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	PSYFLAG2	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	MJOFLAG	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	IEMFLAG	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	STMYR	
STRECRE	STIMREC	IISTMRC	IRSTMRC	SUMYR	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	PSYYR2	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	MJOYR2	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	IEMYR	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	STMMON	
STRECRE	STIMREC	IISTMRC	IRSTMRC	SUMMON	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	PSYMON2	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	MJOMON2	1
STRECRE	STIMREC	IISTMRC	IRSTMRC	IEMMON	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	STMFLAG	
STRECRE	STIMREC	II2STMRC	IRSTMRC	SUMFLAG	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	PSYFLAG2	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	MJOFLAG	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	IEMFLAG	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	STMYR	
STRECRE	STIMREC	II2STMRC	IRSTMRC	SUMYR	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	PSYYR2	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	MJOYR2	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	IEMYR	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	STMMON	
STRECRE	STIMREC	II2STMRC	IRSTMRC	SUMMON	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	PSYMON2	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	MJOMON2	1
STRECRE	STIMREC	II2STMRC	IRSTMRC	IEMMON	1
ST10	STBSTWAY				
ST11	STDAYPYR	STMYRTOT	IRSTMFY		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ST11	STDAYPYR	IISTMFY	IRSTMFY		
ST11	STDAYPYR	II2STMFY	IRSTMFY		
ST11		STTOTFG			
ST11		STFQFLG			
ST12	STDAYPMO	STMYRTOT	IRSTMFY		
ST12	STDAYPMO	IISTMFY	IRSTMFY		
ST12	STDAYPMO	II2STMFY	IRSTMFY		
ST12		STTOTFG			
ST12		STFQFLG			
ST13	STDAYPWK	STMYRTOT	IRSTMFY		
ST13	STDAYPWK	IISTMFY	IRSTMFY		
ST13	STDAYPWK	II2STMFY	IRSTMFY		
ST13		STTOTFG			
ST13		STFQFLG			
ST14	METHAGE	IIMTHAGE	IRMTHAGE		
ST14	METHAGE		IRMTHAGE		
ST14			IRMTHAGE		
ST15	METHYFU	IIMTHYFU	IRMTHYFU		
ST16	METHYFU	IIMTHYFU	IRMTHYFU		
ST17	METHYFU	IIMTHYFU	IRMTHYFU		
ST17	METHMFU				
ST18	METHMFU				
ST19	METHREC	IIMTHRC	IRMTHRC	MTHFLAG	
ST19	METHREC	IIMTHRC	IRMTHRC	MTHYR	
ST19	METHREC	IIMTHRC	IRMTHRC	MTHMON	
ST19	METHREC	II2MTHRC	IRMTHRC	MTHFLAG	
ST19	METHREC	II2MTHRC	IRMTHRC	MTHYR	
ST19	METHREC	II2MTHRC	IRMTHRC	MTHMON	
ST20	MTBSTWAY				
ST21	MTDAYPYR	MTHYRTOT	IRMTHFY		
ST21	MTDAYPYR	IIMTHFY	IRMTHFY		
ST21	MTDAYPYR	II2MTHFY	IRMTHFY		
ST21		MTTOTFG			
ST21		MTFQFLG			
ST22	MTDAYPMO	MTHYRTOT	IRMTHFY		
ST22	MTDAYPMO	IIMTHFY	IRMTHFY		
ST22	MTDAYPMO	II2MTHFY	IRMTHFY		
ST22		MTTOTFG			
ST22		MTFQFLG			
ST23	MTDAYPWK	MTHYRTOT	IRMTHFY		
ST23	MTDAYPWK	IIMTHFY	IRMTHFY		
ST23	MTDAYPWK	II2MTHFY	IRMTHFY		
ST23		MTTOTFG			
ST23		MTFQFLG			
SV01	METHAQ			METHAQ2	
SV02	NEMBBARB			NEMBBAR2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SV03	RESTTMAZ			RESTTMA2	
SV04	SEDCARD			OTHSED	1
SV04A	AMYTAL			AMYTAL2	
SV04A	BUTISOL			BUTISOL2	
SV04A	CHHYD			CHHYD2	
SV04A	DALMANE			DALMANE2	
SV04A	HALCION			HALCION2	
SV04A	PHENOBAR			PHENOBR2	
SV04A	PLACIDYL			PLACIDY2	
SV04A	TUINAL			TUINAL2	
SV05	SEDNOLST			OTHSED	1
SV05A	SEDNEWA				
SV05B	SEDNEWB				
SV05C	SEDNEWC				
SV05D	SEDNEWD				
SV05E	SEDNEWE				
SVREF	SEDEVER				
SV06	SEDAGE	IISEDAGE	IRSEDAGE	SEDAFU	
SV06	SEDAGE		IRSEDAGE	SEDAFU	
SV06			IRSEDAGE	SEDAFU	
SV07A	SEDYFU	IISEDYFU	IRSEDYFU		
SV07B	SEDYFU	IISEDYFU	IRSEDYFU		
SV08A	SEDYFU	IISEDYFU	IRSEDYFU		
SV08A			IRSEDYFU		
SV08A	SEDMFU				
SV08B	SEDMFU				
SV09	SEDREC	IISEDRC	IRSEDRC	SEDFLAG	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYFLAG2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMFLAG	1
SV09	SEDREC	IISEDRC	IRSEDRC	SEDYR	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMYR	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYYR2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOYR2	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMYR	1
SV09	SEDREC	IISEDRC	IRSEDRC	SEDMON	
SV09	SEDREC	IISEDRC	IRSEDRC	SUMMON	1
SV09	SEDREC	IISEDRC	IRSEDRC	PSYMON2	1
SV09	SEDREC	IISEDRC	IRSEDRC	MJOMON2	1
SV09	SEDREC	IISEDRC	IRSEDRC	IEMMON	1
SV09	SEDREC	II2SEDRC	IRSEDRC	SEDFLAG	
SV09	SEDREC	II2SEDRC	IRSEDRC	SUMFLAG	1
SV09	SEDREC	II2SEDRC	IRSEDRC	PSYFLAG2	1
SV09	SEDREC	II2SEDRC	IRSEDRC	MJOFLAG	1
SV09	SEDREC	II2SEDRC	IRSEDRC	IEMFLAG	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SV09	SEDREC	II2SEDRC	IRSEDRC	SEDYR	
SV09	SEDREC	II2SEDRC	IRSEDRC	SUMYR	1
SV09	SEDREC	II2SEDRC	IRSEDRC	PSYYR2	1
SV09	SEDREC	II2SEDRC	IRSEDRC	MJOYR2	1
SV09	SEDREC	II2SEDRC	IRSEDRC	IEMYR	1
SV09	SEDREC	II2SEDRC	IRSEDRC	SEDMON	
SV09	SEDREC	II2SEDRC	IRSEDRC	SUMMON	1
SV09	SEDREC	II2SEDRC	IRSEDRC	PSYMON2	1
SV09	SEDREC	II2SEDRC	IRSEDRC	MJOMON2	1
SV09	SEDREC	II2SEDRC	IRSEDRC	IEMMON	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SEDFLAG	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SUMFLAG	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	PSYFLAG2	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	MJOFLAG	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	IEMFLAG	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SEDYR	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SUMYR	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	PSYYR2	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	MJOYR2	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	IEMYR	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SEDMON	
SVRECDK	SEDREC	IISEDRC	IRSEDRC	SUMMON	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	PSYMON2	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	MJOMON2	1
SVRECDK	SEDREC	IISEDRC	IRSEDRC	IEMMON	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SEDFLAG	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SUMFLAG	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	PSYFLAG2	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	MJOFLAG	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	IEMFLAG	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SEDYR	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SUMYR	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	PSYYR2	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	MJOYR2	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	IEMYR	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SEDMON	
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	SUMMON	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	PSYMON2	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	MJOMON2	1
SVRECDK	SEDREC	II2SEDRC	IRSEDRC	IEMMON	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SEDFLAG	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SUMFLAG	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	PSYFLAG2	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	MJOFLAG	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	IEMFLAG	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SEDYR	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SVRECRE	SEDREC	IISEDRC	IRSEDRC	SUMYR	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	PSYYR2	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	MJOYR2	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	IEMYR	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SEDMON	
SVRECRE	SEDREC	IISEDRC	IRSEDRC	SUMMON	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	PSYMON2	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	MJOMON2	1
SVRECRE	SEDREC	IISEDRC	IRSEDRC	IEMMON	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SEDFLAG	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SUMFLAG	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	PSYFLAG2	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	MJOFLAG	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	IEMFLAG	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SEDYR	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SUMYR	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	PSYYR2	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	MJOYR2	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	IEMYR	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SEDMON	
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	SUMMON	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	PSYMON2	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	MJOMON2	1
SVRECRE	SEDREC	II2SEDRC	IRSEDRC	IEMMON	1
SV10	SVBSTWAY				
SV11	SVDAYPYR	SEDYRTOT	IRSEDFY		
SV11	SVDAYPYR	IISEDFY	IRSEDFY		
SV11	SVDAYPYR	II2SEDFY	IRSEDFY		
SV11		SVTOTFG			
SV11		SVFQFLG			
SV12	SVDAYPMO	SEDYRTOT	IRSEDFY		
SV12	SVDAYPMO	IISEDFY	IRSEDFY		
SV12	SVDAYPMO	II2SEDFY	IRSEDFY		
SV12		SVTOTFG			
SV12		SVFQFLG			
SV13	SVDAYPWK	SEDYRTOT	IRSEDFY		
SV13	SVDAYPWK	IISEDFY	IRSEDFY		
SV13	SVDAYPWK	II2SEDFY	IRSEDFY		
SV13		SVTOTFG			
SV13		SVFQFLG			
SD01	HERSMOKE			HERSMOK2	
SD02	HRSMKREC				
SD03	HERSNIFF			HERSNIF2	
SD04	HRSNFREC				
SD08	HERNEEDL			NEDHER	
SD08	HERNEEDL			NEDFLG01	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SDHEUSE	HEOTSMK				
SDHEUSE	HEOTSNF				
SDHEUSE	HEOTNDL				
SDHEUSE	HEOTOTH				
SDHEUSE2	HEOTSP				
SD09	HRNDLREC			NEDLRECR	
SD10A	MTHNEEDL			STNEEDLR	
SD10A	MTHNEEDL			NEDFLG01	1
SD10A	MTHNEEDL			NEDSTM	
SD10A	MTHNEEDL			NEDMTH	
SD10B	MTNDLREC			STNLRECR	
SD10B	MTNDLREC			NEDLRECR	
SD10C	OSTNEEDL			STNEEDLR	
SD10C	OSTNEEDL			NEDFLG01	1
SD10C	OSTNEEDL			NEDSTM	
SD11	OSTNLREC			STNLRECR	
SD11	OSTNLREC			NEDLRECR	
SD06	COCNEEDL			NEDCOC	
SD06	COCNEEDL			NEDFLG01	
SD07	CONDLREC			NEDLRECR	
SD05	OTDGNEDL			NEDLRECR	
SD05	OTDGNEDL			NEDFLG01	
SD05A	OTDGNDLA				
SD05B	OTDGNDLB				
SD05C	OTDGNDLA				
SD05D	OTDGNDLA				
SD05E	OTDGNDLA				
SD12	GNDREUS				
SD13	GNDLSH1				
SD14	GNDCLN				
SD15	GNDLSH2				
SD16	GNDGET2				
SD16SP	GNDGET2				
RK01A	RSKPKCIG			GRSKPKCG	
RK01B	RSKMJOCC			GRSKMOCC	
RK01C	RSKMJREG			GRSKMREG	
RK01D	RKTRYLSD			GRSKLTRY	
RK01E	RKLSDREG			GRSKLREG	
RK01F	RKTRYHER			GRSKHTRY	
RK01G	RKHERREG			GRSKHREG	
RK01H	RKCOCOCC			GRSKCOCC	
RK01I	RKCOCREG			GRSKCREG	
RK01J	RK5ALDLY			GRSKD4_5	
RK01K	RK5ALWK			GRSKD5WK	
RK02A	RSKDIFMJ			RDIFMJ	
RK02B	RKDIFLSD			RDIFLSD	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

RK02C	RKDIFCOC			RDIFCOC	
RK02D	RKDIFCRK			RDIFCRK	
RK02E	RKDIFHER			RDIFHER	
RK03	RSKSELL			APPSELDG	
RK04A	RKFQDNDR				
RK04B	RKFQRSKY				
RK04C	RKFQPBLT				
RK04D	RKFQDBLT				
RK05	RKLISALL				
RK08	RKLISRA1				
RK11	RKLISRA2				
RK14	RKLISRB2				
RK17	RKLISRB1				
SPCIG01	BIDIEVER				
SPCIG02	BIDIREC			BIDIFLGR	
SPCIG02	BIDIREC			BIDIYRR	
SPCIG02	BIDIREC			BIDIMONR	
SPCIG02	BIDIREC			SPCGFLGR	1
SPCIG02	BIDIREC			SPCGYRR	1
SPCIG02	BIDIREC			SPCGMONR	1
SPCIG03	BIDIREC			BIDIFLGR	
SPCIG03	BIDIREC			BIDIYRR	
SPCIG03	BIDIREC			BIDIMONR	
SPCIG03	BIDIREC			SPCGFLGR	1
SPCIG03	BIDIREC			SPCGYRR	1
SPCIG03	BIDIREC			SPCGMONR	1
SPCIG04	BIDI30US				
SPCIG05	CLOVEVER				
SPCIG06	CLOVREC			CLOVFLGR	
SPCIG06	CLOVREC			CLOVYRR	
SPCIG06	CLOVREC			CLOVMONR	
SPCIG06	CLOVREC			SPCGFLGR	1
SPCIG06	CLOVREC			SPCGYRR	1
SPCIG06	CLOVREC			SPCGMONR	1
SPCIG07	CLOVREC			CLOVFLGR	
SPCIG07	CLOVREC			CLOVYRR	
SPCIG07	CLOVREC			CLOVMONR	
SPCIG07	CLOVREC			SPCGFLGR	1
SPCIG07	CLOVREC			SPCGYRR	1
SPCIG07	CLOVREC			SPCGMONR	1
SPCIG08	CLOV30US				
DRCGE01	CIGIRTL				
DRCGE02	CIGRAVE				
DRCGE03	CIGCRAGP				
DRCGE04	CIGINCTL				
DRCGE05	CIGAVOID				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRCGE06A	CIGFNSMK				
DRCGE06B	CIGFNLKE				
DRCGE07	CIGPLANE				
DRCGE08	CIGRNOUT				
DRCGE09	CIGREGDY				
DRCGE10	CIGREGWK				
DRCGE11	CIGREGNM				
DRCGE12	CIGNMCHG				
DRCGE13	CIGSVLHR				
DRCGE14	CIGINFLU				
DRCGE15	CIGNOINF				
DRCGE16	CIGINCRS				
DRCGE17	CIGSATIS				
DRCGE18	CIGLOTMR				
DRCGE19A	CIGWAKE				
DRCGE19B	CIGWAKE				
DRCIG18	CIG30PKC				
DRCIG19	CIG30PPK				
DRCIG20	CIG30PCR				
DRALC01	ALCLOTTM			DEPNALC	
DRALC01	ALCLOTTM			ABUSEALC	1
DRALC01	ALCLOTTM			ABODALC	1
DRALC01	ALCLOTTM			DPILLALC	2
DRALC01	ALCLOTTM			ABILLALC	4
DRALC01	ALCLOTTM			ABDILAAL	9
DRALC01	ALCLOTTM			DPILANAL	2
DRALC01	ALCLOTTM			ABILANAL	4
DRALC01	ALCLOTTM			ABODILAL	10
DRALC02	ALCGTOVR			DEPNALC	
DRALC02	ALCGTOVR			ABUSEALC	1
DRALC02	ALCGTOVR			ABODALC	1
DRALC02	ALCGTOVR			DPILLALC	2
DRALC02	ALCGTOVR			ABILLALC	4
DRALC02	ALCGTOVR			ABDILAAL	9
DRALC02	ALCGTOVR			DPILANAL	2
DRALC02	ALCGTOVR			ABILANAL	4
DRALC02	ALCGTOVR			ABODILAL	10
DRALC04	ALCLIMIT				
DRALC05	ALCKPLMT			DEPNALC	
DRALC05	ALCKPLMT			ABUSEALC	1
DRALC05	ALCKPLMT			ABODALC	1
DRALC05	ALCKPLMT			DPILLALC	2
DRALC05	ALCKPLMT			ABILLALC	4
DRALC05	ALCKPLMT			ABDILAAL	9
DRALC05	ALCKPLMT			DPILANAL	2
DRALC05	ALCKPLMT			ABILANAL	4

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRALC05	ALCKPLMT			ABODILAL	10
DRALC06	ALCNDMOR			DEPNALC	
DRALC06	ALCNDMOR			ABUSEALC	1
DRALC06	ALCNDMOR			ABODALC	1
DRALC06	ALCNDMOR			DPILLALC	2
DRALC06	ALCNDMOR			ABILLALC	4
DRALC06	ALCNDMOR			ABDILAAL	9
DRALC06	ALCNDMOR			DPILANAL	2
DRALC06	ALCNDMOR			ABILANAL	4
DRALC06	ALCNDMOR			ABODILAL	10
DRALC07	ALCLSEFX			DEPNALC	
DRALC07	ALCLSEFX			ABUSEALC	1
DRALC07	ALCLSEFX			ABODALC	1
DRALC07	ALCLSEFX			DPILLALC	2
DRALC07	ALCLSEFX			ABILLALC	4
DRALC07	ALCLSEFX			ABDILAAL	9
DRALC07	ALCLSEFX			DPILANAL	2
DRALC07	ALCLSEFX			ABILANAL	4
DRALC07	ALCLSEFX			ABODILAL	10
DRALC08	ALCCUTDN				
DRALC09	ALCCUTEV			DEPNALC	
DRALC09	ALCCUTEV			ABUSEALC	1
DRALC09	ALCCUTEV			ABODALC	1
DRALC09	ALCCUTEV			DPILLALC	2
DRALC09	ALCCUTEV			ABILLALC	4
DRALC09	ALCCUTEV			ABDILAAL	9
DRALC09	ALCCUTEV			DPILANAL	2
DRALC09	ALCCUTEV			ABILANAL	4
DRALC09	ALCCUTEV			ABODILAL	10
DRALC10	ALCCUT1X				
DRALC11	ALCWD2SX				
DRALC12	ALCWDSMT			DEPNALC	
DRALC12	ALCWDSMT			ABUSEALC	1
DRALC12	ALCWDSMT			ABODALC	1
DRALC12	ALCWDSMT			DPILLALC	2
DRALC12	ALCWDSMT			ABILLALC	4
DRALC12	ALCWDSMT			ABDILAAL	9
DRALC12	ALCWDSMT			DPILANAL	2
DRALC12	ALCWDSMT			ABILANAL	4
DRALC12	ALCWDSMT			ABODILAL	10
DRALC13	ALCEMOPB				
DRALC14	ALCEMCTD			DEPNALC	
DRALC14	ALCEMCTD			ABUSEALC	1
DRALC14	ALCEMCTD			ABODALC	1
DRALC14	ALCEMCTD			DPILLALC	2
DRALC14	ALCEMCTD			ABILLALC	4

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRALC14	ALCEMCTD			ABDILAAL	9
DRALC14	ALCEMCTD			DPILANAL	2
DRALC14	ALCEMCTD			ABILANAL	4
DRALC14	ALCEMCTD			ABODILAL	10
DRALC15	ALCPHLPB				
DRALC16	ALCPHCTD			DEPNDAALC	
DRALC16	ALCPHCTD			ABUSEALC	1
DRALC16	ALCPHCTD			ABODALC	1
DRALC16	ALCPHCTD			DPILLALC	2
DRALC16	ALCPHCTD			ABILLALC	4
DRALC16	ALCPHCTD			ABDILAAL	9
DRALC16	ALCPHCTD			DPILANAL	2
DRALC16	ALCPHCTD			ABILANAL	4
DRALC16	ALCPHCTD			ABODILAL	10
DRALC17	ALCLSACT			DEPNDAALC	
DRALC17	ALCLSACT			ABUSEALC	1
DRALC17	ALCLSACT			ABODALC	1
DRALC17	ALCLSACT			DPILLALC	2
DRALC17	ALCLSACT			ABILLALC	4
DRALC17	ALCLSACT			ABDILAAL	9
DRALC17	ALCLSACT			DPILANAL	2
DRALC17	ALCLSACT			ABILANAL	4
DRALC17	ALCLSACT			ABODILAL	10
DRALC18	ALCSERP			ABUSEALC	1
DRALC18	ALCSERP			ABODALC	1
DRALC18	ALCSERP			ABILLALC	4
DRALC18	ALCSERP			ABDILAAL	9
DRALC18	ALCSERP			ABILANAL	4
DRALC18	ALCSERP			ABODILAL	10
DRALC19	ALCPDANG			ABUSEALC	1
DRALC19	ALCPDANG			ABODALC	1
DRALC19	ALCPDANG			ABILLALC	4
DRALC19	ALCPDANG			ABDILAAL	9
DRALC19	ALCPDANG			ABILANAL	4
DRALC19	ALCPDANG			ABODILAL	10
DRALC20	ALCLAWTR			ABUSEALC	1
DRALC20	ALCLAWTR			ABODALC	1
DRALC20	ALCLAWTR			ABILLALC	4
DRALC20	ALCLAWTR			ABDILAAL	9
DRALC20	ALCLAWTR			ABILANAL	4
DRALC20	ALCLAWTR			ABODILAL	10
DRALC21	ALCFMFPB			ABUSEALC	1
DRALC21	ALCFMFPB			ABODALC	1
DRALC21	ALCFMFPB			ABILLALC	4
DRALC21	ALCFMFPB			ABDILAAL	9
DRALC21	ALCFMFPB			ABILANAL	4

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRALC21	ALCFMFPB			ABODILAL	10
DRALC22	ALCFMCTD			ABUSEALC	1
DRALC22	ALCFMCTD			ABODALC	1
DRALC22	ALCFMCTD			ABILLALC	4
DRALC22	ALCFMCTD			ABDILAAL	9
DRALC22	ALCFMCTD			ABILANAL	4
DRALC22	ALCFMCTD			ABODILAL	10
DRMJ01	MRJLOTTM			DEPNDILL	
DRMJ01	MRJLOTTM			ABUSEILL	1
DRMJ01	MRJLOTTM			ABODILL	5
DRMJ01	MRJLOTTM			DEPNDMRJ	
DRMJ01	MRJLOTTM			ABUSEMRJ	1
DRMJ01	MRJLOTTM			ABODMRJ	1
DRMJ01	MRJLOTTM			DEPNDXMJ	
DRMJ01	MRJLOTTM			ABUSEXMJ	8
DRMJ02	MRJGTOVR			DEPNDILL	
DRMJ02	MRJGTOVR			ABUSEILL	1
DRMJ02	MRJGTOVR			ABODILL	5
DRMJ02	MRJGTOVR			DEPNDMRJ	
DRMJ02	MRJGTOVR			ABUSEMRJ	1
DRMJ02	MRJGTOVR			ABODMRJ	1
DRMJ02	MRJGTOVR			DEPNDXMJ	
DRMJ02	MRJGTOVR			ABUSEXMJ	8
DRMJ04	MRJLIMIT				
DRMJ05	MRJKPLMT			DEPNDILL	
DRMJ05	MRJKPLMT			ABUSEILL	1
DRMJ05	MRJKPLMT			ABODILL	5
DRMJ05	MRJKPLMT			DEPNDMRJ	
DRMJ05	MRJKPLMT			ABUSEMRJ	1
DRMJ05	MRJKPLMT			ABODMRJ	1
DRMJ05	MRJKPLMT			DEPNDXMJ	
DRMJ05	MRJKPLMT			ABUSEXMJ	8
DRMJ06	MRJNDMOR			DEPNDILL	
DRMJ06	MRJNDMOR			ABUSEILL	1
DRMJ06	MRJNDMOR			ABODILL	5
DRMJ06	MRJNDMOR			DEPNDMRJ	
DRMJ06	MRJNDMOR			ABUSEMRJ	1
DRMJ06	MRJNDMOR			ABODMRJ	1
DRMJ06	MRJNDMOR			DEPNDXMJ	
DRMJ06	MRJNDMOR			ABUSEXMJ	8
DRMJ07	MRJLSEFX			DEPNDILL	
DRMJ07	MRJLSEFX			ABUSEILL	1
DRMJ07	MRJLSEFX			ABODILL	5
DRMJ07	MRJLSEFX			DEPNDMRJ	
DRMJ07	MRJLSEFX			ABUSEMRJ	1
DRMJ07	MRJLSEFX			ABODMRJ	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRMJ07	MRJLSEFX			DEPNDXMJ	
DRMJ07	MRJLSEFX			ABUSEXMJ	8
DRMJ08	MRJCUTDN				
DRMJ09	MRJCUTEV			DEPN DILL	
DRMJ09	MRJCUTEV			ABUSEILL	1
DRMJ09	MRJCUTEV			ABODILL	5
DRMJ09	MRJCUTEV			DEPN DMRJ	
DRMJ09	MRJCUTEV			ABUSEMRJ	1
DRMJ09	MRJCUTEV			ABODMRJ	1
DRMJ09	MRJCUTEV			DEPN DXMJ	
DRMJ09	MRJCUTEV			ABUSEXMJ	8
DRMJ13	MRJEMOPB				
DRMJ14	MRJEMCTD			DEPN DILL	
DRMJ14	MRJEMCTD			ABUSEILL	1
DRMJ14	MRJEMCTD			ABODILL	5
DRMJ14	MRJEMCTD			DEPN DMRJ	
DRMJ14	MRJEMCTD			ABUSEMRJ	1
DRMJ14	MRJEMCTD			ABODMRJ	1
DRMJ14	MRJEMCTD			DEPN DXMJ	
DRMJ14	MRJEMCTD			ABUSEXMJ	8
DRMJ15	MRJPHLPB				
DRMJ16	MRJPHCTD			DEPN DILL	
DRMJ16	MRJPHCTD			ABUSEILL	1
DRMJ16	MRJPHCTD			ABODILL	5
DRMJ16	MRJPHCTD			DEPN DMRJ	
DRMJ16	MRJPHCTD			ABUSEMRJ	1
DRMJ16	MRJPHCTD			ABODMRJ	1
DRMJ16	MRJPHCTD			DEPN DXMJ	
DRMJ16	MRJPHCTD			ABUSEXMJ	8
DRMJ17	MRJLSACT			DEPN DILL	
DRMJ17	MRJLSACT			ABUSEILL	1
DRMJ17	MRJLSACT			ABODILL	5
DRMJ17	MRJLSACT			DEPN DMRJ	
DRMJ17	MRJLSACT			ABUSEMRJ	1
DRMJ17	MRJLSACT			ABODMRJ	1
DRMJ17	MRJLSACT			DEPN DXMJ	
DRMJ17	MRJLSACT			ABUSEXMJ	8
DRMJ18	MRJSERP B			ABUSEILL	1
DRMJ18	MRJSERP B			ABODILL	5
DRMJ18	MRJSERP B			ABUSEMRJ	1
DRMJ18	MRJSERP B			ABODMRJ	1
DRMJ18	MRJSERP B			ABUSEXMJ	8
DRMJ19	MRJPDANG			ABUSEILL	1
DRMJ19	MRJPDANG			ABODILL	5
DRMJ19	MRJPDANG			ABUSEMRJ	1
DRMJ19	MRJPDANG			ABODMRJ	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRMJ19	MRJPDANG			ABUSEXMJ	8
DRMJ20	MRJLAWTR			ABUSEILL	1
DRMJ20	MRJLAWTR			ABODILL	5
DRMJ20	MRJLAWTR			ABUSEMRJ	1
DRMJ20	MRJLAWTR			ABODMRJ	1
DRMJ20	MRJLAWTR			ABUSEXMJ	8
DRMJ21	MRJFMFPB			ABUSEILL	1
DRMJ21	MRJFMFPB			ABODILL	5
DRMJ21	MRJFMFPB			ABUSEMRJ	1
DRMJ21	MRJFMFPB			ABODMRJ	1
DRMJ21	MRJFMFPB			ABUSEXMJ	8
DRMJ22	MRJFMCTD			ABUSEILL	1
DRMJ22	MRJFMCTD			ABODILL	5
DRMJ22	MRJFMCTD			ABUSEMRJ	1
DRMJ22	MRJFMCTD			ABODMRJ	1
DRMJ22	MRJFMCTD			ABUSEXMJ	8
DRCC01	COCLOTTM			DEPNDILL	
DRCC01	COCLOTTM			ABUSEILL	1
DRCC01	COCLOTTM			ABODILL	5
DRCC01	COCLOTTM			DEPNDCOG	
DRCC01	COCLOTTM			ABUSECOG	1
DRCC01	COCLOTTM			ABODCOG	1
DRCC01	COCLOTTM			DEPNDIEM	
DRCC01	COCLOTTM			ABODIEM	1
DRCC01	COCLOTTM			ABUSEIEM	7
DRCC01	COCLOTTM			DEPNDXMJ	
DRCC01	COCLOTTM			ABUSEXMJ	8
DRCC02	COCGTOVR			DEPNDILL	
DRCC02	COCGTOVR			ABUSEILL	1
DRCC02	COCGTOVR			ABODILL	5
DRCC02	COCGTOVR			DEPNDCOG	
DRCC02	COCGTOVR			ABUSECOG	1
DRCC02	COCGTOVR			ABODCOG	1
DRCC02	COCGTOVR			DEPNDIEM	
DRCC02	COCGTOVR			ABODIEM	1
DRCC02	COCGTOVR			ABUSEIEM	7
DRCC02	COCGTOVR			DEPNDXMJ	
DRCC02	COCGTOVR			ABUSEXMJ	8
DRCC04	COCLIMIT				
DRCC05	COCKPLMT			DEPNDILL	
DRCC05	COCKPLMT			ABUSEILL	1
DRCC05	COCKPLMT			ABODILL	5
DRCC05	COCKPLMT			DEPNDCOG	
DRCC05	COCKPLMT			ABUSECOG	1
DRCC05	COCKPLMT			ABODCOG	1
DRCC05	COCKPLMT			DEPNDIEM	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRCC05	COCKPLMT			ABODIEM	1
DRCC05	COCKPLMT			ABUSEIEM	7
DRCC05	COCKPLMT			DEPNDXMJ	
DRCC05	COCKPLMT			ABUSEXMJ	8
DRCC06	COCNDMOR			DEPNDILL	
DRCC06	COCNDMOR			ABUSEILL	1
DRCC06	COCNDMOR			ABODILL	5
DRCC06	COCNDMOR			DEPNDCOC	
DRCC06	COCNDMOR			ABUSECOC	1
DRCC06	COCNDMOR			ABODCOC	1
DRCC06	COCNDMOR			DEPNDIEM	
DRCC06	COCNDMOR			ABODIEM	1
DRCC06	COCNDMOR			ABUSEIEM	7
DRCC06	COCNDMOR			DEPNDXMJ	
DRCC06	COCNDMOR			ABUSEXMJ	8
DRCC07	COCLSEFX			DEPNDILL	
DRCC07	COCLSEFX			ABUSEILL	1
DRCC07	COCLSEFX			ABODILL	5
DRCC07	COCLSEFX			DEPNDCOC	
DRCC07	COCLSEFX			ABUSECOC	1
DRCC07	COCLSEFX			ABODCOC	1
DRCC07	COCLSEFX			DEPNDIEM	
DRCC07	COCLSEFX			ABODIEM	1
DRCC07	COCLSEFX			ABUSEIEM	7
DRCC07	COCLSEFX			DEPNDXMJ	
DRCC07	COCLSEFX			ABUSEXMJ	8
DRCC08	COCCUTDN				
DRCC09	COCCUTEV			DEPNDILL	
DRCC09	COCCUTEV			ABUSEILL	1
DRCC09	COCCUTEV			ABODILL	5
DRCC09	COCCUTEV			DEPNDCOC	
DRCC09	COCCUTEV			ABUSECOC	1
DRCC09	COCCUTEV			ABODCOC	1
DRCC09	COCCUTEV			DEPNDIEM	
DRCC09	COCCUTEV			ABODIEM	1
DRCC09	COCCUTEV			ABUSEIEM	7
DRCC09	COCCUTEV			DEPNDXMJ	
DRCC09	COCCUTEV			ABUSEXMJ	8
DRCC10	COCCUT1X				
DRCC10A	COCFLBLU				
DRCC11	COCWD2SX				
DRCC12	COCWDSMT			DEPNDILL	
DRCC12	COCWDSMT			ABUSEILL	1
DRCC12	COCWDSMT			ABODILL	5
DRCC12	COCWDSMT			DEPNDCOC	
DRCC12	COCWDSMT			ABUSECOC	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRCC12	COCWDSMT			ABODCOC	1
DRCC12	COCWDSMT			DEPNDIEM	
DRCC12	COCWDSMT			ABODIEM	1
DRCC12	COCWDSMT			ABUSEIEM	7
DRCC12	COCWDSMT			DEPNDXMJ	
DRCC12	COCWDSMT			ABUSEXMJ	8
DRCC13	COCEMOPB				
DRCC14	COCEMCTD			DEPNDILL	
DRCC14	COCEMCTD			ABUSEILL	1
DRCC14	COCEMCTD			ABODILL	5
DRCC14	COCEMCTD			DEPNDCOC	
DRCC14	COCEMCTD			ABUSECOC	1
DRCC14	COCEMCTD			ABODCOC	1
DRCC14	COCEMCTD			DEPNDIEM	
DRCC14	COCEMCTD			ABODIEM	1
DRCC14	COCEMCTD			ABUSEIEM	7
DRCC14	COCEMCTD			DEPNDXMJ	
DRCC14	COCEMCTD			ABUSEXMJ	8
DRCC15	COCPLPB				
DRCC16	COCPHCTD			DEPNDILL	
DRCC16	COCPHCTD			ABUSEILL	1
DRCC16	COCPHCTD			ABODILL	5
DRCC16	COCPHCTD			DEPNDCOC	
DRCC16	COCPHCTD			ABUSECOC	1
DRCC16	COCPHCTD			ABODCOC	1
DRCC16	COCPHCTD			DEPNDIEM	
DRCC16	COCPHCTD			ABODIEM	1
DRCC16	COCPHCTD			ABUSEIEM	7
DRCC16	COCPHCTD			DEPNDXMJ	
DRCC16	COCPHCTD			ABUSEXMJ	8
DRCC17	COCLSACT			DEPNDILL	
DRCC17	COCLSACT			ABUSEILL	1
DRCC17	COCLSACT			ABODILL	5
DRCC17	COCLSACT			DEPNDCOC	
DRCC17	COCLSACT			ABUSECOC	1
DRCC17	COCLSACT			ABODCOC	1
DRCC17	COCLSACT			DEPNDIEM	
DRCC17	COCLSACT			ABODIEM	1
DRCC17	COCLSACT			ABUSEIEM	7
DRCC17	COCLSACT			DEPNDXMJ	
DRCC17	COCLSACT			ABUSEXMJ	8
DRCC18	COCSERP			ABUSEILL	1
DRCC18	COCSERP			ABODILL	5
DRCC18	COCSERP			ABUSECOC	1
DRCC18	COCSERP			ABODCOC	1
DRCC18	COCSERP			ABUSEIEM	7

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRCC18	COCSERP			ABUSEXMJ	8
DRCC19	COCPDANG			ABUSEILL	1
DRCC19	COCPDANG			ABODILL	5
DRCC19	COCPDANG			ABUSECOC	1
DRCC19	COCPDANG			ABODCOC	1
DRCC19	COCPDANG			ABUSEIEM	7
DRCC19	COCPDANG			ABUSEXMJ	8
DRCC20	COCLAWTR			ABUSEILL	1
DRCC20	COCLAWTR			ABODILL	5
DRCC20	COCLAWTR			ABUSECOC	1
DRCC20	COCLAWTR			ABODCOC	1
DRCC20	COCLAWTR			ABUSEIEM	7
DRCC20	COCLAWTR			ABUSEXMJ	8
DRCC21	COCFMFPB			ABUSEILL	1
DRCC21	COCFMFPB			ABODILL	5
DRCC21	COCFMFPB			ABUSECOC	1
DRCC21	COCFMFPB			ABODCOC	1
DRCC21	COCFMFPB			ABUSEIEM	7
DRCC21	COCFMFPB			ABUSEXMJ	8
DRCC22	COCFMCTD			ABUSEILL	1
DRCC22	COCFMCTD			ABODILL	5
DRCC22	COCFMCTD			ABUSECOC	1
DRCC22	COCFMCTD			ABODCOC	1
DRCC22	COCFMCTD			ABUSEIEM	7
DRCC22	COCFMCTD			ABUSEXMJ	8
DRHE01	HERLOTTM			DEPN DILL	
DRHE01	HERLOTTM			ABUSEILL	1
DRHE01	HERLOTTM			ABODILL	5
DRHE01	HERLOTTM			DEPN DHER	
DRHE01	HERLOTTM			ABUSEHER	1
DRHE01	HERLOTTM			ABODHER	1
DRHE01	HERLOTTM			DEPN DIEM	
DRHE01	HERLOTTM			ABODIEM	1
DRHE01	HERLOTTM			ABUSEIEM	7
DRHE01	HERLOTTM			DEPN DXMJ	
DRHE01	HERLOTTM			ABUSEXMJ	8
DRHE02	HERGTOVR			DEPN DILL	
DRHE02	HERGTOVR			ABUSEILL	1
DRHE02	HERGTOVR			ABODILL	5
DRHE02	HERGTOVR			DEPN DHER	
DRHE02	HERGTOVR			ABUSEHER	1
DRHE02	HERGTOVR			ABODHER	1
DRHE02	HERGTOVR			DEPN DIEM	
DRHE02	HERGTOVR			ABODIEM	1
DRHE02	HERGTOVR			ABUSEIEM	7
DRHE02	HERGTOVR			DEPN DXMJ	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRHE02	HERGTOVR			ABUSEXMJ	8
DRHE04	HERLIMIT				
DRHE05	HERKPLMT			DEPNDILL	
DRHE05	HERKPLMT			ABUSEILL	1
DRHE05	HERKPLMT			ABODILL	5
DRHE05	HERKPLMT			DEPNDHER	
DRHE05	HERKPLMT			ABUSEHER	1
DRHE05	HERKPLMT			ABODHER	1
DRHE05	HERKPLMT			DEPNDIEM	
DRHE05	HERKPLMT			ABODIEM	1
DRHE05	HERKPLMT			ABUSEIEM	7
DRHE05	HERKPLMT			DEPNDXMJ	
DRHE05	HERKPLMT			ABUSEXMJ	8
DRHE06	HERNDMOR				
DRHE07	HERLSEFX			DEPNDILL	
DRHE07	HERLSEFX			ABUSEILL	1
DRHE07	HERLSEFX			ABODILL	5
DRHE07	HERLSEFX			DEPNDHER	
DRHE07	HERLSEFX			ABUSEHER	1
DRHE07	HERLSEFX			ABODHER	1
DRHE07	HERLSEFX			DEPNDIEM	
DRHE07	HERLSEFX			ABODIEM	1
DRHE07	HERLSEFX			ABUSEIEM	7
DRHE07	HERLSEFX			DEPNDXMJ	
DRHE07	HERLSEFX			ABUSEXMJ	8
DRHE08	HERCUTDN				
DRHE09	HERCUTEV			DEPNDILL	
DRHE09	HERCUTEV			ABUSEILL	1
DRHE09	HERCUTEV			ABODILL	5
DRHE09	HERCUTEV			DEPNDHER	
DRHE09	HERCUTEV			ABUSEHER	1
DRHE09	HERCUTEV			ABODHER	1
DRHE09	HERCUTEV			DEPNDIEM	
DRHE09	HERCUTEV			ABODIEM	1
DRHE09	HERCUTEV			ABUSEIEM	7
DRHE09	HERCUTEV			DEPNDXMJ	
DRHE09	HERCUTEV			ABUSEXMJ	8
DRHE10	HERCUT1X				
DRHE11	HERWD3SX				
DRHE12	HERWDSMT			DEPNDILL	
DRHE12	HERWDSMT			ABUSEILL	1
DRHE12	HERWDSMT			ABODILL	5
DRHE12	HERWDSMT			DEPNDHER	
DRHE12	HERWDSMT			ABUSEHER	1
DRHE12	HERWDSMT			ABODHER	1
DRHE12	HERWDSMT			DEPNDIEM	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRHE12	HERWDSMT			ABODIEM	1
DRHE12	HERWDSMT			ABUSEIEM	7
DRHE12	HERWDSMT			DEPNDXMJ	
DRHE12	HERWDSMT			ABUSEXMJ	8
DRHE13	HEREMOPB				
DRHE14	HEREMCTD			DEPN DILL	
DRHE14	HEREMCTD			ABUSEIEM	1
DRHE14	HEREMCTD			ABODILL	5
DRHE14	HEREMCTD			DEPN DHER	
DRHE14	HEREMCTD			ABUSEHER	1
DRHE14	HEREMCTD			ABODHER	1
DRHE14	HEREMCTD			DEPN DIEM	
DRHE14	HEREMCTD			ABODIEM	1
DRHE14	HEREMCTD			ABUSEIEM	7
DRHE14	HEREMCTD			DEPN DXMJ	
DRHE14	HEREMCTD			ABUSEXMJ	8
DRHE15	HERPHLPB				
DRHE16	HERPHCTD			DEPN DILL	
DRHE16	HERPHCTD			ABUSEIEM	1
DRHE16	HERPHCTD			ABODILL	5
DRHE16	HERPHCTD			DEPN DHER	
DRHE16	HERPHCTD			ABUSEHER	1
DRHE16	HERPHCTD			ABODHER	1
DRHE16	HERPHCTD			DEPN DIEM	
DRHE16	HERPHCTD			ABODIEM	1
DRHE16	HERPHCTD			ABUSEIEM	7
DRHE16	HERPHCTD			DEPN DXMJ	
DRHE16	HERPHCTD			ABUSEXMJ	8
DRHE17	HERLSACT				
DRHE18	HERSERPB			ABUSEIEM	1
DRHE18	HERSERPB			ABODILL	5
DRHE18	HERSERPB			ABUSEHER	1
DRHE18	HERSERPB			ABODHER	1
DRHE18	HERSERPB			ABUSEIEM	7
DRHE18	HERSERPB			ABUSEXMJ	8
DRHE19	HERPDANG			ABUSEIEM	1
DRHE19	HERPDANG			ABODILL	5
DRHE19	HERPDANG			ABUSEHER	1
DRHE19	HERPDANG			ABODHER	1
DRHE19	HERPDANG			ABUSEIEM	7
DRHE19	HERPDANG			ABUSEXMJ	8
DRHE20	HERLAWTR			ABUSEIEM	1
DRHE20	HERLAWTR			ABODILL	5
DRHE20	HERLAWTR			ABUSEHER	1
DRHE20	HERLAWTR			ABODHER	1
DRHE20	HERLAWTR			ABUSEIEM	7

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRHE20	HERLAWTR			ABUSEXMJ	8
DRHE21	HERFMFPB			ABUSEILL	1
DRHE21	HERFMFPB			ABODILL	5
DRHE21	HERFMFPB			ABUSEHER	1
DRHE21	HERFMFPB			ABODHER	1
DRHE21	HERFMFPB			ABUSEIEM	7
DRHE21	HERFMFPB			ABUSEXMJ	8
DRHE22	HERFMCTD			ABUSEILL	1
DRHE22	HERFMCTD			ABODILL	5
DRHE22	HERFMCTD			ABUSEHER	1
DRHE22	HERFMCTD			ABODHER	1
DRHE22	HERFMCTD			ABUSEIEM	7
DRHE22	HERFMCTD			ABUSEXMJ	8
DRLS01	HALLOTTM			DEPNDILL	
DRLS01	HALLOTTM			ABUSEILL	1
DRLS01	HALLOTTM			ABODILL	5
DRLS01	HALLOTTM			DEPNDHAL	
DRLS01	HALLOTTM			ABUSEHAL	1
DRLS01	HALLOTTM			ABODHAL	1
DRLS01	HALLOTTM			DEPNDIEM	
DRLS01	HALLOTTM			ABODIEM	1
DRLS01	HALLOTTM			ABUSEIEM	7
DRLS01	HALLOTTM			DEPNDXMJ	
DRLS01	HALLOTTM			ABUSEXMJ	8
DRLS02	HALGTOVR			DEPNDILL	
DRLS02	HALGTOVR			ABUSEILL	1
DRLS02	HALGTOVR			ABODILL	5
DRLS02	HALGTOVR			DEPNDHAL	
DRLS02	HALGTOVR			ABUSEHAL	1
DRLS02	HALGTOVR			ABODHAL	1
DRLS02	HALGTOVR			DEPNDIEM	
DRLS02	HALGTOVR			ABODIEM	1
DRLS02	HALGTOVR			ABUSEIEM	7
DRLS02	HALGTOVR			DEPNDXMJ	
DRLS02	HALGTOVR			ABUSEXMJ	8
DRLS04	HALLIMIT				
DRLS05	HALKPLMT			DEPNDILL	
DRLS05	HALKPLMT			ABUSEILL	1
DRLS05	HALKPLMT			ABODILL	5
DRLS05	HALKPLMT			DEPNDHAL	
DRLS05	HALKPLMT			ABUSEHAL	1
DRLS05	HALKPLMT			ABODHAL	1
DRLS05	HALKPLMT			DEPNDIEM	
DRLS05	HALKPLMT			ABODIEM	1
DRLS05	HALKPLMT			ABUSEIEM	7
DRLS05	HALKPLMT			DEPNDXMJ	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRLS05	HALKPLMT			ABUSEXMJ	8
DRLS06	HALNDMOR			DEPNDILL	
DRLS06	HALNDMOR			ABUSEILL	1
DRLS06	HALNDMOR			ABODILL	5
DRLS06	HALNDMOR			DEPNDHAL	
DRLS06	HALNDMOR			ABUSEHAL	1
DRLS06	HALNDMOR			ABODHAL	1
DRLS06	HALNDMOR			DEPNDIEM	
DRLS06	HALNDMOR			ABODIEM	1
DRLS06	HALNDMOR			ABUSEIEM	7
DRLS06	HALNDMOR			DEPNDXMJ	
DRLS06	HALNDMOR			ABUSEXMJ	8
DRLS07	HALLSEFX			DEPNDILL	
DRLS07	HALLSEFX			ABUSEILL	1
DRLS07	HALLSEFX			ABODILL	5
DRLS07	HALLSEFX			DEPNDHAL	
DRLS07	HALLSEFX			ABUSEHAL	1
DRLS07	HALLSEFX			ABODHAL	1
DRLS07	HALLSEFX			DEPNDIEM	
DRLS07	HALLSEFX			ABODIEM	1
DRLS07	HALLSEFX			ABUSEIEM	7
DRLS07	HALLSEFX			DEPNDXMJ	
DRLS07	HALLSEFX			ABUSEXMJ	8
DRLS08	HALCUTDN				
DRLS09	HALCUTEV			DEPNDILL	
DRLS09	HALCUTEV			ABUSEILL	1
DRLS09	HALCUTEV			ABODILL	5
DRLS09	HALCUTEV			DEPNDHAL	
DRLS09	HALCUTEV			ABUSEHAL	1
DRLS09	HALCUTEV			ABODHAL	1
DRLS09	HALCUTEV			DEPNDIEM	
DRLS09	HALCUTEV			ABODIEM	1
DRLS09	HALCUTEV			ABUSEIEM	7
DRLS09	HALCUTEV			DEPNDXMJ	
DRLS09	HALCUTEV			ABUSEXMJ	8
DRLS13	HALEMOPB				
DRLS14	HALEMCTD			DEPNDILL	
DRLS14	HALEMCTD			ABUSEILL	1
DRLS14	HALEMCTD			ABODILL	5
DRLS14	HALEMCTD			DEPNDHAL	
DRLS14	HALEMCTD			ABUSEHAL	1
DRLS14	HALEMCTD			ABODHAL	1
DRLS14	HALEMCTD			DEPNDIEM	
DRLS14	HALEMCTD			ABODIEM	1
DRLS14	HALEMCTD			ABUSEIEM	7
DRLS14	HALEMCTD			DEPNDXMJ	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRLS14	HALEMCTD			ABUSEXMJ	8
DRLS15	HALPHLPB				
DRLS16	HALPHCTD			DEPNDILL	
DRLS16	HALPHCTD			ABUSEILL	1
DRLS16	HALPHCTD			ABODILL	5
DRLS16	HALPHCTD			DEPNDHAL	
DRLS16	HALPHCTD			ABUSEHAL	1
DRLS16	HALPHCTD			ABODHAL	1
DRLS16	HALPHCTD			DEPNDIEM	
DRLS16	HALPHCTD			ABODIEM	1
DRLS16	HALPHCTD			ABUSEIEM	7
DRLS16	HALPHCTD			DEPNDXMJ	
DRLS16	HALPHCTD			ABUSEXMJ	8
DRLS17	HALLSACT			DEPNDILL	
DRLS17	HALLSACT			ABUSEILL	1
DRLS17	HALLSACT			ABODILL	5
DRLS17	HALLSACT			DEPNDHAL	
DRLS17	HALLSACT			ABUSEHAL	1
DRLS17	HALLSACT			ABODHAL	1
DRLS17	HALLSACT			DEPNDIEM	
DRLS17	HALLSACT			ABODIEM	1
DRLS17	HALLSACT			ABUSEIEM	7
DRLS17	HALLSACT			DEPNDXMJ	
DRLS17	HALLSACT			ABUSEXMJ	8
DRLS18	HALSERPB			ABUSEILL	1
DRLS18	HALSERPB			ABODILL	5
DRLS18	HALSERPB			ABUSEHAL	1
DRLS18	HALSERPB			ABODHAL	1
DRLS18	HALSERPB			ABUSEIEM	7
DRLS18	HALSERPB			ABUSEXMJ	8
DRLS19	HALPDANG			ABUSEILL	1
DRLS19	HALPDANG			ABODILL	5
DRLS19	HALPDANG			ABUSEHAL	1
DRLS19	HALPDANG			ABODHAL	1
DRLS19	HALPDANG			ABUSEIEM	7
DRLS19	HALPDANG			ABUSEXMJ	8
DRLS20	HALLAWTR			ABUSEILL	1
DRLS20	HALLAWTR			ABODILL	5
DRLS20	HALLAWTR			ABUSEHAL	1
DRLS20	HALLAWTR			ABODHAL	1
DRLS20	HALLAWTR			ABUSEIEM	7
DRLS20	HALLAWTR			ABUSEXMJ	8
DRLS21	HALFMFPB			ABUSEILL	1
DRLS21	HALFMFPB			ABODILL	5
DRLS21	HALFMFPB			ABUSEHAL	1
DRLS21	HALFMFPB			ABODHAL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRLS21	HALFMFPB			ABUSEIEM	7
DRLS21	HALFMFPB			ABUSEXMJ	8
DRLS22	HALFMCTD			ABUSEILL	1
DRLS22	HALFMCTD			ABODILL	5
DRLS22	HALFMCTD			ABUSEHAL	1
DRLS22	HALFMCTD			ABODHAL	1
DRLS22	HALFMCTD			ABUSEIEM	7
DRLS22	HALFMCTD			ABUSEXMJ	8
DRIN01	INHLOTTM			DEPNDILL	
DRIN01	INHLOTTM			ABUSEILL	1
DRIN01	INHLOTTM			ABODILL	5
DRIN01	INHLOTTM			DEPNDINH	
DRIN01	INHLOTTM			ABUSEINH	1
DRIN01	INHLOTTM			ABODINH	1
DRIN01	INHLOTTM			DEPNDIEM	
DRIN01	INHLOTTM			ABODIEM	1
DRIN01	INHLOTTM			ABUSEIEM	7
DRIN01	INHLOTTM			DEPNDXMJ	
DRIN01	INHLOTTM			ABUSEXMJ	8
DRIN02	INHGTOVR			DEPNDILL	
DRIN02	INHGTOVR			ABUSEILL	1
DRIN02	INHGTOVR			ABODILL	5
DRIN02	INHGTOVR			DEPNDINH	
DRIN02	INHGTOVR			ABUSEINH	1
DRIN02	INHGTOVR			ABODINH	1
DRIN02	INHGTOVR			DEPNDIEM	
DRIN02	INHGTOVR			ABODIEM	1
DRIN02	INHGTOVR			ABUSEIEM	7
DRIN02	INHGTOVR			DEPNDXMJ	
DRIN02	INHGTOVR			ABUSEXMJ	8
DRIN04	INHLIMIT				
DRIN05	INHKPLMT			DEPNDILL	
DRIN05	INHKPLMT			ABUSEILL	1
DRIN05	INHKPLMT			ABODILL	5
DRIN05	INHKPLMT			DEPNDINH	
DRIN05	INHKPLMT			ABUSEINH	1
DRIN05	INHKPLMT			ABODINH	1
DRIN05	INHKPLMT			DEPNDIEM	
DRIN05	INHKPLMT			ABODIEM	1
DRIN05	INHKPLMT			ABUSEIEM	7
DRIN05	INHKPLMT			DEPNDXMJ	
DRIN05	INHKPLMT			ABUSEXMJ	8
DRIN06	INHNDMOR			DEPNDILL	
DRIN06	INHNDMOR			ABUSEILL	1
DRIN06	INHNDMOR			ABODILL	5
DRIN06	INHNDMOR			DEPNDINH	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRIN06	INHNDMOR			ABUSEINH	1
DRIN06	INHNDMOR			ABODINH	1
DRIN06	INHNDMOR			DEPNDIEM	
DRIN06	INHNDMOR			ABODIEM	1
DRIN06	INHNDMOR			ABUSEIEM	7
DRIN06	INHNDMOR			DEPNDXMJ	
DRIN06	INHNDMOR			ABUSEXMJ	8
DRIN07	INHLSSEFX			DEPNDILL	
DRIN07	INHLSSEFX			ABUSEILL	1
DRIN07	INHLSSEFX			ABODILL	5
DRIN07	INHLSSEFX			DEPNDINH	
DRIN07	INHLSSEFX			ABUSEINH	1
DRIN07	INHLSSEFX			ABODINH	1
DRIN07	INHLSSEFX			DEPNDIEM	
DRIN07	INHLSSEFX			ABODIEM	1
DRIN07	INHLSSEFX			ABUSEIEM	7
DRIN07	INHLSSEFX			DEPNDXMJ	
DRIN07	INHLSSEFX			ABUSEXMJ	8
DRIN08	INHCUTDN				
DRIN09	INHCUTEV			DEPNDILL	
DRIN09	INHCUTEV			ABUSEILL	1
DRIN09	INHCUTEV			ABODILL	5
DRIN09	INHCUTEV			DEPNDINH	
DRIN09	INHCUTEV			ABUSEINH	1
DRIN09	INHCUTEV			ABODINH	1
DRIN09	INHCUTEV			DEPNDIEM	
DRIN09	INHCUTEV			ABODIEM	1
DRIN09	INHCUTEV			ABUSEIEM	7
DRIN09	INHCUTEV			DEPNDXMJ	
DRIN09	INHCUTEV			ABUSEXMJ	8
DRIN13	INHEMOPB				
DRIN14	INHEMCTD			DEPNDILL	
DRIN14	INHEMCTD			ABUSEILL	1
DRIN14	INHEMCTD			ABODILL	5
DRIN14	INHEMCTD			DEPNDINH	
DRIN14	INHEMCTD			ABUSEINH	1
DRIN14	INHEMCTD			ABODINH	1
DRIN14	INHEMCTD			DEPNDIEM	
DRIN14	INHEMCTD			ABODIEM	1
DRIN14	INHEMCTD			ABUSEIEM	7
DRIN14	INHEMCTD			DEPNDXMJ	
DRIN14	INHEMCTD			ABUSEXMJ	8
DRIN15	INHPHLPB				
DRIN16	INHPHCTD			DEPNDILL	
DRIN16	INHPHCTD			ABUSEILL	1
DRIN16	INHPHCTD			ABODILL	5

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRIN16	INHPHCTD			DEPNDINH	
DRIN16	INHPHCTD			ABUSEINH	1
DRIN16	INHPHCTD			ABODINH	1
DRIN16	INHPHCTD			DEPNDIEM	
DRIN16	INHPHCTD			ABODIEM	1
DRIN16	INHPHCTD			ABUSEIEM	7
DRIN16	INHPHCTD			DEPNDXMJ	
DRIN16	INHPHCTD			ABUSEXMJ	8
DRIN17	INHLSACT			DEPNDILL	
DRIN17	INHLSACT			ABUSEILL	1
DRIN17	INHLSACT			ABODILL	5
DRIN17	INHLSACT			DEPNDINH	
DRIN17	INHLSACT			ABUSEINH	1
DRIN17	INHLSACT			ABODINH	1
DRIN17	INHLSACT			DEPNDIEM	
DRIN17	INHLSACT			ABODIEM	1
DRIN17	INHLSACT			ABUSEIEM	7
DRIN17	INHLSACT			DEPNDXMJ	
DRIN17	INHLSACT			ABUSEXMJ	8
DRIN18	INHSERPB			ABUSEILL	1
DRIN18	INHSERPB			ABODILL	5
DRIN18	INHSERPB			ABUSEINH	1
DRIN18	INHSERPB			ABODINH	1
DRIN18	INHSERPB			ABUSEIEM	7
DRIN18	INHSERPB			ABUSEXMJ	8
DRIN19	INHPDANG			ABUSEILL	1
DRIN19	INHPDANG			ABODILL	5
DRIN19	INHPDANG			ABUSEINH	1
DRIN19	INHPDANG			ABODINH	1
DRIN19	INHPDANG			ABUSEIEM	7
DRIN19	INHPDANG			ABUSEXMJ	8
DRIN20	INHLOWTR			ABUSEILL	1
DRIN20	INHLOWTR			ABODILL	5
DRIN20	INHLOWTR			ABUSEINH	1
DRIN20	INHLOWTR			ABODINH	1
DRIN20	INHLOWTR			ABUSEIEM	7
DRIN20	INHLOWTR			ABUSEXMJ	8
DRIN21	INHFMFPB			ABUSEILL	1
DRIN21	INHFMFPB			ABODILL	5
DRIN21	INHFMFPB			ABUSEINH	1
DRIN21	INHFMFPB			ABODINH	1
DRIN21	INHFMFPB			ABUSEIEM	7
DRIN21	INHFMFPB			ABUSEXMJ	8
DRIN22	INHFMCTD			ABUSEILL	1
DRIN22	INHFMCTD			ABODILL	5
DRIN22	INHFMCTD			ABUSEINH	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRIN22	INHFMCTD			ABODINH	1
DRIN22	INHFMCTD			ABUSEIEM	7
DRIN22	INHFMCTD			ABUSEXMJ	8
DRPR01	ANLLOTTM			DEPNDILL	
DRPR01	ANLLOTTM			ABUSEILL	1
DRPR01	ANLLOTTM			ABODILL	5
DRPR01	ANLLOTTM			DEPNDANL	
DRPR01	ANLLOTTM			ABUSEANL	1
DRPR01	ANLLOTTM			ABODANL	1
DRPR01	ANLLOTTM			DEPNDPSY	
DRPR01	ANLLOTTM			ABUSEPSY	1
DRPR01	ANLLOTTM			ABODPSY	6
DRPR01	ANLLOTTM			DEPNDIEM	
DRPR01	ANLLOTTM			ABODIEM	1
DRPR01	ANLLOTTM			ABUSEIEM	7
DRPR01	ANLLOTTM			DEPNDXMJ	
DRPR01	ANLLOTTM			ABUSEXMJ	8
DRPR02	ANLGOVVR			DEPNDILL	
DRPR02	ANLGOVVR			ABUSEILL	1
DRPR02	ANLGOVVR			ABODILL	5
DRPR02	ANLGOVVR			DEPNDANL	
DRPR02	ANLGOVVR			ABUSEANL	1
DRPR02	ANLGOVVR			ABODANL	1
DRPR02	ANLGOVVR			DEPNDPSY	
DRPR02	ANLGOVVR			ABUSEPSY	1
DRPR02	ANLGOVVR			ABODPSY	6
DRPR02	ANLGOVVR			DEPNDIEM	
DRPR02	ANLGOVVR			ABODIEM	1
DRPR02	ANLGOVVR			ABUSEIEM	7
DRPR02	ANLGOVVR			DEPNDXMJ	
DRPR02	ANLGOVVR			ABUSEXMJ	8
DRPR04	ANLLIMIT				
DRPR05	ANLKPLMT			DEPNDILL	
DRPR05	ANLKPLMT			ABUSEILL	1
DRPR05	ANLKPLMT			ABODILL	5
DRPR05	ANLKPLMT			DEPNDANL	
DRPR05	ANLKPLMT			ABUSEANL	1
DRPR05	ANLKPLMT			ABODANL	1
DRPR05	ANLKPLMT			DEPNDPSY	
DRPR05	ANLKPLMT			ABUSEPSY	1
DRPR05	ANLKPLMT			ABODPSY	6
DRPR05	ANLKPLMT			DEPNDIEM	
DRPR05	ANLKPLMT			ABODIEM	1
DRPR05	ANLKPLMT			ABUSEIEM	7
DRPR05	ANLKPLMT			DEPNDXMJ	
DRPR05	ANLKPLMT			ABUSEXMJ	8

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR06	ANLNDMOR			DEPNDILL	
DRPR06	ANLNDMOR			ABUSEILL	1
DRPR06	ANLNDMOR			ABODILL	5
DRPR06	ANLNDMOR			DEPNDANL	
DRPR06	ANLNDMOR			ABUSEANL	1
DRPR06	ANLNDMOR			ABODANL	1
DRPR06	ANLNDMOR			DEPNDPSY	
DRPR06	ANLNDMOR			ABUSEPSY	1
DRPR06	ANLNDMOR			ABODPSY	6
DRPR06	ANLNDMOR			DEPNDIEM	
DRPR06	ANLNDMOR			ABODIEM	1
DRPR06	ANLNDMOR			ABUSEIEM	7
DRPR06	ANLNDMOR			DEPNDXMJ	
DRPR06	ANLNDMOR			ABUSEXMJ	8
DRPR07	ANLLSEFX			DEPNDILL	
DRPR07	ANLLSEFX			ABUSEILL	1
DRPR07	ANLLSEFX			ABODILL	5
DRPR07	ANLLSEFX			DEPNDANL	
DRPR07	ANLLSEFX			ABUSEANL	1
DRPR07	ANLLSEFX			ABODANL	1
DRPR07	ANLLSEFX			DEPNDPSY	
DRPR07	ANLLSEFX			ABUSEPSY	1
DRPR07	ANLLSEFX			ABODPSY	6
DRPR07	ANLLSEFX			DEPNDIEM	
DRPR07	ANLLSEFX			ABODIEM	1
DRPR07	ANLLSEFX			ABUSEIEM	7
DRPR07	ANLLSEFX			DEPNDXMJ	
DRPR07	ANLLSEFX			ABUSEXMJ	8
DRPR08	ANLCUTDN				
DRPR09	ANLCUTEV			DEPNDILL	
DRPR09	ANLCUTEV			ABUSEILL	1
DRPR09	ANLCUTEV			ABODILL	5
DRPR09	ANLCUTEV			DEPNDANL	
DRPR09	ANLCUTEV			ABUSEANL	1
DRPR09	ANLCUTEV			ABODANL	1
DRPR09	ANLCUTEV			DEPNDPSY	
DRPR09	ANLCUTEV			ABUSEPSY	1
DRPR09	ANLCUTEV			ABODPSY	6
DRPR09	ANLCUTEV			DEPNDIEM	
DRPR09	ANLCUTEV			ABODIEM	1
DRPR09	ANLCUTEV			ABUSEIEM	7
DRPR09	ANLCUTEV			DEPNDXMJ	
DRPR09	ANLCUTEV			ABUSEXMJ	8
DRPR10	ANLCUT1X				
DRPR11	ANLWD3SX				
DRPR12	ANLWDSMT			DEPNDILL	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR12	ANLWDSMT			ABUSEILL	1
DRPR12	ANLWDSMT			ABODILL	5
DRPR12	ANLWDSMT			DEPNDANL	
DRPR12	ANLWDSMT			ABUSEANL	1
DRPR12	ANLWDSMT			ABODANL	1
DRPR12	ANLWDSMT			DEPNDPSY	
DRPR12	ANLWDSMT			ABUSEPSY	1
DRPR12	ANLWDSMT			ABODPSY	6
DRPR12	ANLWDSMT			DEPNDIEM	
DRPR12	ANLWDSMT			ABODIEM	1
DRPR12	ANLWDSMT			ABUSEIEM	7
DRPR12	ANLWDSMT			DEPNDXMJ	
DRPR12	ANLWDSMT			ABUSEXMJ	8
DRPR13	ANLEMOPB				
DRPR14	ANLEMCTD			DEPNDILL	
DRPR14	ANLEMCTD			ABUSEILL	1
DRPR14	ANLEMCTD			ABODILL	5
DRPR14	ANLEMCTD			DEPNDANL	
DRPR14	ANLEMCTD			ABUSEANL	1
DRPR14	ANLEMCTD			ABODANL	1
DRPR14	ANLEMCTD			DEPNDPSY	
DRPR14	ANLEMCTD			ABUSEPSY	1
DRPR14	ANLEMCTD			ABODPSY	6
DRPR14	ANLEMCTD			DEPNDIEM	
DRPR14	ANLEMCTD			ABODIEM	1
DRPR14	ANLEMCTD			ABUSEIEM	7
DRPR14	ANLEMCTD			DEPNDXMJ	
DRPR14	ANLEMCTD			ABUSEXMJ	8
DRPR15	ANLPHLPB				
DRPR16	ANLPHCTD			DEPNDILL	
DRPR16	ANLPHCTD			ABUSEILL	1
DRPR16	ANLPHCTD			ABODILL	5
DRPR16	ANLPHCTD			DEPNDANL	
DRPR16	ANLPHCTD			ABUSEANL	1
DRPR16	ANLPHCTD			ABODANL	1
DRPR16	ANLPHCTD			DEPNDPSY	
DRPR16	ANLPHCTD			ABUSEPSY	1
DRPR16	ANLPHCTD			ABODPSY	6
DRPR16	ANLPHCTD			DEPNDIEM	
DRPR16	ANLPHCTD			ABODIEM	1
DRPR16	ANLPHCTD			ABUSEIEM	7
DRPR16	ANLPHCTD			DEPNDXMJ	
DRPR16	ANLPHCTD			ABUSEXMJ	8
DRPR17	ANLLSACT			DEPNDILL	
DRPR17	ANLLSACT			ABUSEILL	1
DRPR17	ANLLSACT			ABODILL	5

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR17	ANLLSACT			DEPNDANL	
DRPR17	ANLLSACT			ABUSEANL	1
DRPR17	ANLLSACT			ABODANL	1
DRPR17	ANLLSACT			DEPNDPSY	
DRPR17	ANLLSACT			ABUSEPSY	1
DRPR17	ANLLSACT			ABODPSY	6
DRPR17	ANLLSACT			DEPNDIEM	
DRPR17	ANLLSACT			ABODIEM	1
DRPR17	ANLLSACT			ABUSEIEM	7
DRPR17	ANLLSACT			DEPNDXMJ	
DRPR17	ANLLSACT			ABUSEXMJ	8
DRPR18	ANLSERPB			ABUSEILL	1
DRPR18	ANLSERPB			ABODILL	5
DRPR18	ANLSERPB			ABUSEANL	1
DRPR18	ANLSERPB			ABODANL	1
DRPR18	ANLSERPB			ABUSEPSY	1
DRPR18	ANLSERPB			ABODPSY	6
DRPR18	ANLSERPB			ABUSEIEM	7
DRPR18	ANLSERPB			ABUSEXMJ	8
DRPR19	ANLPDANG			ABUSEILL	1
DRPR19	ANLPDANG			ABODILL	5
DRPR19	ANLPDANG			ABUSEANL	1
DRPR19	ANLPDANG			ABODANL	1
DRPR19	ANLPDANG			ABUSEPSY	1
DRPR19	ANLPDANG			ABODPSY	6
DRPR19	ANLPDANG			ABUSEIEM	7
DRPR19	ANLPDANG			ABUSEXMJ	8
DRPR20	ANLLAWTR			ABUSEILL	1
DRPR20	ANLLAWTR			ABODILL	5
DRPR20	ANLLAWTR			ABUSEANL	1
DRPR20	ANLLAWTR			ABODANL	1
DRPR20	ANLLAWTR			ABUSEPSY	1
DRPR20	ANLLAWTR			ABODPSY	6
DRPR20	ANLLAWTR			ABUSEIEM	7
DRPR20	ANLLAWTR			ABUSEXMJ	8
DRPR21	ANLFMFPB			ABUSEILL	1
DRPR21	ANLFMFPB			ABODILL	5
DRPR21	ANLFMFPB			ABUSEANL	1
DRPR21	ANLFMFPB			ABODANL	1
DRPR21	ANLFMFPB			ABUSEPSY	1
DRPR21	ANLFMFPB			ABODPSY	6
DRPR21	ANLFMFPB			ABUSEIEM	7
DRPR21	ANLFMFPB			ABUSEXMJ	8
DRPR22	ANLFMCTD			ABUSEILL	1
DRPR22	ANLFMCTD			ABODILL	5
DRPR22	ANLFMCTD			ABUSEANL	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRPR22	ANLFMCTD			ABODANL	1
DRPR22	ANLFMCTD			ABUSEPSY	1
DRPR22	ANLFMCTD			ABODPSY	6
DRPR22	ANLFMCTD			ABUSEIEM	7
DRPR22	ANLFMCTD			ABUSEXMJ	8
DRTR01	TRNLOTTM			DEPNDILL	
DRTR01	TRNLOTTM			ABUSEILL	1
DRTR01	TRNLOTTM			ABODILL	5
DRTR01	TRNLOTTM			DEPNDTRN	
DRTR01	TRNLOTTM			ABUSETRN	1
DRTR01	TRNLOTTM			ABODTRN	1
DRTR01	TRNLOTTM			DEPNDPSY	
DRTR01	TRNLOTTM			ABUSEPSY	1
DRTR01	TRNLOTTM			ABODPSY	6
DRTR01	TRNLOTTM			DEPNDIEM	
DRTR01	TRNLOTTM			ABODIEM	1
DRTR01	TRNLOTTM			ABUSEIEM	7
DRTR01	TRNLOTTM			DEPNDXMJ	
DRTR01	TRNLOTTM			ABUSEXMJ	8
DRTR02	TRNGTOVR			DEPNDILL	
DRTR02	TRNGTOVR			ABUSEILL	1
DRTR02	TRNGTOVR			ABODILL	5
DRTR02	TRNGTOVR			DEPNDTRN	
DRTR02	TRNGTOVR			ABUSETRN	1
DRTR02	TRNGTOVR			ABODTRN	1
DRTR02	TRNGTOVR			DEPNDPSY	
DRTR02	TRNGTOVR			ABUSEPSY	1
DRTR02	TRNGTOVR			ABODPSY	6
DRTR02	TRNGTOVR			DEPNDIEM	
DRTR02	TRNGTOVR			ABODIEM	1
DRTR02	TRNGTOVR			ABUSEIEM	7
DRTR02	TRNGTOVR			DEPNDXMJ	
DRTR02	TRNGTOVR			ABUSEXMJ	8
DRTR04	TRNLIMIT				
DRTR05	TRNKPLMT			DEPNDILL	
DRTR05	TRNKPLMT			ABUSEILL	1
DRTR05	TRNKPLMT			ABODILL	5
DRTR05	TRNKPLMT			DEPNDTRN	
DRTR05	TRNKPLMT			ABUSETRN	1
DRTR05	TRNKPLMT			ABODTRN	1
DRTR05	TRNKPLMT			DEPNDPSY	
DRTR05	TRNKPLMT			ABUSEPSY	1
DRTR05	TRNKPLMT			ABODPSY	6
DRTR05	TRNKPLMT			DEPNDIEM	
DRTR05	TRNKPLMT			ABODIEM	1
DRTR05	TRNKPLMT			ABUSEIEM	7

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRTR05	TRNKPLMT			DEPNDXMJ	
DRTR05	TRNKPLMT			ABUSEXMJ	8
DRTR06	TRNNDMOR			DEPNDILL	
DRTR06	TRNNDMOR			ABUSEILL	1
DRTR06	TRNNDMOR			ABODILL	5
DRTR06	TRNNDMOR			DEPNDTRN	
DRTR06	TRNNDMOR			ABUSETRN	1
DRTR06	TRNNDMOR			ABODTRN	1
DRTR06	TRNNDMOR			DEPNDPSY	
DRTR06	TRNNDMOR			ABUSEPSY	1
DRTR06	TRNNDMOR			ABODPSY	6
DRTR06	TRNNDMOR			DEPNDIEM	
DRTR06	TRNNDMOR			ABODIEM	1
DRTR06	TRNNDMOR			ABUSEIEM	7
DRTR06	TRNNDMOR			DEPNDXMJ	
DRTR06	TRNNDMOR			ABUSEXMJ	8
DRTR07	TRNLSEFX			DEPNDILL	
DRTR07	TRNLSEFX			ABUSEILL	1
DRTR07	TRNLSEFX			ABODILL	5
DRTR07	TRNLSEFX			DEPNDTRN	
DRTR07	TRNLSEFX			ABUSETRN	1
DRTR07	TRNLSEFX			ABODTRN	1
DRTR07	TRNLSEFX			DEPNDPSY	
DRTR07	TRNLSEFX			ABUSEPSY	1
DRTR07	TRNLSEFX			ABODPSY	6
DRTR07	TRNLSEFX			DEPNDIEM	
DRTR07	TRNLSEFX			ABODIEM	1
DRTR07	TRNLSEFX			ABUSEIEM	7
DRTR07	TRNLSEFX			DEPNDXMJ	
DRTR07	TRNLSEFX			ABUSEXMJ	8
DRTR08	TRNCUTDN				
DRTR09	TRNCUTEV			DEPNDILL	
DRTR09	TRNCUTEV			ABUSEILL	1
DRTR09	TRNCUTEV			ABODILL	5
DRTR09	TRNCUTEV			DEPNDTRN	
DRTR09	TRNCUTEV			ABUSETRN	1
DRTR09	TRNCUTEV			ABODTRN	1
DRTR09	TRNCUTEV			DEPNDPSY	
DRTR09	TRNCUTEV			ABUSEPSY	1
DRTR09	TRNCUTEV			ABODPSY	6
DRTR09	TRNCUTEV			DEPNDIEM	
DRTR09	TRNCUTEV			ABODIEM	1
DRTR09	TRNCUTEV			ABUSEIEM	7
DRTR09	TRNCUTEV			DEPNDXMJ	
DRTR09	TRNCUTEV			ABUSEXMJ	8
DRTR13	TRNEMOPB				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRTR14	TRNEMCTD			DEPNDILL	
DRTR14	TRNEMCTD			ABUSEILL	1
DRTR14	TRNEMCTD			ABODILL	5
DRTR14	TRNEMCTD			DEPNDTRN	
DRTR14	TRNEMCTD			ABUSETRN	1
DRTR14	TRNEMCTD			ABODTRN	1
DRTR14	TRNEMCTD			DEPNDPSY	
DRTR14	TRNEMCTD			ABUSEPSY	1
DRTR14	TRNEMCTD			ABODPSY	6
DRTR14	TRNEMCTD			DEPNDIEM	
DRTR14	TRNEMCTD			ABODIEM	1
DRTR14	TRNEMCTD			ABUSEIEM	7
DRTR14	TRNEMCTD			DEPNDXMJ	
DRTR14	TRNEMCTD			ABUSEXMJ	8
DRTR15	TRNPHLPB				
DRTR16	TRNPHCTD			DEPNDILL	
DRTR16	TRNPHCTD			ABUSEILL	1
DRTR16	TRNPHCTD			ABODILL	5
DRTR16	TRNPHCTD			DEPNDTRN	
DRTR16	TRNPHCTD			ABUSETRN	1
DRTR16	TRNPHCTD			ABODTRN	1
DRTR16	TRNPHCTD			DEPNDPSY	
DRTR16	TRNPHCTD			ABUSEPSY	1
DRTR16	TRNPHCTD			ABODPSY	6
DRTR16	TRNPHCTD			DEPNDIEM	
DRTR16	TRNPHCTD			ABODIEM	1
DRTR16	TRNPHCTD			ABUSEIEM	7
DRTR16	TRNPHCTD			DEPNDXMJ	
DRTR16	TRNPHCTD			ABUSEXMJ	8
DRTR17	TRNLSACT			DEPNDILL	
DRTR17	TRNLSACT			ABUSEILL	1
DRTR17	TRNLSACT			ABODILL	5
DRTR17	TRNLSACT			DEPNDTRN	
DRTR17	TRNLSACT			ABUSETRN	1
DRTR17	TRNLSACT			ABODTRN	1
DRTR17	TRNLSACT			DEPNDPSY	
DRTR17	TRNLSACT			ABUSEPSY	1
DRTR17	TRNLSACT			ABODPSY	6
DRTR17	TRNLSACT			DEPNDIEM	
DRTR17	TRNLSACT			ABODIEM	1
DRTR17	TRNLSACT			ABUSEIEM	7
DRTR17	TRNLSACT			DEPNDXMJ	
DRTR17	TRNLSACT			ABUSEXMJ	8
DRTR18	TRNSERP			ABUSEILL	1
DRTR18	TRNSERP			ABODILL	5
DRTR18	TRNSERP			ABUSETRN	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRTR18	TRNSERP			ABODTRN	1
DRTR18	TRNSERP			ABUSEPSY	1
DRTR18	TRNSERP			ABODPSY	6
DRTR18	TRNSERP			ABUSEIEM	7
DRTR18	TRNSERP			ABUSEXMJ	8
DRTR19	TRNPDANG			ABUSEILL	1
DRTR19	TRNPDANG			ABODILL	5
DRTR19	TRNPDANG			ABUSETRN	1
DRTR19	TRNPDANG			ABODTRN	1
DRTR19	TRNPDANG			ABUSEPSY	1
DRTR19	TRNPDANG			ABODPSY	6
DRTR19	TRNPDANG			ABUSEIEM	7
DRTR19	TRNPDANG			ABUSEXMJ	8
DRTR20	TRNLAWTR			ABUSEILL	1
DRTR20	TRNLAWTR			ABODILL	5
DRTR20	TRNLAWTR			ABUSETRN	1
DRTR20	TRNLAWTR			ABODTRN	1
DRTR20	TRNLAWTR			ABUSEPSY	1
DRTR20	TRNLAWTR			ABODPSY	6
DRTR20	TRNLAWTR			ABUSEIEM	7
DRTR20	TRNLAWTR			ABUSEXMJ	8
DRTR21	TRNFMFPB			ABUSEILL	1
DRTR21	TRNFMFPB			ABODILL	5
DRTR21	TRNFMFPB			ABUSETRN	1
DRTR21	TRNFMFPB			ABODTRN	1
DRTR21	TRNFMFPB			ABUSEPSY	1
DRTR21	TRNFMFPB			ABODPSY	6
DRTR21	TRNFMFPB			ABUSEIEM	7
DRTR21	TRNFMFPB			ABUSEXMJ	8
DRTR22	TRNFMCTD			ABUSEILL	1
DRTR22	TRNFMCTD			ABODILL	5
DRTR22	TRNFMCTD			ABUSETRN	1
DRTR22	TRNFMCTD			ABODTRN	1
DRTR22	TRNFMCTD			ABUSEPSY	1
DRTR22	TRNFMCTD			ABODPSY	6
DRTR22	TRNFMCTD			ABUSEIEM	7
DRTR22	TRNFMCTD			ABUSEXMJ	8
DRST01	STMLOTTM			DEPN DILL	
DRST01	STMLOTTM			ABUSEILL	1
DRST01	STMLOTTM			ABODILL	5
DRST01	STMLOTTM			DEPN DSTM	
DRST01	STMLOTTM			ABUSESTM	1
DRST01	STMLOTTM			ABODSTM	1
DRST01	STMLOTTM			DEPN DPSY	
DRST01	STMLOTTM			ABUSEPSY	1
DRST01	STMLOTTM			ABODPSY	6

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST01	STMLOTTM			DEPNDIEM	
DRST01	STMLOTTM			ABODIEM	1
DRST01	STMLOTTM			ABUSEIEM	7
DRST01	STMLOTTM			DEPNDXMJ	
DRST01	STMLOTTM			ABUSEXMJ	8
DRST02	STMGTOVR			DEPN DILL	
DRST02	STMGTOVR			ABUSEILL	1
DRST02	STMGTOVR			ABODILL	5
DRST02	STMGTOVR			DEPN DSTM	
DRST02	STMGTOVR			ABUSESTM	1
DRST02	STMGTOVR			ABODSTM	1
DRST02	STMGTOVR			DEPN DPSY	
DRST02	STMGTOVR			ABUSEPSY	1
DRST02	STMGTOVR			ABODPSY	6
DRST02	STMGTOVR			DEPN DIEM	
DRST02	STMGTOVR			ABODIEM	1
DRST02	STMGTOVR			ABUSEIEM	7
DRST02	STMGTOVR			DEPN DXMJ	
DRST02	STMGTOVR			ABUSEXMJ	8
DRST04	STMLIMIT				
DRST05	STMKPLMT			DEPN DILL	
DRST05	STMKPLMT			ABUSEILL	1
DRST05	STMKPLMT			ABODILL	5
DRST05	STMKPLMT			DEPN DSTM	
DRST05	STMKPLMT			ABUSESTM	1
DRST05	STMKPLMT			ABODSTM	1
DRST05	STMKPLMT			DEPN DPSY	
DRST05	STMKPLMT			ABUSEPSY	1
DRST05	STMKPLMT			ABODPSY	6
DRST05	STMKPLMT			DEPN DIEM	
DRST05	STMKPLMT			ABODIEM	1
DRST05	STMKPLMT			ABUSEIEM	7
DRST05	STMKPLMT			DEPN DXMJ	
DRST05	STMKPLMT			ABUSEXMJ	8
DRST06	STMNDMOR			DEPN DILL	
DRST06	STMNDMOR			ABUSEILL	1
DRST06	STMNDMOR			ABODILL	5
DRST06	STMNDMOR			DEPN DSTM	
DRST06	STMNDMOR			ABUSESTM	1
DRST06	STMNDMOR			ABODSTM	1
DRST06	STMNDMOR			DEPN DPSY	
DRST06	STMNDMOR			ABUSEPSY	1
DRST06	STMNDMOR			ABODPSY	6
DRST06	STMNDMOR			DEPN DIEM	
DRST06	STMNDMOR			ABODIEM	1
DRST06	STMNDMOR			ABUSEIEM	7

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST06	STMNDMOR			DEPNDXMJ	
DRST06	STMNDMOR			ABUSEXMJ	8
DRST07	STMLSEFX			DEPNDILL	
DRST07	STMLSEFX			ABUSEILL	1
DRST07	STMLSEFX			ABODILL	5
DRST07	STMLSEFX			DEPNdstm	
DRST07	STMLSEFX			ABUSESTM	1
DRST07	STMLSEFX			ABODSTM	1
DRST07	STMLSEFX			DEPNdpsy	
DRST07	STMLSEFX			ABUSEPSY	1
DRST07	STMLSEFX			ABODPSY	6
DRST07	STMLSEFX			DEPNdiem	
DRST07	STMLSEFX			ABODIEM	1
DRST07	STMLSEFX			ABUSEIEM	7
DRST07	STMLSEFX			DEPNdxmj	
DRST07	STMLSEFX			ABUSEXMJ	8
DRST08	STMCUTDN				
DRST09	STMCUTEV			DEPNdill	
DRST09	STMCUTEV			ABUSEILL	1
DRST09	STMCUTEV			ABODILL	5
DRST09	STMCUTEV			DEPNdstm	
DRST09	STMCUTEV			ABUSESTM	1
DRST09	STMCUTEV			ABODSTM	1
DRST09	STMCUTEV			DEPNdpsy	
DRST09	STMCUTEV			ABUSEPSY	1
DRST09	STMCUTEV			ABODPSY	6
DRST09	STMCUTEV			DEPNdiem	
DRST09	STMCUTEV			ABODIEM	1
DRST09	STMCUTEV			ABUSEIEM	7
DRST09	STMCUTEV			DEPNdxmj	
DRST09	STMCUTEV			ABUSEXMJ	8
DRST10	STMCUT1X				
DRST10A	STMFLBLU				
DRST11	STMWD2SX				
DRST12	STMWDSMT			DEPNdill	
DRST12	STMWDSMT			ABUSEILL	1
DRST12	STMWDSMT			ABODILL	5
DRST12	STMWDSMT			DEPNdstm	
DRST12	STMWDSMT			ABUSESTM	1
DRST12	STMWDSMT			ABODSTM	1
DRST12	STMWDSMT			DEPNdpsy	
DRST12	STMWDSMT			ABUSEPSY	1
DRST12	STMWDSMT			ABODPSY	6
DRST12	STMWDSMT			DEPNdiem	
DRST12	STMWDSMT			ABODIEM	1
DRST12	STMWDSMT			ABUSEIEM	7

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST12	STMWDSMT			DEPNDXMJ	
DRST12	STMWDSMT			ABUSEXMJ	8
DRST13	STMEMOPB				
DRST14	STMEMCTD			DEPN DILL	
DRST14	STMEMCTD			ABUSEILL	1
DRST14	STMEMCTD			ABODILL	5
DRST14	STMEMCTD			DEPN DSTM	
DRST14	STMEMCTD			ABUSESTM	1
DRST14	STMEMCTD			ABODSTM	1
DRST14	STMEMCTD			DEPN DPSY	
DRST14	STMEMCTD			ABUSEPSY	1
DRST14	STMEMCTD			ABODPSY	6
DRST14	STMEMCTD			DEPN DIEM	
DRST14	STMEMCTD			ABODIEM	1
DRST14	STMEMCTD			ABUSEIEM	7
DRST14	STMEMCTD			DEPN DXMJ	
DRST14	STMEMCTD			ABUSEXMJ	8
DRST15	STMPHLPB				
DRST16	STMPHCTD			DEPN DILL	
DRST16	STMPHCTD			ABUSEILL	1
DRST16	STMPHCTD			ABODILL	5
DRST16	STMPHCTD			DEPN DSTM	
DRST16	STMPHCTD			ABUSESTM	1
DRST16	STMPHCTD			ABODSTM	1
DRST16	STMPHCTD			DEPN DPSY	
DRST16	STMPHCTD			ABUSEPSY	1
DRST16	STMPHCTD			ABODPSY	6
DRST16	STMPHCTD			DEPN DIEM	
DRST16	STMPHCTD			ABODIEM	1
DRST16	STMPHCTD			ABUSEIEM	7
DRST16	STMPHCTD			DEPN DXMJ	
DRST16	STMPHCTD			ABUSEXMJ	8
DRST17	STMLSACT			DEPN DILL	
DRST17	STMLSACT			ABUSEILL	1
DRST17	STMLSACT			ABODILL	5
DRST17	STMLSACT			DEPN DSTM	
DRST17	STMLSACT			ABUSESTM	1
DRST17	STMLSACT			ABODSTM	1
DRST17	STMLSACT			DEPN DPSY	
DRST17	STMLSACT			ABUSEPSY	1
DRST17	STMLSACT			ABODPSY	6
DRST17	STMLSACT			DEPN DIEM	
DRST17	STMLSACT			ABODIEM	1
DRST17	STMLSACT			ABUSEIEM	7
DRST17	STMLSACT			DEPN DXMJ	
DRST17	STMLSACT			ABUSEXMJ	8

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRST18	STMSERPB			ABUSEILL	1
DRST18	STMSERPB			ABODILL	5
DRST18	STMSERPB			ABUSESTM	1
DRST18	STMSERPB			ABODSTM	1
DRST18	STMSERPB			ABUSEPSY	1
DRST18	STMSERPB			ABODPSY	6
DRST18	STMSERPB			ABUSEIEM	7
DRST18	STMSERPB			ABUSEXMJ	8
DRST19	STMPDANG			ABUSEILL	1
DRST19	STMPDANG			ABODILL	5
DRST19	STMPDANG			ABUSESTM	1
DRST19	STMPDANG			ABODSTM	1
DRST19	STMPDANG			ABUSEPSY	1
DRST19	STMPDANG			ABODPSY	6
DRST19	STMPDANG			ABUSEIEM	7
DRST19	STMPDANG			ABUSEXMJ	8
DRST20	STMLAWTR			ABUSEILL	1
DRST20	STMLAWTR			ABODILL	5
DRST20	STMLAWTR			ABUSESTM	1
DRST20	STMLAWTR			ABODSTM	1
DRST20	STMLAWTR			ABUSEPSY	1
DRST20	STMLAWTR			ABODPSY	6
DRST20	STMLAWTR			ABUSEIEM	7
DRST20	STMLAWTR			ABUSEXMJ	8
DRST21	STMFMFPB			ABUSEILL	1
DRST21	STMFMFPB			ABODILL	5
DRST21	STMFMFPB			ABUSESTM	1
DRST21	STMFMFPB			ABODSTM	1
DRST21	STMFMFPB			ABUSEPSY	1
DRST21	STMFMFPB			ABODPSY	6
DRST21	STMFMFPB			ABUSEIEM	7
DRST21	STMFMFPB			ABUSEXMJ	8
DRST22	STMFMCTD			ABUSEILL	1
DRST22	STMFMCTD			ABODILL	5
DRST22	STMFMCTD			ABUSESTM	1
DRST22	STMFMCTD			ABODSTM	1
DRST22	STMFMCTD			ABUSEPSY	1
DRST22	STMFMCTD			ABODPSY	6
DRST22	STMFMCTD			ABUSEIEM	7
DRST22	STMFMCTD			ABUSEXMJ	8
DRSV01	SEDLOTTM			DEPN DILL	
DRSV01	SEDLOTTM			ABUSEILL	1
DRSV01	SEDLOTTM			ABODILL	5
DRSV01	SEDLOTTM			DEPN DSED	
DRSV01	SEDLOTTM			ABUSESED	1
DRSV01	SEDLOTTM			ABODSED	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV01	SEDLOTTM			DEPNDPSY	
DRSV01	SEDLOTTM			ABUSEPSY	1
DRSV01	SEDLOTTM			ABODPSY	6
DRSV01	SEDLOTTM			DEPNDIEM	
DRSV01	SEDLOTTM			ABODIEM	1
DRSV01	SEDLOTTM			ABUSEIEM	7
DRSV01	SEDLOTTM			DEPNDXMJ	
DRSV01	SEDLOTTM			ABUSEXMJ	8
DRSV02	SEDGTOVR			DEPNDILL	
DRSV02	SEDGTOVR			ABUSEILL	1
DRSV02	SEDGTOVR			ABODILL	5
DRSV02	SEDGTOVR			DEPNDSER	
DRSV02	SEDGTOVR			ABUSESED	1
DRSV02	SEDGTOVR			ABODSED	1
DRSV02	SEDGTOVR			DEPNDPSY	
DRSV02	SEDGTOVR			ABUSEPSY	1
DRSV02	SEDGTOVR			ABODPSY	6
DRSV02	SEDGTOVR			DEPNDIEM	
DRSV02	SEDGTOVR			ABODIEM	1
DRSV02	SEDGTOVR			ABUSEIEM	7
DRSV02	SEDGTOVR			DEPNDXMJ	
DRSV02	SEDGTOVR			ABUSEXMJ	8
DRSV04	SEDLIMIT				
DRSV05	SEDKPLMT			DEPNDILL	
DRSV05	SEDKPLMT			ABUSEILL	1
DRSV05	SEDKPLMT			ABODILL	5
DRSV05	SEDKPLMT			DEPNDSER	
DRSV05	SEDKPLMT			ABUSESED	1
DRSV05	SEDKPLMT			ABODSED	1
DRSV05	SEDKPLMT			DEPNDPSY	
DRSV05	SEDKPLMT			ABUSEPSY	1
DRSV05	SEDKPLMT			ABODPSY	6
DRSV05	SEDKPLMT			DEPNDIEM	
DRSV05	SEDKPLMT			ABODIEM	1
DRSV05	SEDKPLMT			ABUSEIEM	7
DRSV05	SEDKPLMT			DEPNDXMJ	
DRSV05	SEDKPLMT			ABUSEXMJ	8
DRSV06	SEDNDMOR			DEPNDILL	
DRSV06	SEDNDMOR			ABUSEILL	1
DRSV06	SEDNDMOR			ABODILL	5
DRSV06	SEDNDMOR			DEPNDSER	
DRSV06	SEDNDMOR			ABUSESED	1
DRSV06	SEDNDMOR			ABODSED	1
DRSV06	SEDNDMOR			DEPNDPSY	
DRSV06	SEDNDMOR			ABUSEPSY	1
DRSV06	SEDNDMOR			ABODPSY	6

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV06	SEDNDMOR			DEPNDIEM	
DRSV06	SEDNDMOR			ABODIEM	1
DRSV06	SEDNDMOR			ABUSEIEM	7
DRSV06	SEDNDMOR			DEPNDXMJ	
DRSV06	SEDNDMOR			ABUSEXMJ	8
DRSV07	SEDLSEFX			DEPN DILL	
DRSV07	SEDLSEFX			ABUSEILL	1
DRSV07	SEDLSEFX			ABODILL	5
DRSV07	SEDLSEFX			DEPN DSED	
DRSV07	SEDLSEFX			ABUSESED	1
DRSV07	SEDLSEFX			ABODSED	1
DRSV07	SEDLSEFX			DEPN DPSY	
DRSV07	SEDLSEFX			ABUSEPSY	1
DRSV07	SEDLSEFX			ABODPSY	6
DRSV07	SEDLSEFX			DEPN DIEM	
DRSV07	SEDLSEFX			ABODIEM	1
DRSV07	SEDLSEFX			ABUSEIEM	7
DRSV07	SEDLSEFX			DEPN DXMJ	
DRSV07	SEDLSEFX			ABUSEXMJ	8
DRSV08	SEDCUTDN				
DRSV09	SEDCUTEV			DEPN DILL	
DRSV09	SEDCUTEV			ABUSEILL	1
DRSV09	SEDCUTEV			ABODILL	5
DRSV09	SEDCUTEV			DEPN DSED	
DRSV09	SEDCUTEV			ABUSESED	1
DRSV09	SEDCUTEV			ABODSED	1
DRSV09	SEDCUTEV			DEPN DPSY	
DRSV09	SEDCUTEV			ABUSEPSY	1
DRSV09	SEDCUTEV			ABODPSY	6
DRSV09	SEDCUTEV			DEPN DIEM	
DRSV09	SEDCUTEV			ABODIEM	1
DRSV09	SEDCUTEV			ABUSEIEM	7
DRSV09	SEDCUTEV			DEPN DXMJ	
DRSV09	SEDCUTEV			ABUSEXMJ	8
DRSV10	SEDCUT1X				
DRSV11	SEDWD1SX				
DRSV12	SEDWDSMT			DEPN DILL	
DRSV12	SEDWDSMT			ABUSEILL	1
DRSV12	SEDWDSMT			ABODILL	5
DRSV12	SEDWDSMT			DEPN DSED	
DRSV12	SEDWDSMT			ABUSESED	1
DRSV12	SEDWDSMT			ABODSED	1
DRSV12	SEDWDSMT			DEPN DPSY	
DRSV12	SEDWDSMT			ABUSEPSY	1
DRSV12	SEDWDSMT			ABODPSY	6
DRSV12	SEDWDSMT			DEPN DIEM	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV12	SEDWDSMT			ABODIEM	1
DRSV12	SEDWDSMT			ABUSEIEM	7
DRSV12	SEDWDSMT			DEPNDXMJ	
DRSV12	SEDWDSMT			ABUSEXMJ	8
DRSV13	SEDEMOPB				
DRSV14	SEDEMCTD			DEPNDILL	
DRSV14	SEDEMCTD			ABUSEILL	1
DRSV14	SEDEMCTD			ABODILL	5
DRSV14	SEDEMCTD			DEPNDSSED	
DRSV14	SEDEMCTD			ABUSESED	1
DRSV14	SEDEMCTD			ABODSED	1
DRSV14	SEDEMCTD			DEPNDPSY	
DRSV14	SEDEMCTD			ABUSEPSY	1
DRSV14	SEDEMCTD			ABODPSY	6
DRSV14	SEDEMCTD			DEPNDIEM	
DRSV14	SEDEMCTD			ABODIEM	1
DRSV14	SEDEMCTD			ABUSEIEM	7
DRSV14	SEDEMCTD			DEPNDXMJ	
DRSV14	SEDEMCTD			ABUSEXMJ	8
DRSV15	SEDPHLPB				
DRSV16	SEDPHCTD			DEPNDILL	
DRSV16	SEDPHCTD			ABUSEILL	1
DRSV16	SEDPHCTD			ABODILL	5
DRSV16	SEDPHCTD			DEPNDSSED	
DRSV16	SEDPHCTD			ABUSESED	1
DRSV16	SEDPHCTD			ABODSED	1
DRSV16	SEDPHCTD			DEPNDPSY	
DRSV16	SEDPHCTD			ABUSEPSY	1
DRSV16	SEDPHCTD			ABODPSY	6
DRSV16	SEDPHCTD			DEPNDIEM	
DRSV16	SEDPHCTD			ABODIEM	1
DRSV16	SEDPHCTD			ABUSEIEM	7
DRSV16	SEDPHCTD			DEPNDXMJ	
DRSV16	SEDPHCTD			ABUSEXMJ	8
DRSV17	SEDLSACT			DEPNDILL	
DRSV17	SEDLSACT			ABUSEILL	1
DRSV17	SEDLSACT			ABODILL	5
DRSV17	SEDLSACT			DEPNDSSED	
DRSV17	SEDLSACT			ABUSESED	1
DRSV17	SEDLSACT			ABODSED	1
DRSV17	SEDLSACT			DEPNDPSY	
DRSV17	SEDLSACT			ABUSEPSY	1
DRSV17	SEDLSACT			ABODPSY	6
DRSV17	SEDLSACT			DEPNDIEM	
DRSV17	SEDLSACT			ABODIEM	1
DRSV17	SEDLSACT			ABUSEIEM	7

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DRSV17	SEDLFACT			DEPNDXMJ	
DRSV17	SEDLFACT			ABUSEXMJ	8
DRSV18	SEDSERP			ABUSEILL	1
DRSV18	SEDSERP			ABODILL	5
DRSV18	SEDSERP			ABUSESED	1
DRSV18	SEDSERP			ABODSED	1
DRSV18	SEDSERP			ABUSEPSY	1
DRSV18	SEDSERP			ABODPSY	6
DRSV18	SEDSERP			ABUSEIEM	7
DRSV18	SEDSERP			ABUSEXMJ	8
DRSV19	SEDPDANG			ABUSEILL	1
DRSV19	SEDPDANG			ABODILL	5
DRSV19	SEDPDANG			ABUSESED	1
DRSV19	SEDPDANG			ABODSED	1
DRSV19	SEDPDANG			ABUSEPSY	1
DRSV19	SEDPDANG			ABODPSY	6
DRSV19	SEDPDANG			ABUSEIEM	7
DRSV19	SEDPDANG			ABUSEXMJ	8
DRSV20	SEDLAWTR			ABUSEILL	1
DRSV20	SEDLAWTR			ABODILL	5
DRSV20	SEDLAWTR			ABUSESED	1
DRSV20	SEDLAWTR			ABODSED	1
DRSV20	SEDLAWTR			ABUSEPSY	1
DRSV20	SEDLAWTR			ABODPSY	6
DRSV20	SEDLAWTR			ABUSEIEM	7
DRSV20	SEDLAWTR			ABUSEXMJ	8
DRSV21	SEDFMFPB			ABUSEILL	1
DRSV21	SEDFMFPB			ABODILL	5
DRSV21	SEDFMFPB			ABUSESED	1
DRSV21	SEDFMFPB			ABODSED	1
DRSV21	SEDFMFPB			ABUSEPSY	1
DRSV21	SEDFMFPB			ABODPSY	6
DRSV21	SEDFMFPB			ABUSEIEM	7
DRSV21	SEDFMFPB			ABUSEXMJ	8
DRSV22	SEDFMCTD			ABUSEILL	1
DRSV22	SEDFMCTD			ABODILL	5
DRSV22	SEDFMCTD			ABUSESED	1
DRSV22	SEDFMCTD			ABODSED	1
DRSV22	SEDFMCTD			ABUSEPSY	1
DRSV22	SEDFMCTD			ABODPSY	6
DRSV22	SEDFMCTD			ABUSEIEM	7
DRSV22	SEDFMCTD			ABUSEXMJ	8
SP01	BOOKED				
SP02	NOBOOKY2				
SP03A	BKMVTHFT				
SP03B	BKLARCNY				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SP03C	BKBURGL				
SP03D	BKAGASLT				
SP03E	BKSMASLT				
SP03F	BKROB				
SP03G	BKRAPE				
SP03H	BKMURDER				
SP03I	BKARSON				
SP03J	BKDRVINP				
SP03K	BKDRUNK				
SP03L	BKPOSTOB				
SP03M	BKDRUG				
SP03N	BKPROS				
SP03O	BKSEXOFF				
SP03P	BKFRAUD				
SP03Q	BKOTH				
SP03QSP	BKOTHOF2				
SP04	PROBATON			PROB	
SP05	PAROLREL			PAROL	
SP06A	DRVALDR			DRIVALC	
SP06A	DRVALDR			DRIVDRG	
SP06A	DRVALDR			DRIVALD	1
SP06B	DRVAONLY			DRIVALC	
SP06B	DRVAONLY			DRIVALD	1
SP06C	DRVONLY			DRIVDRG	
SP06C	DRVONLY			DRIVALD	1
MJE01	MMGETMJ				
MJE02	MMBTREC1				
MJE03	MMBTPYR				
MJE04	MMBTREC2				
MJE05	MMBT30DY				
MJE06	MMJNTLOO				
MJE07	MMJNTNUM				
MJE08	MMJNPCTB				
MJE08	MMJNPCAT				
MJE09	MMJNPCAT				
MJE10	MMJNPCAT				
MJE11	MMJNPCAT				
MJE12	MMJNPCAT				
MJE13	MMJNPCAT				
MJE14	MMLSUNIT				
MJE15	MMLSGMS				
MJE16	MMLS10GM				
MJE17	MMLSOZS				
MJE18	MMLSLBS				
MJE19	MMLS5LBS				
MJE20	MMLSPCTB				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MJE20	MMLSPCAT				
MJE21	MMLSPCAT				
MJE22	MMLSPCAT				
MJE23	MMLSPCAT				
MJE24	MMLSPCAT				
MJE25	MMLSPCAT				
MJE26	MMBUYWHO				
MJE27	MMBPLACE				
MJE28	MMBATJOB				
MJE29	MMBCLOSE				
MJE30	MMBSELL				
MJE31	MMBGIVE				
MJE32	MMTRADE				
MJE33	MMTRD30D				
MJE34	MMTRDREC				
MJE35	MMT30FRQ				
MJE36	MMTJNTLS				
MJE37	MMTJNTNM				
MJE38	MMTJWRCB				
MJE38	MMTJWRTH				
MJE39	MMTJWRTH				
MJE40	MMTJWRTH				
MJE41	MMTJWRTH				
MJE42	MMTJWRTH				
MJE43	MMTJWRTH				
MJE44	MMTLUNIT				
MJE45	MMTLGMS				
MJE47	MMTLOZS				
MJE50	MMTLWRCB				
MJE50	MMTLWRTH				
MJE51	MMTLWRTH				
MJE52	MMTLWRTH				
MJE53	MMTLWRTH				
MJE54	MMTLWRTH				
MJE55	MMTLWRTH				
MJE56	MMTRDWHO				
MJE57	MMTPLACE				
MJE58	MMTCLOSE				
MJE59	MMTKEEP				
MJE60	MMTSELL				
MJE61	MMTGIVE				
MJE62	MMGKEEP				
MJE63	MMGSELL				
MJE64	MMGGIVE				
MJE65	MMFREWHO				
MJE66	MMFPLACE				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

MJE67	MMFCLOSE				
MJE68	MMFKEEP				
MJE69	MMFSELL				
MJE70	MMFGIVE				
TX01	TXEVER				
TX02	TXYREVER			SPILLALC	
TX02	TXYREVER			TXILLALC	
TX03	TXYRADG			SPECTILL	
TX03	TXYRADG			SPECTALC	
TX03	TXYRADG			ILLNEED	
TX03	TXYRADG			TXNOSPEC	
TX03	TXYRADG			ALCTRMT	
TX03	TXYRADG			ILLTRMT	
TX03	TXYRADG			TXILANAL	
TX03	TXYRADG				
TX04A	TXYRHOSP			DRGHOSP	
TX04A	TXYRHOSP			ALCHOSP	
TX04A	TXYRHOSP			LOCHOSP	
TX04A	TXYRHOSP			SPECTILL	
TX04A	TXYRHOSP			SPECTALC	
TX04A	TXYRHOSP			SPILLALC	
TX04A	TXYRHOSP			ILLNEED	
TX04A	TXYRHOSP			TXNOSPEC	
TX04A1	TXYRHPAD			DRGHOSP	
TX04A1	TXYRHPAD			SPECTILL	
TX04A1	TXYRHPAD			SPECTALC	
TX04A1	TXYRHPAD			ILLNEED	
TX04A1	TXYRHPAD			TXNOSPEC	
TX04A1	TXYRHPAD			ALCHOSP	
TX04B	TXYRRFIN			DRGRFIN	
TX04B	TXYRRFIN			ALCRFIN	
TX04B	TXYRRFIN			LOCRFIN	
TX04B	TXYRRFIN			SPECTILL	
TX04B	TXYRRFIN			SPECTALC	
TX04B	TXYRRFIN			SPILLALC	
TX04B	TXYRRFIN			ILLNEED	
TX04B	TXYRRFIN			TXNOSPEC	
TX04B1	TXYRINAD			DRGRFIN	
TX04B1	TXYRINAD			SPECTILL	
TX04B1	TXYRINAD			SPECTALC	
TX04B1	TXYRINAD			ILLNEED	
TX04B1	TXYRINAD			TXNOSPEC	
TX04B1	TXYRINAD			ALCRFIN	
TX04C	TXYRRFOP			DRGRFOP	
TX04C	TXYRRFOP			ALCRFOP	
TX04C	TXYRRFOP			LOCRFOP	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX04C	TXYRRFOP			SPECTILL	
TX04C	TXYRRFOP			SPECTALC	
TX04C	TXYRRFOP			SPILLALC	
TX04C	TXYRRFOP			ILLNEED	
TX04C	TXYRRFOP			TXNOSPEC	
TX04C1	TXYRPOAD			DRGRFOP	
TX04C1	TXYRPOAD			ALCRFOP	
TX04C1	TXYRPOAD			SPECTILL	
TX04C1	TXYRPOAD			SPECTALC	
TX04C1	TXYRPOAD			ILLNEED	
TX04C1	TXYRPOAD			TXNOSPEC	
TX04D	TXYRMHC			DRGMHC	
TX04D	TXYRMHC			ALCMHC	
TX04D	TXYRMHC			LOCMHC	
TX04D	TXYRMHC			SPECTILL	
TX04D	TXYRMHC			SPECTALC	
TX04D	TXYRMHC			SPILLALC	
TX04D	TXYRMHC			ILLNEED	
TX04D	TXYRMHC			TXNOSPEC	
TX04D1	TXYRMHAD			DRGMHC	
TX04D1	TXYRMHAD			ALCMHC	
TX04D1	TXYRMHAD			SPECTILL	
TX04D1	TXYRMHAD			SPECTALC	
TX04D1	TXYRMHAD			ILLNEED	
TX04D1	TXYRMHAD			TXNOSPEC	
TX04E	TXYRTXER			DRGTXER	
TX04E	TXYRTXER			ALCTXER	
TX04E	TXYRTXER			LOCTXER	
TX04E1	TXYRERAD			DRGTXER	
TX04E1	TXYRERAD			ALCTXER	
TX04F	TXYRDOC			DRGDOC	
TX04F	TXYRDOC			ALCDOC	
TX04F	TXYRDOC			LOCDOC	
TX04F1	TXYRDCAD			DRGDOC	
TX04F1	TXYRDCAD			ALCDOC	
TX04G	TXYRJAIL			DRGJAIL	
TX04G	TXYRJAIL			ALCJAIL	
TX04G	TXYRJAIL			LOCJAIL	
TX04G1	TXYRJLAD			DRGJAIL	
TX04G1	TXYRJLAD			ALCJAIL	
TX04H	TXYRSHG			DRGSHG	
TX04H	TXYRSHG			ALCSHG	
TX04H	TXYRSHG			LOCSHG	
TX04H1	TXYRSGAD			DRGSHG	
TX04H1	TXYRSGAD			ALCSHG	
TX04I	TXYRSOP				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX04ISP	TXYROTS2				
TX04I1	TXYROTAD				
TX05	TXYRVSER				
TX06	TXYRNME2				
TX07	TXRCVNOW				
TX08	NDTXNEDR				
TX09	NDTXMORE				
TX10	NDTMRALC				
TX10	NDTMRMJ				
TX10	NDTMRCOC				
TX10	NDTMRHER				
TX10	NDTMRHAL				
TX10	NDTMRINH				
TX10	NDTMRANL				
TX10	NDTMRTRN				
TX10	NDTMRSTM				
TX10	NDTMRSED				
TX10	NDTMROTH				
TX11	NDTXALCR				
TX12	NDTXMJR				
TX13	NDTXCOCR				
TX14	NDTXHERR				
TX15	NDTXHALR				
TX16	NDTXINHR				
TX17	NDTXANLR				
TX18	NDTXTRNR				
TX19	NDTXSTM				
TX20	NDTXSEDR				
TX21	NDTXSODR				
TX21SP1	NDTXDG1R				
TX21SP2	NDTXDG2R				
TX21SP3	NDTXDG3R				
TX21SP4	NDTXDG4R				
TX21SP5	NDTXDG5R				
TX22	NDTXEFTR				
TX23	NDTMREFT				
TX24	TXLASREC				
TX25	TXLTYMN2				
TX25SP	TXLTYMN2				
TX26	TXLTYALC			TXLTALC2	
TX26	TXLTYALC			ALCPINS	
TX26	TXLTYALC			ALCPCARE	
TX26	TXLTYALC			ALCPCAI	
TX26	TXLTYALC			ALCPPUBP	
TX26	TXLTYALC			ALCPSAVE	
TX26	TXLTYALC			ALCPFMLY	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX26	TXLTYALC			ALCPCORT	
TX26	TXLTYALC			ALCPMILC	
TX26	TXLTYALC			ALCPEMPL	
TX27	TXLTYMJ			TXLTMJ2	
TX27	TXLTYMJ			TXLTILL2	1
TX28	TXLTYCOC			TXLTCOC2	
TX28	TXLTYCOC			TXLTILL2	1
TX29	TXLTYHER			TXLTHER2	
TX29	TXLTYHER			TXLTILL2	1
TX30	TXLTYHAL			TXLTHAL2	
TX30	TXLTYHAL			TXLTILL2	1
TX31	TXLTYINH			TXLTINH2	
TX31	TXLTYINH			TXLTILL2	1
TX32	TXLTYANL			TXLTANL2	
TX32	TXLTYANL			TXLTILL2	1
TX33	TXLTYTRN			TXLTTRN2	
TX33	TXLTYTRN			TXLTILL2	1
TX34	TXLTYSTM			TXLTSTM2	
TX34	TXLTYSTM			TXLTILL2	1
TX35	TXLTYSED			TXLTSED2	
TX35	TXLTYSED			TXLTILL2	1
TX36	TXLTYSOD				
TX38	TXLTYOU2				
TX38SP	TXLTYOU2				
TX39	TXLTYDU2				
TX40DAY1	TXLTYDU2				
TX40DAY2	TXLTYDU2				
TX41MON1	TXLTYDU2				
TX41MON2	TXLTYDU2				
TX41YR1	TXLTYDU2				
TX41YR2	TXLTYDU2				
TX42A	TXPYINS			TXPINS2	
TX42A	TXPYINS			ILLPINS	3
TX42A	TXPYINS			ALCPINS	
TX42B	TXPYCARE			TXPCARE2	
TX42B	TXPYCARE			ILLPCARE	3
TX42B	TXPYCARE			ALCPCARE	
TX42C	TXPYCAID			TXPC Aid2	
TX42C	TXPYCAID			ILLPCAID	3
TX42C	TXPYCAID			ALCPCAID	
TX42D	TXPYPUBP			TXPPUBP2	
TX42D	TXPYPUBP			ILLPPUBP	3
TX42D	TXPYPUBP			ALCPPUBP	
TX42E	TXPYSAVE			TXPSAVE2	
TX42E	TXPYSAVE			ILLPSAVE	3
TX42E	TXPYSAVE			ALCPSAVE	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

TX42F	TXPYFMLY			TXPFMLY2	
TX42F	TXPYFMLY			ILLPFMLY	3
TX42F	TXPYFMLY			ALCPFMLY	
TX42G	TXPYCORT			TXPCORT2	
TX42G	TXPYCORT			ILLPCORT	3
TX42G	TXPYCORT			ALGPCORT	
TX42H	TXPYMILC			TXPMILC2	
TX42H	TXPYMILC			ILLPMILC	3
TX42H	TXPYMILC			ALCPMILC	
TX42I	TXPYEMPL			TXPEMPL2	
TX42I	TXPYEMPL			ILLPEMPL	3
TX42I	TXPYEMPL			ALCPEMPL	
TX42J	TXPYSOS				
TX42JSP	TXPYSP2				
TX42K	TXPYFRE				
TX43	TXENROLL				
TX44	TXYRDTXO				
HLTH01	PREGNANT			PREG	
HLTH01	PREGNANT			PREG2	
HLTH01	PREGNANT			TRIMEST	1
HLTH02				TRIMEST	1
HLTH03	NMERTMT2				
HLTH04	INHOSPYR				
HLTH05	NMNGTHS2				
WORKSCHL	DOMOSTYR				
WORKPREV	PBLMWORK				
WORKLIM	LIMITWRK				
PROBTYPE	TYPEPBLM				
ADMT01	AUINPYR			AMHINP	
ADMT01	AUINPYR			AMHTXREC	1
ADMT01	AUINPYR			RECNEED	1
ADMT01	AUINPYR			NORECNED	1
ADMT02	AUINPSYH				
ADMT02	AUINPGEN				
ADMT02	AUINMEDU				
ADMT02	AUINAHSP				
ADMT02	AUINRESD				
ADMT02	AUINSFAC				
ADMT04	AUNMPY2				
ADMT05	AUNMPGE2				
ADMT06	AUNMMEDU				
ADMT07	AUNMAHSP				
ADMT08	AUNMRESD				
ADMT09	AUNMSFA2				
ADMT10	AUPINSLF				
ADMT10	AUPINOFM				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ADMT10	AUPINPHI				
ADMT10	AUPINMCR				
ADMT10	AUPINMCD				
ADMT10	AUPINREH				
ADMT10	AUPINEMP				
ADMT10	AUPINMIL				
ADMT10	AUPINPUB				
ADMT10	AUPINPRV				
ADMT10	AUPINFRE				
ADMT12	AUPINAMT				
ADMT13	AUOPTYR			AMHOUTP	
ADMT13	AUOPTYR			AMHTXREC	1
ADMT13	AUOPTYR			RECNEED	1
ADMT13	AUOPTYR			NORECNED	1
ADMT14	AUOPMENT				
ADMT14	AUOPTHER				
ADMT14	AUOPDOC				
ADMT14	AUOPCLNC				
ADMT14	AUOPDTMT				
ADMT14	AUOPOTOP				
ADMT15	AUOPYRS2				
ADMT16	AUNMMEN2				
ADMT17	AUNMTHE2				
ADMT18	AUNMDOC2				
ADMT19	AUNMCLN2				
ADMT20	AUNMDTM2				
ADMT21	AUNMOTO2				
ADMT22	AUOPSLF				
ADMT22	AUPOPOFM				
ADMT22	AUPOPPHI				
ADMT22	AUOPMCR				
ADMT22	AUOPMCD				
ADMT22	AUOPPREH				
ADMT22	AUOPEMP				
ADMT22	AUOPMIL				
ADMT22	AUOPPPUB				
ADMT22	AUOPPRV				
ADMT22	AUOPPFRE				
ADMT23	AUOPPMOS				
ADMT24	AUOPAMT				
ADMT25	AURXYR			AMHRX	
ADMT25	AURXYR			AMHTXREC	1
ADMT25	AURXYR			RECNEED	1
ADMT25	AURXYR			NORECNED	1
ADMT26	AUUNMTYR			AMHTRTND	
ADMT26	AUUNMTYR			RECNEED	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

ADMT26	AUUNMTYR			NORECND	1
ADMT27	AUUNOCST				
ADMT27	AUUNNBR				
ADMT27	AUUNJOB				
ADMT27	AUUNNCOV				
ADMT27	AUUNENUF				
ADMT27	AUUNWHER				
ADMT27	AUUNCFID				
ADMT27	AUUNCMIT				
ADMT27	AUUNSOR				
SEN03A	SNAPKCIG				
SEN03B	SNAMJEVR				
SEN03C	SNAALDLY				
SEN03D	SNAALDRV				
SEN04	SNMOV5Y2				
SEN05	SNPPHLD				
SEN06A	SNINSULT				
SEN06B	SNSRARGU				
SEN06C	SNSMARGU				
SEN07	SNSPOUSE				
SEN08A	SNSPACTV				
SEN08B	SNSPANGR				
SEN08C	SNSPHITU				
SEN08D	SNYHITSP				
SEN09	SNSPCRIT				
SEN10	SNSPCONC				
SEN11A	SNFRCONC				
SEN11B	SNFRACTV				
SEN11C	SNFRCARE				
SEN12A	SNYSELL				
SEN12B	SNYSTOLE				
SEN12C	SNYATTAK				
SEN12D	SNYDFAST				
SEN12E	SNY50LBS				
SEN12F	SNYINJUR				
SEN12G	SNYSTERD				
SEN12H	SNYRRXNG				
SEN12I	SNYLAXTV				
SEN12J	SNYPASNS				
SEN12K	SNYFIRE				
SEN13A	SNFACIG				
SEN13B	SNFAMJEV				
SEN13C	SNFAALDY				
SEN13D	SNFAALDV				
SEN14A	SNFDCIG				
SEN14B	SNFDMJ				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

SEN14C	SNFDALC				
SEN14D	SNFDDRNK				
SENRELAT	SNRLGSVC				
SENREBE1	SNRLGIMP				
SENREBE2	SNRLDCSN				
SENREBE3	SNRLFRND				
YE04	YEMOV5Y2			MVIN5YR2	
YE09	YEATNDYR				
YE09A	YEHMSLYR				
YE10	YESCHFLT			SCHFELT	
YE11	YESCHWRK			SCHWORK	
YE12	YESCHIMP			SCHIMPT	
YE13	YESCHINT			SCHINTST	
YE14	YETCGJOB			TCHGJOB	
YE15	YELSTGRD				
YE16A	YESTSCIG			STNDSCIG	
YE16B	YESTSMJ			STNDSMJ	
YE16C	YESTSALC			STNDALC	
YE16D	YESTSDNK			STNDDNK	
YE06A	YEPCHKHW			PARCHKHW	
YE06B	YEPHLPHW			PARHLPHW	
YE06C	YEPCHORE			PRCHORE2	
YE06D	YEPLMTTV			PRLMTTV2	
YE06E	YEPLMTSN			PARLMTSN	
YE06F	YEPGDJOB			PRGDJOB2	
YE06G	YEPPROUD			PRPROUD2	
YE18A	YEYARGUP			ARGUPAR	
YE18B	YEYFGTSW			YOFIGHT2	
YE18C	YEYFGTGP			YOGRPFT2	
YE18D	YEYHGUN			YOHGUN2	
YE18E	YEYSELL			YOSELL2	
YE18F	YEYSTOLE			YOSTOLE2	
YE18G	YEYATTAK			YOATTAK2	
YE18H	YEYRNAWY				
YE18I	YEY50LBS				
YE18J	YEYINJUR				
YE18K	YEYSTERD				
YE18L	YEYRRXNG				
YE18M	YEYLAXTV				
YE18N	YEYHACK				
YE18O	YEYFIRE				
YE07A	YEPPKCIG			PRPKCIG2	
YE07B	YEPMJEV			PRMJEV2	
YE07B1	YEPMJMO			PRMJMO	
YE07C	YEPALDLY			PRALDLY2	
YE19A	YEGPKCIG			YFLPKCG2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YE19B	YEGMJEV			YFLTMRJ2	
YE19B1	YEGMJMO			YFLMJMO	
YE19C	YEGALDLY			YFLADLY2	
YE20A	YEFKPCIG			FRDPCIG2	
YE20B	YEFMJEV			FRDMEVR2	
YE20B1	YEFMJMO			FRDMJMON	
YE20C	YEFALDLY			FRDADLY2	
YE22	YETLKNON				
YE22	YETLKPAR				
YE22	YETLKBGF				
YE22	YETLKOTA				
YE22	YETLKSOP				
YE08	YEPRTDNG			PRTALK3	
YE23B	YEPRBSLV			PRBSOLV2	
YE23C	YEVIOPRV			PREVIOL2	
YE23G	YEDGPRGP			PRVDRGO2	
YE23J	YESLFHLP			GRPCNSL2	
YE23O	YEPRGSTD			PREGPGM2	
YE23P	YESCHACT				
YE23P	YESCHACT			YTHACT2	1
YE23Q	YECOMACT			YTHACT2	1
YE23R	YEFIACT			YTHACT2	1
YE23S	YEOTHACT			YTHACT2	1
YE24A	YEDECLAS			DGSPCLS2	
YE24A	YEDECLAS			ANYEDUC3	1
YE24B	YEDERGLR			DGRGCLS2	
YE24B	YEDERGLR			ANYEDUC3	1
YE24C	YEDESPCL			DRGLECT2	
YE24C	YEDESPCL			ANYEDUC3	1
YE25	YEPVNTYR			DRPRVME3	
YERELATT	YERLG SVC			RLGATTD	
YEREBEL1	YERLGIMP			RLGIMPT	
YEREBEL2	YERLDCSN			RLGDCSN	
YEREBEL3	YERLFRND			RLGFRND	
YE26	YECGFRND			CIGFRND	
YE27	YECGVEND			CIGVEND	
YE28	YECGMAI2			CIGMAIL	
YE29	YECGCHKO			CIGCKOUT	
YE30	YECGCLRK			CIGCLERK	
YE31	YECGINET			CIGINET	
YE32	YECGSMKT			CIGSMKT	
YE33	YECGDSTO			CIGDSTO	
YE34	YECGCONV			CIGCONV	
YE35	YECGINDV			CIGINDIV	
YE27	YECGVEND			YTHBGHT	1
YE28	YECGMAI2			YTHBGHT	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YE29	YECGCHKO			YTHBGHT	1
YE30	YECGCLRK			YTHBGHT	1
YE31	YECGINET			YTHBGHT	1
YE32	YECGSMKT			YTHBGHT	1
YE33	YECGDSTO			YTHBGHT	1
YE34	YECGCONV			YTHBGHT	1
YE35	YECGINDV			YTHBGHT	1
YE26	YECGFRND				
YE27	YECGVEND				
YE28	YECGMAI2				
YE29	YECGCHKO				
YE30	YECGCLRK				
YE31	YECGINET				
YE32	YECGSMKT				
YE33	YECGDSTO				
YE34	YECGCONV				
YE35	YECGINDV				
YE36	YECGPRUF				
YE37	YECGSUCC				
YE38	YEPKCRTN				
YE39	YEPDPACK				
YE40	YEPDCRTN				
YE41	YEBLNTEV				
YE42	YEBLNT30				
YE43	YEBL30FQ				
YE44	YECGRWMJ				
PNATTACK	PANATAK				
PNREACT	PANREAC				
PNATKNUM	PANATKN2				
DEFEEL	MDEDP2WK				
DEWEEK1	MDEDPWKR				
DEDAYS	MDEDAYFQ				
DEDAYSAD	MDEDAYLN				
DEFEELPR	MDECHNGS				
DELOST	MDELOSIN				
DEWEEK2	MDELIWK2				
DEDAYS2	MDELIFQ				
DEDAYLST	MDELILN				
DELOSTPR	MDELICHG				
MAFEEL	MNCHYPER				
MASLEEP	MNCNOSLP				
MAPWRS	MNCSPWRS				
MAFEELEV	MNCEVER				
MAMED	MNCMEDS				
PHSOCIAL	PHBSOCL				
PHUPSET1	PHBLEVEL				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PHAVOID1	PHBAVOID				
PHLIFE1	PHBINTFR				
PHCROWD	PHBCRWDS				
PHPUBLIC	PHBPUBPL				
PHTRAVL	PHBTRAVL				
PHAWAY	PHBAWYHM				
PHWORST	PHBWRSFR				
PHFEAR	PHBWRSST				
PHAVD	PHBWRSVAV				
PHINT	PHBWRSIN				
GAWORRY	GADWORMR				
GAWORLOT	GADWORLT				
GANERV	GADNRVOS				
GANRVLOT	GADNRVLT				
GAWEEK1	GADWKS2				
GANUMWOR	GADNMWOR				
GAWORSTR	GADSTRON				
GAPROB	GADOPROB				
PTEXPER	PTSEVER				
PTREACT	PTSPYEAR				
PTWORST	PTSWRSFQ				
PTWEEK1	PTSWKS2				
NPVOICE	DELVOICE				
NPFORCE	DELFORCE				
NPXRAY	DELXRAY				
NPTHGHTS	DELTHOTS				
NPCOMM	DELSIGNL				
NPPLLOT	DELPLLOT				
NPVISION	DELVISION				
SEEDR	MHSEEDR				
HOSPTL	MHHOSPOV				
DRVISITS	MHOPNUM2				
DRVISDK	MHOPNUM2				
MEDS	MHMEDS				
MEDWEEK	MHMEDWK2				
DSNERV1	DSTNRVOS			SMI	1
DSNERV1	DSTNRVOS			SMI_SUM	
DSNERV2	DSTNCALM				
DSTIRED	DSTTIRE				
DSHOPE	DSTHOPLS			SMI	1
DSHOPE	DSTHOPLS			SMI_SUM	
DSFIDG	DSTRSTLS			SMI	1
DSFIDG	DSTRSTLS			SMI_SUM	
DSSITSTL	DSTSITST				
DSDEPR	DSTDEPRS				
DSNOCHR	DSTCHEER			SMI	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

DSNOCHR	DSTCHEER			SMI_SUM	
DSEFFORT	DSTEFFRT			SMI	1
DSEFFORT	DSTEFFRT			SMI_SUM	
DSDOWN	DSTNGOOD			SMI	1
DSDOWN	DSTNGOOD			SMI_SUM	
LITHINK	IMPTHINK				
LIUNDRST	IMPUNDST				
LIREMEM	IMPREMBR				
LICONCEN	IMPCONC				
LIMONEY1	IMPMONY				
LIMONEY2	IMPMONYM				
LILEARN1	IMPLERN				
LILEARN2	IMPLERNM				
LIWASH1	IMPWASH				
LIWASH2	IMPWASHM				
LIGOOOUT1	IMPGO				
LIGOOOUT2	IMPGOM				
LISTRAN1	IMPDLP				
LISTRAN2	IMPDLP				
LISOC1	IMPSOCL				
LISOC2	IMPSOCLM				
LIPRSNL	IMPGTALG				
LIEMOTNS	IMPCTRLE				
LIRELAX	IMPRELAX				
LIHHRES1	IMPHRSP				
LIHHRES2	IMPHRSPM				
LIWKRES1	IMPDLRSP				
LIWKQUIC	IMPDLWRK				
IMWEEK1	IMPWKS2				
IMDAYS	IMPDAYFQ				
IMHELP	MHSVCHLP				
YSU01	YUHOSPYR			ANYTRT10	1
YSU01	YUHOSPYR			ANYTRT9	1
YSU01	YUHOSPYR			YHOSP	1
YSU01	YUHOSPYR			TOTCNT10	1
YSU01	YUHOSPYR			ANSCNT10	1
YSU01	YUHOSPYR			TOTCNT9	1
YSU01	YUHOSPYR			ANSCNT9	1
YSU02	YUHOSPN2				
YSU03	YUHOSUIC			REASSUIC	
YSU03	YUHODEPR			REASDEPR	
YSU03	YUHOFEAR			REASFEAR	
YSU03	YUHOBKRU			REASBRAK	
YSU03	YUHOEATP			REASEATP	
YSU03	YUHOSOR				
YSU03SP				REASFAM	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YSU03SP				REASSOC	
YSU03SP				REASSCH	
YSU03SP				REASOTH	
YSU04	YURSIDYR			ANYTRT10	1
YSU04	YURSIDYR			ANYTRT9	1
YSU04	YURSIDYR			YRESID	1
YSU04	YURSIDYR			TOTCNT10	1
YSU04	YURSIDYR			ANSCNT10	1
YSU04	YURSIDYR			TOTCNT9	1
YSU04	YURSIDYR			ANSCNT9	1
YSU05	YURSIDN2				
YSU06	YURSSUIC			REASSUIC	
YSU06	YURSDEPR			REASDEPR	
YSU06	YURSFEAR			REASFEAR	
YSU06	YURSBKRU			REASBRAK	
YSU06	YURSEATP			REASEATP	
YSU06	YURSSOR				
YSU07	YUFCARYR			ANYTRT10	1
YSU07	YUFCARYR			ANYTRT9	1
YSU07	YUFCARYR			YFOST	1
YSU07	YUFCARYR			TOTCNT10	1
YSU07	YUFCARYR			ANSCNT10	1
YSU07	YUFCARYR			TOTCNT9	1
YSU07	YUFCARYR			ANSCNT9	1
YSU08	YUFCARN2				
YSU09	YUFCSUIC			REASSUIC	
YSU09	YUFCDEPR			REASDEPR	
YSU09	YUFCFEAR			REASFEAR	
YSU09	YUFCBKRU			REASBRAK	
YSU09	YUFCEATP			REASEATP	
YSU09	YUFCSOR				
YSU10	YUDYTXYR			ANYTRT10	1
YSU10	YUDYTXYR			ANYTRT9	1
YSU10	YUDYTXYR			YDAYTRT	1
YSU10	YUDYTXYR			TOTCNT10	1
YSU10	YUDYTXYR			ANSCNT10	1
YSU10	YUDYTXYR			TOTCNT9	1
YSU10	YUDYTXYR			ANSCNT9	1
YSU11	YUDYTXN2				
YSU12	YUDYSUIC			REASSUIC	
YSU12	YUDYDEPR			REASDEPR	
YSU12	YUDYFEAR			REASFEAR	
YSU12	YUDYBKRU			REASBRAK	
YSU12	YUDYEATP			REASEATP	
YSU12	YUDYSOR				
YSU13	YUMHCRYR			ANYTRT10	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YSU13	YUMHCRYR			ANYTRT9	1
YSU13	YUMHCRYR			YCLIN	1
YSU13	YUMHCRYR			TOTCNT10	1
YSU13	YUMHCRYR			ANSCNT10	1
YSU13	YUMHCRYR			TOTCNT9	1
YSU13	YUMHCRYR			ANSCNT9	1
YSU14	YUMHCRN2				
YSU15	YUMHSUIC			REASSUIC	
YSU15	YUMHDEPR			REASDEPR	
YSU15	YUMHFEAR			REASFEAR	
YSU15	YUMHBKRU			REASBRAK	
YSU15	YUMHEATP			REASEATP	
YSU15	YUMHSOR				
YSU16	YUTPSTYR			ANYTRT10	1
YSU16	YUTPSTYR			ANYTRT9	1
YSU16	YUTPSTYR			YTHER	1
YSU16	YUTPSTYR			TOTCNT10	1
YSU16	YUTPSTYR			ANSCNT10	1
YSU16	YUTPSTYR			TOTCNT9	1
YSU16	YUTPSTYR			ANSCNT9	1
YSU17	YUTPSTN2				
YSU18	YUTPSUIC			REASSUIC	
YSU18	YUTPDEPR			REASDEPR	
YSU18	YUTPFEAR			REASFEAR	
YSU18	YUTPBKRU			REASBRAK	
YSU18	YUTPEATP			REASEATP	
YSU18	YUTPSOR				
YSU19	YUIHTPYR			ANYTRT10	1
YSU19	YUIHTPYR			ANYTRT9	1
YSU19	YUIHTPYR			YHOME	1
YSU19	YUIHTPYR			TOTCNT10	1
YSU19	YUIHTPYR			ANSCNT10	1
YSU19	YUIHTPYR			TOTCNT9	1
YSU19	YUIHTPYR			ANSCNT9	1
YSU20	YUIHTPN2				
YSU21	YUIHSUIC			REASSUIC	
YSU21	YUIHDEPR			REASDEPR	
YSU21	YUIHFEAR			REASFEAR	
YSU21	YUIHBKRU			REASBRAK	
YSU21	YUIHEATP			REASEATP	
YSU21	YUIHSOR				
YSU22	YUFDOCYR			ANYTRT10	1
YSU22	YUFDOCYR			ANYTRT9	1
YSU22	YUFDOCYR			YPED	1
YSU22	YUFDOCYR			TOTCNT10	1
YSU22	YUFDOCYR			ANSCNT10	1

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

YSU22	YUFDOCYR			TOTCNT9	1
YSU22	YUFDOCYR			ANSCNT9	1
YSU23	YUFDOCN2				
YSU24	YUFDSUIC			REASSUIC	
YSU24	YUFDDDEPR			REASDEPR	
YSU24	YUFDFEAR			REASFEAR	
YSU24	YUFDBKRU			REASBRAK	
YSU24	YUFDEATP			REASEATP	
YSU24	YUFDSOR				
YSU25	YUSPEDYR			ANYTRT10	1
YSU25	YUSPEDYR			YSPED	1
YSU25	YUSPEDYR			TOTCNT10	1
YSU25	YUSPEDYR			ANSCNT10	1
YSU26	YUSHCNYR			ANYTRT10	1
YSU26	YUSHCNYR			ANYTRT9	1
YSU26	YUSHCNYR			TOTCNT10	1
YSU26	YUSHCNYR			ANSCNT10	1
YSU26	YUSHCNYR			YSCHL	1
YSU26	YUSHCNYR			TOTCNT9	1
YSU26	YUSHCNYR			ANSCNT9	1
YSU27	YUSHSUIC			REASSUIC	
YSU27	YUSHDEPR			REASDEPR	
YSU27	YUSHFEAR			REASFEAR	
YSU27	YUSHBKRU			REASBRAK	
YSU27	YUSHEATP			REASEATP	
YSU27	YUSHSOR				
YSU28	YUJAILEV				
YSU29	YUFCAREV				
QD13	MOVESPY2				
QD14	BORNINUS				
QD16	LIVEDUS2				
QD17	SCHENRL			COLLEGE2	1
QD17	SCHENRL				1
QD18	EDUCATN2			COLLEGE2	1
QD18	EDUCATN2				1
QD19	STUDNT			COLLEGE2	1
QD19	STUDNT				1
QD20	SCHDSICK				
QD21	SCHDSKIP				
QD22	HSDIPLMA				
QD23	HSGED				
QD24	LFSCWHH2				
QD24SP	LFSCWHH2				
QD25	LFTSCHA2				
QD26		JBSTATR2	EMPSTAT4		
QD26		IIEMPST4	EMPSTAT4		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD26		IIEMPSTY	EMPSTATY		
QD27	WRKHAVJB				
QD28	WRKHRSWK				
QD29		JBSTATR2	EMPSTAT4		
QD29		IIEMPST4	EMPSTAT4		
QD29		IIEMPSTY	EMPSTATY		
INOC01				WRKINDU2	
INOC03				WRKINDU2	
INOC04				WRKOCCU2	
INOC05				WRKOCCU2	
INOC06	WRKBZCAT				
QD30		JBSTATR2	EMPSTAT4		
QD30		IIEMPST4	EMPSTAT4		
QD30		IIEMPSTY	EMPSTATY		
QD31		JBSTATR2	EMPSTAT4		
QD31		IIEMPST4	EMPSTAT4		
QD31		IIEMPSTY	EMPSTATY		
QD32		JBSTATR2	EMPSTAT4		
QD32		IIEMPST4	EMPSTAT4		
QD32		IIEMPSTY	EMPSTATY		
QD33	WRKEDYR	JBSTATR2	EMPSTAT4		
QD33	WRKEDYR	IIEMPST4	EMPSTAT4		
QD33	WRKEDYR	IIEMPSTY	EMPSTATY		
QD34	WRKSLFEM				
QD35	WRKJOBS2				
QD36	WRKJOBS2				
QD37	WRKUNEMP				
QD38	WRKUNWKS				
QD39A	WRKLSTY2				
INOC07				WRKINDY2	
INOC09				WRKINDY2	
INOC10				WRKOCCY2	
INOC11				WRKOCCY2	
QD40	WORKDAYS				
QD41	WORKBLAH				
QD42	LOCSIZE				
QD43	DRGPLCY				
QD44	PLCYCOV				
QD45	WKDRGED				
QD46	DRGPRGM				
QD47	USALCTST				
QD48	USDRGTST				
QD49	TSTHIRE				
QD50	TSTRAND				
QD51	FIRSTPOS				
QD52	WRKHIRE				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QD53	WORKRAND				
QD54		IIHHSIZ2	IRHHSIZ2		
PERAGEYR			IRHH65_2		
PERAGEYR		IIHH65_2	IRHH65_2		
PERAGEYR			IRKI17_2		
PERAGEYR		IIKI17_2	IRKI17_2		
PERAGEYR		IFATHER			
PERAGEYR		IMOTHER			
PERAGEYR				NRCH17_2	
CHAGEMON			IRHH65_2		
CHAGEMON		IIHH65_2	IRHH65_2		
CHAGEMON			IRKI17_2		
CHAGEMON		IIKI17_2	IRKI17_2		
CHAGEMON		IFATHER			
CHAGEMON		IMOTHER			
CHAGEMON				NRCH17_2	
MBRSELCT	ROSMMLCT				
PERAGEY2			IRHH65_2		
PERAGEY2		IIHH65_2	IRHH65_2		
PERAGEY2			IRKI17_2		
PERAGEY2		IIKI17_2	IRKI17_2		
PERAGEY2		IFATHER			
PERAGEY2		IMOTHER			
PERAGEY2				NRCH17_2	
CHAGEMO2			IRHH65_2		
CHAGEMO2		IIHH65_2	IRHH65_2		
CHAGEMO2			IRKI17_2		
CHAGEMO2		IIKI17_2	IRKI17_2		
PERAGEY3			IRHH65_2		
PERAGEY3		IIHH65_2	IRHH65_2		
PERAGEY3			IRKI17_2		
PERAGEY3		IIKI17_2	IRKI17_2		
PERAGEY3		IFATHER			
PERAGEY3		IMOTHER			
PERAGEY3				NRCH17_2	
CHAGEMO3			IRHH65_2		
CHAGEMO3		IIHH65_2	IRHH65_2		
CHAGEMO3			IRKI17_2		
CHAGEMO3		IIKI17_2	IRKI17_2		
PERAGEY4			IRHH65_2		
PERAGEY4		IIHH65_2	IRHH65_2		
PERAGEY4			IRKI17_2		
PERAGEY4		IIKI17_2	IRKI17_2		
PERAGEY4		IFATHER			
PERAGEY4		IMOTHER			
PERAGEY4				NRCH17_2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CHAGEMO4			IRHH65_2		
CHAGEMO4		IIHH65_2	IRHH65_2		
CHAGEMO4			IRKI17_2		
CHAGEMO4		IIKI17_2	IRKI17_2		
CHAGEMO4		IFATHER			
CHAGEMO4		IMOTHER			
CHAGEMO4				NRCH17_2	
PERAGEY5			IRHH65_2		
PERAGEY5		IIHH65_2	IRHH65_2		
PERAGEY5			IRKI17_2		
PERAGEY5		IIKI17_2	IRKI17_2		
PERAGEY5		IFATHER			
PERAGEY5		IMOTHER			
PERAGEY5				NRCH17_2	
CHAGEMO5			IRHH65_2		
CHAGEMO5		IIHH65_2	IRHH65_2		
CHAGEMO5			IRKI17_2		
CHAGEMO5		IIKI17_2	IRKI17_2		
CHAGEMO5		IFATHER			
CHAGEMO5		IMOTHER			
CHAGEMO5				NRCH17_2	
PERAGEY6			IRHH65_2		
PERAGEY6		IIHH65_2	IRHH65_2		
PERAGEY6			IRKI17_2		
PERAGEY6		IIKI17_2	IRKI17_2		
PERAGEY6		IFATHER			
PERAGEY6		IMOTHER			
PERAGEY6				NRCH17_2	
CHAGEMO6			IRHH65_2		
CHAGEMO6		IIHH65_2	IRHH65_2		
CHAGEMO6			IRKI17_2		
CHAGEMO6		IIKI17_2	IRKI17_2		
CHAGEMO6		IFATHER			
CHAGEMO6		IMOTHER			
CHAGEMO6				NRCH17_2	
CHMONSE6			IRHH65_2		
CHYRSEX6		IIHH65_2	IRHH65_2		
PERAGEY7			IRHH65_2		
PERAGEY7		IIHH65_2	IRHH65_2		
PERAGEY7			IRKI17_2		
PERAGEY7		IIKI17_2	IRKI17_2		
PERAGEY7		IFATHER			
PERAGEY7		IMOTHER			
PERAGEY7				NRCH17_2	
CHAGEMO7			IRHH65_2		
CHAGEMO7		IIHH65_2	IRHH65_2		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CHAGEMO7			IRKI17_2		
CHAGEMO7		IIKI17_2	IRKI17_2		
CHAGEMO7		IFATHER			
CHAGEMO7		IMOTHER			
CHAGEMO7				NRCH17_2	
CHMONSE7			IRHH65_2		
CHYRSEX7		IIHH65_2	IRHH65_2		
PERAGEY8			IRHH65_2		
PERAGEY8		IIHH65_2	IRHH65_2		
PERAGEY8			IRKI17_2		
PERAGEY8		IIKI17_2	IRKI17_2		
PERAGEY8		IFATHER			
PERAGEY8		IMOTHER			
PERAGEY8				NRCH17_2	
CHAGEMO8			IRHH65_2		
CHAGEMO8		IIHH65_2	IRHH65_2		
CHAGEMO8			IRKI17_2		
CHAGEMO8		IIKI17_2	IRKI17_2		
CHAGEMO8		IFATHER			
CHAGEMO8		IMOTHER			
CHAGEMO8				NRCH17_2	
CHMONSE8			IRHH65_2		
CHYRSEX8		IIHH65_2	IRHH65_2		
PERAGEY9			IRHH65_2		
PERAGEY9		IIHH65_2	IRHH65_2		
PERAGEY9			IRKI17_2		
PERAGEY9		IIKI17_2	IRKI17_2		
PERAGEY9		IFATHER			
PERAGEY9		IMOTHER			
PERAGEY9				NRCH17_2	
CHAGEMO9			IRHH65_2		
CHAGEMO9		IIHH65_2	IRHH65_2		
CHAGEMO9			IRKI17_2		
CHAGEMO9		IIKI17_2	IRKI17_2		
CHAGEMO9		IFATHER			
CHAGEMO9		IMOTHER			
CHAGEMO9				NRCH17_2	
CHMONSE9			IRHH65_2		
CHYRSEX9		IIHH65_2	IRHH65_2		
PERAGE10			IRHH65_2		
PERAGE10		IIHH65_2	IRHH65_2		
PERAGE10			IRKI17_2		
PERAGE10		IIKI17_2	IRKI17_2		
PERAGE10		IFATHER			
PERAGE10		IMOTHER			
PERAGE10				NRCH17_2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CHAGEM10			IRHH65_2		
CHAGEM10		IIHH65_2	IRHH65_2		
CHAGEM10			IRKI17_2		
CHAGEM10		IIKI17_2	IRKI17_2		
CHAGEM10		IFATHER			
CHAGEM10		IMOTHER			
CHAGEM10				NRCH17_2	
CHMONS10			IRHH65_2		
CHYRSE10		IIHH65_2	IRHH65_2		
PERAGE11			IRHH65_2		
PERAGE11		IIHH65_2	IRHH65_2		
PERAGE11			IRKI17_2		
PERAGE11		IIKI17_2	IRKI17_2		
PERAGE11		IFATHER			
PERAGE11		IMOTHER			
PERAGE11				NRCH17_2	
CHAGEM11			IRHH65_2		
CHAGEM11		IIHH65_2	IRHH65_2		
CHAGEM11			IRKI17_2		
CHAGEM11		IIKI17_2	IRKI17_2		
CHAGEM11		IFATHER			
CHAGEM11		IMOTHER			
CHAGEM11				NRCH17_2	
CHMONS11			IRHH65_2		
CHYRSE11		IIHH65_2	IRHH65_2		
PERAGE12			IRHH65_2		
PERAGE12		IIHH65_2	IRHH65_2		
PERAGE12			IRKI17_2		
PERAGE12		IIKI17_2	IRKI17_2		
PERAGE12		IFATHER			
PERAGE12		IMOTHER			
PERAGE12				NRCH17_2	
CHAGEM12			IRHH65_2		
CHAGEM12		IIHH65_2	IRHH65_2		
CHAGEM12			IRKI17_2		
CHAGEM12		IIKI17_2	IRKI17_2		
CHAGEM12		IFATHER			
CHAGEM12		IMOTHER			
CHAGEM12				NRCH17_2	
CHMONS12			IRHH65_2		
CHYRSE12		IIHH65_2	IRHH65_2		
PERAGE13			IRHH65_2		
PERAGE13		IIHH65_2	IRHH65_2		
PERAGE13			IRKI17_2		
PERAGE13		IIKI17_2	IRKI17_2		
PERAGE13		IFATHER			

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PERAGE13		IMOTHER			
PERAGE13				NRCH17_2	
CHAGEM13			IRHH65_2		
CHAGEM13		IIHH65_2	IRHH65_2		
CHAGEM13			IRKI17_2		
CHAGEM13		IIKI17_2	IRKI17_2		
CHAGEM13		IFATHER			
CHAGEM13		IMOTHER			
CHAGEM13				NRCH17_2	
CHMONS13			IRHH65_2		
CHYRSE13		IIHH65_2	IRHH65_2		
PERAGE14			IRHH65_2		
PERAGE14		IIHH65_2	IRHH65_2		
PERAGE14			IRKI17_2		
PERAGE14		IIKI17_2	IRKI17_2		
PERAGE14		IFATHER			
PERAGE14		IMOTHER			
PERAGE14				NRCH17_2	
CHAGEM14			IRHH65_2		
CHAGEM14		IIHH65_2	IRHH65_2		
CHAGEM14			IRKI17_2		
CHAGEM14		IIKI17_2	IRKI17_2		
CHAGEM14		IFATHER			
CHAGEM14		IMOTHER			
CHAGEM14				NRCH17_2	
CHMONS14			IRHH65_2		
CHYRSE14		IIHH65_2	IRHH65_2		
PERAGE15			IRHH65_2		
PERAGE15		IIHH65_2	IRHH65_2		
PERAGE15			IRKI17_2		
PERAGE15		IIKI17_2	IRKI17_2		
PERAGE15		IFATHER			
PERAGE15		IMOTHER			
PERAGE15				NRCH17_2	
CHAGEM15			IRHH65_2		
CHAGEM15		IIHH65_2	IRHH65_2		
CHAGEM15			IRKI17_2		
CHAGEM15		IIKI17_2	IRKI17_2		
CHAGEM15		IFATHER			
CHAGEM15		IMOTHER			
CHAGEM15				NRCH17_2	
CHMONS15			IRHH65_2		
CHYRSE15		IIHH65_2	IRHH65_2		
PERAGE16			IRHH65_2		
PERAGE16		IIHH65_2	IRHH65_2		
PERAGE16			IRKI17_2		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PERAGE16		IJKI17_2	IRKI17_2		
PERAGE16		IFATHER			
PERAGE16		IMOTHER			
PERAGE16				NRCH17_2	
CHAGEM16			IRHH65_2		
CHAGEM16		IIHH65_2	IRHH65_2		
CHAGEM16			IRKI17_2		
CHAGEM16		IJKI17_2	IRKI17_2		
CHAGEM16		IFATHER			
CHAGEM16		IMOTHER			
CHAGEM16				NRCH17_2	
CHMONS16			IRHH65_2		
CHYRSE16		IIHH65_2	IRHH65_2		
PERAGE17	ROSAGE17		IRHH65_2		
PERAGE17	ROSAGE17	IIHH65_2	IRHH65_2		
PERAGE17	ROSAGE17				
PERAGE17	ROSAGE17		IRKI17_2		
PERAGE17	ROSAGE17	IJKI17_2	IRKI17_2		
PERAGE17	ROSAGE17	IFATHER			
PERAGE17	ROSAGE17	IMOTHER			
PERAGE17	ROSAGE17			NRCH17_2	
PERAGE17	ROSAGE17				
CHAGEM17	ROSAGE17		IRHH65_2		
CHAGEM17	ROSAGE17	IIHH65_2	IRHH65_2		
CHAGEM17	ROSAGE17				
CHAGEM17	ROSAGE17		IRKI17_2		
CHAGEM17	ROSAGE17	IJKI17_2	IRKI17_2		
CHAGEM17	ROSAGE17	IFATHER			
CHAGEM17	ROSAGE17	IMOTHER			
CHAGEM17	ROSAGE17			NRCH17_2	
CHAGEM17	ROSAGE17				
CHMONS17	ROSSEX17		IRHH65_2		
CHYRSE17	ROSSEX17	IIHH65_2	IRHH65_2		
PERYRS17	ROSSEX17				
PERSEX17	ROSSEX17				
MRELAT17	ROSRLT17				
FRELAT17	ROSRLT17				
MBRSEL17	ROSMSL17				
PERAGE18	ROSAGE18		IRHH65_2		
PERAGE18	ROSAGE18	IIHH65_2	IRHH65_2		
PERAGE18	ROSAGE18				
PERAGE18	ROSAGE18		IRKI17_2		
PERAGE18	ROSAGE18	IJKI17_2	IRKI17_2		
PERAGE18	ROSAGE18	IFATHER			
PERAGE18	ROSAGE18	IMOTHER			
PERAGE18	ROSAGE18			NRCH17_2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PERAGE18	ROSAGE18				
CHAGEM18	ROSAGE18		IRHH65_2		
CHAGEM18	ROSAGE18	IIHH65_2	IRHH65_2		
CHAGEM18	ROSAGE18				
CHAGEM18	ROSAGE18		IRKI17_2		
CHAGEM18	ROSAGE18	IIKI17_2	IRKI17_2		
CHAGEM18	ROSAGE18	IFATHER			
CHAGEM18	ROSAGE18	IMOTHER			
CHAGEM18	ROSAGE18			NRCH17_2	
CHAGEM18	ROSAGE18				
CHMONS18	ROSSEX18		IRHH65_2		
CHYRSE18	ROSSEX18	IIHH65_2	IRHH65_2		
PERYRS18	ROSSEX18				
PERSEX18	ROSSEX18				
MRELAT18	ROSRLT18				
FRELAT18	ROSRLT18				
MBRSEL18	ROSMSL18				
PERAGE19	ROSAGE19		IRHH65_2		
PERAGE19	ROSAGE19	IIHH65_2	IRHH65_2		
PERAGE19	ROSAGE19				
PERAGE19	ROSAGE19		IRKI17_2		
PERAGE19	ROSAGE19	IIKI17_2	IRKI17_2		
PERAGE19	ROSAGE19	IFATHER			
PERAGE19	ROSAGE19	IMOTHER			
PERAGE19	ROSAGE19			NRCH17_2	
PERAGE19	ROSAGE19				
CHAGEM19	ROSAGE19		IRHH65_2		
CHAGEM19	ROSAGE19	IIHH65_2	IRHH65_2		
CHAGEM19	ROSAGE19				
CHAGEM19	ROSAGE19		IRKI17_2		
CHAGEM19	ROSAGE19	IIKI17_2	IRKI17_2		
CHAGEM19	ROSAGE19	IFATHER			
CHAGEM19	ROSAGE19	IMOTHER			
CHAGEM19	ROSAGE19			NRCH17_2	
CHAGEM19	ROSAGE19				
CHMONS19	ROSSEX19		IRHH65_2		
CHYRSE19	ROSSEX19	IIHH65_2	IRHH65_2		
PERYRS19	ROSSEX19				
PERSEX19	ROSSEX19				
MRELAT19	ROSRLT19				
FRELAT19	ROSRLT19				
MBRSEL19	ROSMSL19				
PERAGE20	ROSAGE20		IRHH65_2		
PERAGE20	ROSAGE20	IIHH65_2	IRHH65_2		
PERAGE20	ROSAGE20				
PERAGE20	ROSAGE20		IRKI17_2		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PERAGE20	ROSAGE20	IIKI17_2	IRKI17_2		
PERAGE20	ROSAGE20	IFATHER			
PERAGE20	ROSAGE20	IMOTHER			
PERAGE20	ROSAGE20			NRCH17_2	
PERAGE20	ROSAGE20				
CHAGEM20	ROSAGE20		IRHH65_2		
CHAGEM20	ROSAGE20	IIHH65_2	IRHH65_2		
CHAGEM20	ROSAGE20				
CHAGEM20	ROSAGE20		IRKI17_2		
CHAGEM20	ROSAGE20	IIKI17_2	IRKI17_2		
CHAGEM20	ROSAGE20	IFATHER			
CHAGEM20	ROSAGE20	IMOTHER			
CHAGEM20	ROSAGE20			NRCH17_2	
CHAGEM20	ROSAGE20				
CHMONS20	ROSSEX20		IRHH65_2		
CHYRSE20	ROSSEX20	IIHH65_2	IRHH65_2		
PERYRS20	ROSSEX20				
PERSEX20	ROSSEX20				
MRELAT20	ROSRLT20				
FRELAT20	ROSRLT20				
MBRSEL20	ROSM20				
PERAGE21	ROSAGE21		IRHH65_2		
PERAGE21	ROSAGE21	IIHH65_2	IRHH65_2		
PERAGE21	ROSAGE21				
PERAGE21	ROSAGE21		IRKI17_2		
PERAGE21	ROSAGE21	IIKI17_2	IRKI17_2		
PERAGE21	ROSAGE21	IFATHER			
PERAGE21	ROSAGE21	IMOTHER			
PERAGE21	ROSAGE21			NRCH17_2	
PERAGE21	ROSAGE21				
CHAGEM21	ROSAGE21		IRHH65_2		
CHAGEM21	ROSAGE21	IIHH65_2	IRHH65_2		
CHAGEM21	ROSAGE21				
CHAGEM21	ROSAGE21		IRKI17_2		
CHAGEM21	ROSAGE21	IIKI17_2	IRKI17_2		
CHAGEM21	ROSAGE21	IFATHER			
CHAGEM21	ROSAGE21	IMOTHER			
CHAGEM21	ROSAGE21			NRCH17_2	
CHAGEM21	ROSAGE21				
CHMONS21	ROSSEX21		IRHH65_2		
CHYRSE21	ROSSEX21	IIHH65_2	IRHH65_2		
PERYRS21	ROSSEX21				
PERSEX21	ROSSEX21				
MRELAT21	ROSRLT21				
FRELAT21	ROSRLT21				
MBRSEL21	ROSM21				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PERAGE22	ROSAGE22		IRHH65_2		
PERAGE22	ROSAGE22	IIHH65_2	IRHH65_2		
PERAGE22	ROSAGE22				
PERAGE22	ROSAGE22		IRKI17_2		
PERAGE22	ROSAGE22	IIKI17_2	IRKI17_2		
PERAGE22	ROSAGE22	IFATHER			
PERAGE22	ROSAGE22	IMOTHER			
PERAGE22	ROSAGE22			NRCH17_2	
PERAGE22	ROSAGE22				
CHAGEM22	ROSAGE22		IRHH65_2		
CHAGEM22	ROSAGE22	IIHH65_2	IRHH65_2		
CHAGEM22	ROSAGE22				
CHAGEM22	ROSAGE22		IRKI17_2		
CHAGEM22	ROSAGE22	IIKI17_2	IRKI17_2		
CHAGEM22	ROSAGE22	IFATHER			
CHAGEM22	ROSAGE22	IMOTHER			
CHAGEM22	ROSAGE22			NRCH17_2	
CHAGEM22	ROSAGE22				
CHMONS22	ROSSEX22		IRHH65_2		
CHYRSE22	ROSSEX22	IIHH65_2	IRHH65_2		
PERYRS22	ROSSEX22				
PERSEX22	ROSSEX22				
MRELAT22	ROSRLT22				
FRELAT22	ROSRLT22				
MBRSEL22	ROSMSL22				
PERAGE23	ROSAGE23		IRHH65_2		
PERAGE23	ROSAGE23	IIHH65_2	IRHH65_2		
PERAGE23	ROSAGE23				
PERAGE23	ROSAGE23		IRKI17_2		
PERAGE23	ROSAGE23	IIKI17_2	IRKI17_2		
PERAGE23	ROSAGE23	IFATHER			
PERAGE23	ROSAGE23	IMOTHER			
PERAGE23	ROSAGE23			NRCH17_2	
PERAGE23	ROSAGE23				
CHAGEM23	ROSAGE23		IRHH65_2		
CHAGEM23	ROSAGE23	IIHH65_2	IRHH65_2		
CHAGEM23	ROSAGE23				
CHAGEM23	ROSAGE23		IRKI17_2		
CHAGEM23	ROSAGE23	IIKI17_2	IRKI17_2		
CHAGEM23	ROSAGE23	IFATHER			
CHAGEM23	ROSAGE23	IMOTHER			
CHAGEM23	ROSAGE23			NRCH17_2	
CHAGEM23	ROSAGE23				
CHMONS23	ROSSEX23		IRHH65_2		
CHYRSE23	ROSSEX23	IIHH65_2	IRHH65_2		
PERYRS23	ROSSEX23				

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

PERSEX23	ROSSEX23				
MRELAT23	ROSRLT23				
FRELAT23	ROSRLT23				
MBRSEL23	ROSM23				
PERAGE24	ROSAGE24		IRHH65_2		
PERAGE24	ROSAGE24	IIHH65_2	IRHH65_2		
PERAGE24	ROSAGE24				
PERAGE24	ROSAGE24		IRKI17_2		
PERAGE24	ROSAGE24	IIKI17_2	IRKI17_2		
PERAGE24	ROSAGE24	IFATHER			
PERAGE24	ROSAGE24	IMOTHER			
PERAGE24	ROSAGE24			NRCH17_2	
PERAGE24	ROSAGE24				
CHAGEM24	ROSAGE24		IRHH65_2		
CHAGEM24	ROSAGE24	IIHH65_2	IRHH65_2		
CHAGEM24	ROSAGE24				
CHAGEM24	ROSAGE24		IRKI17_2		
CHAGEM24	ROSAGE24	IIKI17_2	IRKI17_2		
CHAGEM24	ROSAGE24	IFATHER			
CHAGEM24	ROSAGE24	IMOTHER			
CHAGEM24	ROSAGE24			NRCH17_2	
CHAGEM24	ROSAGE24				
CHMONS24	ROSSEX24		IRHH65_2		
CHYRSE24	ROSSEX24	IIHH65_2	IRHH65_2		
PERYRS24	ROSSEX24				
PERSEX24	ROSSEX24				
MRELAT24	ROSRLT24				
FRELAT24	ROSRLT24				
MBRSEL24	ROSM24				
PERAGE25	ROSAGE25		IRHH65_2		
PERAGE25	ROSAGE25	IIHH65_2	IRHH65_2		
PERAGE25	ROSAGE25				
PERAGE25	ROSAGE25		IRKI17_2		
PERAGE25	ROSAGE25	IIKI17_2	IRKI17_2		
PERAGE25	ROSAGE25	IFATHER			
PERAGE25	ROSAGE25	IMOTHER			
PERAGE25	ROSAGE25			NRCH17_2	
PERAGE25	ROSAGE25				
CHAGEM25	ROSAGE25		IRHH65_2		
CHAGEM25	ROSAGE25	IIHH65_2	IRHH65_2		
CHAGEM25	ROSAGE25				
CHAGEM25	ROSAGE25		IRKI17_2		
CHAGEM25	ROSAGE25	IIKI17_2	IRKI17_2		
CHAGEM25	ROSAGE25	IFATHER			
CHAGEM25	ROSAGE25	IMOTHER			
CHAGEM25	ROSAGE25			NRCH17_2	

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

CHAGEM25	ROSAGE25				
CHMONS25	ROSSEX25		IRHH65_2		
CHYRSE25	ROSSEX25	IIHH65_2	IRHH65_2		
PERYRS25	ROSSEX25				
PERSEX25	ROSSEX25				
MRELAT25	ROSRLT25				
FRELAT25	ROSRLT25				
MBRSEL25	ROSM25				
HASJOIN	PROXANS2				
		HLCALLFG			
		HLCALL99			
QHI01	MEDICARE		IRINSUR		
QHI01	MEDICARE	IIINSUR	IRINSUR		
QHI01	MEDICARE		IRINSUR3		
QHI01	MEDICARE	IIINSUR3	IRINSUR3		
QHI01	MEDICARE		ANYHLTIN		
QHI01	MEDICARE		INSOTHR2		
QHI02	MEDICAID		IRINSUR		
QHI02	MEDICAID	IIINSUR	IRINSUR		
QHI02	MEDICAID		IRINSUR3		
QHI02	MEDICAID	IIINSUR3	IRINSUR3		
QHI02	MEDICAID		ANYHLTIN		
QHI02	MEDICAID		INSCDCH2		
QHI02A	CHIPCOV		IRINSUR3		
QHI02A	CHIPCOV	IIINSUR3	IRINSUR3		
QHI02A	CHIPCOV		ANYHLTIN		
QHI02A	CHIPCOV		INSCDCH2		
QHI03	CHAMPUS		IRINSUR		
QHI03	CHAMPUS	IIINSUR	IRINSUR		
QHI03	CHAMPUS		IRINSUR3		
QHI03	CHAMPUS	IIINSUR3	IRINSUR3		
QHI03	CHAMPUS		ANYHLTIN		
QHI03	CHAMPUS		INSOTHR2		
QHI06	PRVHLTIN		IRPINSUR		
QHI06	PRVHLTIN	IIPINSUR	IRPINSUR		
QHI06	PRVHLTIN		IRINSUR		
QHI06	PRVHLTIN	IIINSUR	IRINSUR		
QHI06	PRVHLTIN		IRINSUR3		
QHI06	PRVHLTIN	IIINSUR3	IRINSUR3		
QHI06	PRVHLTIN		ANYHLTIN		
QHI07	GRPHLTIN				
QHI08	HLTINALC				
QHI09	HLTINDRG				
QHI10	HLTINMNT				
QHI11	HLTINNOS		IRINSUR3		
QHI11	HLTINNOS	IIINSUR3	IRINSUR3		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QHI11	HLTINNOS		ANYHLTIN		
QHI11	HLTINNOS		INSOTHR2		
QHI13	HLCNOTYR				
QHI14	HLCNOTMO				
QHI15	HLCLAST				
QHI17	HLLOSRSN				
QHI18	HLNV COST				
QHI18	HLNV OFFR				
QHI18	HLNV REF				
QHI18	HLNV NEED				
QHI18	HLNV SOR				
QI01		IIPSOC	IRPSOC		
QI01		IIFAMSOC	IRFAMSOC		
QI02			IRFAMSOC		
QI02		IIFAMSOC	IRFAMSOC		
QI03		IIPSSI	IRPSSI		
QI03		IIFAMSSI	IRFAMSSI	GOVTPROG	
QI04A		IIFAMSSI	IRFAMSSI	GOVTPROG	
QI04B		IIFAMSSI	IRFAMSSI	GOVTPROG	
QI05		IIPWAG	IRPWAG		
QI05		IIFAMWAG	IRFAMWAG		
QI06A		IIFAMWAG	IRFAMWAG		
QI06B		IIFAMWAG	IRFAMWAG		
QI07A		IIFSTAMP	IRFSTAMP	GOVTPROG	
QI07B		IIFSTAMP	IRFSTAMP	GOVTPROG	
QI08		IIPPMT	IRPPMT		
QI08		IIFAMPMT	IRFAMPMT	GOVTPROG	
QI09A		IIFAMPMT	IRFAMPMT	GOVTPROG	
QI09B		IIFAMPMT	IRFAMPMT	GOVTPROG	
QI10		IIP SVC	IRP SVC		
QI10		IIFAM SVC	IRFAM SVC	GOVTPROG	
QI11A		IIFAM SVC	IRFAM SVC	GOVTPROG	
QI11B		IIFAM SVC	IRFAM SVC	GOVTPROG	
QI12A		IIWELMOS	IRWELMOS		
QI12B		IIWELMOS	IRWELMOS		
QI13		IIPINT	IRPINT		
QI13		IIFAMINT	IRFAMINT		
QI14A		IIFAMINT	IRFAMINT		
QI14B		IIFAMINT	IRFAMINT		
QI15		IIPCHD	IRPCHD		
QI15		IIFAMCHD	IRFAMCHD		
QI16A		IIFAMCHD	IRFAMCHD		
QI16B		IIFAMCHD	IRFAMCHD		
QI17		IIPOTH	IRPOTH		
QI17		IIFAMOTH	IRFAMOTH		
QI18A		IIFAMOTH	IRFAMOTH		

CAI	Edited	Other	Imputed	Recoded	Notes
-----	--------	-------	---------	---------	-------

QI18B		IIFAMOTH	IRFAMOTH		
QI21A		IIPINC3	IRPINC3		
QI21A		IIFAMIN3	IRFAMIN3	INCOME	
QI21B		IIPINC3	IRPINC3		
QI21B		IIFAMIN3	IRFAMIN3	INCOME	
QI23A		IIFAMIN3	IRFAMIN3	INCOME	
QI23B		IIFAMIN3	IRFAMIN3	INCOME	
QI24	TELNO2				
FIDBF02S	INTATOSP				
		QUARTER			
		GQTYPE			
		PDEN			
		VEREP			
		VESTR			
		ANALWT_C			
		LANGVER			