



Citations and References

Complex Clinical Decisions Podcast Series

SAMHSA's Recovery to Practice (RTP) Clinical Decision Support CME courses offer timely, recovery-oriented information on prescribing and practices for physicians and other clinicians treating people with serious mental illness. The Complex Clinical Decisions podcast series explores challenging scenarios in psychopharmacology from a strength-based, recovery-oriented perspective, with a focus on shared decision-making, relationship building, and scientific and clinical evidence.

Citations and Resources for More Information

Right Med, Right Time: How Medication Can Support Recovery

American Psychiatric Association. (2017, April 19). Self-Advocacy Through Power Statements [Blog Post]. Retrieved from <https://www.psychiatry.org/news-room/apa-blogs/apa-blog/2017/04/self-advocacy-through-power-statements>

Cook J.A., Copeland M.E., Hamilton M.M., Jonikas J.A., Razzano L.A., Floyd C.B., ... Grey D.D. Initial outcomes of a mental illness self-management program based on wellness recovery action planning. *Psychiatr Serv.*, 60(2), 246-249. doi: 10.1176/ps.2009.60.2.246

Deegan P. *Reclaiming your power during medication appointments with your psychiatrist*. Retrieved from <http://power2u.org/reclaiming-your-power-during-medication-appointments-with-your-psychiatrist/>

Deegan P.E., Carpenter-Song E., Drake R.E., Naslund J.A., Luciano A., Hutchison S.L. (2017). Enhancing Clients' Communication Regarding Goals for Using Psychiatric Medications. *Psychiatric Services*, 68(8), 771-775. doi: 10.1176/appi.ps.201600418

Deegan P., & Drake R. (2006). Shared Decision Making and Medication Management in the Recovery Process. *Psychiatric Services*, 57(11), 1636-1639. doi: 10.1176/ps.2006.57.11.1636

Haddad P.M., Brain C., & Scott J. (2014). Nonadherence with antipsychotic medication in schizophrenia: challenges and management strategies. *Patient Relat Outcome Meas.*, 5, 43-62. doi: 10.2147/PROM.S42735

Harrow M., Jobe T.H., & Faull R.N. (2012). Do all schizophrenia patients need antipsychotic treatment continuously throughout their lifetime? A 20-year longitudinal study. *Psychol Med.*, 42(10), 2145-2155. doi: 10.1017/S0033291712000220

Harrow M., Jobe T.H., & Faull R.N. (2014). Does treatment of schizophrenia with antipsychotic medications eliminate or reduce psychosis? A 20-year multi-follow-up study. *Psychol Med.*, *44*(14), 3007-16. doi: 10.1017/S0033291714000610

Illness Management and Recovery Evidence-Based Practices (EBP) KIT. HHS Publication No. SMA09-4463. Rockville, MD: Center for Mental Health Services, Substance Abuse and Mental Health Services Administration, 2010

National Institute for Healthcare Excellence. (2009). Medicines adherence: involving patients in decisions about prescribed medicines and supporting adherence (Clinical guideline CG76). Retrieved from <https://www.nice.org.uk/guidance/cg76/chapter/1-guidance>.

Noordsy D.L., Torrey W.C., Mead S., Brunette M., Potenza D., & Copeland M.E. (2000). Recovery-oriented psychopharmacology: redefining the goals of antipsychotic treatment. *J Clin Psychiatry*, *61*(Suppl 3), 22-29.

Ostrow L., Jessell L., Hurd M., Darrow S.M., & Cohen D. (2017). Discontinuing Psychiatric Medications: A Survey of Long-Term Users. *Psychiatr Serv*, *68*(12), 1232-1238. doi: 10.1176/appi.ps.201700070.

SAMHSA's Program to Achieve Wellness. <https://www.samhsa.gov/wellness-initiative/program-achieve-wellness>

Shared Decision-Making in Mental Health Care: Practice, Research, and Future Directions. HHS Publication No. SMA-09-4371. Rockville, MD: Center for Mental Health Services, Substance Abuse and Mental Health Services Administration, 2010

The Motivational Interviewing Network of Trainers (MINT). Decisional Balance Worksheet. Retrieved from <http://www.motivationalinterviewing.org/sites/default/files/decisionalbalance.pdf>

Velligan D., Weiden P.J., Sajatovic M., Scott J., Carpenter D., Ross R., & Docherty J.P. (2009). The expert consensus guideline series: adherence problems in patients with serious and persistent mental illness. *J Clin Psychiatry*, *70*(Suppl 4), 1-46.

Whitley R., & Drake R.E. (2010). Recovery: a dimensional approach. *Psychiatr Serv*. *61*(12), 1248-1250. doi: 10.1176/ps.2010.61.12.1248

Wunderink L., Nieboer R.M., Wiersma D., Sytema S., Nienhuis F.J. (2013). Recovery in Remitted First-Episode Psychosis at 7 Years of Follow-up of an Early Dose Reduction/Discontinuation or Maintenance Treatment Strategy: Long-term Follow-up of a 2-Year Randomized Clinical Trial. *JAMA Psychiatry*, *70*(9), 913-920. doi: 10.1001/jamapsychiatry.2013.19