

**Table 9.6C Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year: Among People Aged 12 to 17; Receipt of Treatment for Depression in Past Year: Among People Aged 12 to 17 with MDE and among People Aged 12 to 17 with MDE with Severe Impairment in Past Year; by Geographic, Socioeconomic, and Health Characteristics, Standard Errors of Numbers in Thousands, 2019 and 2020**

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2019)	Had MDE (2020)	Had MDE with Severe Impairment <sup>1</sup> (2019)	Had MDE with Severe Impairment <sup>1</sup> (2020)	Received Treatment for Depression in Past Year among People with MDE <sup>2</sup> (2019)	Received Treatment for Depression in Past Year among People with MDE <sup>2</sup> (2020)	Received Treatment for Depression in Past Year among People with MDE with Severe Impairment <sup>1,2</sup> (2019)	Received Treatment for Depression in Past Year among People with MDE with Severe Impairment <sup>1,2</sup> (2020)
<b>TOTAL</b>	90	199	77	160	64	138	58	112
<b>GEOGRAPHIC REGION</b>								
Northeast	30	57	25	42	21	38	18	*
Midwest	37	77	33	73	31	52	29	47
South	61	149	51	114	41	113	38	85
West	50	83	41	70	32	53	29	49
<b>COUNTY TYPE</b>								
Large Metro	84	194	70	147	51	115	47	86
Small Metro	56	105	48	87	33	70	30	67
Nonmetro	33	59	26	46	20	34	17	*
<b>POVERTY LEVEL</b>								
Less Than 100%	40	76	34	53	26	*	24	*
100-199%	45	85	38	69	29	39	28	36
200% or More	85	200	70	160	51	128	46	102
<b>HEALTH INSURANCE<sup>3</sup></b>								
Private	79	196	63	152	49	127	43	99
Medicaid/CHIP	59	108	49	82	37	50	35	47
Other <sup>4</sup>	24	51	22	44	14	*	14	*
No Coverage	23	36	18	34	11	*	*	*
<b>OVERALL HEALTH<sup>5</sup></b>								
Excellent	48	97	40	78	26	55	23	*
Very Good	60	129	51	115	38	79	35	73
Good	54	119	43	82	33	79	29	65
Fair/Poor	27	59	25	53	22	*	21	*

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the 2020 *National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

<sup>1</sup> Respondents with unknown impairment data were excluded.

<sup>2</sup> Respondents with unknown past year treatment for depression data were excluded.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

<sup>5</sup> Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.

**Table 9.6D Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year: Among People Aged 12 to 17; Receipt of Treatment for Depression in Past Year: Among People Aged 12 to 17 with MDE and among People Aged 12 to 17 with MDE with Severe Impairment in Past Year; by Geographic, Socioeconomic, and Health Characteristics, Standard Errors of Percentages, 2019 and 2020**

Geographic/Socioeconomic/ Health Characteristic	Had MDE (2019)	Had MDE (2020)	Had MDE with Severe Impairment <sup>1</sup> (2019)	Had MDE with Severe Impairment <sup>1</sup> (2020)	Received Treatment for Depression in Past Year among People with MDE <sup>2</sup> (2019)	Received Treatment for Depression in Past Year among People with MDE <sup>2</sup> (2020)	Received Treatment for Depression in Past Year among People with MDE with Severe Impairment <sup>1,2</sup> (2019)	Received Treatment for Depression in Past Year among People with MDE with Severe Impairment <sup>1,2</sup> (2020)
<b>TOTAL</b>	0.37	<i>0.82</i>	0.32	<i>0.66</i>	1.34	2.45	1.63	2.69
<b>GEOGRAPHIC REGION</b>								
Northeast	0.78	<i>1.53</i>	0.66	<i>1.14</i>	3.04	6.02	3.77	*
Midwest	0.72	<i>1.51</i>	0.65	<i>1.42</i>	2.53	4.19	2.82	4.76
South	0.65	<i>1.56</i>	0.55	<i>1.20</i>	2.40	4.57	2.88	5.26
West	0.86	<i>1.41</i>	0.72	<i>1.19</i>	2.49	4.44	3.23	4.82
<b>COUNTY TYPE</b>								
Large Metro	0.56	<i>1.21</i>	0.48	<i>0.93</i>	1.89	3.36	2.29	3.57
Small Metro	0.62	<i>1.27</i>	0.54	<i>1.11</i>	2.30	4.56	2.85	5.28
Nonmetro	0.79	<i>1.63</i>	0.69	<i>1.34</i>	2.84	5.48	3.34	*
<b>POVERTY LEVEL</b>								
Less Than 100%	0.75	<i>1.64</i>	0.65	<i>1.18</i>	2.90	*	3.47	*
100-199%	0.80	<i>1.81</i>	0.70	<i>1.50</i>	2.74	4.68	3.26	5.68
200% or More	0.50	<i>1.10</i>	0.44	<i>0.90</i>	1.72	3.07	2.14	3.40
<b>HEALTH INSURANCE<sup>3</sup></b>								
Private	0.49	<i>1.15</i>	0.41	<i>0.92</i>	1.68	3.16	2.13	3.49
Medicaid/CHIP	0.59	<i>1.22</i>	0.52	<i>0.97</i>	2.09	3.84	2.48	4.37
Other <sup>4</sup>	1.74	<i>2.89</i>	1.60	<i>2.53</i>	5.54	*	5.99	*
No Coverage	1.83	<i>2.54</i>	1.47	<i>2.35</i>	5.42	*	*	*
<b>OVERALL HEALTH<sup>5</sup></b>								
Excellent	0.52	<i>1.05</i>	0.45	<i>0.87</i>	2.66	5.62	3.51	*
Very Good	0.56	<i>1.21</i>	0.49	<i>1.11</i>	1.92	3.97	2.34	4.76
Good	0.93	<i>1.92</i>	0.76	<i>1.48</i>	2.42	4.28	2.87	4.31
Fair/Poor	2.20	<i>4.86</i>	2.10	<i>4.42</i>	4.88	*	5.58	*

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates in the 2020 column are italicized to indicate caution should be used when comparing estimates between 2020 and prior years because of methodological changes for 2020. Due to these changes, significance testing between 2020 and prior years was not performed. See the *2020 National Survey on Drug Use and Health: Methodological Summary and Definitions* for details.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

<sup>1</sup> Respondents with unknown impairment data were excluded.

<sup>2</sup> Respondents with unknown past year treatment for depression data were excluded.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

<sup>5</sup> Respondents with unknown health data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2019 and Quarters 1 and 4, 2020.